




Experimental page: ratios of curve fit deaths to curve fit confirmed cases (CFR)

















Excess deaths as a Z score:








Above based on Z score of two standard deviation from 2017-2019. What follows is cumulative plot of same.

False Positives Demonstration

Data in recent weeks are incomplete. Only 60% of death records are submitted to NCHS within 10 days of the date of death, and completeness varies by jurisdiction. Data are not weighted and counts are likely

Use 0.07% as estimated daily incidence *Prevalence* estimated as avg. infected period of 2 weeks X incidence



99%	accuracy of test			0.07% X 14 = 0.980%
	Positive	Negative		
test pos	0.970%	0.990%	1.96%	
test neg	0.010%	98.030%	<u>98.04%</u>	
	0.980%	99.020%	100.00%	

False pos. is more than half of total positives.

Total		100.0070
Total		100.00%
FALSE +	0.99%/1.96%	<u>50.5%</u>
TRUE +	0.97%/1.96%	49.5%

Counter-act this tendency by increasing test sensitivity. However this may increase false negatives, the recipients of which may be positive, think they're negative, and go spread it around some more.

US mortality vs. India 200:100,000 180:100,000 160:100,000 140:100,000 120:100,000 100:100,000 80:100,000 60:100,000 40:100,000 20:100,000 0:100,000 1-Dec 10-Mar 18-Jun 26-Sep 4-Jan 14-Apr 23-Jul 31-Oct US cum. fit per 100k India cum. fit per 100k

USA Excess Deaths, 2020 (from CDC data):

	Annualized on 52 weeks				
		All Cause	All Cause, excl. CV19	CV19	
3	yr average before 2020	859:100,000	859:100,000	-	
	2020	1016:100,000	905:100,000	-	
	Diff.	157:100,000	46:100,000	111:100,000	

3 yr average	
859:100.000	

29% of All-Cause excess deaths are non-CV19

https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkkf-xrst/data


USA Excess Deaths to date (from CDC data):

	31 weeks	All Cause	All Cause, excl. CV19	CV19
3	yr average before 2020	505:100,000	505:100,000	-
	2021	578:100,000	518:100,000	-
	Diff.	73:100,000	13:100,000	60:100,000


3 yr average 859:100,000

17% of All-Cause excess deaths are non-CV19

https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkkf-xrst/data




R is *recovered* variable.




Provisional COVID-19 Death Counts 85 years and over 75-84 years 65-74 years 50-64 years 55-64 years 45-54 years 35-44 years rsq = 0.99025-34 years 15-24 years 5-14 years 1-4 years Under 1 year https://data.cdc.gov/NCHS/Provisional-COVID-19-Death-Counts-by-0% 5% 15% 20% 25% 10% 30% ■ Total deaths ■ Covid deaths


CDC data on week indicated new cases by % fully vaccinated.




Estimates of Cases per 100k



reporting jurisdictions is not a uniform distribution; some data suppressed, for example Texas





https://data.cdc.gov/NCHS/Weekly-Counts-of-Deaths-by-State-and-Select-Causes/muzy-jte6/data