Common causes of death, normalized to COVID. Pre-Covid: 1Q2017 thru 1Q2020, Post-Covid 2Q2020 thru 1Q2021, USA



Relative effect of COVID on various age groups, and compared to cause of death. These are all relative to COVID, which is 1.0 on each of four charts, USA











Texas and Tri-county comparisons









 $\underline{https://data.cdc.gov/NCHS/Conditions-contributing-to-deaths-involving-corona/hk9y-quqm/data}$




Average and Excess Deaths:









Provisional COVID-19 Death Counts by Sex, Age, and State rsq = 0.99 3000000 250000 2500000 200000 2000000 10-Aug-22 of COVID-150000 1500000 100000 1000000 50000 500000 Under 1-4 5-14 15-24 25-34 35-44 45-54 55-64 50-64 65-74 75-84 85 1 year years and Since 2020, ☐ Sum of COVID-19 Deaths ☐ Sum of Total Deaths inclusive

	Under 65 Over 65		
All	26.0%	74.0%	
COVID-19	25.5%	74.5%	

Conditions Contributing to COVID-19 Deaths, by State and Age, Provisional 2020-2022

This dataset shows health conditions and contributing causes mentioned in conjunction with deaths involving coronavirus disease 2019 (COVID-19) by age group and jurisdiction of occurrence. 2020-2022 data are provisional.

False Positives Demonstration

Total

Use 0.19% as estimated daily incidence

Prevalence estimated as avg. infected period of 2 weeks X incidence

95% accuracy of test			0.19% X 14 = 2.660%	
	Positive	Negative		Sensitivity
test pos	2.527%	4.867%	7.39%	Probability of detection
test neg	0.133%	92.473%	92.61%	where condition exists
	2.660%	97.340%	100.00%	True + / (True + & False -)
				95%
False pos. is more than half of total positives.			Specificity	
TRUE +	2.527%/7.3	39%	34.2%	Probability of not detecting where
FALSE +	4.867%/7.3	39%	65.8%	condition doesn't exist

100.00% 95%

condition doesn't exist True - / (True - & False +) Example only; sensitivity and specifity not necessarily equal.

USA Excess Deaths, 2020 (from CDC data):

Annualized on 52 weeks			
	All Cause	All Cause, excl. CV19	CV19
3 yr average before 2020	859:100,000	859:100,000	-
2020	1016:100,000	905:100,000	-
Diff.	157:100,000	46:100,000	111:100,000

29% of All-Cause excess deaths are non-CV19

USA Excess Deaths, 2021 (from CDC data):

Annualized on 52 weeks			
	All Cause	All Cause, excl. CV19	CV19
3 yr average before 2020	859:100,000	859:100,000	-
2021	1052:100,000	909:100,000	-
Diff.	193:100,000	50:100,000	143:100,000

26% of All-Cause excess deaths are non-CV19

USA Excess Deaths to date (2022, from CDC data):

	Week 49	All Cause	All Cause, excl. CV19	CV19
3	yr average before 2020	806:100,000	806:100,000	-
	2022	927:100,000	854:100,000	=
	Diff.	121:100,000	47:100,000	73:100,000


2022 Linear Year Projection


39% of All-Cause excess deaths not CV19


78:100,000


https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkkf-xrst/data

ſ	Total, latest update	471:100,000	143:100,000	327:100,000
	Annualized	162:100,000	49:100,000	113:100,000












(CDC started updating this again 02 July 2022)



Data in recent weeks are incomplete. Only 60% of death records are submitted to NCHS within 10 days of the date of death, and completeness varies by jurisdiction. Data are not weighted and counts are likely underreported.

Recent exponential growth examples:





Vaccinations and cumulative outcomes:



(Feb 2021 picked because that's about when vaccines became available)



https://healthdata.gov/Health/COVID-19-Community-Profile-Report/gaxm-d9w9
https://github.com/CSSEGISandData/COVID-19/blob/master/csse covid 19 daily reports us/03-29-2022.csv