










Experimental page : ratios of curve fit deaths to curve fit confirmed cases (CFR)



Demonstration of SIR model where R_e is linearly reduced to 0.80 at the end of the sequence:



Reducing the R_e while keeping gamma constant is the same as reducing contact rate. Contact rate is reduced through isolation, lockdowns, and vaccinations. Seems to indicate timing of start of measures is a big factor. The orange data taken as without measures, but we know certain measures were taken. Hard to determine effect, without a basis of comparison.



False Positives Demonstration


Use 0.11% from US est. incidence above as estimated daily incidence
Prevalence estimated as avg. infected period of 2 weeks X incidence

	99% accuracy of test		
	Positive	Negative	
test pos	1.525%	0.985%	2.51%
test neg	0.015%	97.475%	97.49%
	1.540%	98.460%	100.00%


False pos. is less than half of total positives.

TRUE +	1.525%/2.51%	60.8%
FALSE +	0.985%/2.51%	39.2%
Total		100.00%

Counter-act this tendency by increasing test sensitivity. However this may increase false negatives, the recipients of which may be positive, think they're negative, and go spread it around some more.



<https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkxf-rxst/data>



USA Excess Deaths (from CDC data):

Annualized on 52 weeks			
	All Cause	All Cause, excl. CV19	CV19
3 yr average before 2020	859:100,000	859:100,000	-
2020	1014:100,000	904:100,000	-
Diff.	155:100,000	44:100,000	111:100,000

3 yr average
859:100,000


29% of All-Cause excess deaths are non-CV19

<https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkxf-xrst/data>









$$K = 0.318 \quad R_o : \quad R : \quad \text{gamma} = 0.171 \quad R_o = \exp(K/\text{gamma}) = 6.42 \quad 84\% \quad \leq \text{Herd immunity}$$


$$\text{gamma} = 0.286 \quad R > 1 - 1/R_o = 3.04 \quad 67\%$$

R is recovered variable.



Here are some demonstrations of SIR model, using R_o , gamma, and beta





<https://data.cdc.gov/NCHS/Weekly-Counts-of-Deaths-by-State-and-Select-Causes/muzy-ite6/data>