Common causes of death, normalized to COVID. Pre-Covid: 1Q2017 thru 1Q2020, Post-Covid 2Q2020 thru 1Q2021, USA



Relative effect of COVID on various age groups, and compared to cause of death. These are all relative to COVID, which is 1.0 on each of four charts, USA









Texas and Tri-county comparisons





https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkkf-xrst/data

https://data.cdc.gov/NCHS/Provisional-COVID-19-Death-Counts-by-Sex-Age-and-S/9bhg-hcku/data





https://data.cdc.gov/NCHS/Conditions-contributing-to-deaths-involving-corona/hk9y-guqm/data



	Under 65	Over 65
All	26.0%	74.0%
COVID-19	25.5%	74.5%

Conditions Contributing to COVID-19 Deaths, by State and Age, Provisional 2020-2022
This dataset shows health conditions and contributing causes mentioned in conjunction with deaths involving coronavirus disease 2019 (COVID-19) by age group and jurisdiction of occurrence.
2020-2022 data are provisional.

Average and Excess Deaths: **7-Jan-23**







False Positives Demonstration

Use 0.19% as estimated daily incidence

Prevalence estimated as avg. infected period of 2 weeks X incidence

95% accuracy of test

0.19% X 14 = 2.660%

	Positive	Negative	
test pos	2.527%	4.867%	7.39%
test neg	0.133%	92.473%	92.61%
	2.660%	97.340%	100.00%

Sensitivity
Probability of detection where condition exists
True + / (True + & False -)
95%

Specificity
Probability of not detecting where condition doesn't exist
True - / (True - & False +)
95%

False pos. is more than half of total positives.

TRUE +	2.527%/7.39%	34.2%
FALSE +	4.867%/7.39%	65.8%
Total	----------	100.00%

Example only; sensitivity and specifity not necessarily equal.

USA Excess Deaths, 2020 (from CDC data):

Annualized on 52 weeks			
	All Cause	All Cause, excl. CV19	CV19
3 yr average before 2020	859:100,000	859:100,000	-
2020	1016:100,000	905:100,000	-
Diff.	157:100,000	46:100,000	111:100,000

29% of All-Cause excess deaths are non-CV19

USA Excess Deaths, 2021 (from CDC data):

Annualized on 52 weeks			
	All Cause	All Cause, excl. CV19	CV19
3 yr average before 2020	859:100,000	859:100,000	-
2021	1052:100,000	909:100,000	-
Diff.	193:100,000	50:100,000	143:100,000

26% of All-Cause excess deaths are non-CV19

USA Excess Deaths to date (2022, from CDC data):

Annualized on 52 weeks				
	All Cause	0	All Cause, excl. CV19	CV19
3 yr average before 2020	859:100,000		859:100,000	-
2022	991:100,000		909:100,000	-
Diff.	132:100,000		56:100,000	76:100,000

42% of All-Cause excess deaths are non-CV19

Average and Excess Deaths (cont'd): **7-Jan-23**



USA Excess Deaths to date (2023, from CDC data):

Week 1	All Cause	All Cause, excl. CV19	CV19
3 yr average before 2020	19:100,000	19:100,000	-
2023	16:100,000	15:100,000	-
Diff.	-2:100,000	-3:100,000	1:100,000

Linear Year Projection
48:100,000

https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkkf-xrst/data

Total, latest update	479:100,000	148:100,000	331:100,000
Annualized	160:100,000	50:100,000	111:100,000

31% of All-Cause excess deaths not CV19





(CDC started updating this again 02 July 2022)





Data in recent weeks are incomplete. Only 60% of death records are submitted to NCHS within 10 days of the date of death, and completeness varies by jurisdiction. Data are not weighted and counts are likely underreported.

Recent exponential growth examples:





Vaccinations and cumulative outcomes:

(Feb 2021 picked because that's about when vaccines became available)





https://healthdata.gov/Health/COVID-19-Community-Profile-Report/gqxm-d9w9

https://github.com/CSSEGISandData/COVID-19/blob/master/csse_covid_19_data/csse_covid_19_daily_reports_us/03-29-2022.csv