Common causes of death, normalized to COVID. Pre-Covid: 1Q2017 thru 1Q2020, Post-Covid 2Q2020 thru 1Q2021, USA



Relative effect of COVID on various age groups, and compared to cause of death. These are all relative to COVID, which is 1.0 on each of four charts, USA











Texas and Tri-county comparisons









 $\underline{https://data.cdc.gov/NCHS/Conditions-contributing-to-deaths-involving-corona/hk9y-quqm/data}$




Average and Excess Deaths:









Provisional COVID-19 Death Counts by Sex, Age, and State rsq = 0.993000000 250000 2500000 200000 2000000 10-Aug-22 of COVID-150000 1500000 100000 1000000 50000 500000 Under 1-4 5-14 15-24 25-34 35-44 45-54 55-64 50-64 65-74 75-84 85 1 year years and Since 2020, ☐ Sum of COVID-19 Deaths ☐ Sum of Total Deaths inclusive

Under 65 Over 65 All 26.0% 74.0% COVID-19 25.5% 74.5%

Conditions Contributing to COVID-19 Deaths, by State and Age, Provisional 2020-2022

This dataset shows health conditions and contributing causes mentioned in conjunction with deaths involving coronavirus disease 2019 (COVID-19) by age group and jurisdiction of occurrence. 2020-2022 data are provisional.

False Positives Demonstration

Use 0.19% as estimated daily incidence

Prevalence estimated as avg. infected period of 2 weeks X incidence

95% accuracy of test

	Positive	Negative		<u>Sensitivity</u>
test pos	2.527%	4.867%	7.39%	Probability of detection
test neg	0.133%	92.473%	92.61%	where condition exists
	2.660%	97.340%	100.00%	True + / (True + & False -)
				95%
False pos. is more t	than half of tota	positives.		Specificity
TRUE +	2.527%/7.3	39%	34.2%	Probability of not detecting where
FALSE +	4.867%/7.3	39%	65.8%	condition doesn't exist
Total			100.00%	True - / (True - & False +)

Example only; sensitivity and specifity not necessarily equal.

0.19% X 14 = 2.660%

95%

USA Excess Deaths, 2020 (from CDC data):

Annualized on 52 weeks			
	All Cause	All Cause, excl. CV19	CV19
3 yr average before 2020	859:100,000	859:100,000	-
2020	1016:100,000	905:100,000	-
Diff.	157:100,000	46:100,000	111:100,000

29% of All-Cause excess deaths are non-CV19

USA Excess Deaths, 2021 (from CDC data):

Annualized on 52 weeks			
	All Cause	All Cause, excl. CV19	CV19
3 yr average before 2020	859:100,000	859:100,000	-
2021	1052:100,000	909:100,000	-
Diff.	193:100,000	50:100,000	143:100,000

26% of All-Cause excess deaths are non-CV19


USA Excess Deaths to date (2022, from CDC data):

All Cause	0	All Cause, excl. CV19	CV19
859:10	00,000	859:100,000	-
994:10	00,000	909:100,000	-
135:10	00,000	59:100,000	76:100,000
	All Cause 859:10 994:10	All Cause 0 859:100,000	All Cause 0 All Cause, excl. CV19 859:100,000 859:100,000 994:100,000 909:100,000

43% of All-Cause excess deaths are non-CV19



28-Jan-23



USA Excess Deaths to date (2023, from CDC data):


Week 4	All Cause	All Cause, excl. CV19	CV19
3 yr average before 2020	74:100,000	74:100,000	-
2023	71:100,000	67:100,000	-
Diff.	-3:100,000	-7:100,000	4:100,000


Linear Year Projection 50:100,000


https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkkf-xrst/data


Total, latest update	482:100,000	148:100,000	334:100,000
Annualized	158:100,000	48:100,000	109:100,000


31% of All-Cause excess deaths are non-CV19













Data in recent weeks are incomplete. Only 60% of death records are submitted to NCHS within 10 days of the date of death, and completeness varies by jurisdiction. Data are not weighted and counts are likely underreported.

Recent exponential growth examples:





Vaccinations and cumulative outcomes:



(Feb 2021 picked because that's about when vaccines became available)



https://healthdata.gov/Health/COVID-19-Community-Profile-Report/gaxm-d9w9
https://github.com/CSSEGISandData/COVID-19/blob/master/csse covid 19 daily reports us/03-29-2022.csv