



Common causes of death, normalized to COVID. Pre-Covid: 1Q2017 thru 1Q2020, Post-Covid 2Q2020 thru 1Q2021, USA




Relative effect of COVID on various age groups, and compared to cause of death. These are all relative to COVID, which is 1.0 on each of four charts, USA














Texas and Tri-county comparisons











Avg expected (no COVID) 90,000 80,000 70,000 60,000 30,000 20,000 10,000 0 13 26 39 52


2018

- 2022


Average and Excess Deaths:


2017

- 2021



--- 2022 + covid





False Positives Demonstration

Use 0.19% as estimated daily incidence

| | Positive | Negative | | Sensitivity |
|-------------------------|--------------|--------------|---------|------------------------------------|
| test pos | 2.527% | 4.867% | 7.39% | Probability of detection |
| test neg | 0.133% | 92.473% | 92.61% | where condition exists |
| | 2.660% | 97.340% | 100.00% | True + / (True + & False -) |
| | | | | 95% |
| False pos. is more than | half of tota | l positives. | | Specificity |
| TRUE + | 2.527%/7.3 | 39% | 34.2% | Probability of not detecting where |
| FALSE + | 4.867%/7.3 | 39% | 65.8% | condition doesn't exist |
| Total | | | 100.00% | True - / (True - & False +) |

Example only; sensitivity and specifity not necessarily equal.

95%

USA Excess Deaths, 2020 (from CDC data):

| Annualized on 52 weeks | | | |
|--------------------------|--------------|-----------------------|-------------|
| | All Cause | All Cause, excl. CV19 | CV19 |
| 3 yr average before 2020 | 859:100,000 | 859:100,000 | - |
| 2020 | 1016:100,000 | 905:100,000 | - |
| Diff. | 157:100,000 | 46:100,000 | 111:100,000 |

29% of All-Cause excess deaths are non-CV19

USA Excess Deaths, 2021 (from CDC data):

| Annualized on 52 weeks | | | |
|--------------------------|--------------|-----------------------|-------------|
| | All Cause | All Cause, excl. CV19 | CV19 |
| 3 yr average before 2020 | 859:100,000 | 859:100,000 | - |
| 2021 | 1049:100,000 | 907:100,000 | - |
| Diff. | 191:100,000 | 48:100,000 | 143:100,000 |


25% of All-Cause excess deaths are non-CV19


USA Excess Deaths to date (2022, from CDC data):

| COM DACESS DO | Con Excess Deaths to date (2022, from CDC data). | | | |
|--------------------|--|-------------|-----------------------|------------|
| Week 10 |) | All Cause | All Cause, excl. CV19 | CV19 |
| 3 yr average befor | re 2020 | 146:100,000 | 146:100,000 | - |
| | 2022 | 189:100,000 | 149:100,000 | - |
| | Diff. | 43:100,000 | 4:100,000 | 39:100,000 |

| 3 yr average | Linea | r Year Projection |
|--------------|--|-------------------|
| 859:100,000 | 9% of All-Cause excess deaths not CV19 | 204:100,000 |

https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkkf-xrst/data





Data in recent weeks are incomplete. Only 60% of death records are submitted to NCHS within 10 days of the date of death, and completeness varies by jurisdiction. Data are not weighted and counts are likely underreported. Therefore, last two weeks of 2022 not shown here. The previous week's data is shown as dashed, to give an idea of the effect of the gradual update.

Recent exponential growth examples:

