



Common causes of death, normalized to COVID. Pre-Covid: 1Q2017 thru 1Q2020, Post-Covid 2Q2020 thru 1Q2021, USA




Relative effect of COVID on various age groups, and compared to cause of death. These are all relative to COVID, which is 1.0 on each of four charts, USA













Excess deaths













Data in recent weeks are incomplete. Only 60% of death records are submitted to NCHS within 10 days of the date of death, and completeness varies by jurisdiction. Data are not weighted and counts are likely underreported. Therefore, last two weeks of 2022 not shown here.





Tri-Counties in Texas:





False Positives Demonstration

Use 0.19% as estimated daily incidence

Prevalence estimated as avg. infected period of 2 weeks X incidence 95% accuracy of test 0.19%

3370	o decardey or test			0.13707.1 2.00070	
	Positive	Negative		Sensitivity	
test pos	2.527%	4.867%	7.39%	6 Probability of detection	
test neg	0.133%	92.473%	92.61%	where condition exists	
	2.660%	97.340%	100.00%	True + / (True + & False -)	
				95%	
False pos. is more than half of total positives.			Specificity		
TRUE +	2.527%/7.3	39%	34.2%	Probability of not detecting where	
FALSE +	4.867%/7.39%		65.8%	condition doesn't exist	
Total			100.00%	True - / (True - & False +)	

Example only; sensitivity and specifity not necessarily equal.

95%

USA Excess Deaths, 2020 (from CDC data):

Annualized on 52 weeks			
	All Cause	All Cause, excl. CV19	CV19
3 yr average before 2020	859:100,000	859:100,000	-
2020	1016:100,000	905:100,000	-
Diff.	157:100,000	46:100,000	111:100,000

29% of All-Cause excess deaths are non-CV19

USA Excess Deaths, 2021 (from CDC data):


Annualized on 52 weeks			
	All Cause	All Cause, excl. CV19	CV19
3 yr average before 2020	859:100,000	859:100,000	-
2021	1049:100,000	907:100,000	-
Diff.	190:100,000	48:100,000	143:100,000

25% of All-Cause excess deaths are non-CV19

USA Excess Deaths to date (2022, from CDC data):

	Con Energy Deuting to date (2022) from CDC data).				
	Week 9	All Cause	All Cause, excl. CV19	CV19	
3	yr average before 2020	146:100,000	146:100,000	-	
	2022	185:100,000	147:100,000	-	
	Diff	40:100 000	1:100.000	39:100 000	

3 yr average	Linear	Year Projection	
859:100,000	2% of All-Cause excess deaths not CV19	223:100,000	
https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkkf-xrst/data			



Recent exponential growth examples:

