- Ejemplo de arquitectura distribuida
 docker push malquinaguirre98/conversionservidor:tagname
 docker push malquinaguirre98/conversioncliente:tagname
- Ejemplo de arquitectura centralizada
 docker pull malquinaguirre98/conversioncentralizado:latest

← → C	O 🗅 127.0.0.1:5000
Conversor de Monedas	
Monto (USD):	
Moneda Destino: EUR V	
Convertir	



```
E:\David PC\UCE\semestre 2025-2025\ProgramacionDistribuida\tallerClase\distribuido>docker-compose up time="2025-05-05T16:41:23-05:00" level=warning msg="E:\\David PC\\UCE\\semestre 2025-2025\\ProgramacionDistribuida\\tallerClase\\distribuido\\docker-compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion"

[+] Running 3/3

\[
\text{Network distribuido_default Created 0.2s}
\[
\text{Container distribuido-servidor-1 Created 0.1s}
\]
\[
\text{Container distribuido-cliente-1 Created 0.1s}
\]
Attaching to cliente-1, servidor-1 servidor-1 python: can't open file '/app/servidor.py': [Errno 2] No such file or directory servidor-1 exited with code 2

\[
\text{cliente-1 python: can't open file '/app/app.py': [Errno 2] No such file or directory cliente-1 exited with code 2
```