

10.12 Tables

Table 10.2.1. Norway pout in Subarea 4 and Division 3.a. Nominal landings (tonnes) from the North Sea and Skagerrak / Kattegat, ICES Subarea 27.4 and Division 27.3.a in the period 2004–2024, as officially reported to ICES. Bycatch of Norway pout in other (small-meshed) fishery included.

Subarea 4 and Division 3.a combined	Denmark	Faroe Is-lands	France	Norway	Sweden	Netherlands	Germany	UK	Lithuania	Total nominal landings	Unallocated catches***	ICES estimate of total landings (Subarea 4 + Division 3.a)
2004	11345	1159	0	4994	88	0	107	0	0	17693	–4193	13500
2005	941**	24	0	962	0	0	0	0	0	1927	-24	1903
2006	39943	0	0	13622	0	0	34	0	0	53599	–6973	46626
2007	83	0	<1	4712	0	0	0	0	0	4795	997	5792
2008	32558	0	<1	6650	10	0	0	0	0	39218	–3080	36138
2009	19820	0	0	37252	0	22	75	0	0	57170	–2645	54525
2010	71312	0	0	65634	10	18	0	29	0	137003	–11048	125955
2011	4072	0	0	3210	1	0	0	0	0	7282	–758	6524
2012	25558	0	0	4587	3	0	0	6	0	30154	–3081	27073
2013	38364	0	0	46601	4	0	0	0	0	84969	–2869	82100
2014	28448	0	0	18664	2	0	0	14	0	47128	–2958	44170
2015	13033	5270	0	44360	727	18	22	3	0	63434	–34	63400

Subarea 4 and Division 3.a combined	Denmark	Faroe Is-lands	France	Norway	Sweden	Netherlands	Germany	UK	Lithuania	Total nominal landings	Unallocated catches***	ICES estimate of total landings (Subarea 4 + Division 3.a)
2016	23507	3156	0	36052	2	8	27	30	0	62782	618	63400
2017	12467	0	0	21357	6	1	17	0	0	33848	85	33933
2018	10546	0	0	25504	5	2	3	<1	0	36060	87	36147
2019	37850	3034	0	59662	53	16	0	0	0	100615	-2961	97654
2020	65720	1554	<1	63777	48	88	4	86	23	131300	-1803	129497
2021	42002	0	8	29952	6	23	486	10	0	72486	-532	71954
2022	21212	0	61	14515	99	60	6	1	0	35954	-230	35724
2023	2839	0	2	24513	22	3	0	0	0	27379	-23	27356
2024*	1643	0	5	2256	34	6	2	0	0	3946	-47	3899

* Nominal landings are preliminary

** 781 tonnes from trial fishery (directed fishery); 160 tonnes from bycatches in other fisheries.

*** Difference between total nominal landings and ICES estimates of total landings including bycatch of other species.

Division 3.a	Denmark	Faroe Islands	Norway	Sweden	Germany	Total
2004	110	45	41	-	54	250
2005	-	-	-	-	-	0
2006	18	-	2	-	-	20
2007	24	-	-	-	-	24

Division 3.a	Denmark	Faroe Islands	Norway	Sweden	Germany	Total
2008	156	-	-	-	-	156
2009	-	-	209	-	-	209
2010	51	-	711	10	-	772
2011	2	-	-	-	-	2
2012	118	-	-	-	-	118
2013	6945	-	147	1	-	7093
2014	538	-	9	1	-	548
2015	2220	-	41	1	-	2262
2016	918	-	82	1	-	1001
2017	110	-	72	4	2	188
2018	159	-	6	1	-	166
2019	1125	-	6	18	-	1149
2020	5585	-	16	13	-	5614
2021	1942	-	1	2	-	1945
2022	802	-	1	3	-	806
2023	886	-	<1	2	-	888
2024*	11	-	<1	2	-	13

* Preliminary

Division 4.a	Denmark	Faroe Islands	France	Netherlands	Germany	Norway	Sweden	UK	Lithuania	Total
2004	10762	1085	-	-	27	4953	-	-	-	16827
2005	941**	24	-	-	-	962	-	-	-	1927
2006	39531	-	-	-	15	13618	-	-	-	53164
2007	59	-	-	-	-	4712	-	-	-	4771
2008	32158	-	-	-	-	6650	10	-	-	38818
2009	19226	-	-	22	-	36961	-	-	-	56209
2010	71032	-	-	18	-	64303	< 1	29	-	135382
2011	4038	-	-	-	-	3189	1	-	-	7227
2012	25431	-	-	-	-	4528	3	6	-	29968
2013	31375	-	-	-	-	45839	4	-	-	77218
2014	27894	-	-	-	-	18647	1	8	-	46550
2015	10760	5270	-	17	22	43742	12	3	-	59827
2016	21125	3156	-	8	27	35959	<1	12	-	60286
2017	12312	-	-	1	1	21275	<1	-	-	33589
2018	10367	-	-	2	-	25498	4	-	-	35871
2019	36152	3034	-	15	-	59546	32	-	-	98780
2020	59515	1554	<1	88	4	63726	35	82	23	125027

Division 4.a	Denmark	Faroe Islands	France	Netherlands	Germany	Norway	Sweden	UK	Lithuania	Total
2021	39871	-	8	23	486	29863	2	10	-	70263
2022	20365	2	61	59	6	14380	46	1	-	34920
2023	1923	-	2	3	-	24507	7	<1	-	26442
2024*	1626	-	5	6	2	2254	32	-	-	3925

* Preliminary

** 781 tonnes from trial fishery (directed fishery); 160 tonnes from bycatches in other fisheries.

Division 4.b	Denmark	Faroe Islands	France	Germany	Netherlands	Norway	Sweden	UK	Total
2004	473	29	-	26	-	-	88	-	616
2005	-	-	-	-	-	-	-	-	0
2006	394	-	-	19	-	2	-	-	415
2007	-	-	-	-	-	-	-	-	0
2008	244	-	-	-	-	-	-	-	244
2009	595	-	-	75	-	82	-	-	752
2010	229	-	-	-	-	620	-	-	849
2011	32	-	-	-	-	21	-	-	53
2012	9	-	-	-	-	59	-	-	68
2013	43	-	-	-	-	615	<1	-	658
2014	16	-	-	-	-	8	-	6	30

Division 4.b	Denmark	Faroe Islands	France	Germany	Netherlands	Norway	Sweden	UK	Total
2015	53	-	-	-	1	577	714	-	1345
2016	1463	-	-	-	<1	11	1	18	1493
2017	45	-	-	13	<1	10	2	-	71
2018	20	-	-	3	<1	-	-	-	23
2019	573	-	-	-	1	109	3	-	686
2020	620	-	-	-	<1	35	-	3	659
2021	189	-	-	-	-	88	2	-	278
2022	45	-	<1	-	-	133	51	-	229
2023	30	-	-	-	-	6	12	-	48
2024*	6	-	-	-	-	3	2	-	11

* Preliminary

Division 4.c	Denmark	France	UK	Total
2004	-	-	-	0
2005	-	-	-	0
2006	-	-	-	0
2007	-	< 1	-	<1
2008	-	< 1	-	<1

Division 4.c	Denmark	France	UK	Total
2009	-	-	-	0
2010	-	-	-	0
2011	-	-	-	0
2012	-	-	-	0
2013	-	-	-	0
2014	-	-	-	0
2015	-	-	-	0
2016	1	-	-	1
2017	-	-	-	0
2018	-	-	<1	<1
2019	-	-	-	0
2020	-	-	-	0
2021	-	-	-	0
2022	-	-	-	0
2023	-	-	-	0
2024*	-	-	-	0

* Preliminary

Table 10.2.2. Norway pout in Subarea 4 and Division 3.a. Annual landings ('000 t) in the North Sea and Skagerrak (not incl. Kattegat, 3.aS) by country, for 1961–2024 (Data provided by ICES WGNSSK Working Group members). Norwegian landing data include landings of bycatch of other species.

Year	Denmark		Faroes	Norway	Sweden	UK (Scotland)	Others	Total
	North Sea	Skagerrak						
1961	20.5	-	-	8.1	-	-	-	28.6
1962	121.8	-	-	27.9	-	-	-	149.7
1963	67.4	-	-	70.4	-	-	-	137.8
1964	10.4	-	-	51	-	-	-	61.4
1965	8.2	-	-	35	-	-	-	43.2
1966	35.2	-	-	17.8	-	-	+	53.0
1967	169.6	-	-	12.9	-	-	+	182.5
1968	410.8	-	-	40.9	-	-	+	451.7
1969	52.5	-	19.6	41.4	-	-	+	113.5
1970	142.1	-	32	63.5	-	0.2	0.2	238.0
1971	178.5	-	47.2	79.3	-	0.1	0.2	305.3
1972	259.6	-	56.8	120.5	6.8	0.9	0.2	444.8
1973	215.2	-	51.2	63	2.9	13	0.6	345.9
1974	464.5	-	85.0	154.2	2.1	26.7	3.3	735.8
1975	251.2	-	63.6	218.9	2.3	22.7	1	559.7
1976	244.9	-	64.6	108.9	+	17.3	1.7	437.4
1977	232.2	-	48.8	98.3	2.9	4.6	1	387.8
1978	163.4	-	18.5	80.8	0.7	5.5	-	268.9
1979	219.9	9	21.9	75.4	-	3	-	329.2
1980	366.2	11.6	34.1	70.2	-	0.6	-	482.7
1981	167.5	2.8	16.4	51.6	-	+	-	238.3
1982	256.3	35.6	12.3	88	-	-	-	392.2
1983	301.1	28.5	30.7	97.3	-	+	-	457.6
1984	251.9	38.1	19.11	83.8	-	0.1	-	393.01
1985	163.7	8.6	9.9	22.8	-	0.1	-	205.1
1986	146.3	4	2.5	21.5	-	-	-	174.3
1987	108.3	2.1	4.8	34.1	-	-	-	149.3
1988	79	7.9	1.3	21.1	-	-	-	109.3
1989	95.7	4.2	0.8	65.3	+	0.1	0.3	166.4
1990	61.5	23.8	0.9	77.1	+	-	-	163.3
1991	85	32	1.3	68.3	+	-	+	186.6
1992	146.9	41.7	2.6	105.5	+	-	0.1	296.8
1993	97.3	6.7	2.4	76.7	-	-	+	183.1
1994	97.9	6.3	3.6	74.2	-	-	+	182
1995	138.1	46.4	8.9	43.1	0.1	+	0.2	236.8
1996	74.3	33.8	7.6	47.8	0.2	0.1	+	163.8
1997	94.2	29.3	7.0	39.1	+	+	0.1	169.7
1998	39.8	13.2	4.7	22.1	-	-	+	79.8
1999	41	6.8	2.5	44.2	+	-	-	94.5
2000	127	9.3	-	48	0.1	-	+	184.4
2001	40.6	7.5	-	16.8	0.7	+	+	65.6
2002	50.2	2.8	3.4	23.6	-	-	-	80.0
2003	9.9	3.4	2.4	11.4	-	-	-	27.1
2004	8.1	0.3	-	5	-	-	0.1	13.5
2005	0.9*	-	-	1	-	-	-	1.9
2006	35.1	0.1	-	11.4	-	-	-	46.6
2007	2.0**	-	-	3.7	-	-	-	5.7
2008	30.4	-	-	5.7	+	-	+	36.1
2009	17.5	-	-	37.0	+	-	+	54.5
2010	64.9	0.2	-	60.9	+	+	+	126.0
2011	3.3	-	-	3.2	+	+	+	6.5
2012	22.3	0.1	-	4.6	+	+	+	27.0
2013	29.0	6.2	-	46.9	+	+	+	82.1
2014	25.0	0.5	-	18.7	+	+	+	44.2
2015	10.8	2.2	5.3	44.4	0.7	+	+	63.4
2016	23.2	0.9	3.2	36.1	+	+	+	63.4
2017	12.4	0.1	+	21.4	+	+	+	33.9
2018	10.5	0.2	+	25.5	+	+	+	36.2
2019	36.8	1.1	+	59.8	+	+	+	97.7
2020	60.1	5.6	+	63.8	+	+	+	129.5
2021	40.1	1.9	+	30.0	+	+	+	72.0
2022	20.4	0.8	+	14.5	+	+	+	35.7
2023	2.0	0.9	+	24.5	+	+	+	27.4
2024	1.6	+	+	2.3	+	+	+	3.9

* 781 t taken in a trial fishery; 160 t in by-catches in other (small meshed) fisheries.

** 681 t taken in trial fishery; 1300 t in by-catches in other (small meshed) fisheries.

"+" indicate catches below 50 t

Table 10.2.3. Norway pout in Subarea 4 and Division 3.a. National landings (tonnes) by quarter of year 2006–2025 and by area and country. Data provided by Working Group members. Norwegian landing data include landings of bycatch of other species. Bycatch of Norway pout in other (small-meshed) fisheries included.

Year	Quarter	Denmark									Norway		Total	
		Area	IIaN	IIaS	Div. IIa	IVaE	IVaW	IVb	IVc	Div. IV	Div. IV + IIaN	IVaE		Div. IV
2008	1		125	-	125	19	86	123	-	228	353	7	7	360
	2		-	-	-	-	-	30	-	30	30	1,803	1803	1,833
	3		-	-	-	-	6,102	-	-	6,102	6,102	3,582	3582	9,684
	4		-	-	-	-	22,686	1,239	-	23,925	23,925	336	336	24,261
	Total		125	-	125	19	28,874	1,392	-	30,285	30,410		5,728	36,138
2009	1		1	-	1	22	515	-	-	537	538	2	2	540
	2		-	-	-	-	-	-	-	-	-	4,026	4026	4,026
	3		2	-	2	-	11,567	-	-	11,567	11,569	31,251	31251	42,820
	4		-	-	-	-	5,399	4	-	5,403	5,403	1,736	1736	7,139
	Total		3	-	3	22	17,481	4	-	17,507	17,510	37,015	37,015	54,525
2010	1		-	-	-	-	194	-	-	194	194	104	104	298
	2		157	-	157	-	478	59	-	537	694	17,906	17906	18,600
	3		37	-	37	-	33,618	213	-	33,831	33,868	41,883	41883	75,751
	4		8	-	8	-	30,276	38	-	30,314	30,322	984	984	31,306
	Total		202	-	202	-	64,566	310	-	64,876	65,078	60,877	60,877	125,955
2011	1		-	-	-	-	-	-	-	-	-	-	0	-
	2		-	-	-	-	-	-	-	-	-	188	188	188
	3		-	-	-	-	456	5	-	461	461	3,004	3004	3,465
	4		-	-	-	-	2,853	-	-	2,853	2,853	18	18	2,871
	Total		-	-	-	-	3,309	5	-	3,314	3,314	3,210	3,210	6,524
2012	1		-	-	-	-	15	-	-	15	15	12	12	27
	2		-	-	-	-	-	-	-	-	-	280	280	280
	3		2	-	2	-	62	8	-	70	72	395	395	467
	4		125	-	125	-	22,204	-	-	22,204	22,329	3,900	3,900	26,229
	Total		127	-	127	-	22,281	8	-	22,289	22,416	4,587	4,587	27,003
2013	1		-	-	-	-	59	-	-	59	59	18	18	77
	2		6	-	6	-	409	-	-	409	415	10,045	10,045	10,460
	3		4,791	-	4,791	5	3,260	43	-	3,308	8,099	16,350	16,350	24,449
	4		1,366	-	1,366	-	25,211	-	-	25,211	26,577	20,537	20,537	47,114
	Total		6,163	-	6,163	5	28,939	43	-	28,987	35,150	46,950	46,950	82,100
2014	1		-	-	-	-	1,318	-	-	1,318	1,318	6	6	1,324
	2		62	-	62	-	-	2	-	2	64	3,146	3,146	3,210
	3		492	-	492	-	5,606	20	-	5,626	6,118	7,252	7,252	13,370
	4		-	-	-	-	18,006	-	-	18,006	18,006	8,260	8,260	26,266
	Total		554	-	554	-	24,930	22	-	24,952	25,506	18,664	18,664	44,170
2015	1		-	-	-	21	305	-	-	326	326	268	268	594
	2		2	-	2	-	549	-	-	549	551	6,812	6,812	7,363
	3		2,217	1	2,218	10	3,221	19	-	3,250	5,467	21,335	21,335	26,802
	4		-	-	-	-	6,689	-	-	6,689	6,689	15,945	15,945	22,634
	Total		2,219	1	2,220	31	10,764	19	-	10,814	13,033	44,360	44,360	57,393
2016	1		-	-	-	-	514	-	-	514	514	575	575	1,089
	2		244	1	245	-	267	-	-	267	511	8,296	8,296	8,807
	3		673	1	674	5	2,222	51	-	2,278	2,951	20,897	20,897	23,848
	4		-	-	-	3	20,135	-	-	20,138	20,138	6,286	6,286	26,424
	Total		917	2	919	8	23,138	51	-	23,197	24,114	36,054	36,054	60,168
2017	1		-	-	-	-	703	-	-	703	703	30	30	733
	2		5	-	5	-	-	-	-	-	5	3,470	3,470	3,475
	3		104	-	104	6	1,969	-	-	1,975	2,079	11,546	11,546	13,625
	4		-	-	-	68	9,597	2	-	9,667	9,667	6,433	6,433	16,100
	Total		109	-	109	74	12,269	3	-	12,345	12,454	21,479	21,479	33,933
2018	1		-	-	-	-	371	-	-	371	371	9	9	380
	2		2	-	2	-	3	-	-	3	5	4,138	4,138	4,143
	3		157	-	157	-	190	1	-	191	348	8,969	8,969	9,317
	4		-	-	-	-	9,921	-	-	9,921	9,921	12,386	12,386	22,307
	Total		159	-	159	-	10,485	1	-	10,486	10,645	25,502	25,502	36,147
2019	1		-	-	-	-	483	-	-	483	483	13	13	496
	2		178	-	178	-	2,166	-	-	2,166	2,344	8,832	8,832	11,176
	3		947	-	947	-	5,347	1	-	5,348	6,295	32,326	32,326	38,621
	4		-	-	-	-	28,208	567	-	28,775	28,775	18,586	18,586	47,361
	Total		1,125	-	1,125	-	36,204	568	-	36,772	37,897	59,757	59,757	97,654
2020	1		-	-	-	111	3,432	-	-	3,543	3,543	282	282	3,825
	2		2,343	-	2,343	-	1,288	-	-	1,288	3,631	7,333	7,333	10,964
	3		3,018	-	3,018	-	3,574	2	-	3,576	6,594	40,868	40,868	47,462
	4		225	-	225	129	51,570	33	-	51,732	51,957	15,289	15,289	67,246
	Total		5,586	-	5,586	240	59,864	35	-	60,139	65,725	63,772	63,772	129,497
2021	1		-	-	-	-	6,650	-	-	6,650	6,650	64	64	6,714
	2		1,036	-	1,036	-	606	-	-	606	1,642	12,787	12,787	14,429
	3		864	-	864	-	3,376	1	-	3,377	4,241	15,825	15,825	20,066
	4		42	-	42	44	29,382	1	-	29,427	29,469	1,276	1,276	30,745
	Total		1,942	-	1,942	44	40,014	2	-	40,060	42,002	29,952	29,952	71,954
2022	1		-	-	-	-	605	-	-	605	605	0	0	605
	2		218	-	218	-	-	-	-	218	218	3,431	3,431	3,649
	3		584	-	584	-	104	37	-	141	725	8,304	8,304	9,029
	4		-	-	-	-	19,656	8	-	19,664	19,664	2,779	2,779	22,443
	Total		802	-	802	-	20,365	45	-	20,410	21,212	14,514	14,514	35,726
2023	1		-	-	-	-	721	-	-	721	721	15	15	736
	2		299	-	299	-	-	-	-	-	299	6,694	6,694	6,993
	3		582	-	582	-	110	29	-	139	721	14,325	14,325	15,046
	4		-	-	-	-	1,091	-	-	1,091	1,091	3,478	3,478	4,569
	Total		881	-	881	-	1,922	29	-	1,951	2,832	24,512	24,512	27,344
2024	1		-	-	-	-	-	-	-	-	-	-	0	-
	2		-	-	-	-	-	-	-	-	-	173	173	173
	3		11	-	11	-	51	4	-	55	66	1,878	1,878	1,944
	4		-	-	-	-	1,575	2	-	1,577	1,577	205	205	1,782
	Total		11	-	11	-	1,626	6	-	1,632	1,643	2,256	2,256	3,899
2025	1		-	-	-	-	-	-	-	-	-	5	5	5
	2		-	-	-	-	-	1	-	1	1	503	503	504
	3		-	-	-	-	26	-	-	26	26	595	595	621

Table 10.2.3a. Norway pout in Subarea 4 and Division 3.a. Observed and SESAM model predicted total catches in tonnes by quarter.

Year	Observed	Predicted
1984.00	56790	64588
1984.25	56532	38131
1984.50	152291	118870
1984.75	110942	93692
1985.00	57467	49752
1985.25	15509	16046
1985.50	62489	68658
1985.75	92017	60433
1986.00	37773	26349
1986.25	7657	8837
1986.50	45085	36742
1986.75	89993	38167
1987.00	33883	29560
1987.25	15435	8124
1987.50	38729	35950
1987.75	60847	68970
1988.00	22181	22589
1988.25	3559	5602
1988.50	21793	17196
1988.75	61762	33055
1989.00	15379	11988
1989.25	13234	11686
1989.50	55066	40816
1989.75	82880	49131
1990.00	27984	25893
1990.25	39713	23916
1990.50	26156	29592
1990.75	45242	45473

Year	Observed	Predicted
1991.00	42722	32603
1991.25	20786	21407
1991.50	62518	56811
1991.75	64380	59391
1992.00	64218	53167
1992.25	27973	27657
1992.50	114122	89195
1992.75	96177	84886
1993.00	36214	48673
1993.25	29291	27909
1993.50	62290	62450
1993.75	53470	49612
1994.00	34575	28062
1994.25	15373	14982
1994.50	53799	45544
1994.75	79838	39979
1995.00	36942	27490
1995.25	28019	21098
1995.50	69763	61260
1995.75	97048	59462
1996.00	21888	25761
1996.25	13366	14823
1996.50	74631	66321
1996.75	46194	38773
1997.00	15320	15796
1997.25	8708	8767
1997.50	78809	65531
1997.75	54100	51929
1998.00	19502	18974

Year	Observed	Predicted
1998.25	11836	12146
1998.50	20866	29667
1998.75	22830	24719
1999.00	7827	7038
1999.25	12533	8219
1999.50	41445	27752
1999.75	30497	32867
2000.00	10207	11187
2000.25	11589	13298
2000.50	44173	42819
2000.75	119001	70979
2001.00	21400	16507
2001.25	11778	9256
2001.50	4630	12442
2001.75	26565	30964
2002.00	8553	7116
2002.25	6686	4394
2002.50	32922	19485
2002.75	28947	23995
2003.00	3190	3173
2003.25	3106	1980
2003.50	10833	11329
2003.75	7518	6967
2004.00	2040	1613
2004.25	667	584
2004.50	4018	5055
2004.75	6762	7114
2005.00	8	5
2005.25	8	5

Year	Observed	Predicted
2005.50	13	10
2005.75	13	12
2006.00	2205	1827
2006.25	2848	2493
2006.50	6551	8603
2006.75	34949	25522
2007.00	1428	701
2007.25	1100	1157
2007.50	2430	3434
2007.75	838	1695
2008.00	361	313
2008.25	1840	1591
2008.50	8532	5529
2008.75	24111	4870
2009.00	538	208
2009.25	2105	2971
2009.50	36661	22915
2009.75	6509	8552
2010.00	198	246
2010.25	40322	8664
2010.50	57487	29645
2010.75	33071	17180
2011.00	0	0
2011.25	222	1065
2011.50	3749	5391
2011.75	2872	5507
2012.00	29	42
2012.25	281	531
2012.50	469	1342

Year	Observed	Predicted
2012.75	26168	15152
2013.00	79	101
2013.25	10460	3238
2013.50	24444	14418
2013.75	47126	46367
2014.00	1324	502
2014.25	3212	3893
2014.50	13384	14802
2014.75	26244	19462
2015.00	594	522
2015.25	7364	6127
2015.50	26804	28478
2015.75	22655	26681
2016.00	1089	750
2016.25	8846	6878
2016.50	23849	24421
2016.75	26457	22017
2017.00	735	401
2017.25	3475	4696
2017.50	13623	18698
2017.75	16107	22383
2018.00	379	231
2018.25	4143	4849
2018.50	9316	12136
2018.75	22292	14970
2019.00	495	404
2019.25	11179	8237
2019.50	38621	25782
2019.75	47373	31292

Year	Observed	Predicted
2020.00	3808	1707
2020.25	10958	13345
2020.50	47467	39834
2020.75	67100	53939
2021.00	6724	2469
2021.25	14428	11663
2021.50	20060	22130
2021.75	30767	34237
2022.00	604	324
2022.25	3647	3861
2022.50	9031	10089
2022.75	22444	17050
2023.00	736	168
2023.25	6996	2174
2023.50	15048	8320
2023.75	4576	5246
2024.00	0	0
2024.25	173	254
2024.50	1944	2207
2024.75	1782	2004
2025.00	5	7
2025.25	504	231
2025.50	621	592

Table 10.2.4. Norway pout in Subarea 4 and Division 3.a. Catch in numbers-at-age by quarter (millions). SOP is given in tonnes. Data for 1990 were estimated within the SXSA program used in the 1996 assessment.

Age	Year	1984				1985				1986			
Quarter		1	2	3	4	1	2	3	4	1	2	3	4
0		0	0	1	2231	0	0	6	678	0	0	0	5572
1		2,759	2252	5290	3492	2,264	857	1400	2991	396	260	1186	1791
2		1,375	1165	1683	734	1,364	145	793	174	1069	87	245	39
3		143	269	8	0	192	13	19	0	72	3	6	0
4+		0	0	0	0	1	0	0	0	3	0	0	0
SOP		56790	56532	152291	110942	57464	15509	62489	92017	37889	7657	45085	89993
Age	Year	1987				1988				1989			
Quarter		1	2	3	4	1	2	3	4	1	2	3	4
0		0	0	8	227	0	0	741	3146	0	0	159	4854
1		2687	1075	1627	2151	249	95	183	632	1736	678	1672	1741
2		401	60	171	233	700	74	250	405	48	133	266	93
3		12	0	0	5	20	0	0	0	6	6	5	13
4+		1	0	0	0	0	0	0	0	0	0	0	0
SOP		33894	15435	38729	60847	22181	3559	21793	61782	15379	13234	55066	82880
Age	Year	1990				1991				1992			
Quarter		1	2	3	4	1	2	3	4	1	2	3	4
0		0	0	20	993	0	0	734	3486	0	0	879	954
1		1840	1780	971	1181	1501	636	1519	1048	3556	1522	3457	2784
2		584	572	185	116	1336	404	215	187	1086	293	389	267
3		20	19	6	4	93	19	22	18	118	20	1	2
4+		10	0	0	0	6	0	0	0	3	0	0	0
SOP		28287	39713	26156	45242	42776	20786	62518	64380	64224	27973	114122	96177
Age	Year	1993				1994				1995			
Quarter		1	2	3	4	1	2	3	4	1	2	3	4
0		0	0	96	1175	0	0	647	4238	0	0	700	1692
1		1942	813	1147	1050	1975	372	1029	1148	3992	1905	2545	3348
2		699	473	912	445	591	285	421	134	240	256	47	59
3		15	58	19	2	56	29	71	0	6	32	3	3
4+		0	0	0	0	0	0	0	0	0	0	0	0
SOP		36206	29291	62290	53470	34575	15373	53799	79838	36942	28019	69763	97048
Age	Year	1996				1997				1998			
Quarter		1	2	3	4	1	2	3	4	1	2	3	4
0		0	0	724	2517	0	0	109	343	0	0	94	339
1		535	560	1043	650	672	99	3090	1922	261	210	411	531
2		772	201	1002	333	325	131	372	207	690	310	332	215
3		14	38	37	0	79	119	105	35	47	18	2	13
4+		0	0	0	0	0	0	0	0	8	24	0	0
SOP		21888	13366	74631	46194	15320	8708	78809	54100	19562	12026	20866	22830
Age	Year	1999				2000				2001			
Quarter		1	2	3	4	1	2	3	4	1	2	3	4
0		0	0	41	1127	0	0	73	302	0	0	32	368
1		202	318	1298	576	653	280	1368	4616	220	133	122	267
2		128	220	338	160	185	207	266	245	845	246	27	439
3		73	93	35	23	3	48	20	6	35	100	1	1
4+		1	0	0	0	0	0	0	0	0	0	0	0
SOP		7833	12535	41445	30497	10207	11589	44173	119001	21400	11778	4630	26565
Age	Year	2002				2003				2004			
Quarter		1	2	3	4	1	2	3	4	1	2	3	4
0		0	0	340	290	0	0	7	1	0	0	14	57
1		485	351	621	473	59	64	191	54	13	4	51	100
2		148	24	284	347	76	49	121	161	55	16	51	78
3		17	5	24	26	22	25	16	32	9	6	7	2
4+		0	0	0	0	0	0	0	1	0	0	0	0
SOP		8553	6686	32922	28947	3190	3106	10842	7549	2040	667	4018	6762
Age	Year	2005				2006				2007			
Quarter		1	2	3	4	1	2	3	4	1	2	3	4
0		*	*	*	*			10	368	0	0	0	0
1		*	*	*	*	30	56	130	1086	20	41	32	10
2		*	*	*	*	52	45	65	50	43	26	16	6
3		*	*	*	*	9	24	7	1	0	0	2	1
4+		*	*	*	*	0	0	0	0	0	0	0	0
SOP		8	8	13	13	2205	2848	6551	34949	1428	1100	2430	838
Age	Year	2008				2009				2010			
Quarter		1	2	3	4	1	2	3	4	1	2	3	4
0		0	0	0	1179	0	0	58	12	0	0	0	0
1		5	54	166	438	50	36	621	169	6	799	1118	716
2		16	41	115	31	1	47	613	27	1	905	738	331
3		0	0	0	0	0	5	9	1	0	17	15	0
4+		0	0	0	0	0	0	0	0	0	0	0	0
SOP		361	1840	8532	24111	538	2105	36661	6509	198	40322	57487	33071
Age	Year	2011				2012				2013			
Quarter		1	2	3	4	1	2	3	4	1	2	3	4
0		0	0	0	1	0	0	1	135	0	0	8	76
1		0	1	44	23	1	5	8	404	5	631	805	1287
2		0	5	69	61	0	2	4	185	0	39	131	199
3		0	0	4	0	0	2	1	10	0	4	18	27
4+		0	0	0	0	0	0	0	0	0	0	0	0
SOP		0	222	3749	2872	29	281	469	26168	79	10460	24444	47126
Age	Year	2014				2015				2016			
Quarter		1	2	3	4	1	2	3	4	1	2	3	4
0		0	0	141	884	0	0	14	33	0	0	13	480
1		10	33	197	522	46	365	1064	934	19	260	492	406
2		51	60	167	115	6	23	164	33	40	160	291	339
3		1	2	3	0	1	2	2	5	2	10	7	0
4+		0	0	0	0	0	0	0	0	0	0	0	0
SOP		1324	3212	13384	26244	594	7364	26804	22655	1089	8846	23849	26457
Age	Year	2017				2018				2019			
Quarter		1	2	3	4	1	2	3	4	1	2	3	4
0		0	0	7	11	0	0	24	638	0	0	97	1007
1		39	159	319	515	1	114	111	261	47	519	1629	1767
2		1	25	127	87	21	84	140	385	10	284	97	64
3		0	4	40	7	1	8	17	0	4	29	4	0
4+		0	0	0	0	0	0	0	0	0	0	0	0
SOP		735	3474	13623	16107	379	4143	9316	22291	495	11179	38627	47372
Age	Year	2020				2021				2022			
Quarter		1	2	3	4	1	2	3	4	1	2	3	4
0		0	0	29	127	0	0	3	105	0	0	39	246
1		288	353	1774	2439	31	330	526	699	1	118	207	412
2		270	266	247	183	311	311	260	359	26	32	103	204
3		2	20	9	3	11	19	8	8	2	8	9	15
4+		0	0	0	0	0	0	0	0	0	0	0	0
SOP		3807	10959	47471	67211	6724	14426	20063	30764	604	3647	9030	22443
Age	Year	2023				2024				2025			
Quarter		1	2	3	4	1	2	3	4	1	2	3	4
0		0	0	5	7	0	0	0	44	0	0	0	0
1		2	379	646	199	0	0	0	24	0	4	16	1
2		32	22	58	10	0	5	32	25	0	6	2	1
3		2	1	4	1	0	1	2	1	0	4	1	0
4+		0	0	0	0	0	0	0	0	0	0	0	0
SOP		736	6994	15046	4575	0	173	1944	1782	5	504	621	0

In 2007-08: Catch numbers from Norwegian fishery calculated from Norwegian total catch weight divided by mean weight at age from Danish Fishery.

Table 10.2.5. Norway pout in Subarea 4 and Division 3.a. Mean weights (grammes) at age in catch, by quarter 1984–2025, from Danish and Norwegian catches combined. See footnote concerning data from 2005–2008 and 2010–2013. The mean weights at age weighted with catch number by area, quarter, and country (DK, N).

Year		1984				1985				1986			
Quarter of year		1	2	3	4	1	2	3	4	1	2	3	4
Age	0			6.54	6.54			8.37	6.23				7.20
	1	6.55	8.97	17.83	20.22	7.86	12.56	23.10	26.97	6.69	14.49	28.81	26.90
	2	24.04	22.66	34.28	35.07	22.7	28.81	36.52	40.90	29.74	42.92	43.39	44.00
	3	39.54	37.00	34.10	46.23	45.26	43.38	58.99		44.08	55.39	47.60	
	4					41.80				82.51			
Year		1987				1988				1989			
Quarter of year		1	2	3	4	1	2	3	4	1	2	3	4
Age	0			5.80	7.40			9.42	7.91			7.48	6.69
	1	8.13	12.59	20.16	23.36	9.23	11.61	26.54	30.80	7.98	13.49	26.58	26.76
	2	28.26	31.51	34.53	37.32	27.31	33.26	39.82	43.31	26.74	28.70	35.44	34.70
	3	52.93			46.60	38.38				39.95	44.39		46.50
	4	63.09				69.48							
Year		1990				1991				1992			
Quarter of year		1	2	3	4	1	2	3	4	1	2	3	4
Age	0			6.40	6.67			6.06	6.64		8.00	6.70	8.14
	1	6.51	13.75	20.29	28.70	7.85	12.95	30.95	30.65	8.78	11.71	26.52	27.49
	2	25.47	25.30	32.92	38.90	20.54	28.75	44.28	43.10	25.73	31.25	42.42	44.14
	3	37.72	40.35	39.40	52.94	35.43	49.87	67.25	59.37	41.80	49.49	50.00	50.30
	4	68.00				44.30				43.90			
Year		1993				1994				1995			
Quarter of year		1	2	3	4	1	2	3	4	1	2	3	4
Age	0			4.40	8.14			5.40	8.81			5.01	7.19
	1	9.32	14.76	25.03	26.24	8.56	15.22	29.26	31.23	7.70	10.99	25.37	24.6
	2	24.94	30.58	35.19	36.44	25.91	29.27	38.91	49.59	24.69	22.95	33.40	39.57
	3	46.50	48.73	55.40	70.80	42.09	46.88	53.95		50.78	37.69	45.56	57.00
	4												
Year		1996				1997				1998			
Quarter of year		1	2	3	4	1	2	3	4	1	2	3	4
Age	0			3.88	5.95			3.61	10.18			4.82	8.32
	1	8.95	12.06	27.81	28.09	7.01	11.69	20.14	22.11	8.76	12.55	23.82	24.33
	2	21.47	25.72	40.90	38.81	23.11	26.40	31.13	32.69	22.16	25.27	31.73	30.93
	3	37.58	37.94	50.44	56.00	39.11	34.47	44.03	38.62	34.84	32.18	44.92	33.24
	4									42.40	40.00		
Year		1999				2000				2001			
Quarter of year		1	2	3	4	1	2	3	4	1	2	3	4
Age	0			2.84	7.56			7.21	13.86			6.34	7.90
	1	8.98	12.40	22.16	25.60	10.05	15.65	23.76	22.98	8.34	16.79	27.00	30.01
	2	25.84	24.15	32.66	37.74	19.21	25.14	38.90	34.48	21.50	23.57	39.54	35.51
	3	36.66	35.24	43.98	51.63	32.10	41.30	39.61	50.04	39.84	37.63	54.20	55.70
	4	46.57	46.57										
Year		2002				2003				2004			
Quarter of year		1	2	3	4	1	2	3	4	1	2	3	4
Age	0			7.28	7.20			9.12	9.79			9.80	7.89
	1	8.59	16.40	27.13	27.47	11.58	13.13	28.33	15.98	11.54	14.63	31.02	31.75
	2	25.98	30.39	43.37	36.87	22.85	26.19	38.01	31.87	27.41	26.22	38.44	39.31
	3	32.30	40.10	54.11	41.28	34.96	39.89	46.24	45.79	41.52	34.80	49.50	49.80
	4							70.00	70.00				
Year		2005				2006				2007			
Quarter of year		1	2	3	4	1	2	3	4	1	2	3	4
Age	0			9.8	7.89			8.90	8.90			8.9	8.9
	1	11.97	14.65	31.02	31.75	14.80	14.70	27.42	26.92	7.8	7.8	45.00	45.00
	2	27.90	26.24	38.44	39.31	27.20	26.24	39.16	47.80	29.86	29.86	57.07	57.07
	3	41.36	34.80	49.50	49.80	40.60	34.80	49.80	48.50	41.52	34.80	56.22	56.22
	4												
Year		2008				2009				2010			
Quarter of year		1	2	3	4	1	2	3	4	1	2	3	4
Age	0				9.9			6.6	8.5				
	1	11.0	11.0	26.8	24.40	10.2	19.3	28.0	32.7	25.60	15.51	25.37	27.75
	2	29.8	29.8	35.6	56.0	24.0	25.8	30.1	32.0	37.20	29.99	38.55	39.88
	3	56.0	56.0				39.8	51.5	55.7		47.00	45.50	62.20
	4												
Year		2011				2012				2013			
Quarter of year		1	2	3	4	1	2	3	4	1	2	3	4
Age	0				8.90			6.58	6.66			4.30	9.56
	1		20.33	22.14	30.50	27.24	22.81	28.86	38.52	12.44	14.48	22.97	27.68
	2		37.75	37.50	35.61	36.24	40.54	40.30	49.59	32.87	30.21	38.87	46.38
	3		52.00	52.00	52.00	37.22	46.77	48.33	59.15	42.40	40.71	45.24	57.93
	4												
Year		2014				2015				2016			
Quarter of year		1	2	3	4	1	2	3	4	1	2	3	4
Age	0			5.31	6.46			8.22	5.69			15.00	12.53
	1	8.69	26.06	30.12	30.00	7.53	17.82	21.14	22.61	14.90	16.54	26.91	32.26
	2	23.51	36.53	39.44	42.37	29.30	32.97	25.04	34.80	19.08	26.21	34.99	34.1
	3	50.63	42.77	39.30		46.20	46.61	47.97	41.68	30.76	35.91	34.05	
	4												
Year		2017				2018				2019			
Quarter of year		1	2	3	4	1	2	3	4	1	2	3	4
Age	0			4.70	6.25			4.82					
	1	18.17	17.11	23.69	24.11	6.05	15.56	25.62		4.57	10.44	5.28	6.70
	2	30.95	25.85	34.38	37.59	15.78	25.21	39.50		13.58	17.67	21.12	21.54
	3	23.69	27.21	41.52	49.92	28.59	30.13	48.75		33.40	25.40	36.12	40.29
	4											50.79	
Year		2020				2021				2022			
Quarter of year		1	2	3	4	1	2	3	4	1	2	3	4
Age	0			5.18	5.85			3.55	6.16			5.45	5.20
	1	5.88	14.68	21.87	24.70	14.40	16.69	21.90	24.55	5.95	19.21	24.02	29.21
	2	7.64	19.64	33.05	33.33	19.15	26.72	31.70	35.35	20.80	32.29	34.62	41.08
	3	20.10	28.78	36.99		30.03	31.63	38.46	39.08	27.30	40.47	31.46	49.99
	4												
Year		2023				2024				2025			
Quarter of year		1	2	3	4	1	2	3	4	1	2	3	4
Age	0			3.12	4.15			11.30	8.38				
	1	8.30	16.56	20.22	20.91	7.97	10.78	28.69	28.75	14.08	16.84	31.42	
	2	20.83	30.76	30.88	35.58	21.69	26.70	36.97	39.26	31.67	35.95	39.45	
	3	27.30	37.86	41.36	40.70	30.89	34.69	45.60	50.95	47.53	52.84	48.65	
	4												

Mean weights at age from Danish and Norwegian landings from 2005–2008 uncertain because of few observations and use of values from 2004 and from adjacent quarters in the same year where observations have been missing. No mean weight at age data delivered by Norway in 2007–2008. Mean weights at age from Danish and Norwegian landings from 2025 uncertain because of few observations and use of values from previous years. In general, mean weights at age are uncertain for quarters and countries where only very few fish have been caught. This problem is met by always calculating and using weighted mean weights at age, i.e. weighted by the catch number by country (Denmark and Norway) and quarter of year.

Table 10.2.6. Norway pout in Subarea 4 and Division 3.a. Mean weight at age in the stock, proportion mature, and natural mortality used in the assessment. From 2012 inter-benchmark and 2016 Benchmark Assessments.

Age	Weight (g)				Proportion mature	M Quarterly	
	Q1	Q2	Q3	Q4			
0	-	-	4	6	0	0.29	
1	9	12	25	25	0.2	0.29	
2	25	25	40	40	1	0.39	
3	40	50	60	58	1	0.44	

Table 10.2.7. Norway pout in Subarea 4 and Division 3.a. Danish fishing effort (number of fishing days) and catch per unit effort (CPUE in tonnes / fishing day) per year and quarter of year (1987–2025) for main Danish fishery with demersal vessels (métier) catching Norway pout. Data for fishing trips where the catch has consisted of at least 70% Norway pout.

[illegible]

Table 10.2.8. Norway pout in Subarea 4 and Division 3.a. Fishing effort (number of fishing days) and catch per unit effort (CPUE in ton / fishing day) per year (2011–2025) and quarter of year for main Norwegian fishery (métiers) catching Norway pout.

Year	Metier	Fishing days					CPUE (ton/fishing day)				
		Q1	Q2	Q3	Q4	Yearly	Q1	Q2	Q3	Q4	Yearly
2011	OTB_DEF_16-31_0_0			1	23	24		10.00	24.09		23.50
2011	OTB_DEF_16-31_2_40			5	75	80		20.20	29.21		28.65
2012	OTB_DEF_16-31_0_0				3	24			15.73	35.38	33.19
2012	OTB_DEF_16-31_2_40				0	74				38.91	38.91
2013	OTB_DEF_16-31_0_0			101	163	99	363	31.27	29.90	47.18	34.99
2013	OTB_DEF_16-31_2_40			224	341	227	792	30.74	31.06	60.80	39.49
2014	OTB_DEF_16-31_0_0			62	64	57	183	18.20	35.07	33.86	28.98
2014	OTB_DEF_16-31_2_40			41	123	143	307	25.96	34.73	38.19	35.17
2015	OTB_DEF_16-31_0_0	0	130	308	71	509		38.29	37.76	38.73	38.03
2015	OTB_DEF_16-31_2_40	5	38	235	192	470	28.66	40.99	42.53	55.65	47.62
2016	OTB_DEF_16-31_0_0	0	269	269	51	589		24.08	22.96	22.61	23.44
2016	OTB_DEF_16-31_2_40	23	37	357	80	497	24.94	23.50	38.64	45.78	38.03
2017	OTB_DEF_16-31_0_0			125	198	15	338	28.71	22.46	25.56	24.91
2017	OTB_DEF_16-31_2_40			1	105	87	193	8.80	37.77	51.21	43.67
2018	OTB_DEF_16-31_0_0			128	163	43	334	23.54	22.37	19.14	22.40
2018	OTB_DEF_16-31_2_40			17	112	233	362	27.83	35.27	44.99	41.17
2019	OTB_DEF_16-31_0_0			243	526	112	881	31.57	37.92	34.05	35.67
2019	OTB_DEF_16-31_2_40			44	272	220	536	36.09	40.45	53.99	45.65
2020	OTB_DEF_16-31_0_0	2	172	445	67	686	25.00	38.51	38.56	24.75	37.16
2020	OTB_DEF_16-31_2_40	6	24	474	131	635	24.33	40.54	37.93	79.27	46.43
2021	OTB_DEF_16-31_0_0	0	272	303	25	600		28.29	28.46	14.51	27.80
2021	OTB_DEF_16-31_2_40	4	171	182	8	365	16.33	30.31	25.11	12.53	27.17
2022	OTB_DEF_16-31_0_0			97	260	84	441	29.16	22.80	21.25	23.90
2022	OTB_DEF_16-31_2_40			15	26	1	42	26.70	21.64	7.50	23.11
2023	OTB_DEF_16-31_0_0	1	177	324	64	566	3.00	31.44	31.04	19.19	29.78
2023	OTB_DEF_16-31_2_40	0	7	33	3	43		11.59	21.77	7.35	19.10
2024	OTB_DEF_16-31_0_0			7	24	31		9.25	15.72		14.26
2025	OTB_DEF_16-31_0_0			3	4	7		14.82	29.11		22.98

Table 10.2.9. Norway pout in Subarea 4 and Division 3.a. Fishing effort (number of fishing days) and catch per unit effort (CPUE in ton per fishing day) per year and vessel horsepower (HP) class (1987–2025) for main Danish fishery with demersal vessels (métier) catching Norway pout.

[illegible]

Table 10.2.10. Norway pout in Subarea 4 and Division 3.a. Fishing effort (number of fishing days) and catch per unit effort (CPUE in ton / fishing day) per year (2011–2025) and quarter of year for main Norwegian fishery (métiers) catching Norway pout.

Year	Metier	Fishing days				Yearly	CPUE (ton/fishing day)					Yearly
		500-1000	1000-1500	1500-2000	> 2000		500-1000	1000-1500	1500-2000	> 2000		
2011	OTB_DEF_16-31_0_0		24		0	24		23.5				23.5
2011	OTB_DEF_16-31_2_40		20		60	80		18.3			32.1	28.6
2012	OTB_DEF_16-31_0_0	0	17	4	6	27		34.8	13.75		41.7	33.2
2012	OTB_DEF_16-31_2_40	19	28	0	27	74	21.2	26.9			63.8	38.9
2013	OTB_DEF_16-31_0_0		273	75	15	363		34.4	30.9		65.3	35.0
2013	OTB_DEF_16-31_2_40		162	130	500	792		23.2	34.10332		46.2	39.5
2014	OTB_DEF_16-31_0_0	0	142	16	25	183		25.5	16.6		56.4	29.0
2014	OTB_DEF_16-31_2_40	80	58	67	102	307	42.9	14.6	36.6		39.8	35.2
2015	OTB_DEF_16-31_0_0		228	106	175	509		33.7	42.7		40.8	38.0
2015	OTB_DEF_16-31_2_40		0	103	367	470			49.7		47.0	47.6
2016	OTB_DEF_16-31_0_0		207	136	246	589		25.5	21.0		23.0	23.4
2016	OTB_DEF_16-31_2_40		18	72	407	497		28.3	42.8		37.6	38.0
2017	OTB_DEF_16-31_0_0		123	107	108	338		24.7	21.4		28.6	24.9
2017	OTB_DEF_16-31_2_40		9	86	98	193		51.9	41.1		45.2	43.7
2018	OTB_DEF_16-31_0_0	40	121	107	66	334	20.9	20.2	22.1		27.8	22.4
2018	OTB_DEF_16-31_2_40	14	26	63	259	362	36.2	46.6	34.4		42.5	41.2
2019	OTB_DEF_16-31_0_0	144	232	171	334	881	27.3	29.5	32.4		45.3	35.7
2019	OTB_DEF_16-31_2_40	7	8	118	403	536	57.7	56.4	45.5		45.3	45.7
2020	OTB_DEF_16-31_0_0	146	133	118	289	686	28.1	33.9	31.8		45.5	37.2
2020	OTB_DEF_16-31_2_40	4	3	94	534	635	37.5	60.5	36.0		48.3	46.4
2021	OTB_DEF_16-31_0_0	128	122	141	209	600	25.9	26.2	23.6		32.7	27.8
2021	OTB_DEF_16-31_2_40	0	0	78	287	365			29.2		26.6	27.2
2022	OTB_DEF_16-31_0_0	217		84	140	441	23.6		17.9		28.0	23.9
2022	OTB_DEF_16-31_2_40	0		42	0	42			23.1			23.1
2023	OTB_DEF_16-31_0_0	266		93	207	566	24.5		22.7		39.7	29.8
2023	OTB_DEF_16-31_2_40	0		0	43	43					19.1	19.1
2024	OTB_DEF_16-31_0_0	4		6	21	31	7.5		9.6		16.9	14.3
2025	OTB_DEF_16-31_0_0	2			5	7	7.4				29.2	23.0

Table 10.2.11. Norway pout in Subarea 4 and Division 3.a. Research vessel indices (CPUE in catch in number per trawl hour) of abundance for Norway pout.

Year	IBTS/IYFS ¹ February (1 st Q)			EGFS ^{2,3} August			SGFS ⁴ August				IBTS 3 rd Quarter ¹				
	1-group	2-group	3-group	0-group	1-group	2-group	3-group	0-group	1-group	2-group	3-group	0-group	1-group	2-group	3-group
1971	1556	22	-	-	-	-	-	-	-	-	-	-	-	-	-
1972	2589	856	8	-	-	-	-	-	-	-	-	-	-	-	-
1973	4207	438	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	25559	388	24	-	-	-	-	-	-	-	-	-	-	-	-
1975	5067	1850	36	-	-	-	-	-	-	-	-	-	-	-	-
1976	4422	328	35	-	-	-	-	-	-	-	-	-	-	-	-
1977	6122	238	44	-	-	-	-	-	-	-	-	-	-	-	-
1978	1480	565	56	-	-	-	-	-	-	-	-	-	-	-	-
1979	2737	316	76	-	-	-	-	-	-	-	-	-	-	-	-
1980	3274	552	30	-	-	-	-	-	1928	346	12	-	-	-	-
1981	1092	377	14	-	-	-	-	-	185	127	9	-	-	-	-
1982	4511	266	81	-	-	-	-	8	991	44	22	-	-	-	-
1983	2252	592	13	-	-	-	-	13	490	91	1	-	-	-	-
1984	5000	956	89	-	-	-	-	2	615	69	8	-	-	-	-
1985	2342	1401	98	-	-	-	-	5	636	173	5	-	-	-	-
1986	2066	386	19	-	-	-	-	38	389	54	9	-	-	-	-
1987	3171	475	63	-	-	-	-	7	338	23	1	-	-	-	-
1988	123	710	25	-	-	-	-	14	38	209	4	-	-	-	-
1989	2017	254	170	-	-	-	-	2	382	21	14	-	-	-	-

Year	IBTS/IYFS ¹ February (1 st Q)			EGFS ^{2,3} August			SGFS ⁴ August				IBTS 3 rd Quarter ¹				
	1-group	2-group	3-group	0-group	1-group	2-group	3-group	0-group	1-group	2-group	3-group	0-group	1-group	2-group	3-group
1990	1295	712	70	-	-	-	-	58	206	51	2	-	-	-	-
1991	2428	693	157	-	-	-	-	10	732	42	6	7523	515	486	6
1992	5060	860	33	2975	6116	1710	303	12	1715	221	24	2560	4106	740	151
1993	2574	2643	346	3706	3582	1706	108	2	580	329	20	4080	1506	921	92
1994	1532	374	99	9487	1148	147	25	136	387	106	6	3196	685	114	21
1995	5951	757	85	5478	8374	282	62	37	2438	234	21	2864	4106	860	134
1996	915	2626	233	8241	1326	378	9	127	412	321	8	4559	672	419	41
1997	9633	1557	674	441	6295	372	102	1	2154	130	32	490	3308	345	76
1998	1009	5332	268	1391	377	340	3	2628	938	127	5	2931	791	745	23
1999	3522	601	668	10985	1175	40	29	3603	1784	179	37	7854	2316	230	106
2000	8034	1563	98	2267	9730	264	2	2094	6656	207	23	1644	7556	590	14
2001	1306	2805	288	2243	1434	1344	31	759	727	710	26	2089	1164	938	57
2002	1784	812	864	4939	1137	58	18	2559	1192	151	123	1974	749	76	52
2003	1241	573	94	323	572	75	5	1767	779	126	1	1812	1015	193	8
2004	903	364	37	278	557	109	6	731	719	175	19	773	590	209	14
2005	698	123	38	3395	414	67	15	3073	343	132	18	2679	395	104	18
2006	3400	113	23	1813	1996	124	20	1127	1285	69	9	1391	1800	197	14
2007	1287	769	31	1610	1181	720	43	5003	1023	395	8	4151	1186	430	40
2008	2438	461	154	628	1340	411	104	3456	1263	263	57	3035	1610	267	98
2009	5553	1582	123	4871	3500	306	5	5835	1750	202	16	5899	2454	358	14
2010	4954	1439	143	103	4257	559	13	1449	5101	930	29	842	4780	812	37

Year	IBTS/IYFS ¹ February (1 st Q)			EGFS ^{2,3} August			SGFS ⁴ August				IBTS 3 rd Quarter ¹				
	1-group	2-group	3-group	0-group	1-group	2-group	3-group	0-group	1-group	2-group	3-group	0-group	1-group	2-group	3-group
2011	545	2126	347	290	555	1050	40	1895	226	935	38	1801	474	1114	64
2012	1002	327	527	3946	505	99	59	10067	1070	159	216	6416	829	217	139
2013	4469	508	102	498	2592	117	19	1754	2888	107	22	1317	2759	186	18
2014	818	936	48	10157	483	268	17	24896	537	149	0	10238	480	253	13
2015	6638	570	130	1415	4320	60	15	10208	6568	118	0	3511	3911	191	47
2016	2404	909	41	7199	1710	314	4	14830	1696	290	0	8965	1386	279	14
2017	4332	421	173	1280	5061	134	38	7478	1906	77	2	4235	2502	158	25
2018	1139	850	147	5096	586	144	12	20632	674	246	3	6115	578	201	7
2019	3892	303	55	4286	1308	68	8	17856	3888	86	3	6464	2204	134	19
2020	6078	1121	83	3126	5343	227	8	36298	3417	530	0	8463	3858	612	10
2021	3823	1535	165	428	2868	544	12	13785	2870	402	3	4163	1504	296	48
2022	1599	801	160	6770	952	252	40	12218	2580	816	74	9496	888	284	40
2023	2519	286	65	564	1162	100	30	12001	1881	178	5	3754	1817	183	15
2024	574	818	100	178	123	90	3	4096	158	72	1	2579	250	196	12
2025	1028	168	68	191	131	96	3	11578	448	62	3				

¹International Bottom Trawl Survey (IBTS), arithmetic mean catch in no./h in standard area. In general the quarter 1 (Q1) and quarter 3 (Q3) IBTS indices have been revised in 2012 and 2014 and 2015 and 2020 (see documentation on ICES DATRAS). The revised Q1 and Q3 IBTS survey indices introduced in 2020 are given, and used in the assessment. ²English groundfish survey (EGFS): Arithmetic mean catch no./h. Data for 1996, 2001, 2002, and 2003 have been revised compared to the 2003 assessment. In 2007, numbers for 1997 and 1998 as well as 2002 has been adjusted based on new automatic calculation and processing process has been introduced. In September 2015, the EGFS Survey index was for all years and ages radically revised in order to incorporate the relevant primes within the Norway pout index area following the ICES IBTS manual (2015). ³Minor GOV sweep changes in 2006 for the EGFS. ⁴Scottish groundfish surveys (SGFS), arithmetic mean catch no./h. Survey design changed in 1998 and 2000. The SGFS survey area changed slightly in 2009 and onwards, which is evaluated to have no main effect for the Norway pout indices as the indices are weighted by sub-area. SGFS data for the full area, i.e. indices based on all hauls, are included in the presented indices. In September 2019, the indices from 2013 onwards for all age groups were corrected with removal of a few invalid hauls (including also the Q3 2019 survey) resulting in very minor changes of the indices for all age groups not affecting the assessment. In 2025, only one station per ICES square was taken with the GOV trawl the North-Western area covered by the SGFS while the other station in each of those squares was taken with the new

JTS/BT238 trawl. That covers the 16 ICES statistical squares where Scotland was the sole surveying nation (and that requires Scotland to deploy the trawl twice), i.e. 16 stations out of totally 86 stations. Only stations taken with the GOV trawl have been included in the 2025 index until more data and longer time series are available for evaluating the effects of the new JTS gear.

Table 10.3.1. Norway pout in Subarea 4 and Division 3.a. Tuning fleets and stock indices and tuning fleets used in the final 2004 benchmark assessment, in the 2005–2015 assessments, as well as in the 2016–2025 assessments based on the 2016 benchmark assessment, compared to the 2003 assessment. (Changes from previous period marked with grey).

		2003 ASSESSMENT	2004, 2005, April 2006 ASSESSMENT	Sept. 2006 ASSESSMENT	2007-2015 ASSESSMENTS	2016-2025 ASSESSMENTS
Recruiting season		3rd quarter	2nd quarter (SXSA)	3rd quarter (SMS); 2nd quarter (SXSA)	2nd quarter (SXSA), autumn assessm.	3rd quarter SESAM (1984-2025)
Last season in last year		3rd quarter	2nd quarter (SXSA)	3rd quarter (SMS); 2nd quarter (SXSA)	2nd quarter (SXSA), autumn assessm.	3rd quarter SESAM (1984-2025)
Plus-group		4+	4+ (SXSA)	None (SMS); 4+ (SXSA)	4+ (SXSA)	3+ (SESAM) (1984-2025)
FLT01: comm Q1						
	Year range	1982-2003	1982-2004	1982-2004	1983-2004, 2006	1983-2004, 2006
	Quarter	1	1	1	1	1
	Ages	1-3	1-3	1-3	1-3	1-3
FLT01: comm Q2			NOT USED	NOT USED	NOT USED	NOT USED
	Year range	1982-2003				
	Quarter	2				
	Ages	1-3				
FLT01: comm Q3						
	Year range	1982-2003	1982-2004	1982-2004	1983-2004, 2006	1983-2004, 2006
	Quarter	3	3	3	3	3
	Ages	0-3	1-3	1-3	1-3	1-3
FLT01: comm Q4						
	Year range	1982-2003	1982-2004	1982-2004	1983-2004, 2006	1983-2004, 2006
	Quarter	4	4	4	4	4
	Ages	0-3	0-3	0-2 (SMS); 0-3 (SXSA)	0-3 (SXSA)	0-3 (SXSA)
FLT02: ibtsq1						
	Year range	1982-2003	1982-2006	1982-2006	1983-2015	1984-2025
	Quarter	1	1	1	1	1
	Ages	1-3	1-3	1-3	1-3	1-3
FLT03: egfs						
	Year range	1982-2003	1992-2005	1992-2005	1992-2015	1992-2025
	Quarter	3	Q3 -> Q2	Q3 -> Q2	Q3 -> Q2	3
	Ages	0-3	0-1	0-1	0-1	0-1
FLT04: sgfs						
	Year range	1982-2003	1998-2006	1998-2006	1998-2015	1998-2025
	Quarter	3	Q3 -> Q2	Q3 -> Q2	Q3 -> Q2	3
	Ages	0-3	0-1	0-1	0-1	0-1
FLT05: ibtsq3		NOT USED				
	Year range		1991-2005	1991-2005	1991-2014	1991-2024
	Quarter		3	3	Q3	3
	Ages		2-3	2-3	2-3	2-3

Table 10.3.2. Norway pout Subarea 4 and Division 3.aN (Skagerrak). Baseline run with SESAM seasonal stochastic assessment model. Settings and tuning fleets.

SURVIVORS ANALYSIS OF: Norway pout stock in September 2025

Run: September 2025 (NP_Sep2025_v1, www.stockassessment.org)

The following parameters were used:

Year range:	1984 - 2025
Seasons per year:	4
The last season in the last year is season:	3
Youngest age:	0
Oldest age:	2
Plus age:	3
Recruitment in season:	3
Spawning in season:	1

The following tuning fleets were included:

Fleet 2:	ibtsq1	(Age 1-3)
Fleet 3:	egfsq3	(Age 0-1)
Fleet 4:	sgfsq3	(Age 0-1)
Fleet 5:	ibtsq3	(Age 2-3)

Table 10.3.3. Norway pout Subarea 4 and Division 3.aN (Skagerrak). Baseline run with SESAM seasonal model September 2025. Estimated stock numbers in start of quarterly and yearly season.

Time\Age	0	1	2	3
1984	0	49189	11117	808
1984.25	0	33848	6337	473
1984.5	43360	23292	3709	275
1984.75	0	13291	1662	160
1985	0	23826	6904	812
1985.25	0	16234	3261	454
1985.5	31869	11536	1874	268
1985.75	0	6883	796	154
1986	0	17009	3639	412
1986.25	0	11782	1918	240

Time\Age	0	1	2	3
1986.5	54438	8624	1184	148
1986.75	0	5611	618	90
1987	0	32059	3273	378
1987.25	0	23586	1747	218
1987.5	11511	17561	1079	135
1987.75	0	12002	586	84
1988	0	5837	6888	303
1988.25	0	4555	4225	174
1988.5	52192	3624	2925	105
1988.75	0	2751	1880	65
1989	0	28955	1827	1107
1989.25	0	21225	1235	707
1989.5	53853	15524	832	453
1989.75	0	10477	492	293
1990	0	29013	6510	479
1990.25	0	21582	3896	299
1990.5	65695	15593	2313	184
1990.75	0	11010	1379	117
1991	0	35950	7382	884
1991.25	0	26215	4405	520
1991.5	118615	19692	2770	310
1991.75	0	14091	1634	197
1992	0	66257	9816	1074
1992.25	0	48213	6278	731
1992.5	63393	35503	4319	506
1992.75	0	23890	2715	322
1993	0	34059	15422	1939
1993.25	0	23837	8958	1240
1993.5	55142	16696	5438	798

Time\Age	0	1	2	3
1993.75	0	10593	2882	491
1994	0	28755	6539	1776
1994.25	0	20157	4009	1063
1994.5	158931	14523	2567	646
1994.75	0	10078	1565	401
1995	0	89309	6887	1277
1995.25	0	66570	4460	885
1995.5	63422	49143	2912	612
1995.75	0	34357	1853	396
1996	0	32052	23068	1496
1996.25	0	24291	14530	969
1996.5	132726	18044	9576	627
1996.75	0	13046	6090	396
1997	0	75039	9529	4324
1997.25	0	55164	6230	2790
1997.5	27199	43331	4120	1797
1997.75	0	31371	2512	1151
1998	0	15117	22649	2314
1998.25	0	11427	14310	1428
1998.5	48968	8502	9188	878
1998.75	0	6466	5840	565
1999	0	28710	4765	4199
1999.25	0	22074	3286	2701
1999.5	114193	16904	2181	1719
1999.75	0	12652	1324	1081
2000	0	67375	9448	1451
2000.25	0	51636	6587	909
2000.5	31461	40660	4544	564
2000.75	0	29677	2982	364

Time\Age	0	1	2	3
2001	0	16843	19869	2106
2001.25	0	12235	12451	1363
2001.5	32532	8892	7941	877
2001.75	0	6475	5461	564
2002	0	18847	4523	3895
2002.25	0	14063	2855	2405
2002.5	24775	10089	1892	1500
2002.75	0	6885	1205	951
2003	0	12740	4488	1291
2003.25	0	8908	2890	782
2003.5	9561	6199	1856	470
2003.75	0	4259	1124	299
2004	0	5331	3042	817
2004.25	0	3849	2052	523
2004.5	9506	2924	1387	334
2004.75	0	2092	886	214
2005	0	5358	1453	674
2005.25	0	3957	1023	454
2005.5	36824	2962	717	304
2005.75	0	2271	492	199
2006	0	20931	1801	459
2006.25	0	15488	1323	306
2006.5	27626	11757	942	202
2006.75	0	8909	616	130
2007	0	15454	6146	461
2007.25	0	11583	4106	322
2007.5	38699	8582	2742	226
2007.75	0	6397	1832	148
2008	0	22496	4945	1351

Time\Age	0	1	2	3
2008.25	0	17519	3514	884
2008.5	60884	13618	2437	581
2008.75	0	10698	1610	366
2009	0	39174	7971	1291
2009.25	0	29717	5471	808
2009.5	87467	23357	3707	503
2009.75	0	18004	2287	321
2010	0	53035	14242	1689
2010.25	0	42379	10994	1095
2010.5	7810	32044	7764	702
2010.75	0	23021	5142	447
2011	0	4614	16248	3624
2011.25	0	3559	10535	2274
2011.5	13185	2853	7258	1441
2011.75	0	2197	4943	921
2012	0	7776	1712	4091
2012.25	0	5937	1207	2738
2012.5	64940	4618	869	1836
2012.75	0	3697	614	1209
2013	0	38100	2686	1178
2013.25	0	29179	1936	753
2013.5	19483	20991	1351	478
2013.75	0	14453	866	307
2014	0	10689	9105	673
2014.25	0	7898	5724	423
2014.5	103496	5857	3580	264
2014.75	0	4350	2181	164
2015	0	56694	3025	1415
2015.25	0	40284	1974	914

Time\Age	0	1	2	3
2015.5	39759	28070	1285	588
2015.75	0	18141	741	368
2016	0	21414	11562	656
2016.25	0	14987	7370	417
2016.5	70563	10125	4592	261
2016.75	0	6348	2776	161
2017	0	38392	3867	1735
2017.25	0	26286	2523	1101
2017.5	22784	17995	1653	694
2017.75	0	11751	1020	442
2018	0	11639	7510	889
2018.25	0	8456	4621	533
2018.5	81343	6022	2801	315
2018.75	0	4357	1679	194
2019	0	44350	3018	1030
2019.25	0	32666	2122	649
2019.5	107180	23717	1356	399
2019.75	0	17009	835	248
2020	0	60426	11611	675
2020.25	0	44078	7615	432
2020.5	63647	32394	4839	272
2020.75	0	22514	2928	173
2021	0	33850	14733	1856
2021.25	0	24187	9171	1207
2021.5	25638	16952	5511	775
2021.75	0	11264	3346	493
2022	0	13978	7134	2206
2022.25	0	10802	4384	1392
2022.5	48250	8107	2731	872

Time\Age	0	1	2	3
2022.75	0	5764	1653	548
2023	0	25720	3900	1244
2023.25	0	19193	2508	780
2023.5	9453	13367	1603	489
2023.75	0	8979	989	315
2024	0	4625	6032	855
2024.25	0	2940	3723	542
2024.5	8851	2043	2331	343
2024.75	0	1481	1474	221
2025	0	4962	1091	1070
2025.25	0	3554	741	693
2025.5	10312	2576	486	445
2025.75	0	1917	325	286

Table 10.3.4. Norway pout in Subarea 4 and Division 3.a. Baseline run with SESAM seasonal model September 2025. Estimated fishing mortalities by quarter of year. (The last 2025 quarter 4 F-value is a projection of F based on the population estimate by end of 3rd quarter).

Time\Age	0	1	2	3+
1984	0.001	0.306	0.838	0.302
1984.25	0.001	0.292	0.675	0.297
1984.5	0.009	1.017	1.666	0.290
1984.75	0.155	1.388	1.785	0.052
1985	0.001	0.400	1.098	0.396
1985.25	0.000	0.178	0.412	0.181
1985.5	0.009	0.944	1.547	0.269
1985.75	0.150	1.337	1.719	0.050
1986	0.001	0.318	0.872	0.314
1986.25	0.000	0.114	0.264	0.116
1986.5	0.005	0.551	0.904	0.157
1986.75	0.100	0.890	1.144	0.033
1987	0.001	0.277	0.759	0.274

Time\Age	0	1	2	3+
1987.25	0.000	0.091	0.210	0.092
1987.5	0.004	0.423	0.694	0.121
1987.75	0.129	1.155	1.485	0.043
1988	0.001	0.198	0.543	0.196
1988.25	0.000	0.072	0.167	0.074
1988.5	0.003	0.294	0.481	0.084
1988.75	0.085	0.760	0.977	0.028
1989	0.000	0.142	0.389	0.140
1989.25	0.000	0.139	0.323	0.142
1989.5	0.004	0.429	0.703	0.122
1989.75	0.083	0.739	0.951	0.028
1990	0.001	0.196	0.538	0.194
1990.25	0.000	0.218	0.505	0.222
1990.5	0.003	0.323	0.529	0.092
1990.75	0.059	0.531	0.683	0.020
1991	0.001	0.223	0.612	0.221
1991.25	0.000	0.158	0.365	0.160
1991.5	0.003	0.337	0.552	0.096
1991.75	0.055	0.494	0.636	0.018
1992	0.001	0.199	0.547	0.197
1992.25	0.000	0.126	0.292	0.129
1992.5	0.003	0.348	0.570	0.099
1992.75	0.055	0.489	0.628	0.018
1993	0.000	0.167	0.457	0.165
1993.25	0.000	0.130	0.302	0.133
1993.5	0.004	0.418	0.685	0.119
1993.75	0.061	0.547	0.703	0.020
1994	0.001	0.178	0.487	0.176
1994.25	0.000	0.115	0.266	0.117

Time\Age	0	1	2	3+
1994.5	0.003	0.368	0.604	0.105
1994.75	0.041	0.362	0.466	0.013
1995	0.000	0.108	0.297	0.107
1995.25	0.000	0.100	0.231	0.102
1995.5	0.002	0.206	0.337	0.059
1995.75	0.033	0.291	0.374	0.011
1996	0.000	0.074	0.203	0.073
1996.25	0.000	0.060	0.139	0.061
1996.5	0.003	0.283	0.464	0.081
1996.75	0.028	0.255	0.328	0.009
1997	0.000	0.059	0.161	0.058
1997.25	0.000	0.037	0.086	0.038
1997.5	0.003	0.286	0.469	0.081
1997.75	0.034	0.303	0.389	0.011
1998	0.000	0.059	0.160	0.058
1998.25	0.000	0.058	0.133	0.059
1998.5	0.002	0.211	0.346	0.060
1998.75	0.032	0.285	0.367	0.011
1999	0.000	0.045	0.124	0.045
1999.25	0.000	0.071	0.165	0.072
1999.5	0.002	0.260	0.426	0.074
1999.75	0.038	0.342	0.440	0.013
2000	0.000	0.044	0.119	0.043
2000.25	0.000	0.051	0.118	0.052
2000.5	0.001	0.161	0.264	0.046
2000.75	0.045	0.406	0.522	0.015
2001	0.000	0.058	0.159	0.057
2001.25	0.000	0.048	0.111	0.049
2001.5	0.001	0.078	0.128	0.022

Time\Age	0	1	2	3+
2001.75	0.037	0.327	0.421	0.012
2002	0.000	0.057	0.156	0.056
2002.25	0.000	0.040	0.092	0.040
2002.5	0.002	0.217	0.356	0.062
2002.75	0.050	0.448	0.577	0.017
2003	0.000	0.032	0.088	0.032
2003.25	0.000	0.029	0.068	0.030
2003.5	0.002	0.183	0.300	0.052
2003.75	0.031	0.276	0.355	0.010
2004	0.000	0.024	0.066	0.024
2004.25	0.000	0.014	0.032	0.014
2004.5	0.001	0.132	0.217	0.038
2004.75	0.033	0.294	0.378	0.011
2005	0.000	0.000	0.000	0.000
2005.25	0.000	0.000	0.000	0.000
2005.5	0.000	0.000	0.001	0.000
2005.75	0.000	0.000	0.001	0.000
2006	0.000	0.017	0.064	0.021
2006.25	0.000	0.035	0.094	0.042
2006.5	0.001	0.101	0.205	0.039
2006.75	0.035	0.420	0.579	0.016
2007	0.000	0.004	0.015	0.005
2007.25	0.000	0.013	0.034	0.015
2007.5	0.000	0.023	0.047	0.009
2007.75	0.001	0.018	0.025	0.001
2008	0.000	0.002	0.006	0.002
2008.25	0.000	0.015	0.038	0.016
2008.5	0.000	0.047	0.096	0.018
2008.75	0.004	0.055	0.077	0.002

Time\Age	0	1	2	3+
2009	0.000	0.001	0.003	0.001
2009.25	0.000	0.014	0.037	0.016
2009.5	0.001	0.122	0.249	0.047
2009.75	0.004	0.055	0.077	0.002
2010	0.000	0.000	0.001	0.000
2010.25	0.000	0.026	0.068	0.029
2010.5	0.001	0.099	0.202	0.038
2010.75	0.006	0.088	0.123	0.003
2011	0.000	0.000	0.001	0.000
2011.25	0.000	0.004	0.011	0.005
2011.5	0.000	0.040	0.083	0.016
2011.75	0.006	0.083	0.116	0.003
2012	0.000	0.000	0.001	0.000
2012.25	0.000	0.006	0.016	0.007
2012.5	0.000	0.026	0.054	0.010
2012.75	0.025	0.348	0.489	0.013
2013	0.000	0.001	0.002	0.001
2013.25	0.000	0.025	0.065	0.028
2013.5	0.001	0.114	0.233	0.044
2013.75	0.034	0.488	0.685	0.018
2014	0.000	0.002	0.010	0.003
2014.25	0.000	0.024	0.062	0.026
2014.5	0.001	0.153	0.313	0.059
2014.75	0.023	0.322	0.453	0.012
2015	0.000	0.003	0.012	0.003
2015.25	0.000	0.031	0.080	0.034
2015.5	0.001	0.202	0.412	0.078
2015.75	0.020	0.278	0.390	0.010
2016	0.000	0.003	0.012	0.004

Time\Age	0	1	2	3+
2016.25	0.000	0.043	0.112	0.048
2016.5	0.001	0.196	0.401	0.076
2016.75	0.022	0.318	0.446	0.012
2017	0.000	0.002	0.006	0.002
2017.25	0.000	0.034	0.088	0.037
2017.5	0.001	0.161	0.329	0.062
2017.75	0.022	0.312	0.439	0.012
2018	0.000	0.002	0.008	0.002
2018.25	0.000	0.052	0.134	0.057
2018.5	0.001	0.152	0.311	0.059
2018.75	0.026	0.367	0.515	0.014
2019	0.000	0.005	0.019	0.006
2019.25	0.000	0.085	0.221	0.094
2019.5	0.001	0.201	0.411	0.078
2019.75	0.024	0.333	0.468	0.012
2020	0.000	0.011	0.045	0.014
2020.25	0.000	0.060	0.156	0.066
2020.5	0.001	0.184	0.376	0.071
2020.75	0.026	0.368	0.517	0.014
2021	0.000	0.007	0.028	0.009
2021.25	0.000	0.052	0.134	0.057
2021.5	0.001	0.145	0.296	0.056
2021.75	0.026	0.373	0.524	0.014
2022	0.000	0.002	0.008	0.003
2022.25	0.000	0.029	0.075	0.032
2022.5	0.001	0.122	0.249	0.047
2022.75	0.021	0.298	0.419	0.011
2023	0.000	0.001	0.006	0.002
2023.25	0.000	0.019	0.048	0.021

Time\Age	0	1	2	3+
2023.5	0.001	0.104	0.213	0.040
2023.75	0.007	0.103	0.145	0.004
2024	0.000	0.000	0.002	0.000
2024.25	0.000	0.004	0.010	0.004
2024.5	0.000	0.044	0.090	0.017
2024.75	0.005	0.075	0.105	0.003
2025	0.000	0.000	0.000	0.000
2025.25	0.000	0.007	0.017	0.007
2025.5	0.000	0.022	0.044	0.008
2025.75	0.005	0.075	0.105	0.003

Table 10.3.5. Norway pout in Subarea 4 and Division 3.a. Baseline run with SESAM seasonal model September 2025. Diagnostics of the SESAM baseline assessment. Estimated catchabilities by survey tuning fleet.

Fleet number	Age	Catchability	Low	High
2	1	0.10843	0.06312	0.18626
2	2	0.14983	0.07939	0.28276
2	3	0.13370	0.05618	0.31819
3	0	0.05456	0.03000	0.09925
3	1	0.14642	0.07889	0.27176
4	0	0.19217	0.10086	0.36614
4	1	0.16588	0.08536	0.32236
5	2	0.15488	0.07316	0.32788
5	3	0.07282	0.02942	0.18025

Table 10.3.6. Norway pout in Subarea 4 and Division 3.a. Stock Summary Table. Baseline run with SESAM September 2025. Estimated yearly and quarterly recruitment (millions), spawning-stock biomass SSB (t), total-stock biomass TSB (t) and fishing mortality for ages 1–2 (F_{1-2}).

Time	Recruits	Low	High	SSB	Low	High	TSB	Low	High	F_{12}	Low	High
1984				398760	228960	694484	752920	454630	1246925	0.996	0.531	1.868
1984.25				263296	148787	465933	588234	346059	999886			
1984.5	43360	22535	83428	281280	157939	500944	747125	432686	1290071			
1984.75				142238	73267	276136	408055	224117	742955			
1985				247961	133089	461983	419508	243963	721367	0.954	0.468	1.947

Time	Recruits	Low	High	SSB	Low	High	TSB	Low	High	F ₁₂	Low	High
1985.25				143174	73640	278363	299020	167929	532445			
1985.5	31869	16336	62168	148712	79184	279291	379428	215354	668505			
1985.75				75212	36177	156364	212878	112423	403096			
1986				138058	70622	269890	260522	144028	471241	0.632	0.308	1.298
1986.25				88231	43275	179889	201340	107687	376440			
1986.5	54438	27449	107962	99341	50524	195325	271816	147065	502389			
1986.75				57978	27742	121168	170207	88259	328243			
1987				154650	83469	286531	385474	213444	696156	0.637	0.299	1.355
1987.25				111184	58287	212084	337614	181211	629006			
1987.5	11511	5614	23601	139086	74715	258915	490302	264824	907758			
1987.75				88350	45803	170421	328406	173208	622666			
1988				194850	94794	400514	236874	122169	459276	0.437	0.223	0.853
1988.25				125248	58171	269669	168973	85503	333929			
1988.5	52192	26353	103369	141457	65799	304107	213944	110694	413502			
1988.75				92744	40935	210124	147763	74090	294696			
1989				142070	73816	273435	350544	190882	643755	0.477	0.242	0.939
1989.25				117170	59809	229544	320934	173117	594967			
1989.5	53853	27031	107289	138096	72305	263754	448575	242091	831174			
1989.75				89060	44824	176949	298601	157174	567283			
1990				234153	125438	437090	443045	248258	790667	0.440	0.225	0.861
1990.25				164127	85675	314416	371317	202844	679716			
1990.5	65695	32748	131789	181550	93536	352382	493419	264434	920690			
1990.75				117016	58148	235481	337225	176695	643599			
1991				284634	152328	531854	543474	301861	978479	0.422	0.214	0.831
1991.25				199020	103010	384515	450682	242765	836670			
1991.5	118615	59197	237674	227830	117989	439926	621678	331565	1165635			
1991.75				147264	73235	296126	429095	223162	825061			
1992				407615	219537	756818	884667	487323	1605993	0.400	0.202	0.793
1992.25				309221	160942	594112	772070	413748	1440712			
1992.5	63393	31976	125681	380637	196998	735463	1090701	580379	2049746			

Time	Recruits	Low	High	SSB	Low	High	TSB	Low	High	F ₁₂	Low	High
1992.75				246735	121203	502282	724537	373516	1405439			
1993				524415	266395	1032343	769638	413574	1432251	0.426	0.194	0.936
1993.25				343151	168001	700905	571987	300680	1088098			
1993.5	55142	27398	110977	348838	170590	713337	682758	360062	1294662			
1993.75				196745	89577	432128	408618	204626	815970			
1994				286283	141111	580806	493316	258247	942356	0.356	0.167	0.759
1994.25				201778	95661	425612	395288	201423	775745			
1994.5	158931	77706	325057	214063	102931	445180	504526	258116	986174			
1994.75				136251	61718	300792	337814	164957	691808			
1995				384007	197352	747199	1027031	532450	1981019	0.243	0.114	0.518
1995.25				315518	158363	628629	954588	484941	1879068			
1995.5	63422	30806	130571	398949	199442	798026	1381805	696090	2743014			
1995.75				268840	130259	554856	955995	469936	1944788			
1996				694231	338741	1422788	925008	474165	1804520	0.226	0.104	0.490
1996.25				470003	223788	987109	703198	356032	1388885			
1996.5	132726	63838	275953	510865	241235	1081861	871746	441137	1722688			
1996.75				331756	145677	755522	592686	283911	1237279			
1997				546231	266061	1121427	1086513	552875	2135223	0.224	0.101	0.497
1997.25				427647	204818	892900	957223	481286	1903808			
1997.5	27199	13013	56847	489257	239659	998801	1355881	682704	2692839			
1997.75				324092	151263	694389	951515	459242	1971465			
1998				686003	322113	1460977	794846	387025	1632402	0.202	0.092	0.443
1998.25				456583	210119	992145	566279	273766	1171334			
1998.5	48968	23871	100451	462684	210813	1015478	632721	307608	1301449			
1998.75				298700	128530	694171	428019	199327	919093			
1999				338775	156910	731429	545490	271200	1097196	0.234	0.105	0.519
1999.25				270168	123028	593284	482082	238456	974617			
1999.5	114193	55381	235463	274894	128390	588570	612985	307177	1223238			
1999.75				178892	80645	396830	431938	208707	893933			
2000				415524	206130	837628	900621	460817	1760173	0.211	0.093	0.479

Time	Recruits	Low	High	SSB	Low	High	TSB	Low	High	F ₁₂	Low	High
2000.25				334035	164188	679583	829744	419331	1641840			
2000.5	31461	15227	65001	418893	206108	851357	1232089	617230	2459446			
2000.75				288745	137234	607530	882283	429471	1812517			
2001				611304	285275	1309938	732577	355335	1510317	0.166	0.072	0.381
2001.25				408814	185835	899341	526273	251988	1099110			
2001.5	32532	15777	67079	414721	186642	921514	592558	284955	1232213			
2001.75				283518	123237	652260	413026	193779	880337			
2002				302811	137162	668509	438512	212107	906581	0.243	0.101	0.584
2002.25				225402	99765	509253	360408	172809	751664			
2002.5	24775	11717	52385	216114	98271	475268	417902	205269	850792			
2002.75				137790	60235	315201	275488	130953	579550			
2003				186781	86732	402240	278507	136396	568682	0.167	0.069	0.404
2003.25				132706	60844	289443	218222	106442	447387			
2003.5	9561	4535	20158	133437	61932	287502	257427	126977	521898			
2003.75				83562	37089	188268	168750	80162	355238			
2004				118320	54962	254716	156703	76048	322898	0.145	0.056	0.371
2004.25				86683	39494	190254	123629	59435	257156			
2004.5	9506	4497	20095	90126	41297	196690	148618	72250	305704			
2004.75				58274	25672	132280	100125	47149	212622			
2005				72912	33610	158173	111491	54153	229538	0.000	0.000	0.001
2005.25				57779	26225	127296	95770	46174	198637			
2005.5	36824	17480	77574	61693	28353	134238	120937	58846	248543			
2005.75				42576	19392	93480	88009	42459	182422			
2006				101042	51437	198486	251746	127309	497814	0.189	0.071	0.503
2006.25				85557	42910	170588	234241	117074	468670			
2006.5	27626	13014	58645	108563	54036	218112	343714	170342	693543			
2006.75				76712	37085	158681	254890	122935	528483			
2007				199889	93132	429021	311158	152489	634927	0.022	0.009	0.052
2007.25				146524	67657	317325	257717	125292	530106			
2007.5	38699	18211	82236	166180	76356	361673	337832	163315	698836			

Time	Recruits	Low	High	SSB	Low	High	TSB	Low	High	F ₁₂	Low	High
2007.75				113833	51152	253322	241780	114581	510185			
2008				218175	105580	450849	380150	189927	760890	0.042	0.018	0.098
2008.25				174070	82979	365158	342257	168526	695081			
2008.5	60884	28327	130860	200387	95107	422209	472755	230278	970555			
2008.75				139096	64401	300424	353054	167194	745523			
2009				321438	156042	662144	603487	301665	1207290	0.070	0.028	0.173
2009.25				248512	120101	514220	533795	264582	1076932			
2009.5	87467	41246	185484	295220	142681	610838	762359	375015	1549784			
2009.75				200079	93091	430027	560166	265705	1180956			
2010				519070	251234	1072444	900919	451597	1797298	0.076	0.032	0.181
2010.25				431297	204812	908232	838131	412461	1703100			
2010.5	7810	3608	16905	512897	240337	1094559	1153777	560467	2375164			
2010.75				346690	155781	771557	807123	379488	1716652			
2011				559463	258318	1211681	592683	277354	1266514	0.042	0.017	0.103
2011.25				385617	175138	849048	419786	194401	906474			
2011.5	13185	6248	27823	391085	175234	872815	448153	206978	970351			
2011.75				262081	113541	604949	306032	137565	680810			
2012				220455	97178	500121	276446	128423	595082	0.118	0.044	0.312
2012.25				181341	77664	423422	238337	109309	519667			
2012.5	64940	31058	135783	168019	72898	387262	260392	122932	551557			
2012.75				113164	48528	263894	187115	87775	398880			
2013				182847	89378	374066	457171	227327	919404	0.202	0.076	0.533
2013.25				156073	75980	320593	436188	215008	884899			
2013.5	19483	9278	40910	187689	92411	381201	607507	301117	1225654			
2013.75				124696	60192	258323	413754	202174	846758			
2014				273789	127225	589196	350751	170479	721652	0.167	0.067	0.418
2014.25				183194	85237	393728	259018	127091	527890			
2014.5	103496	48050	222921	188314	87771	404031	305455	151158	617256			
2014.75				118525	52554	267307	205528	97790	431965			
2015				234286	113581	483269	642484	313187	1318015	0.176	0.069	0.451

Time	Recruits	Low	High	SSB	Low	High	TSB	Low	High	F ₁₂	Low	High
2015.25				191751	92977	395458	578476	282180	1185892			
2015.5	39759	18387	85975	227043	111295	463169	788438	386863	1606858			
2015.75				141678	66946	299833	504504	240665	1057587			
2016				353809	167186	748753	507989	250896	1028524	0.191	0.074	0.494
2016.25				241052	113818	510518	384931	190838	776427			
2016.5	70563	32596	152754	249950	117259	532795	452462	224249	912921			
2016.75				152126	66516	347919	279099	131559	592105			
2017				235165	111372	496558	511585	250195	1046060	0.171	0.067	0.439
2017.25				181206	85689	383198	433552	212543	884374			
2017.5	22784	10792	48100	197748	95029	411498	557643	274868	1131325			
2017.75				125179	57930	270496	360207	172934	750284			
2018				244267	114613	520590	328069	161496	666452	0.193	0.077	0.484
2018.25				162464	76286	345993	243641	121028	490473			
2018.5	81343	39112	169172	161020	75238	344607	281458	140244	564862			
2018.75				100181	44774	224152	187336	90382	388296			
2019				196479	97327	396643	515802	260015	1023216	0.218	0.092	0.519
2019.25				163922	81430	329985	477515	240294	948922			
2019.5	107180	51237	224206	196788	97732	396245	671139	335500	1342556			
2019.75				132813	63450	278003	473000	228648	978489			
2020				426025	208549	870286	861089	435290	1703405	0.215	0.088	0.526
2020.25				317759	156107	646805	740905	373102	1471287			
2020.5	63647	29507	137289	371805	182426	757783	1019697	509149	2042193			
2020.75				239731	112323	511661	690010	332471	1432049			
2021				503466	235450	1076568	747188	365691	1526675	0.195	0.075	0.504
2021.25				347704	162654	743282	579903	284772	1180898			
2021.5	25638	11956	54975	351728	164471	752182	690768	339433	1405759			
2021.75				218740	97834	489063	444031	211403	932642			
2022				291748	132619	641813	392391	187046	823169	0.150	0.058	0.391
2022.25				205141	92663	454149	308838	147651	645992			
2022.5	48250	22118	105255	202120	92184	443162	364266	175955	754113			

Time	Recruits	Low	High	SSB	Low	High	TSB	Low	High	F ₁₂	Low	High
2022.75				126760	55776	288081	242047	113672	515405			
2023				193561	91142	411069	378743	184530	777358	0.080	0.032	0.197
2023.25				147766	69358	314812	332015	160080	688622			
2023.5	9453	4200	21275	160327	75878	338765	427674	205906	888292			
2023.75				102717	46979	224584	282300	132098	603287			
2024				193327	89315	418465	226628	107821	476348	0.041	0.016	0.107
2024.25				127245	57876	279754	155470	73411	329258			
2024.5	8851	3948	19845	124015	55707	276083	164871	77799	349392			
2024.75				79167	34382	182285	108792	50062	236418			
2025				78989	36456	171148	114718	55350	237764			
2025.25				61711	27769	137144	95828	45525	201714			
2025.5	10312	3314	32085	59029	26776	130132	110544	52178	234201			
2025.75				39767	17714	89272	78106	35721	170783			

Table 10.3.6 (cont.). Norway pout in Subarea 4 and Division 3.a. Stock Summary Table. Baseline run with SESAM September 2025. Long-term arithmetic means of yearly recruitment (millions), quarterly spawning-stock biomass SSB (t), quarterly total-stock biomass TSB (t) and yearly fishing mortality for ages 1–2 ($F_{bar}=F_{1-2}$) for the period 1984–2025. Numbers are given for start of the season.

	value
Avg. recruitment	51227.04
Geom. mean recruitment	38358.15
Avg SSB Q 1	307562.82
Avg SSB Q 2	223591.46
Avg SSB Q 3	245058.31
Avg SSB Q 4	158096.98
Avg TSB Q 1	521154.25
Avg TSB Q 2	432986.12
Avg TSB Q 3	566424.92
Avg TSB Q 4	382616.85
Avg. FBAR	0.26

Table 10.6.1. Norway pout in Subarea 4 and Division 3.a. Projected mean weight at age used in the forecast by quarter of year. Baseline run with SESAM September 2025.

Age/Quarter	1	2	3	4
0	6.292	8.352	6.182	6.911
1	10.946	15.909	27.484	27.417
2	26.977	31.087	39.969	39.666
3	40.446	41.611	48.889	47.688

Table 10.6.2. Norway pout in Subarea 4 and Division 3.a. Forecast of fishing mortality, SSB and median catch (t) with F scaled such that the fifth percentile of the SSB distribution one year ahead (1st October 2026) equals B_{lim} .

Basis:

F_{bar} (2024 up to Q4) = estimated from in year assessment 1st October 2025, $F_{(age1-2, quarter4\ 2024\ and\ quarter1,2,3\ 2025)} = 0.034$, average from Table 10.3.4 and Table 10.3.6..

SSB (2025 up to Q4) = estimated from in year assessment 1st October 2025 (start Q4) = 39 767 tonnes, Table 10.3.6;

$R(2025)$ = estimated / observed from in year assessment 1st July 2025 (age 0 in start of Q3) = 10 312 million, Table 10.3.6;

Biological parameters (2025–2026): Assume values for M , weight-at-age in the stock, and maturity-at-age for the projection period to be similar to the same parameter values used in the assessment. Assume projected mean weight at ages in the catches by quarter as given in Table 10.6.1.

F , R (Q4 2025 - Q4 2026): (i) Draw K samples from the joint posterior distribution of the states ($\log N$ and $\log F$) in the last year with data, and the recruitment in all years. (ii) Assume that $\log F_t = \log F_{t-4} + \log G_t$, for all future values of t where G_t is some chosen vector of multipliers of the F -process. If $G_t = 1$ for all t this corresponds to assuming the same level and quarterly pattern in F for all future time-steps as in the last data year. (iii) Create K forecasting trajectories starting from the samples of joint posterior distribution of the states. This is done by sampling K recruitments from the vector of historic recruitments obtained in step 2, and then projecting the states forward in time using the stock equation with randomly sampled process errors from their estimated distribution. (iv) Find G_t such that the fifth (or any other) percentile of the catches (total mass) in the projections equals some desired level such as B_{lim} (optional).

	F_{1-2}	SSB	SSB 5 th quantile	median catch
2025.75	0.0006	40782.6453	21024.4018	8.5113
2026	0.0000	66522.8986	33708.1460	0.0442
2026.25	0.0001	53070.4217	25005.5899	1.6653
2026.5	0.0002	59125.1488	25940.1419	5.0921
2026.75		42161.9223	16907.7391	
Sum				15.3129

Table 10.6.3. Norway pout in Subarea 4 and Division 3.a. Forecast of fishing mortality, SSB and median catch (t) with F scaled to zero (no catch) for the period 1st October 2025 to 1st October 2026.

Basis: Same as above.

	F ₁₋₂	SSB	SSB 5 th quantile	median catch
2025.75	0.0000	40782.6453	21024.4018	0.0000
2026	0.0000	66528.0808	33717.3886	0.0000
2026.25	0.0000	53073.8172	25010.4507	0.0000
2026.5	0.0000	59134.6081	25943.4682	0.0000
2026.75		42170.6547	16910.4303	
Sum				0.0000

Table 10.6.4. Norway pout in Subarea 4 and Division 3.a. Forecast of fishing mortality, SSB and median catch (t) with F scaled to F status quo for the previous year up to 1st October 2026.

Basis: Same as above.

	F ₁₋₂	SSB	SSB 5 th quantile	median catch
2025.75	0.0908	40782.6453	21024.4018	1250.0216
2026	0.0003	65335.4021	32493.5464	6.4372
2026.25	0.0121	52128.2609	24194.2802	240.7786
2026.5	0.0331	58012.7121	25275.3270	741.9662
2026.75		40800.5764	16309.1842	
Sum				2239.2036

Table 10.6.5. Norway pout in Subarea 4 and Division 3.a. Forecast of fishing mortality, SSB and median catch (t) with F scaled such that the median of the SSB distribution one year a head (1st October 2026) equals B_{lim}.

Basis: Same as above.

	F ₁₋₂	SSB	SSB 5 th quantile	median catch
2025.75	0.0006	40782.6453	21024.4018	8.5113
2026	0.0000	66522.8986	33708.1460	0.0442
2026.25	0.0001	53070.4217	25005.5899	1.6653
2026.5	0.0002	59125.1488	25940.1419	5.0921
2026.75		42161.9223	16907.7391	
Sum				15.3129

Table 10.6.6. Norway pout in Subarea 4 and Division 3.a. Forecast of fishing mortality, SSB and median catch (t) with F scaled such that SSB one year a head (1st October 2026) equals B_{pa} .

Basis: Same as above.

	F_{1-2}	SSB	SSB 5 th quantile	median catch
2025.75	0.0006	40782.6453	21024.4018	8.5113
2026	0.0000	66522.8986	33708.1460	0.0442
2026.25	0.0001	53070.4217	25005.5899	1.6653
2026.5	0.0002	59125.1488	25940.1419	5.0921
2026.75		42161.9223	16907.7391	
Sum				15.3129

Table 10.6.7. Norway pout in Subarea 4 and Division 3.a. Forecast of fishing mortality, SSB and median catch (t) with F scaled to 0.2 ($F_{cap} = 0.2$) for the period 1st October 2025 to 1st October 2026.

Basis: Same as above.

	F_{1-2}	SSB	SSB 5 th quantile	median catch
2025.75	0.5366	40782.6453	21024.4018	7023.8222
2026	0.0018	59669.6068	27491.3118	34.6196
2026.25	0.0715	47992.2086	20671.6500	1303.6758
2026.5	0.1955	52603.2602	21368.8212	3995.8861
2026.75		35720.8521	13454.6225	
Sum				12358.0038

Table 10.6.8. Norway pout in Subarea 4 and Division 3.a. Forecast of fishing mortality, SSB and median catch (t) with F scaled to 0.3 ($F_{cap} = 0.3$) for the period 1st October 2025 to 1st October 2026.

Basis: Same as above.

	F_{1-2}	SSB	SSB 5 th quantile	median catch
2025.75	0.8049	40782.6453	21024.4018	10216.8669
2026	0.0027	56644.1530	24918.2833	49.6476
2026.25	0.1072	45756.9813	18784.3005	1867.2640
2026.5	0.2932	50159.3723	19422.5165	5712.6936
2026.75		33011.5887	11723.6409	
Sum				17846.4721

Table 10.6.9. Norway pout in Subarea 4 and Division 3.a. Forecast of fishing mortality, SSB and median catch (t) with F scaled to 0.4 ($F_{cap} = 0.4$) for the period 1st October 2025 to 1st October 2026.

Basis: Same as above.

	F_{1-2}	SSB	SSB 5 th quantile	median catch
2025.75	1.0732	40782.6453	21024.4018	13231.6672
2026	0.0037	54116.3553	22507.1819	63.2697
2026.25	0.1429	43899.4787	17022.4706	2390.6711
2026.5	0.3909	47729.0347	17740.7750	7271.8561
2026.75		30713.0710	10394.8104	
Sum				22957.4641

Table 10.6.10 Norway pout in Subarea 4 and Division 3.a. Forecast of fishing mortality, SSB and median catch (t) with F scaled to 0.5 ($F_{cap} = 0.5$) for the period 1st October 2025 to 1st October 2026.

Basis: Same as above.

	F_{1-2}	SSB	SSB 5 th quantile	median catch
2025.75	1.3415	40782.6453	21024.4018	16020.3835
2026	0.0046	51799.2847	20133.3853	75.7385
2026.25	0.1787	42074.2205	15682.2924	2877.0368
2026.5	0.4886	45720.4441	16218.8081	8731.1383
2026.75		28793.0944	9350.5080	
Sum				27704.2971

Table 10.6.11. Norway pout in Subarea 4 and Division 3.a. Forecast of fishing mortality, SSB and median catch (t) with F scaled to 0.6 ($F_{cap} = 0.6$) for the period 1st October 2025 to 1st October 2026.

Basis: Same as above.

	F_{1-2}	SSB	SSB 5 th quantile	median catch
2025.75	1.6097	40782.6453	21024.4018	18710.4569
2026	0.0055	49671.9172	18215.8153	87.0865
2026.25	0.2144	40293.5849	14501.3572	3326.8231
2026.5	0.5864	43789.6303	14905.0293	10010.5999
2026.75		26958.1543	8372.4791	
Sum				32134.9664

Table 10.6.12. Norway pout in Subarea 4 and Division 3.a. Forecast of fishing mortality, SSB and median catch (t) with F scaled to 0.7 ($F_{cap} = 0.7$) for the period 1st October 2025 to 1st October 2026.

Basis: Same as above

	F_{1-2}	SSB	SSB 5 th quantile	median catch
2025.75	1.8780	40782.6453	21024.4018	21174.3388
2026	0.0064	47657.3862	16872.4718	97.6395
2026.25	0.2502	38707.5048	13568.0869	3764.6531
2026.5	0.6841	41937.1452	13737.4646	11207.5520
2026.75		25271.7507	7515.2196	
Sum				36244.1834

Table 10.6.13. Norway pout in Subarea 4 and Division 3.a. The quarterly minima of the estimated SSB time-series (1984–2016) from the SESAM Benchmark Assessment Baseline Run from the Norway pout benchmark assessment under ICES WKPOUT 2016 with previous to 2020 IBTS Q1 and Q3 survey indices. The estimates are quarterly minima in tonnes estimated at the beginning of the season. The estimates are B_{loss} estimates which equals B_{lim} according to the ICES WKPOUT 2016 benchmark assessment which by 1st October is $B_{lim}=39\,450$ t.

SSB	Quarter	Year
72101.23	1	2005
55109.70	2	2005
57961.80	3	2005
39447.18	4	2005

Table 10.6.14. Norway pout in Subarea 4 and Division 3.a. The quarterly minima of the estimated SSB time-series (1984–2016) from the SESAM updated Benchmark Assessment Run (Run: NP_Sep17_fixC_Benchmark2016Data_NewIBTS, www.stockassessment.org) with new IBTS Q1 and Q3 survey indices made available in 2020. The estimates are quarterly minima in tonnes estimated at the beginning of the season. The estimates are B_{loss} estimates which equals B_{lim} according to the assessment run above which by 1st October is $B_{lim}=42\,573$ t.

SSB	Quarter	Year
77586	1	2005
59514	2	2005
62543	3	2005
42573	4	2005