

737-600/700/800/900/900ER MAINTENANCE PLANNING DOCUMENT

APPENDIX J - POST THRESHOLD INTERVALS FOR STRUCTURES AND ZONAL TASKS

A. GENERAL

Some structures and zonal MPD items have been escalated by the Industry Steering Committee beyond the initial repeat interval considered at the time of the initial aircraft certification. The intervals listed in Appendix J correspond to the original task intervals used in determining the DTR which satisfies Title 14 CFR § 25.571. As a result, prior to or at the threshold specified in Section 9, Table 9-2, the items listed in Appendix J are required to be returned to the interval in that appendix, rather than what is listed in Sections 2 and 3 of this MPD.



737-600/700/800/900/900ER MAINTENANCE PLANNING DOCUMENT POST THRESHOLD INTERVALS

| MRB / MPD Item Number | Task Description | Inspection Level | Escalated Repeat Interval | Initial Repeat Interval |
|--------------------------|--|------------------|---------------------------|-------------------------|
| 52-814-01 | Automatic Overwing Exit | EXT - GV | 6600 FC 36 MO | 4000 FC 24 MO |
| 52-818-01 | Automatic Overwing Exit | EXT - GV | 6600 FC 36 MO | 4000 FC 24 MO |
| 52-830-02 | Automatic Overwing Exit | EXT - GV | 6600 FC 36 MO | 4000 FC 24 MO |
| 52-834-02 | Automatic Overwing Exit | EXT - GV | 6600 FC 36 MO | 4000 FC 24 MO |
| 52-846-01 | Mid-Exit Door Left | EXT - GV | 5500 FC 24 MO | 4000 FC 24 MO |
| 52-846-02 | Mid-Exit Door Right | EXT - GV | 5500 FC 24 MO | 4000 FC 24 MO |
| 53-020-00 | Nose Wheel Well | EXT - GV | 6 YRS | 4000 FC 24 MO |
| 53-050-00 | Main Landing Gear Wheel Well | EXT - GV | 3 YRS | 4000 FC 24 MO |
| 53-882-00 | Aft Passenger Comp Sta 663.75 to Aft Pressure Bulkhead | EXT - GV | 6600 FC 36 MO | 4000 FC 24 MO |
| 55-812-00 | Vertical Fin Front to Rear Spar | EXT - GV | 13200 FC 6 YR | 4000 FC 24 MO |
| 55-818-00 | Rudder | EXT - GV | 10000 FC 6 YR | 4000 FC 24 MO |



737-600/700/800/900/900ER MAINTENANCE PLANNING DOCUMENT