

VISTA Data Project

A Metadata-Centric Approach to Web-scale integration

April 26, 2016

Health Information Technology/Informatics Steering Committee

Defense Health Agency, U.S. Department of Defense

Fairfax, VA

Rafael Richards MD MS

Director, VISTA Data Project
Pacific Joint Information Technology Center
VHA Office of Informatics and Analytics
U.S. Department of Veterans Affairs

VISTA Data Project

Web-scale interfacing for VA's VISTA Data.

Patient

Interfaces

35 years of VA's institutional know-how and data comprising hundreds of billions of clinical facts - and continuing to grow by over a million new lab tests, radiographs, and documents each day - hidden from patients and providers under a sea of interfacing code.

VISTA Data



All Apps.


All Data.

Integrated.

Real-time.

VISTA Internal Integration

Intrinsically fully integrated.



Comprehensive Patient-Centric Integrated EHR

The data architecture of VISTA consists of 180+ modules for clinical care and administrative functions integrated within a single, shared, integrated database.

VISTA applications (outer ring) all share the same, single, authoritative data (inner circle) within a single multidimensional database (M Technology).

Caveat: Data remains integrated only so long as it remains internal to the VISTA/ M environment.



VISTA External Interfacing

Opaque. Brittle. Ad-hoc. Hacks.



Code-centric Interfacing


VISTA is an opaque "black box" to external interfaces.

Code-centric interfacing has no logical connection to the internal structure or definition of any of the data within VISTA.

Code-centric interfacing lacks any standard, uniform method to comprehensively and securely interface to VISTA data. There are infinite permutations of hard-coded interfaces possible.



Evolution of Data: Increased Connectivity




VISTA was adopted in 1981 as VA's national health information system, and later adopted as the foundation of many other federal and state healthcare agencies (VA's VISTA, DoD's CHCS, and IHS's RPMS). In the pre-internet era (PC Era) databases ran on internal ad-hoc Intranets (Silo Data, red arrow). After the invention of the Internet Protocol in 1982, web technologies rapidly evolved over the past three decades (WWW Era). Adopting the current Semantic Web / Linked Data model to represent VISTA's native data model (Linked VISTA) permits web-scale, secure semantic integration and interfacing of VISTA data across the enterprise and across the Internet.



VISTA External Interfacing

Comprehensive. Transparent. Standard. Secure.




Exposing VISTA's internal data model as Linked Data Model model enables web-scale, web-standard external interfacing and integration.

VISTA Interfacing Evolution

Code-based Interfaces (x 3500, unique)

1981-Present 1996-Present 2000-Present




Current external interfacing to VISTA is exclusively through MUMPS-based RPCs. These are hard-coded in MUMPS code for specific clients only and not interchangeable to other clients due to embedded business logic within the custom MUMPS and client code. Security for all RPCs is based on the Terminal (roll-and-scroll) interface and its Menu Actions. This is a terminal-only legacy security mechanism, and not applicable to external, Web-, or GUI-based interfaces.

Many of the 3500 RPCs bypass the Fileman API and Data Dictionary, writing direct to MUMPS global storage. Bypassing the FM API means that Fileman security and auditing measures are bypassed, creating a significant security gap. In addition, this makes the data inaccessible to any other applications or by any other method other than by writing yet more custom MUMPS RPCs (The read and write RPCs are completely distinct from each other). The only means to access or interface to new data is to write new MUMPS RPCs using the Terminal-based Actions-centric security, in addition to custom RPC MUMPS security code.

Model-based Interface (x1, standard)

NEW (2016)




All external interfaces and functionality are Model-driven,

language-agnostic, client-agnostic, Fileman API compliant, and secured with both existing Kernel authentication, in addition to new modern, industry-standard, patient-centric, attribute-based access control (ABAC).

All interfacing is through a single, secure, symmetric read-write Master VISTA Data Model using modern, web-standard languages and tools. The read data model is identical to the write data model, making client access simpler. Secure access to all VISTA data is through an ABAC security-enhanced Master VISTA Data Model (MVDM).



VISTA Interfacing Evolution




VISTA Data Model (VDM) can access all data spanning 180+ applications with full granularity and definition because the fully exposed VISTA Data model logically bridges all applications. No legacy APIs, HL7, RPCs, or MUMPS. Just data. All of it. Real-time.

VISTA Interfacing Evolution

| Interface | MUMPS RPCs (x3500) | Master VISTA Data Model (x1) |
|------------------------------------|--|--|
| Method | Relies on over 3500 client-specific, non-interchangeable legacy MUMPS routines Distinct, unique routines for reading vs writing the same data Requires extensive knowledge and experience with MUMPS and VISTA | Data Model-Driven Client-agnostic Composition Composit |
| Ease of interfacing to new clients | ♦ HARD | ▼ EASY |
| Security | Natchy, Opaque | Comprehensive, Clear |
| Authentication | Kernel Access/Verify | Kernel Access/Verify |
| Access Control | Options | Applicable to any new interface. Data-Centric; Patient-Centric, Attribute-Based Access Control (ABAC) |
| Fileman API Compliant | Unreliable, IncompleteVariable compliance | ✓ Reliable, Complete✓ 100% Compliant |
| Audit | IncompleteBypassess Fileman auditing | ✓ Comprehensive AND✓ № Patient-Centric |
| Unit Tested | NONONONONOIogic tested | ✓ YES✓ 100% logic validated |
| Documentation | Incomplete, inconsistent, unclear.Requires understanding MUMPS code | ✓ Complete, consistent, clear.✓ Image Core is machine generated |

VISTA Data Model Detail





- · Industry-standard machine-processable web data model
- Uses schema-backed JSON with Linked Data extensions (JSON-LD)
- · All VISTA data models are expressed, processed, and enriched as JSON-LD.

Master VISTA Data Model (MVDM) (x1)

- · A subset of VDM that is normalized across all VDMs
- · Incorporates all functionality of the Security Model
- · Incorporates all functionality of the VDM
- Supports remote secure read-write across all VISTA instances
- Supports Master Data Management across all VISTA instances for any specified data category

Security Model (x1)

- Provides data-centric logical security model for all VA VISTA data.
- Provides data-centric security based on data attributes and categories
- Specifically provides "on-the-data" granular patient-centric data security.

VISTA Data Model (VDM) (x131)


- · Represents the full native operational data model of any local VISTA
- Enables comprehensive access to all VISTA data (all 65,000+ data fields)
- Is enriched by additional metadata and logic to support write back
- Provides native symmetric read-write to any local VISTA
- Eliminates need to know anything about VISTA code or internals

VISTA Systems (x131)

• Each contains over 35 years of VA clinical and institutional data

Runtime Environment (Javascript / Node)

- · Industry-standard Node.js server-side runtime environment
- All data models and data transformation run in-process, server-side
- All read-write transactions run in-process, server side



VISTA Data Model Features

| VISTA Data | Details | |
|---------------|--|--|
| Access | A single, universal, industry-standard mechanism for reading and writing all VISTA data. This mechanism is unified through a read model and write write model integrated into a single, symmetric-read-write data model (VDM), with all data in industry-standard web formats. This overcomes the well understood shortcoming with VISTA Data Read and Write, which uses completely unique code, models, and mechanisms for reading data as distinct from writing data. Furthermore, the 20+ year old RPCs - over 3300 MUMPS routines which encapsulate all these idiosyncratic approaches (written *exclusively* and in lock-step with the Delphi code of CPRS, and none of which are documented or maintained) simply cannot be relied on going forward, particularly for generic, external non-CPRS interfaces and clients.* | |
| Integrity | Comprehensive, automated, standardized, strict data integrity enforcement for all VISTA data. This is a major improvement over the hodgepodge of legacy, ad-hoc methods that have accumulated over the past 35 years (HL7, RPCs, MUMPS, procedural code), none of which are documented, and all of which are inconsistent, unpredictable, and highly permissive. See also: Master Data Management | |
| Security | Comprehensive, industry-standard, fine-grained, data-centric security for all VISTA data. Currently VISTA provides security for only a small fraction of its data, and does this through highly nonstandard, complex, opaque, and unmaintainable methods. Data-centric, attribute-based security is the foundation for all other security levels and technologies, because without knowledge of the data and its attributes, it will not be possible to provide the appropriate security measures on the data. Through metadata enrichment of the VISTA Data Model, VISTA will know what categories of data it is managing and thus allow, for the first time, comprehensive, data-centric, attribute-based security "on-the-data" for all VISTA data, permitting the secure exchange of data. See Data-Centric Security, Logical Security, Semantic Security and Attribute-Based Access Control (ABAC) | |


VISTA Data Model Attributes

| Representative | VDM operationalizes all relevant VA VISTA data to the maximum extent available. The VISTA Data Model comprises the current existing data-driven architecture of VISTA, and thus leverages all existing VISTA definitions. There is 100% correspondence and coverage of the internal data definitions of any local VISTA and that of its corresponding VISTA Data Model (VDM), since these are maintained always in-sync and up-to-date. Any and all enhancements to any VISTA system and its data definitions will automatically be reflected in the VISTA Data Model through automated, triggered updates whenever VISTA's data dictionary is updated. |
|----------------|--|
| Real-Time | VDM is operationalized using Best-of-Breed real-time server-side runtime technology. The same runtime technology that runs the largest commercial real-time high-traffic websites such as Walmart, eBay, PayPal, Netflix, Uber, LinkedIn, and the New York Times also runs MVDM. This maximizes transactional processing performance directly on the transactional database. |
| Noninvasive | VDM provides VISTA with essential new functionality within the current VISTA architecture 'as is', without modification. No existing VISTA code, routines, packages, modules, infrastructure, or functionality will be affected or changed in any way (i.e. this is a 'safe'and 'noninvasive'). This keeps all existing functionality, while offering new, essential functionality for parallel development of all new web-oriented clients. In addition, it makes it easy and 'safe' to install, as this does not affect any current code or functionality. |
| Self-Contained | VDM runs entirely server-side, embedded directly on the existing VISTA database. This eliminates all moving parts and maximizes transaction processing performance by running as an embedded process directly on the local database, leveraging the 'as-is' database architecture. This makes it easy to deploy, maintain, and keep highly performant. No moving parts. No external |


VISTA Data Model Attributes (continued)

| Self-Contained | VDM runs entirely server-side, embedded directly on the existing VISTA database. This eliminates all moving parts and maximizes transaction processing performance by running as an embedded process directly on the local database, leveraging the 'as-is' database architecture. This makes it easy to deploy, maintain, and keep highly performant. No moving parts. No external dependencies. No middleware. |
|----------------------|---|
| Data-Centric | VDM is a completely new, purely data-centric approach to managing VISTA's data. It does not involve changing a single line of VISTA's existing M procedural code, nor is it 'wrapping' (i.e. secretly using) any legacy code, routines, or RPCs dressed up within a shiny new programming language or encapsulation mechanisms, which add yet more layers of obfuscation on the data. A data-centric approach comprehensively exposes all the data, which exposes the fact that VISTA has a data model - which up to this point has not been realized nor taken advantage of. This is the opposite of a code-centric approach, which obfuscates the data and its data model. |
| Web-Standard | VDM technologies are 100% web standard and all used in production settings by the worlds' largest corporations and organizations. For further information see standards and technologies. |
| Empiric Evolution | VDM employs a new approach to emprically evolving VISTA's capabilities through rapid, iterative, functional prototypes. This allows the focus to remain on exploration of new techniques and approaches, rather than on more superficial end-user requirements, which rarely if ever attempt to tackle the deep conceptual and technological issues of data management. This is the opposite waterfall development. See spiral model |

VISTA Data Model Development




VISTA Data Model Development





Vision: Linked Federal Health

Comprehensive. Transparent. Standard. Secure.




Exposing VHA and DHA EHR data models as Linked Data Model model enables web-scale, web-standard external interfacing and integration.



Vision: Linked Federal Health

A Linked Data Approach to Patient-Centric Care





Reference

Web: vistadataproject.info

Github: github.com/vistadataproject

Email: rafael.richards@va.gov