

Covid-19 Modelling Results, as at 18 April 2020

CANADA

1. Total Confirmed Cases


My R code for Covid-19 modelling is at

https://raw.githubusercontent.com/DaveGiles1949/r-code/master/Canadian_Covid-19_Cases.R

The code will automatically download the latest data from my github account.

The chart below shows results based on *data from 2 March to 18 April inclusive*.


The Logistic model produces an “S-shaped” growth curve. One *disadvantage* is that this S-shape is symmetric about its point of inflection.



It's also interesting to see how the results change over time as more data become available.

This is summarized in the next set of charts, which are based on successive samples, each starting on 2 March, ending after 26, 27, ..., 48 days. The last sample is the full sample used to get the chart above.

The second chart indicates the on-going “good fit” of the Logistic model to the observed data. A ratio value greater than 1.0 indicates that the model is over-predicting the actual data over the full sample range. A value of 1.0 would be “ideal”, in a loose overall sense.



The following plot shows the projections for total confirmed cases of Covid-19 based on the latest version of the Logistic model. The projections go to 7 days beyond the end of the latest sample.




Table 1: Projected Covid-19 Cases in Canada
(Projections are in Blue; Actual Values are in Brackets)

Sample end (projection made): 08 April						
<i>09 Apr</i>	<i>10 Apr</i>	<i>11 Apr</i>	<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>
20162	21096	21916	22627	23236	23753	24188
[20765]	[22148]	[23318]	[24383]	[25680]	[27063]	[28379]
Sample end (projection made): 09 April						
<i>10 Apr</i>	<i>11 Apr</i>	<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>
21445	22339	23122	23798	24377	24868	25282
[22148]	[23318]	[24383]	[25680]	[27063]	[28379]	[30106]
Sample end (projection made): 10 April						
<i>11 Apr</i>	<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>
22724	23582	24331	24977	25531	26000	26396
[23318]	[24383]	[25680]	[27063]	[28379]	[30106]	[31927]
Sample end (projection made): 11 April						
<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>
23883	24687	25385	25987	26500	26936	27303
[24383]	[25680]	[27063]	[28379]	[30106]	[31927]	[33383]
Sample end (projection made): 12 April						
<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>
24919	25656	26293	26840	27306	27700	28032
[25680]	[27063]	[28379]	[30106]	[31927]	[33383]	
Sample end (projection made): 13 April						
<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>
25991	26679	27272	27781	28214	28581	28890
[27063]	[28379]	[30106]	[31927]	[33383]		
Sample end (projection made): 14 April						
<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>
27127	27783	28349	28835	29250	29602	29899
[28379]	[30106]	[31927]	[33383]			

Sample end (projection made): 15 April

<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>22 Apr</i>
28281	28912	29458	29927	30329	30670	30960
[30106]	[31927]	[33383]				

Sample end (projection made): 16 April

<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>22 Apr</i>	<i>22 Apr</i>
29615	30247	30797	31272	31680	32030	32328
[31927]	[33383]					

Sample end (projection made): 17 April

<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>22 Apr</i>	<i>22 Apr</i>	<i>23 Apr</i>
31119	31774	32347	32845	33277	33650	33970
[33383]						

Sample end (projection made): 18 April

<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>22 Apr</i>	<i>22 Apr</i>	<i>23 Apr</i>	<i>24 Apr</i>
32611	33283	33875	34393	34844	35236	35575

2. Total Number of Deaths


My R code for Covid-19 modelling is at

https://raw.githubusercontent.com/DaveGiles1949/r-code/master/Canadian_Covid-19_Deaths.R

The code will automatically download the latest data from my github account.

The chart below shows results based on *data from 14 March to 18 April inclusive*.


The Logistic model produces an “S-shaped” growth curve. One *disadvantage* is that this S-shape is symmetric about its point of inflection.



It's also interesting to see how the results change over time as more data become available.

This is summarized in the next set of charts, which are based on successive samples, each starting on 14 March, ending after 10, 11, ..., 36 days. The last sample is the full sample used to get the chart above.

The second chart indicates the on-going “good fit” of the Logistic model to the observed data. A ratio value greater than 1.0 indicates that the model is over-predicting the actual data over the full sample range. A value of 1.0 would be “ideal”, in a loose overall sense.



The following plot shows the projections for total confirmed cases of Covid-19 based on the latest version of the Logistic model. The projections go to 7 days beyond the end of the latest sample.




Table 2: Projected Covid-19 Deaths in Canada
(Projections are in Red; Actual Values are in Brackets)

Sample end (projection made): 08 April

<i>09 Apr</i>	<i>10 Apr</i>	<i>11 Apr</i>	<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>
510	585	663	744	824	902	977
[509]	[569]	[653]	[717]	[780]	[903]	[1010]

Sample end (projection made): 09 April

<i>10 Apr</i>	<i>11 Apr</i>	<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>
582	659	737	815	890	962	1029
[569]	[653]	[717]	[780]	[903]	[1010]	[1195]

Sample end (projection made): 10 April

<i>11 Apr</i>	<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>
643	713	781	846	906	961	1010
[653]	[717]	[780]	[903]	[1010]	[1195]	[1310]

Sample end (projection made): 11 April

<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>
723	795	865	930	991	1045	1093
[717]	[780]	[903]	[1010]	[1195]	[1310]	[1470]

Sample end (projection made): 12 April

<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>
789	856	919	976	1027	1073	1112
[780]	[903]	[1010]	[1195]	[1310]	[1470]	

Sample end (projection made): 13 April

<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>
847	907	961	1010	1052	1088	1119
[903]	[1010]	[1195]	[1310]	[1470]		

Sample end (projection made): 14 April

<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>
953	1021	1085	1142	1193	1238	1276
[1010]	[1310]	[1470]				

Sample end (projection made): 15 April

<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>22 Apr</i>
1068	1147	1220	1287	1348	1403	1451
[1195]	[1310]	[1470]				

Sample end (projection made): 16 April

<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>22 Apr</i>	<i>22 Apr</i>
1257	1369	1479	1585	1687	1782	1871
[1310]	[1470]					

Sample end (projection made): 17 April

<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>22 Apr</i>	<i>22 Apr</i>	<i>23 Apr</i>
1416	1544	1671	1796	1915	2029	2136
[1470]						

Sample end (projection made): 18 April

<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>22 Apr</i>	<i>22 Apr</i>	<i>23 Apr</i>	<i>24 Apr</i>
1591	1736	1881	2024	2163	2296	2422

ONTARIO

1. Total Confirmed Cases


My R code for Covid-19 modelling is at

https://raw.githubusercontent.com/DaveGiles1949/r-code/master/Ontario_Covid-19_Cases.R

The code will automatically download the latest data from my github account.

The chart below shows results based on *data from 2 March to 18 April inclusive*.

The Logistic model produces an “S-shaped” growth curve. One *disadvantage* is that this S-shape is symmetric about its point of inflection.




It's also interesting to see how the results change over time as more data become available.

This is summarized in the next set of charts, which are based on successive samples, each starting on 2 March, ending after 26, 27, ..., 48 days. The last sample is the full sample used to get the chart above.

The second chart indicates the on-going “good fit” of the Logistic model to the observed data. A ratio value greater than 1.0 indicates that the model is over-predicting the actual data over the full sample range. A value of 1.0 would be “ideal”, in a loose overall sense.

Both the observed and estimated “doubling times” for new cases have improved substantially. (Note the reverse axis on the last two charts, and the fact that a longer doubling time is better than a short one.)



The following plot shows the projections for total confirmed cases of Covid-19 based on the latest version of the Logistic model. The projections go to 7 days beyond the end of the latest sample.




Table 3: Projected Covid-19 Cases in Ontario
(Projections are in Blue; Actual Values are in Brackets)

Sample end (projection made): 08 April

<i>09 Apr</i>	<i>10 Apr</i>	<i>11 Apr</i>	<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>
5575	5913	6217	6485	6719	6920	7091
[5759]	[6237]	[6648]	[7049]	[7470]	[7953]	[8447]

Sample end (projection made): 09 April

<i>10 Apr</i>	<i>11 Apr</i>	<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>
6033	6369	6670	6935	7167	7366	7535
[6237]	[6648]	[7049]	[7470]	[7953]	[8447]	[8961]

Sample end (projection made): 10 April

<i>11 Apr</i>	<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>
6497	6830	7128	7390	7619	7815	7983
[6648]	[7049]	[7470]	[7953]	[8447]	[8961]	[9525]

Sample end (projection made): 11 April

<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>
6916	7234	7516	7763	7978	8163	8320
[7049]	[7470]	[7953]	[8447]	[8961]	[9525]	[10010]

Sample end (projection made): 12 April

<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>
7303	7599	7861	8089	8286	8455	8599
[7470]	[7953]	[8447]	[8961]	[9525]	[10010]	

Sample end (projection made): 13 April

<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>
7682	7960	8203	8415	8597	8753	8885
[7953]	[8447]	[8961]	[9525]	[10010]		

Sample end (projection made): 14 April

<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>
8091	8357	8591	8794	8969	9119	9246
[8447]	[8961]	[9525]	[10010]			

Sample end (projection made): 15 April

<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>21 Apr</i>
8523	8784	9014	9213	9385	9533	9659
[8961]	[9525]	[10010]				

Sample end (projection made): 16 April

<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>21 Apr</i>	<i>22 Apr</i>
8981	9241	9470	9669	9842	9992	10120
[9525]	[10010]					

Sample end (projection made): 17 April

<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>21 Apr</i>	<i>22 Apr</i>	<i>23 Apr</i>
9479	9743	9977	10182	10361	10516	10650
[10010]						

Sample end (projection made): 18 April

<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>21 Apr</i>	<i>22 Apr</i>	<i>23 Apr</i>	<i>24 Apr</i>
9968	10234	10471	10679	10861	11020	11158

2. Total Number of Deaths


My R code for Covid-19 modelling is at

https://raw.githubusercontent.com/DaveGiles1949/r-code/master/Ontario_Covid-19_Deaths.R

The code will automatically download the latest data from my github account.

The chart below shows results based on *data from 17 March to 18 April inclusive*.


The Logistic model produces an “S-shaped” growth curve. One *disadvantage* is that this S-shape is symmetric about its point of inflection.



It's also interesting to see how the results change over time as more data become available.

This is summarized in the next set of charts, which are based on successive samples, each starting on 17 March, ending after 10, 11, ..., 33 days. The last sample is the full sample used to get the chart above.

The second chart indicates the on-going “good fit” of the Logistic model to the observed data. A ratio value greater than 1.0 indicates that the model is over-predicting the actual data over the full sample range. A value of 1.0 would be “ideal”, in a loose overall sense.



The following plot shows the projections for total confirmed cases of Covid-19 based on the latest version of the Logistic model. The projections go to 7 days beyond the end of the latest sample.




Table 4: Projected Covid-19 Deaths in Canada
(Projections are in Red; Actual Values are in Brackets)

Sample end (projection made): 08 April						
<i>09 Apr</i>	<i>10 Apr</i>	<i>11 Apr</i>	<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>
198	219	238	254	268	280	289
[200]	[222]	[253]	[274]	[291]	[334]	[385]
Sample end (projection made): 09 April						
<i>10 Apr</i>	<i>11 Apr</i>	<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>
220	240	257	271	283	293	301
[222]	[253]	[274]	[291]	[334]	[385]	[423]
Sample end (projection made): 10 April						
<i>11 Apr</i>	<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>
240	258	273	285	296	304	310
[253]	[274]	[291]	[334]	[385]	[423]	[478]
Sample end (projection made): 11 April						
<i>12 Apr</i>	<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>
268	287	303	316	327	336	343
[274]	[291]	[334]	[385]	[423]	[514]	
Sample end (projection made): 12 April						
<i>13 Apr</i>	<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>
291	308	322	334	344	352	358
[291]	[334]	[385]	[423]	[478]	[514]	
Sample end (projection made): 13 April						
<i>14 Apr</i>	<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>
307	321	333	343	351	357	362
[334]	[385]	[423]	[478]	[514]		
Sample end (projection made): 14 April						
<i>15 Apr</i>	<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>
340	356	369	381	390	398	404
[385]	[423]	[478]	[514]			

Sample end (projection made): 15 April

<i>16 Apr</i>	<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>21 Apr</i>
388	410	429	446	461	473	483
[423]	[478]	[514]				

Sample end (projection made): 16 April

<i>17 Apr</i>	<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>21 Apr</i>	<i>22 Apr</i>
436	462	486	507	526	543	557
[478]	[514]					

Sample end (projection made): 17 April

<i>18 Apr</i>	<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>21 Apr</i>	<i>22 Apr</i>	<i>23 Apr</i>
494	527	558	587	613	636	65
[514]						

Sample end (projection made): 18 April

<i>19 Apr</i>	<i>20 Apr</i>	<i>21 Apr</i>	<i>21 Apr</i>	<i>22 Apr</i>	<i>23 Apr</i>	<i>24 Apr</i>
542	577	610	641	669	694	717