Tool #	7111	Creator	David G.	Created/Update Date		T/N #	23-7111-005
Description: This guide aims to assist users in utilizing the Special Function feature on the Innova 7111 Scan Tool Tablet. Special Functions are vital for synchronization, resetting control modules, and performing crucial functions affecting vehicle operation.							

Using Special Function with Innova 7111 Scan Tool Tablet


Title


Introduction: The Special Function is a critical feature in the Innova 7111 Scan Tool Tablet. It facilitates synchronization of vehicle components and control modules after repairs or replacements, as well as performs essential functions impacting vehicle operation. Common Special Functions include Oil Light Reset, Battery Reset, Steering Angle Sensor Calibration, Tire Pressure Monitoring System Relearn, Electric Park Braking, and Anti-Braking System Bleeding.



Step 1: Connect and Select OEM Diagnostics


- 1.Connect the Innova 7111 Scan Tool Tablet scanner to your vehicle's On-Board Diagnostics (OBD) connector to retrieve vehicle information such as VIN and model.
- 2. From the menu, select 'OEM Diagnostics'.






Step 2: Choose Engine Control Module (ECM)


- 1. The Scan Tool Tablet will display a list of vehicle systems.
- 2.Locate and select 'ECM Engine Control Module'.
- 3. Within the ECM, you'll find various diagnostic functions including 'Special Test'. Select 'Special Test'.



Step 3: Select Function


- 1. The Special Test menu will present a list of available functions.
- 2.Choose the desired function to perform. For example, 'Evap. Leakage Test'.
- 3. Note that available functions may vary among vehicles.





Step 4: Follow Guided Steps

- 1. The Scan Tool Tablet will provide a list of conditions necessary for the function.
- 2.Ensure your vehicle matches the conditions displayed on the screen.
- 3. Confirm and proceed by selecting 'OK'.



Step 5: Perform Function and View Result

- 1. The Scan Tool Tablet will communicate with the vehicle to perform the selected function.
- 2. The result of the EVAP Leakage Test, for instance, will be displayed.
- 3.Once completed, select 'OK' to finish the function.

By following these steps, you can effectively utilize the Special Function feature on the Innova 7111 Scan Tool Tablet, specifically performing the Engine Control Module (ECM) Special Function. Please note that the availability of functions may differ based on the vehicle. If you encounter any questions or require further assistance, don't hesitate to reach out to our support team. Your efficient and accurate diagnostics experience is our priority!