Banco de dados colunar Cassandra, ambiente: Wsl + docker
Davi Medeiros Dantas Soares 43422195

```
davi@davi:~/nosql/nosql_bd_exercicios_cc$ docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED          STATUS          PORTS
             NAMES
0130ea0d4efe   cassandra:5.0   "docker-entrypoint.s…"   18 seconds ago   Up 17 seconds   7000-7001/tcp,
2->9042/tcp   cassandra-atividade3
davi@davi:~/nosql/nosql_bd_exercicios_cc$
```

```
davi@davi:~/nosql/nosql_bd_exercicios_cc$ docker exec -it cassandra-atividade3 cqlsh

ATTENTION: All commands will be saved to history file: /root/.cassandra/cqlsh_history
This may include sensitive information such as passwords.
To disable history, use --disable-history or set 'disabled = true' in the [history] section of cqlshrc.
See https://cassandra.apache.org/doc/latest/tools/cqlsh.html for more information.

Connected to Test Cluster at 127.0.0.1:9042
[cqlsh 6.2.0 | Cassandra 5.0.9 | CQL spec 3.4.7 | Native protocol v5]
Use HELP for help.
cqlsh>
```

- Criar o keyspace e a tabela:

```
cqlsh> CREATE KEYSPACE unipe
   ... WITH replication = {
   ...      'class': 'SimpleStrategy',
   ...      'replication_factor': 1
   ... };
cqlsh>
cqlsh> USE unipe;
cqlsh:unipe>
cqlsh:unipe> CREATE TABLE cadastro (
          ...      id UUID PRIMARY KEY,
          ...      nome TEXT,
          ...      cargo TEXT
          ... );
cqlsh:unipe>
```

- Inserir os seis registros:

```
cqlsh:unipe> INSERT INTO cadastro (id, nome, cargo)
        ... VALUES (1a8d6a80-33df-11e5-a151-feff819cdc9f, 'Thyago', 'professor');
cqlsh:unipe>
cqlsh:unipe> INSERT INTO cadastro (id, nome, cargo)
        ... VALUES (1a8d649a-33df-11e5-a151-feff819cdc9f, 'Afonso', 'professor');
cqlsh:unipe>
cqlsh:unipe> INSERT INTO cadastro (id, nome, cargo)
        ... VALUES (a70ca7ff-6d57-4f89-be89-08421c432bb7, 'Fernanda', 'aluno');
cqlsh:unipe>
cqlsh:unipe> INSERT INTO cadastro (id, nome, cargo)
        ... VALUES (04b57f0e-33df-11e5-a151-feff819cdc9f, 'Theo', 'aluno');
cqlsh:unipe>
cqlsh:unipe> INSERT INTO cadastro (id, nome, cargo)
        ... VALUES (c4f408dd-00f3-488e-8800-050d2775bbc7, 'Sophia', 'funcionario');
cqlsh:unipe>
cqlsh:unipe> INSERT INTO cadastro (id, nome, cargo)
        ... VALUES (04b57c98-33df-11e5-a151-feff819cdc9f, 'Leonardo', 'funcionario');
cqlsh:unipe>
```

- Validar os dados

```
cqlsh:unipe> SELECT * FROM cadastro;

 id                                   | cargo       | nome
--------------------------------------+-------------+----------
 04b57c98-33df-11e5-a151-feff819cdc9f | funcionario | Leonardo
 1a8d6a80-33df-11e5-a151-feff819cdc9f |   professor |   Thyago
 1a8d649a-33df-11e5-a151-feff819cdc9f |   professor |   Afonso
 a70ca7ff-6d57-4f89-be89-08421c432bb7 |       aluno | Fernanda
 c4f408dd-00f3-488e-8800-050d2775bbc7 | funcionario |   Sophia
 04b57f0e-33df-11e5-a151-feff819cdc9f |       aluno |     Theo
```

- Alterar o cargo de Theo para funcionário

```
cqlsh:unipe> UPDATE cadastro
         ... SET cargo = 'funcionario'
         ... WHERE id = 04b57f0e-33df-11e5-a151-feff819cdc9f;
cqlsh:unipe> SELECT * FROM cadastro
         ... WHERE id = 04b57f0e-33df-11e5-a151-feff819cdc9f;

 id                                   | cargo       | nome
--------------------------------------+-------------+------
 04b57f0e-33df-11e5-a151-feff819cdc9f | funcionario | Theo

(1 rows)
cqlsh:unipe>
```

- Excluir afonso

```
cqlsh:unipe> DELETE FROM cadastro
         ... WHERE id = 1a8d649a-33df-11e5-a151-feff819cdc9f;
cqlsh:unipe> SELECT * FROM cadastro
         ... WHERE id = 1a8d649a-33df-11e5-a151-feff819cdc9f;

 id | cargo | nome
----+-------+------

(0 rows)
cqlsh:unipe>
```

- Consultar os professores - esperando o resultado Thyago

```
cqlsh:unipe> SELECT * FROM cadastro
         ... WHERE cargo = 'professor'
         ... ALLOW FILTERING;

 id                                   | cargo     | nome
--------------------------------------+-----------+--------
 1a8d6a80-33df-11e5-a151-feff819cdc9f | professor | Thyago

(1 rows)
cqlsh:unipe>
```

- Consultar os alunos:

```
cqlsh:unipe> SELECT * FROM cadastro
         ... WHERE cargo = 'aluno'
         ... ALLOW FILTERING;

 id                                   | cargo | nome
--------------------------------------+-------+----------
 a70ca7ff-6d57-4f89-be89-08421c432bb7 | aluno | Fernanda

(1 rows)
cqlsh:unipe>
```

VERIFICAÇÃO

```
cqlsh:unipe>
cqlsh:unipe> SELECT * FROM cadastro;

 id                                   | cargo       | nome
--------------------------------------+-------------+----------
 04b57c98-33df-11e5-a151-feff819cdc9f | funcionario | Leonardo
 1a8d6a80-33df-11e5-a151-feff819cdc9f |   professor |   Thyago
 a70ca7ff-6d57-4f89-be89-08421c432bb7 |       aluno | Fernanda
 c4f408dd-00f3-488e-8800-050d2775bbc7 | funcionario |   Sophia
 04b57f0e-33df-11e5-a151-feff819cdc9f | funcionario |     Theo

(5 rows)
cqlsh:unipe>
```