RIAK – Ubuntu server

Riak rodando no ubuntu server:

*docker run -d *

*--name riak-atividade2 *

*-p 127.0.0.1:8098:8098 *

*-e CLUSTER_NAME=riakatividade2 *

*-v riak-atividade2-data:/var/lib/riak *

basho/riak-kv:ubuntu-2.2.3

---

1 - Inserção de dados em três buckets

```
OKdavi@davi:~/nosqlcurl -X PUT -H 'Content-Type: text/plain' --data '35' http://127.0.0.1:8098/buckets/professores/keys/
Thyagogo
curl -X PUT -H 'Content-Type: text/plain' --data '28' http://127.0.0.1:8098/buckets/professores/keys/Afonso
curl -X PUT -H 'Content-Type: text/plain' --data '32' http://127.0.0.1:8098/buckets/alunos/keys/Fernanda
curl -X PUT -H 'Content-Type: text/plain' --data '12' http://127.0.0.1:8098/buckets/alunos/keys/Theo
curl -X PUT -H 'Content-Type: text/plain' --data '20' http://127.0.0.1:8098/buckets/funcionarios/keys/Sophia
curl -X PUT -H 'Content-Type: text/plain' --data '15' http://127.0.0.1:8098/buckets/funcionarios/keys/Leonardo
davi@davi:~/nosql$
```

Listando:

```
davi@davi:~/nosql$ curl 'http://127.0.0.1:8098/buckets/professores/keys?keys=true'
curl 'http://127.0.0.1:8098/buckets/alunos/keys?keys=true'
curl 'http://127.0.0.1:8098/buckets/funcionarios/keys?keys=true'
{"keys":["Thyago","Afonso"]}{"keys":["Theo","Fernanda"]}{"keys":["Sophia","Leonardo"]}davi@davi:~/nosql$
```

2 – Atualização, mudança de bucket e exclusão

```
davi@davi:~/nosql$ curl -X PUT -H
'Content-Type: textcurl -X PUT -H 'Content-Type: text/plain' --data '25' http://127.0.0.1:8098/buckets/alunos/keys/Theo

idade_leonardo=$(curl -fsS http://127.0.0.1:8098/buckets/funcionarios/keys/Leonardo)
curl -X PUT -H 'Content-Type: text/plain' --data "$idade_leonardo" http://127.0.0.1:8098/buckets/professores/keys/Leonar
do
curl -X DELETE http://127.0.0.1:8098/buckets/funcionarios/keys/Leonardo

curl -X DELETE http://127.0.0.1:8098/buckets/professores/keys/Afonso
```

Verificando:

```
davi@davi:~/nosql$ curl http://127.0.0.1:8098/buckets/alunos/keys/Theo
curl 'http://127.0.0.1:8098/buckets/professores/keys?keys=true'
curl 'http://127.0.0.1:8098/buckets/alunos/keys?keys=true'
curl 'http://127.0.0.1:8098/buckets/funcionarios/keys?keys=true'
25{"keys":["Thyago","Leonardo"]}{"keys":["Theo","Fernanda"]}{"keys":["Sophia"]}davi@davi:~/nosql$
```