Conteúdo

1 DP

1.1 Digit DP

```
Digit DP - Sum of Digits - O(D^2 * B^2)  (B = Base = 10)

Solve(K)  ->  Retorna a soma dos digitos de todo numero
     X tal que: 0 <= X <= K
dp[D][S][f]  ->  D: Quantidade de digitos; S: Soma dos
     digitos; f: Flag que indica o limite.
int limite[D] -> Guarda os digitos de K.
```

```
EF8 ll dp[2][19][170];

EFF int limite[19];
67A ll digitDP(int idx, int sum, bool flag){
A56   if(idx < 0) return sum;
FA7   if(~dp[flag][idx][sum]) return dp[flag][idx][sum];
D41
6C1   dp[flag][idx][sum] = 0;
F61   int lm = flag ? limite[idx] : 9;
D41
8DA   for(int i=0; i<=lm; i++)
41E     dp[flag][idx][sum] += digitDP(idx-1, sum+i, (flag &&
      i == lm));
D41
FCB   return dp[flag][idx][sum];
20C }

8E6 ll solve(ll k){
773   memset(dp, -1, sizeof dp);
D41
1FC   int sz=0;
95F   while(k){
BE0     limite[sz++] = k % 10LL;
9F1     k /= 10LL;
24A   }
D41
B58   return digitDP(sz-1, 0, true);
766 }
```

1.2 LCS

```
-> LCS - Longest Common Subsequence O(N^2)
* If recursive: memset(memo, -1, sizeof memo); LCS(0, 0)
    ;
* RecoverLCS O(N) Recover just one of all the possible
    LCS
```

```
A2C const int MAXN = 5*1e3 + 5;
DD0 int memo[MAXN][MAXN];

AC1 string s, t;

478 inline int LCS(int i, int j){
BF8   if(i == s.size() || j == t.size()) return 0;
B5D   if(memo[i][j] != -1) return memo[i][j];
D41
052   if(s[i] == t[j]) return memo[i][j] = 1 + LCS(i+1, j+1)
    ;
D41
A17   return memo[i][j] = max(LCS(i+1, j), LCS(i, j+1));
F66 }

406 int LCS_It(){
A17   for(int i=s.size()-1; i>=0; i--)
377     for(int j=t.size()-1; j>=0; j--)
1A9       if(s[i] == t[j])
```

```
23E         memo[i][j] = 1 + memo[i+1][j+1];
295       else
1EE         memo[i][j] = max( memo[i+1][j], memo[i][j+1] );
D41
0C2   return memo[0][0];
67C }

DBD string RecoverLCS(int i, int j){
F34   if(i == s.size() || j == t.size()) return "";
D41
134   if(s[i] == t[j]) return s[i] + RecoverLCS(i+1, j+1);
D41
495   if(memo[i+1][j] > memo[i][j+1]) return RecoverLCS(i+1,
      j);
D41
DCC   return RecoverLCS(i, j+1);
5E7 }
```

1.3 LIS

-> **LIS - Longest Increasing Subsequence** - O(N Log N)
* For ICREASING sequence, use lower_bound()
* For NON DECREASING sequence, use upper_bound()

```
7A6 int LIS(vector<int>& nums){
0FF   vector<int> lis;
D41
7F4   for(auto x : nums){
3D0     auto it = lower_bound(lis.begin(), lis.end(), x);
CDF     if(it == lis.end()) lis.push_back(x);
77C     else *it = x;
795   }
737   return (int) lis.size();
F27 }
```

1.4 SOS DP

-> **SOS DP - Sum over Subsets**

Dado que cada mask possui um valor inicial (iVal), computa
para cada mask a soma dos valores de todas as suas submasks.

N -> Numero Maximo de Bits
iVal[mask] -> initial Value / Valor Inicial da Mask
dp[mask]   -> Soma de todos os SubSets

Iterar por todas as submasks: for(int sub=mask; sub>0; sub=(sub-1)&mask)

```
F17 const int N = 20;
0A7 ll dp[1<<N], iVal[1<<N];

B70 void sosDP(){ // O(N * 2^N)
8CC     for(int i=0; i<(1<<N); i++)
0B3         dp[i] = iVal[i];
D41
972   for(int i=0; i<N; i++)
D57     for(int mask=0; mask<(1<<N); mask++)
281       if(mask&(1<<i))
E0E         dp[mask] += dp[mask^(1<<i)];
E5B }

7E1 void sosDPsub(){ // O(3^N) //suboptimal
EA1   for (int mask = 0, i; mask < (1<<N); mask++)
CC7     for(i = mask, dp[mask] = iVal[0]; i>0; i=(i-1) &
    mask) //iterate over all submasks
85B       dp[mask] += iVal[i];
986 }
```

1.5 TSP

```
3E4 const int MOD = 1e9 + 7;

1A8 int n;
BC0 int costs[10][10];
793 int dp[1<<10][10];

145 void tsp_iter() {
A0A     const int inf = 2e9;
827     for(int mask = 0; mask < (1<<n); mask++) {
603         for(int i = 0; i < n; i++) {
D17             dp[mask][i] = inf;
3DB         }
0C2     }
562     dp[1][0] = 0;
A1B     for(int mask = 1; mask < (1<<n); mask++) {
603         for(int i = 0; i < n; i++) {
CBD             if(mask & (1<<i)) { // visitando
578                 for(int j = 0; j < n; j++) {
418                     if(mask & (1<<j)) { // ja visitado
5E2                         continue;
EDD                     }
D41                     // atualiza o custo minimo para o
    estado
3D6                     dp[mask ^ (1<<j)][j] = min(dp[mask ^
     (1<<j)][j], dp[mask][i] + costs[i][j]);
89E                 }
257             }
AD0         }
189     }
69D     int best = inf;
6F5     for(int i = 1; i < n; i++) {
909         best = min(best, dp[(1<<n) - 1][i] + costs[i
    ][0]);
DF8     }
9F9     cout << best << "\n";
F09 }



1A8 int n;
1B0 int matches[21][21];
A59 ll dp[1<<21];

145 void tsp_iter() {
E3B     if (n == 1) {
18D         cout << matches[0][0] << "\n";
505         return;
911     }
0EC     dp[0] = 1;
827     for(int mask = 0; mask < (1<<n); mask++) {
394         int i = __builtin_popcount(mask);
A15         if(i >= n) {
5E2             continue;
B05         }
578         for(int j = 0; j < n; j++) {
418             if(mask & (1<<j)) {
5E2                 continue;
EDD             }
EB6             if(matches[i][j] == 0) {
5E2                 continue;
BF9             }
272             dp[mask ^ (1<<j)] += dp[mask] % MOD;
9C4         }
ED1     }
017     cout << dp[(1<<n)-1] % MOD << "\n";
A12 }
```

2 Data Structures

2.1 BIT

```
714 struct BIT {
116   vector<int> bit;
060   int N;
D41
FE2   BIT(){}
1FC   BIT(int n) : N(n+1), bit(n+1){}
D41
A69   void update(int pos, int val){
685     for(; pos < N; pos += pos&(-pos))
9D0       bit[pos] += val;
35A   }
D41
4D6   int query(int pos){
A93     int sum = 0;
5D0     for(; pos > 0; pos -= pos&(-pos))
6ED       sum += bit[pos];
E66     return sum;
FF7   }
2B4 };
```

2.2 BIT2D

Complexity: O(Log^2 N)

```
3CE const int MAXN = 1e3 + 5;

4BA struct BIT2D {
3C6   int bit[MAXN][MAXN];
D41
710   void update(int X, int Y, int val){
A87     for(int x = X; x < MAXN; x += x&(-x))
9F6       for(int y = Y; y < MAXN; y += y&(-y))
7D9         bit[x][y] += val;
678   }
D41
698   int query(int X, int Y){
A93     int sum = 0;
766     for(int x = X; x > 0; x -= x&(-x))
9A5       for(int y = Y; y > 0; y -= y&(-y))
6F2         sum += bit[x][y];
E66     return sum;
D3C   }
D41
785   void updateArea(int xi, int yi, int xf, int yf, int
    val); //Same of BIT2DSparse
CD0   int queryArea(int xi, int yi, int xf, int yf); //Same
    of BIT2DSparse
```

```
063 };
```

2.3 BIT2DSparse

Sparse Binary Indexed Tree 2D

Recebe o conjunto de pontos que serao usados para fazer os updates e as queries e cria uma BIT 2D esparsa que independe do "tamanho do grid".

Build: O(N Log N) (N -> Quantidade de Pontos)
Query/Update: O(Log N)
IMPORTANTE! **Offline!**

BIT2D(pts); // pts -> vecotor<pii> com todos os pontos em que serao feitas queries ou updates

```
E40 #define pii pair<ll, ll>
AA8 #define upper(v, x) (upper_bound(begin(v), end(v), x) - begin(v))

4BA struct BIT2D {
D54   vector<ll> ord;
302   vector<vector<ll>> bit, coord;
D41
8A4   BIT2D(vector<pii> pts){
B03     sort(begin(pts), end(pts));
D41
7D3     for(auto [x, y] : pts)
76B       if(ord.empty() || x != ord.back())
580         ord.push_back(x);
D41
261     bit.resize(ord.size() + 1);
3EB     coord.resize(ord.size() + 1);
D41
CC7     sort(begin(pts), end(pts), [&](pii &a, pii &b){ return a.second < b.second; });
D41
7D3     for(auto [x, y] : pts)
837       for(int i=upper(ord, x); i < bit.size(); i += i&-i)
3E1         if(coord[i].empty() || coord[i].back() != y)
739           coord[i].push_back(y);
D41
A22     for(int i=0; i<bit.size(); i++) bit[i].assign(coord[i].size()+1, 0);
461   }
D41
14A   void update(ll X, ll Y, ll v){
784     for(int i = upper(ord, X); i<bit.size(); i += i&-i)
609       for(int j = upper(coord[i], Y); j < bit[i].size(); j += j&-j)
9ED         bit[i][j] += v;
5E0   }
D41
258   ll query(ll X, ll Y){
5FF     ll sum = 0;
2C2     for(int i = upper(ord, X); i > 0; i -= i&-i)
40B       for(int j = upper(coord[i], Y); j > 0; j -= j&-j)
B03         sum += bit[i][j];
E66     return sum;
414   }
D41
867   ll queryArea(ll xi, ll yi, ll xf, ll yf){
ABD     return query(xf, yf) - query(xf, yi-1) - query(xi-1, yf) + query(xi-1, yi-1);
7D1   }
D41
6DB   void updateArea(ll xi, ll yi, ll xf, ll yf, ll val){ // OPTIONAL
C02     update(xi,   yi,    val);  // DOESN'T UPDATE AN AREA !!!
061     update(xf+1, yi,   -val);  // It is like: bit1d.update(l-1, -v), bit1d.update(r, +v)
2ED     update(xi,   yf+1, -val);  // so you can do like bit1d.query(i) to see the value "at" i
2BC     update(xf+1, yf+1,  val);  // in this case, call bit2d.query(X, Y)
A75   }
4F2 };
```

2.4 MinQueue

```
7F8 struct MinQueue : deque<pair<int, int>> {
EDC     int min(){ return front().first; }
6C5     void push(int x){
D34         int cnt = 1;
BBA         while(!empty() && x <= back().first)
D1A             cnt += back().second, pop_back();
F8E         push_back({x, cnt});
8D4     }
1C8     void pop(){ if(!--front().second) pop_front(); }
629 };
```

2.5 PrefixSum2D

```
3CE const int MAXN = 1e3 + 5;
B77 int ps [MAXN][MAXN];

131 void calcPS2d(){
998   for (int i = 1; i < MAXN; i++) ps[0][i] += ps[0][i - 1];  //inicializo a 1a linha
003   for (int i = 1; i < MAXN; i++) ps[i][0] += ps[i - 1][0];  //inicializo a 1a coluna
D41
7E4   for (int i = 1; i < MAXN; i++)
582     for (int j = 1; j < MAXN; j++)
0B7       ps[i][j] += ps[i - 1][j] + ps[i][j - 1] - ps[i - 1][j - 1];
577 }
E68 int queryPS2d(int xi, int yi, int xf, int yf){ return ps[xf][yf] - ps[xf][yi-1] - ps[xi-1][yf] + ps[xi-1][yi-1]; }
```

2.6 SegTree

```
860 #pragma once

D41 /* Segment Tree (Point Update, Range Query)
FED  * Complexidade: O(log N) para update e query.
B5D  * Memoria: O(4*N)
C7E  * Requisitos:
D12  * - NODE deve ter: static merge(L, R), apply(V), e
BF2  * construtor identidade.
C4C  */

D41 /* --- Exemplo de NODE (Soma com Update de Substituicao) ---
BF2 struct Node {
F96     ll val = 0;
702     Node(ll v = 0) : val(v) {}
D41
FBD     static Node merge(const Node& l, const Node& r) {
A4B         return Node(l.val + r.val);
D8F     }
D41
D41     // Para Point Set: val = v;
D41     // Para Point Add: val += v;
143     void apply(ll v) {
250         val = v;
6AE     }
35C };
C4C */

8A0 template <typename NODE>
383 struct SegTree {
060   int N;
B1C   vector<NODE> seg;
D41
FDE   explicit SegTree(int n) : N(n), seg(4 * n) {}
D41
67A   template <typename T>
5DE   SegTree(const vector<T> &v) : SegTree((int)v.size()) {
231     build(1, 0, N - 1, v);
73D   }
D41
67A   template <typename T>
5B9   void build(int no, int l, int r, const vector<T> &v) {
893     if (l == r) {
C3E       seg[no] = NODE(v[l]);
505       return;
B2E     }
27E     int m = (l + r) >> 1;
35E     build(no << 1, l, m, v);
C55     build((no << 1) | 1, m + 1, r, v);
DEB     seg[no] = NODE::merge(seg[no << 1], seg[(no << 1) | 1]);
349   }
D41
637   template <typename V>
AF7   void update(int no, int l, int r, int idx, V val) {
893     if (l == r) {
D88       seg[no].apply(val);
505       return;
EC9     }
27E     int m = (l + r) >> 1;
B73     if (idx <= m) update(no << 1, l, m, idx, val);
99C     else update((no << 1) | 1, m + 1, r, idx, val);
DEB     seg[no] = NODE::merge(seg[no << 1], seg[(no << 1) | 1]);
7BC   }
D41
38D   NODE query(int no, int l, int r, int a, int b) {
2E6     if (b < l || r < a) return NODE();
83F     if (a <= l && r <= b) return seg[no];
27E     int m = (l + r) >> 1;
AFE     return NODE::merge(query(no << 1, l, m, a, b),
074                        query((no << 1) | 1, m + 1, r, a, b));
365   }
D41
637   template <typename V>
864   void update(int idx, V val) {
E1B     update(1, 0, N - 1, idx, val);
22F   }
```

```
36F     NODE query(int l, int r) { return query(1, 0, N - 1, l
      , r); }
0C7 };
```

2.7 SegTreeIterativa

```
CD5 template<typename T> struct SegTree {
1A8   int n;
130   vector<T> seg;
F93   T join(T&l, T&r){ return l + r; }
D41
5A8   SegTree(int n) : n(n), seg(2*n) {}
BD8   SegTree(){}
D5D   void init(vector<T>&base){
FC7     n = base.size();
A61     seg.resize(2*n);
8DB     for(int i=0; i<n; i++) seg[i+n] = base[i];
2E1     for(int i=n-1; i>0; i--) seg[i] = join(seg[i*2], seg
      [i*2+1]);
D60   }
D41
B7A   T query(int l, int r){ //[L, R] // [0, n-1]
7DE     T lp = 0, rp = 0; //NEUTRO
706     for(l+=n, r+=n+1; l<r; l/=2, r/=2){
8C0       if(l&1) lp = join(lp, seg[l++]);
A01       if(r&1) rp = join(seg[--r], rp);
FE5     }
757     return join(lp, rp);
7E8   }
D41
FB2   void update(int i, T v){ // Set Value seg[i+=n] = v //
      change to += v to sum
CBC     for(seg[i+=n] = v; i/=2;) seg[i] = join(seg[i*2],
      seg[i*2+1]);
5E8   }
406 };
```

2.8 SegTreeLazy

-> **Segment Tree - Lazy Propagation** com:
- Query em Range
- Update em Range
- Closed interval & 0-indexed: [L, R] & [0, N-1]

```
Build:  O(N)
Query:  O(log N) | seg.query(l, r);
Update: O(log N) | seg.update(l, r, v);
Unlazy: O(1)
```

Update Join, NEUTRO, Update and Unlazy if needed

```
D41 // CREDITOS: https://github.com/src-lua/lgf-cpLib/blob/
      main/lib/data-structures/segment-tree/lazy-segment-tree
      .hpp

D41 /* Lazy Segment Tree (Range Update, Range Query)
E0D  * Realiza atualizacoes e consultas em range.
FED  * Complexidade: O(log N) para update e query.
B5D  * Memoria: O(4*N)
C7E  * Requisitos:
3F4  * - NODE deve ter: static merge(L, R), apply(TAG, L, R)
       e
BF2  *   construtor identidade.
3A3  * - TAG deve ter: compose(TAG) e construtor identidade.
C4C  */
```

```
D41 /* --- Exemplo de NODE e TAG (Soma e Multiplicacao com
      Modulo) ---
7E5 struct Tag {
B7F     ll mul = 1, add = 0;
611     void inline compose(const Tag& t) {
786         add = (add * t.mul + t.add) % MOD;
81E         mul = (mul * t.mul) % MOD;
A7E     }
120 };

BF2 struct Node {
F96     ll val = 0;
702     Node(ll v = 0) : val(v) {}
B67     static inline Node merge(const Node& l, const Node&
      r) {
B19         return Node((l.val + r.val) % MOD);
40E     }
EE5     void inline apply(const Tag& t, int l, int r) {
D8C         val = (val * t.mul + t.add * (r - l + 1)) % MOD;
385     }
EB3 };
C4C */

708 template<typename NODE, typename TAG>
2BA struct LazySegmentTree {
060     int N;
B1C     vector<NODE> seg;
71A     vector<TAG> lazy;
D41
F0F     LazySegmentTree(int n) : N(n), seg(4 * n), lazy(4 *
      n) {}
D41
67A     template<typename T>
1BA     LazySegmentTree(const vector<T>& v)
9EB         : N(v.size()), seg(4 * v.size()), lazy(4 * v.
      size()) {
231         build(1, 0, N - 1, v);
5EE     }
D41
67A     template<typename T>
5B9     void build(int no, int l, int r, const vector<T>& v)
       {
893         if (l == r) {
C3E             seg[no] = NODE(v[l]);
505             return;
B2E         }
27E         int m = (l + r) >> 1;
35E         build(no << 1, l, m, v);
C55         build((no << 1) | 1, m + 1, r, v);
DEB         seg[no] = NODE::merge(seg[no << 1], seg[(no <<
      1) | 1]);
349     }
D41
F08     void push(int no, int l, int r) {
27E         int m = (l + r) >> 1;
1EA         int e = no << 1, d = e | 1;
D41
25F         seg[e].apply(lazy[no], l, m);
115         lazy[e].compose(lazy[no]);
D41
4E1         seg[d].apply(lazy[no], m + 1, r);
7CC         lazy[d].compose(lazy[no]);
D41
47F         lazy[no] = TAG();
6A3     }
D41
130     void update(int no, int l, int r, int a, int b,
      const TAG& v) {
2E6         if (b < l || r < a) return;
02B         if (a <= l && r <= b) {
8C7             seg[no].apply(v, l, r);
92C             lazy[no].compose(v);
505             return;
81F         }
FF9         push(no, l, r);
27E         int m = (l + r) >> 1;
9AB         update(no << 1, l, m, a, b, v);
087         update((no << 1) | 1, m + 1, r, a, b, v);
DEB         seg[no] = NODE::merge(seg[no << 1], seg[(no <<
      1) | 1]);
A1A     }
D41
38D     NODE query(int no, int l, int r, int a, int b) {
2E6         if (b < l || r < a) return NODE();
83F         if (a <= l && r <= b) return seg[no];
FF9         push(no, l, r);
27E         int m = (l + r) >> 1;
AFE         return NODE::merge(query(no << 1, l, m, a, b),
074                            query((no << 1) | 1, m + 1, r
      , a, b));
80A     }
D41
0D7     void update(int l, int r, const TAG& v) { update(1,
      0, N - 1, l, r, v); }
36F     NODE query(int l, int r) { return query(1, 0, N - 1,
       l, r); }
54E };
```

2.9 SegTreeLazyIterativa

```
CD5 template<typename T> struct SegTree {
D16   int n, h;
070   T NEUTRO = 0;
97F   vector<T> seg, lzy;
1DF   vector<int> sz;
F93   T join(T&l, T&r){ return l + r; }
D41
5C7   void init(int _n){
8FD     n = _n;
704     h = 32 - __builtin_clz(n);
A61     seg.resize(2*n);
A88     lzy.assign(n, NEUTRO);
528     sz.resize(2*n, 1);
E3F     for(int i=n-1; i; i--) sz[i] = sz[i*2] + sz[i*2+1];
D41     // for(int i=0; i<n; i++) seg[i+n] = base[i];
D41     // for(int i=n-1; i; i--) seg[i] = join(seg[i*2],
      seg[i*2+1]);
95C   }
D41
45B   void apply(int p, T v){
13A     seg[p] += v * sz[p]; // cumulative?
9F8     if(p < n) lzy[p] += v;
853   }
3B4   void push(int p){
835     for(int s=h, i=p>>s; s; s--, i=p>>s)
E15       if(lzy[i] != 0) {
561         apply(i*2,   lzy[i]);
1AD         apply(i*2+1, lzy[i]);
16B         lzy[i] = NEUTRO; //NEUTRO
227       }
3C7   }
F6E   void build(int p) {
5B2     for(p/=2; p; p/= 2){
F12       seg[p] = join(seg[p*2], seg[p*2+1]);
C3C       if(lzy[p] != 0) seg[p] += lzy[p] * sz[p];
D65     }
```

```
972   }
D41
B7A   T query(int l, int r){ //[L, R] & [0, n-1]
0ED     l+=n, r+=n+1;
F4B     push(l); push(r-1);
D41
821     T lp = NEUTRO, rp = NEUTRO; //NEUTRO
DC6     for(; l<r; l/=2, r/=2){
8C0       if(l&1) lp = join(lp, seg[l++]);
A01       if(r&1) rp = join(seg[--r], rp);
833     }
BA7     return ans;
F57   }
D41
FAB   void update(int l, int r, T v){
0ED     l+=n, r+=n+1;
F4B     push(l); push(r-1);
D41
98D     int l0 = l, r0 = r;
DC6     for(; l<r; l/=2, r/=2){
5D1       if(l&1) apply(l++, v);
E94       if(r&1) apply(--r, v);
55B     }
FE7     build(l0); build(r0-1);
E29   }
AEB };
```

2.10 SegTreePersistente

```
-> Segment Tree Persistente
Build(l, N) -> Cria uma Seg Tree completa de tamanho N;
     RETORNA um *Ponteiro pra Raiz
Update(Root, l, N, pos, v)  -> Soma +V na posicao POS;
     RETORNA um *Ponteiro pra Raiz da nova versao;
Query(Root, l, N, a, b)   -> RETORNA o valor calculado
     no range [a, b];
Kth(RootL, RootR, l, N, K)  -> Faz uma Busca Binaria na
     Seg; Mais detalhes abaixo;
[ Root -> No Raiz da Versao da Seg na qual se quer
     realizar a operacao ]
Para guardar as Raizes, use: vector<Node*> roots

Build:  O(N) !!! Sempre chame o Build
Query:  O(log N)
Update: O(log N)
Kth:  O(Log N)

Comportamento do K-th(SegL, SegR, l, N, K):
  -> Retorna indice da primeira posicao i cuja soma de
       prefixos [1, i] e >= k
  na Seg resultante da subtracao dos valores da (Seg R)
       - (Seg L).
  -> Pode ser utilizada para consultar o K-esimo menor
       valor no intervalo [L, R] de um array.
  A Seg deve ser utilizada como um array de frequencias.
        Comece com a Seg zerada (Build).
  Para cada valor V do Array chame um update(roots.back
       (), 1, N, V, 1) e guarde o ponteiro da seg.
  Consultar o K-esimo menor valor de [L, R]: chame kth(
       roots[L-1], roots[R], 1, N, K);
```

```
BF2 struct Node {
DA8   int val = 0;
6F8   Node *L = NULL, *R = NULL;
253   Node(int v = 0) : val(v), L(NULL), R(NULL) {}
E39 };
```

```
6BD Node* build(int l, int r){
E14   if(l == r) return new Node();
D41
EE4   int m = (l+r)/2;
D41
19A   Node *node = new Node();
D41
B20   node->L = build(l,   m);
A7D   node->R = build(m+1, r);
681   node->val = node->L->val + node->R->val;
D41
192   return node;
FD7 }

86B Node* update(Node *node, int l, int r, int pos, int v){
703   if( pos < l || r < pos ) return node;
441   if(l == r) return new Node(node->val + v);
D41
EE4   int m = (l+r)/2;
D41
849   Node *nw = new Node();
D41
382   nw->L = update(node->L, l,   m, pos, v);
6C1   nw->R = update(node->R, m+1, r, pos, v);
7FC   nw->val = nw->L->val + nw->R->val;
D41
5F0   return nw;
61C }

FB6 int query(Node *node, int l, int r, int a, int b){
0A8   if(b <  l || r <  a || node == NULL) return 0;
14D   if(a <= l && r <= b) return node->val;
D41
EE4   int m = (l+r)/2;
D41
196   return query(node->L, l, m, a, b) + query(node->R, m
     +1, r, a, b);
A29 }

13F int kth(Node *Left, Node *Right, int l, int r, int k){
3CE   if(l == r) return l;
D41
0A8   int sum = Right->L->val - Left->L->val;
EE4   int m = (l+r)/2;
D41
038   if(sum >= k) return kth(Left->L, Right->L, l, m, k);
8C4   return kth(Left->R, Right->R, m+1, r, k - sum);
B44 }
```

2.11 SegTreePersistente2x

```
-> Segment Tree
     Persistente: (2x mais rapido que com ponteiro)
Build(l, N) -> Cria uma Seg Tree completa de tamanho N;
     RETORNA o NodeId da Raiz
Update(Root, pos, v) -> Soma +V em POS; RETORNA o NodeId
      da nova Raiz;
Query(Root, a, b) -> RETORNA o valor do range [a, b];
Kth(RootL, RootR, K) -> Faz uma Busca Binaria na Seg de
     diferenca entre as duas versoes.
[ Root -> No Raiz da Versao da Seg na qual se quer
     realizar a operacao ]

Build:  O(N)  !!! Sempre chame o Build
Query:  O(log N)
Update: O(log N)
Kth:  O(Log N)

Comportamento do K-th(SegL, SegR, l, N, K):
  -> Retorna indice da primeira posicao i cuja soma de
       prefixos [1, i] e >= k na Seg resultante da
       subtracao dos valores da (Seg R) - (Seg L).
  -> Pode ser utilizada para consultar o K-esimo menor
       valor no intervalo [L, R] de um array.
  A Seg deve ser utilizada como um array de frequencias.
        Comece com a Seg zerada (Build).
  Para cada valor V do Array chame um update(roots.back
       (), 1, N, V, 1) e guarde o ponteiro da seg.
  Consultar o K-esimo menor valor de [L, R]: chame kth(
       roots[L-1], roots[R]);
```

```
80E const int MAXN = 1e5 + 5;
2D8 const int MAXLOG = 31 - __builtin_clz(MAXN) + 1;
4B4 typedef int NodeId;
6E2 typedef int STp;

EA9 const STp NEUTRO = 0;
B50 int IDN, LSEG, RSEG;
519 extern struct Node NODES[];

BF2 struct Node {
AEE   STp val;
1BC   NodeId L, R;
9DA   Node(STp v = NEUTRO) : val(v), L(-1), R(-1) {}
2F4   Node& l(){ return NODES[L]; }
F2E   Node& r(){ return NODES[R]; }
5A4 };

318 Node NODES[4*MAXN + MAXLOG*MAXN]; //!!!CUIDADO COM O
     TAMANHO (aumente se necessario)
1E7 pair<Node&, NodeId> newNode(STp v = NEUTRO){ return {
     NODES[IDN] = Node(v), IDN++}; }

C3F STp join(STp lv, STp rv){ return lv + rv; }

8B5 NodeId build(int l, int r, bool root=true){
85B   if(root) LSEG = l, RSEG = r;
844   if(l == r) return newNode().second;
D41
EE4   int m = (l+r)/2;
DC6   auto [node, id] = newNode();
D41
C12   node.L = build(l,   m, false);
373   node.R = build(m+1, r, false);
45D   node.val = join(node.l().val, node.r().val);
D41
648   return id;
9D5 }

2F1 NodeId update(NodeId node, int l, int r, int pos, int v)
     {
703   if( pos < l || r < pos ) return node;
D99   if(l == r) return newNode(NODES[node].val + v).second;
D41
EE4   int m = (l+r)/2;
BE4   auto [nw, id] =newNode();
D41
E2C   nw.L = update(NODES[node].L, l,   m, pos, v);
D4A   nw.R = update(NODES[node].R, m+1, r, pos, v);
D41
6EC   nw.val = join(nw.l().val, nw.r().val);
D41
648   return id;
938 }
8C0 NodeId update(NodeId node, int pos, STp v){ return
     update(node, LSEG, RSEG, pos, v); }
```

```
BFA int query(Node& node, int l, int r, int a, int b){
83C   if(b <  l || r <  a) return NEUTRO;
65A   if(a <= l && r <= b) return node.val;
D41
EE4   int m = (l+r)/2;
D41
083   return join(query(node.l(), l, m, a, b), query(node.r
      (), m+1, r, a, b));
7B5 }
8B3 int query(NodeId node, int a, int b){ return query(NODES
      [node], LSEG, RSEG, a, b); }

D0A int kth(Node& Left, Node& Right, int l, int r, int k){
3CE   if(l == r) return l;
D41
A3B   int sum =Right.l().val - Left.l().val;
EE4   int m = (l+r)/2;
D41
BBB   if(sum >= k) return kth(Left.l(), Right.l(), l, m, k);
5D8   return kth(Left.r(), Right.r(), m+1, r, k - sum);
9D7 }
A8D int kth(NodeId Left, NodeId Right, int k){ return kth(
      NODES[Left], NODES[Right], LSEG, RSEG, k); }
```

2.12 SegTreeSparse

```
4C9 template<typename T> struct SparseSeg {
BF2   struct Node {
CEE     T val = 0; Node *L = NULL, *R = NULL;
942     Node(T v = 0) : val(v), L(NULL), R(NULL) {}
06D   };
223   int n; Node* root;
CA2   SparseSeg(int n) : n(n){ root = new Node(NEUTRO); }
CFB   T join(T lv, T rv){ return max(lv, rv); }
D2F   const T NEUTRO = 0;
D41
B2C   T query(Node*& no, int l, int r, int a, int b){
502     if(b <  l || r <  a || no == NULL) return NEUTRO;
984     if(a <= l && r <= b) return no->val;
EE4     int m=(l+r)/2;
D25     return join(query(no->L, l, m, a, b), query(no->R, m
      +1, r, a, b));
870   }
B80   void update(Node*& no, int l, int r, int pos, T v){
DAB     if(!no) no = new Node(NEUTRO);
085     if(pos < l || r < pos) return;
1D2     if(l == r) return (void)(no->val = v);
EE4     int m=(l+r)/2;
D41
687     update(no->L,  l,  m, pos, v);
712     update(no->R, m+1, r, pos, v);
D41
FEE     no->val = join(no->L->val, no->R->val);
8D6   }
D41
55D   void update(int pos, T v){ update(root, 0, n, pos, v);
      }
93C   T query(int a, int b){ return query(root, 0, n, a, b);
      }
AE6 };
```

2.13 SegTreeSparseLazy

```
4C9 template<typename T> struct SparseSeg {
BF2   struct Node {
C2E     T val = 0, lazy=0; Node *L = NULL, *R = NULL;
942     Node(T v = 0) : val(v), L(NULL), R(NULL) {}
481   };
223   int n; Node* root;
CA2   SparseSeg(int n) : n(n){ root = new Node(NEUTRO); }
F2A   T join(T lv, T rv){ return (lv + rv); }
D2F   const T NEUTRO = 0;
D41
B2C   T query(Node*& no, int l, int r, int a, int b){
163     if(!no) no = new Node(NEUTRO); unlazy(no, l, r);
83C     if(b <  l || r <  a) return NEUTRO;
984     if(a <= l && r <= b) return no->val;
EE4     int m=(l+r)/2;
D25     return join(query(no->L, l, m, a, b), query(no->R, m
      +1, r, a, b));
DAE   }
D1B   void update(Node*& no, int l, int r, int a, int b, T v
      ){
163     if(!no) no = new Node(NEUTRO); unlazy(no, l, r);
2E6     if(b <  l || r <  a) return;
DBA     if(a <= l && r <= b){ no->lazy += v; return unlazy(
      no, l, r); }
EE4     int m=(l+r)/2;
D41
1F1     update(no->L,  l,  m, a, b, v);
E9D     update(no->R, m+1, r, a, b, v);
D41
FEE     no->val = join(no->L->val, no->R->val);
D9F   }
09A   void unlazy(Node* no, int l, int r){ //delete this if
      not lazy
525     if(no->lazy == 0) return;
579     if(l != r){
15E       if(!no->L) no->L = new Node(no->val);
C04       if(!no->R) no->R = new Node(no->val);
45D       no->L->lazy += no->lazy;
C12       no->R->lazy += no->lazy;
626     }
BB9     no->val += no->lazy * (r-l+1);
82A     no->lazy = 0;
1BA   }
D41
27D   void update(int a, int b, T v){ update(root, 0, n, a,
      b, v); }
199   void update(int pos, T v){ update(root, 0, n, pos, pos
      , v); }
93C   T query(int a, int b){ return query(root, 0, n, a, b);
      }
BB7 };
```

2.14 SparseTable

Sparse Table for Range Minimum Query [L, R] [0, N-1]
build: O(N log N) Query: O(1)
build(v) -> v = Original Array
if you want a static array, do this: for(int i=0; i<N; i ++) table[0][i] = v[i];

```
875 template<typename T> struct Sparse {
F9A   vector<vector<T>> table;
D41
985   void build(vector<T> &v){
128     int N = v.size(), MLOG = 32 - __builtin_clz(N);
554     table.assign(MLOG, v);
D41
DAD     for(int p=1; p < MLOG; p++)
13B       for(int i=0; i + (1 << p) <= N; i++)
67C         table[p][i] = min(table[p-1][i], table[p-1][i
      +(1<<(p-1))]);
215   }
D41
B7A   T query(int l, int r){
796     int p = 31 - __builtin_clz(r - l + 1);  //floor log
E56     return min(table[p][l], table[p][ r - (1<<p)+1 ]);
3C2   }
B78 };
```

2.15 SqrtDecomposition

```
2F8 struct sqrt_decomp {
F73   int n, block_size, num_blocks;
A9D   vector<int> a;
233   vector<long long> b;
D41
C2E   sqrt_decomp() {}
20D   sqrt_decomp(vector<int>& arr) : n(arr.size()),
      block_size(sqrt(n) + 1), a(arr) {
9F7     num_blocks = (n + block_size - 1) / block_size;
F8B     b.assign(num_blocks, 0);
D41
603     for (int i = 0; i < n; i++) {
786       b[i / block_size] += a[i];
821     }
86A   }
D41
A69   void update(int pos, int val) {
8B7     b[pos / block_size] += (long long)val - a[pos];
4B2     a[pos] = val;
2C0   }
D41
C74   long long query(int l, int r) {
10E     long long sum = 0;
D07     int b_l = l / block_size, b_r = r / block_size;
D41
7F5     if (b_l == b_r) {
77B       for (int i = l; i <= r; i++) sum += a[i];
5F0     }
4E6     else {
356       for (int i = l; i <= block_size * (b_l + 1) - 1; i
      ++) sum += a[i];
11F       for (int i = block_size * b_r; i <= r; i++) sum +=
       a[i];
27F       for (int i = b_l + 1; i <= b_r - 1; i++) sum += b[
      i];
41C     }
E66     return sum;
F7B   }
AFC };
```

2.16 orderedSet

```
1A6 #include "bits/stdc++.h"

0D7 using namespace __gnu_pbds;

67A template <typename T>
994 using ordered_set = tree <T, null_type, less <T>,
      rb_tree_tag, tree_order_statistics_node_update>;
```

```cpp
// use pair<int,int> -> value,id for multiset
class Policy {
private:
    ordered_set<int> pbds;
public:
    Policy() {
        pbds.clear();
    }
    void add(int value) {
        pbds.insert(value);
    }
    void remov(int value) {
        auto fnd = pbds.find(value);
        if (fnd != pbds.end()) {
            pbds.erase(fnd);
        }
    }
    int kth(int k) {
        return *pbds.find_by_order(k); // zero-based
    }
    int countLess(int value) {
        return pbds.order_of_key(value);
    }
    int countEqual(int value) {
        return countLess(value + 1) - countLess(value);
    }
    int countLessOrEqual(int value) {
        return countLess(value + 1);
    }
    int countGreater(int value) {
        return pbds.size() - countLess(value + 1);
    }
};
```

2.17 sack

```cpp
// Time Complexity: O(N * log(N))

int timer;
int cnt[nax], big[nax], fr[nax], to[nax], who[nax];
vector<int> g[nax];

// Ans queries
int color[nax];
int ans[nax];
int distinct_colors = 0;
//

int pre(int u, int p) {
    int sz = 1, tmp;
    who[timer] = u;
    fr[u] = timer++;
    ii best = {-1, -1};

    for (int v : g[u]) {
        if (v == p) continue;
        tmp = pre(v, u);
        sz += tmp;
        best = max(best, {tmp, v});
    }

    big[u] = best.se;
    to[u] = timer - 1;
    return sz;
}

void add(int u, int x) {
    int c = color[u];
    if (x == 1) {
        if (cnt[c] == 0) distinct_colors++;
        cnt[c]++;
    } else {
        cnt[c]--;
        if (cnt[c] == 0) distinct_colors--;
    }
}

void dfs(int u, int p, bool keep = true) {
    for (int v : g[u]) {
        if (v != p && v != big[u]) dfs(v, u, false);
    }

    if (big[u] != -1) dfs(big[u], u, true);

    for (int v : g[u]) {
        if (v != p && v != big[u]) {
            for (int i = fr[v]; i <= to[v]; ++i) {
                add(who[i], 1);
            }
        }
    }
    add(u, 1);

    //
    ans[u] = distinct_colors;
    //

    if (!keep) {
        for (int i = fr[u]; i <= to[u]; ++i) {
            add(who[i], -1);
        }
    }
}

void solve(int root) {
    timer = 0;
    distinct_colors = 0;

    pre(root, root);
    dfs(root, root);
}
```

3 Geometry

3.1 3D

Pode reusar:
- segmentDist

```cpp
#define ld double

struct PT {
  ld x, y, z;
  PT(ld x, ld y, ld z) : x(x), y(y), z(z) {}
  PT() : x(0), y(0), z(0) {}

  PT operator+(const PT&a)const{return PT(x+a.x, y+a.y, z+a.z);}
  PT operator-(const PT&a)const{return PT(x-a.x, y-a.y, z-a.z);}
  PT operator%(const PT&a)const{return PT(y*a.z - z*a.y, z*a.x - x*a.z, x*a.y - y*a.x);}
  PT operator*(ld c) const{ return PT(x*c, y*c, z*c); }
  PT operator/(ld c) const{ return PT(x/c, y/c, z/c); }
  ld operator*(const PT&a)const{return  (x*a.x + y*a.y + z*a.z);}
  bool operator< (const PT&a) const{ return tie(x, y, z) < tie(a.x, a.y, a.z); }
  ld len() const { return hypot(x,y,z); } // sqrt(p*p)

  PT rotate(double angle, PT axis) {
        double s = sin(angle), c = cos(angle); PT u = axis / axis.len();
        return u*(*this*u)*(1-c) + (*this)*c - *this%u*s;
    };
};
```

3.2 Circles

The **circumcirle of a triangle** is the circle intersecting all three vertices.

```cpp
double ccRadius(PT& A, PT& B, PT& C) {
  return (B-A).len()*(C-B).len()*(A-C).len() / abs(A.cross(B, C))/2;
}
PT ccCenter(PT& A, PT& B, PT& C) {
  PT b = C-A, c = B-A;
  return A + rotateCCW90(b*(c*c) - c*(b*b)) / (b%c) / 2;
}
```

Return the points at **two circles intersection**. If none or infinity, returns empty

```cpp
vector<PT> circleCircleInter(PT a, ld r1, PT b, ld r2){
  if (a == b) return {}; //r1==r2? infinity : none
  PT v = b-a;

  ld d2 = v*v, sum = r1+r2, dif = r1-r2;
  ld p = (d2 + r1*r1 - r2*r2) / (d2+d2), h2 = r1*r1 - p*p*d2;

  if(sum*sum < d2 || dif*dif > d2) return {};

  PT mid=a+v*p, per=rotateCCW90(v)*sqrt(fmax(0, h2) / d2);

  set<PT> ans = {mid + per, mid - per};
  return {begin(ans), end(ans)};
}
```

Return the **circle line intersection**. Return a vector of 0,1 or 2 PTs

```cpp
vector<PT> circleLineInter(PT c, ld r, PT a, PT b){
  PT ab = b-a;
  PT p = a + ab * ((c-a)*ab) / (ab*ab);
  ld s = a.cross(b, c);
  ld h2 = r*r - s*s / (ab*ab);
  if(h2 < 0) return {};
  if(h2 == 0) return {p};
  PT h = ab/ab.len() * sqrt(h2);
  return {p - h, p + h};
}
```

Returns the **minimum enclosing circle** for a set of points. Expected O(n)

```cpp
pair<PT, ld> minEnclose(vector<PT> ps) {
```

```
504   shuffle(begin(ps), end(ps), mt19937(time(0)));
11E   PT o = ps[0];
F92   ld r=0, EPS = 1 + 1e-8;
D41
860   for(int i=0; i<ps.size(); i++) if(dist(o, ps[i]) > r*
      EPS){
5CC     o = ps[i], r = 0;
D41
373     for(int j=0; j<i; j++) if(dist(o, ps[j]) > r*EPS){
A30       o = (ps[i] + ps[j]) / 2;
FD2       r = dist(o, ps[i]);
D41
A09       for(int k=0; k<j; k++) if(dist(o, ps[k]) > r*EPS){
FA9         o = ccCenter(ps[i], ps[j], ps[k]);
ED2         r = (o - ps[i]).len();
8BA       }
A2E     }
277   }
D41
645   return {o, r};
AC9 }
```

3.3 ConvexHull

Given a vector of points, return the convex hull in CCW order.
A convex hull is the smallest convex polygon that contains all the points.

If you want colinear points in border, change the >=0 to >0 in the while's.
WARNING:if collinear and all input PT are collinear, may have duplicated points (the round trip)

```
EEC vector<PT> ConvexHull(vector<PT> pts){
B03   sort(begin(pts), end(pts));
6E7   pts.resize(unique(begin(pts), end(pts)) - begin(pts));
64B   if(pts.size() <= 1) return pts;
D41
B4E   int s=0, n=pts.size();
988   vector<PT> h(2*n+1);
D41
AA9   for(int i=0; i<n; h[s++] = pts[i++])
43F     while(s > 1 && h[s-2].cross(pts[i], h[s-1]) >= 0 )
351       s--;
D41
61B   for(int i=n-2, t=s; ~i; h[s++] = pts[i--])
BB6     while(s > t && h[s-2].cross(pts[i], h[s-1]) >= 0 )
351       s--;
D41
CBB   h.resize(s-1);
81C   return h;
CBB } //PT operators needed: {- % == <}
```

Check **if a point is inside convex hull** (CCW, no collinear).If strict == true, then pt on boundary return falseO(log N)

```
3D7 bool isInside(const vector<PT>& h, PT p, bool strict =
    true){
579   int a = 1, b = h.size() - 1, r = !strict;
795   if(h.size() < 3) return r && onSegment(h[0], h.back(),
    p);
59E   if(h[0].cross(h[a], h[b]) > 0) swap(a, b);
317   if(h[0].cross(h[a], p) >= r || h[0].cross(h[b], p) <=
    -r) return false;
48A   while(abs(a-b) > 1){
4F7     int c = (a + b) / 2;
142     if(h[0].cross(h[c], p) > 0) b = c;
1B9     else a = c;
7E3   }
B11   return h[a].cross(h[b], p) < r;
EB9 }
```

Check **if a point is inside convex hull**
O(log N)

```
E13 bool isInside(const vector<PT> &h, PT p){
66D   if(h[0].cross(p, h[1]) > 0 || h[0].cross(p, h.back())
    < 0) return false;
B28     int n = h.size(), l=1, r = n-1;
E55     while(l != r){
264         int mid = (l+r+1)/2;
B64         if(h[0].cross(p, h[mid]) < 0) l = mid;
943         else r = mid - 1;
D3D     }
0F2     return h[l].cross(h[(l+1)%n], p) >= 0;
CBC }
```

Given a convex hull h and a point p, returns the indice of h **where the dot product is maximized.**This code assumes that there are NO 3 colinear points!

```
DD1 int maximizeScalarProduct(const vector<PT> &h, PT v) {
A75     int ans = 0, n = h.size();
F37     if(n < 20){
830     for(int i=0; i<n; i++)
070             if(v*h[ans] < v*h[i])
C46                 ans = i;
BA7     return ans;
E80     }
D41
866   for(int rep=0; rep<2; rep++){
D47     int l = 2, r = n-1;
E55     while(l != r){
264       int mid = (l+r+1)/2;
9E8       int f = v*h[mid] >= v*h[mid-1];
D41
FCF       if(rep) f |= v*h[mid-1] < v*h[0];
622       else    f &= v*h[mid]  >= v*h[0];
D41
109       if(f) l = mid;
943       else  r = mid - 1;
9A3     }
48D     if(v*h[ans] < v*h[l]) ans = l;
6A2   }
3D0   if(v*h[ans] < v*h[1] ) ans = 1;
BA7   return ans;
E80 }
```

3.4 KDTree

```
B2A struct pt{
C1E   ld x, y;
E64   pt(){}
88C   pt(ld x, ld y): x(x), y(y){}
DE4   pt operator+(pt p){ return pt(x+p.x, y+p.y); }
B48   pt operator-(pt p){ return pt(x-p.x, y-p.y); }
70C   ld operator*(pt p){ return x*p.x + y*p.y; }
EF9   ld norm2(){ return *this * *this; }
D8E   bool operator<(pt p)const{ // for sort, convex hull/
    set/map
371     return x < p.x - eps || (abs(x - p.x) <= eps && y <
    p.y - eps); }
2E8 };
8FA inline bool onx(pt a, pt b){ return a.x < b.x; }
CFD inline bool ony(pt a, pt b){ return a.y < b.y; }
D41 // Given a set of N points, answer queries of nearest
    point in O(log(N))
BF2 struct Node {
658   pt pp;
C8B   ll x0 = inf, x1 = -inf, y0 = inf, y1 = -inf;
593   Node *fir = 0, *sec = 0;
A56   inline ll distance(pt p){
CDA     ll x = min(max(x0, p.x), x1);
F8A     ll y = min(max(y0, p.y), y1);
2DD     return (pt(x, y) - p).norm2();
CEF   }
980   Node(vector<pt>&& vp): pp(vp[0]){
C3A     for(pt& p: vp){
BCB       x0 = min(x0, p.x), x1 = max(x1, p.x);
844       y0 = min(y0, p.y), y1 = max(y1, p.y);
B5B     }
916     if(sz(vp) > 1){
8FA       sort(all(vp), x1 - x0 >= y1 - y0 ? onx : ony);
33D       int m = sz(vp) / 2;
4AB       fir = new Node({vp.begin(), vp.begin() + m});
1B3       sec = new Node({vp.begin() + m, vp.end()});
BD6     }
A12   }
4DF };
DAD struct KDTree {
95F   Node* root;
AD1   KDTree(const vector<pt>& vp):root(new Node({all(vp)}))
      {}
73C   pair<ll, pt> search(pt p, Node *node){
43B     if(!node->fir){ // To avoid query point as answer:
D41       // ADD:  if(p == node -> pp) return {INF, pt()};
E59       return {(p - node->pp).norm2(), node->pp};
CD7     }
CB0     Node *f = node->fir, *s = node->sec;
78E     ll bf = f->distance(p), bs = s->distance(p);
572     if(bf > bs) swap(bf, bs), swap(f, s);
A23     auto best = search(p,f);
837     if(bs < best.fi) best = min(best, search(p, s));
F26     return best;
068   }
D55   pair<ll, pt> nearest(pt p){ return search(p, root); }
469 };
```

3.5 Line

```
D41 //if p is on line s to e
77D bool onLine(PT s, PT e, PT p){ return p.cross(s, e) ==
    0;}
```

Returns the **signed dist** from p and the **line** of a and b. Positive value on left side and negative on right as seen from a->b. (a!=b)


```
9FD ld sLineDist(PT& a, PT& b, PT& p){ return a.cross(b, p)
    / (b-a).len(); }
```

Intersection between two lines
Unique -> {+1, pt}
No inter -> { 0, pt}
Infinity -> {-1, pt}May be rounded if inter isn't integer; Watch out for overflow if long long.

```
5E1 pair<int, PT> lineInter(PT a, PT b, PT e, PT f){
8B1   auto d = (b-a) % (f-e);
FC7   if(d == 0) return {-(a.cross(b, e) == 0), PT()}; //
    parallel
F29   auto p = e.cross(b, f), q = e.cross(f, a);
336   return {1, (a * p + b * q) / d};
```

```
F59 }
```

Projects point p onto line ab. Set refl=true to get reflection of point p across line ab instead.

```
4E5 PT lineProj(PT a, PT b, PT p, bool refl=false) {
493   PT v = b-a;
7A4   return p - rotateCCW90(v) * (1+refl) * (v%(p-a)) / (v*
    v);
7E1 }
```

Calculate coefficients of the line equation **Ax + By = C.**

```
ACC tuple<ll, ll, ll> ptToLine(PT s, PT t){
1BF     ll a = t.y - s.y;
CAF     ll b = s.x - t.x;
724     ll c = a*s.x + b*s.y;
60D     return {a, b, c};
91F }
```

3.6 LineContainer

```
72C struct Line {
3E2   mutable ll k, m, p;
CA5   bool operator<(const Line& o) const { return k < o.k;
    }
ABF   bool operator<(ll x) const { return p < x; }
7E3 };

781 struct LineContainer : multiset<Line, less<>> {
FD2   static const ll inf = LLONG_MAX; // Double: inf =
    1/.0, div(a,b) = a/b
10F   ll div(ll a, ll b) { return a / b - ((a ^ b) < 0 && a
    % b); } //floored division
D41
A1C   bool isect(iterator x, iterator y) {
A95     if(y == end()) return x->p = inf, 0;
9CB     if(x->k == y->k) x->p = x->m > y->m ? inf : -inf;
591     else x->p = div(y->m - x->m, x->k - y->k);
870     return x->p >= y->p;
2FA   }
D41
141   void add_line(ll k, ll m){ // kx + m  //if minimum k
    *=-1, m*=-1, query*-1
116     auto z = insert({k, m, 0}), y = z++, x = y;
7B1     while(isect(y, z)) z = erase(z);
141     if(x != begin() && isect(--x, y)) isect(x, y = erase
    (y));
1A4     while((y = x) != begin() && (--x)->p >= y->p) isect(
    x, erase(y));
17C   }
D41
4AD   ll query(ll x) {
229     assert(!empty());
7D1     auto l = *lower_bound(x);
96A     return l.k * x + l.m;
D21   }
0B9 };
```

3.7 Minkowski

Minkowski Sum of convex polygons - O(N)

Returns a convex hull of two polygons minkowski sum.
The minkowski sum of polygons A and B is a polygon such that every vectorinside it is the sum of a vector in A
and a vector in B. $A+B = C = \{a+b \mid a \in A,\ b \in B\}$
min(a.size(), b.size()) >= 2

```
D41 // rotate the polygon such that the (bottom, left)-most
    point is at the first position
C16 void reorder_polygon(vector<PT> &p){
EEC   int j = 0;
BAA   for(int i=1; i<p.size(); i++)
3F9     if(pair(p[i].y, p[i].x) < pair(p[j].y, p[j].x))
4D8       j = i;
0AE   rotate(p.begin(), p.begin() + j, p.end());
856 }

809 vector<PT> minkowski(vector<PT> a, vector<PT> b){
83C   int n = a.size(), m = b.size(), i=0, j=0;
490   reorder_polygon(a); reorder_polygon(b);
5CA   a.push_back(a[0]); a.push_back(a[1]);
258   b.push_back(b[0]); b.push_back(b[1]);
D41
649   vector<PT> c;
59B   while(i < n || j < m){
018     c.push_back(a[i] + b[j]);
47E     auto p = (a[i+1] - a[i]) % (b[j+1] - b[j]);
46D     if(p >= 0) i++;
7D0     if(p <= 0) j++;
266   }
807   return c;
DBA }
```

3.8 Point

Dot product p*q = $p \cdot q$ | inner product | norm | lenght^2
$u \cdot v = x_1x_2 + y_1y_2 = \|u\|\,\|v\| \cos\theta$
$u \cdot v > 0 \Rightarrow$ angle $\theta < 90°$ (acute);
$u \cdot v = 0 \Rightarrow$ angle $\theta = 90°$ (perpendicular);
$u \cdot v < 0 \Rightarrow$ angle $\theta > 90°$ (obtuse);

Cross product p % q = $p \times q$: | Vector product | Determinant
$u \times v = x_1y_2 - y_1x_2 = \|u\|\,\|v\| \sin\theta$.
$u \times v > 0 \Rightarrow$ v is to the *left* of u
$u \times v = 0 \Rightarrow$ u and v are collinear.
$u \times v < 0 \Rightarrow$ v is to the *right* of u
It equals the signed area of the parallelogram spanned by u and v.

+ p.cross(a, b) = $(a-p) \times (b-p)$
- > 0: CCW (left); ↶
- $= 0$: collinear; ⇒
- < 0: CW (right); ↷

```
8E9 #define ld double

C19 struct PT {
0BE   ll x, y;
BBC   PT(ll x, ll y) : x(x), y(y) {}
908   PT() : x(0), y(0){}
D41
006   PT operator+(const PT&a)const{return PT(x+a.x, y+a.y)
    ;}
0DC   PT operator-(const PT&a)const{return PT(x-a.x, y-a.y)
    ;}
954   ll operator*(const PT&a)const{return  (x*a.x + y*a.y)
    ;} //DOT
A68   ll operator%(const PT&a)const{return  (x*a.y - y*a.x)
    ;} //Cross
B54   PT operator*(ll c) const{ return PT(x*c, y*c); }
B25   PT operator/(ll c) const{ return PT(x/c, y/c); }
5C7   bool operator==(const PT&a) const{ return x == a.x &&
    y == a.y; }
539   bool operator< (const PT&a) const{ return tie(x, y) <
    tie(a.x, a.y); }
D41
652   ld len() const { return hypot(x,y); } // sqrt(p*p)
3FC   ll cross(const PT&a, const PT&b) const{ return (a-*
    this) % (b-*this); } // (a-p) % (b-p)
950   int quad() { return (x<0)^3*(y<0); } //cartesian plane
    quadrant |0+-|1-+|2--|3+-|
94A   bool ccw(PT q, PT r){ return (q-*this) % (r-q) > 0;}
473 };

33E ld dist(PT p, PT q){ return sqrtl((p-q)*(p-q)); }
0FB ld proj(PT p, PT q){ return p*q / q.len(); }
D41 //Projection size from A to B

C4F const ld PI = acos(-1.0L);
50C ld angle(PT p, PT q){ return atan2(p%q, p*q); } // Angle
    between vectors p and q [-pi, pi] | acos(a*b/a.len()/b
    .len())
E07 ld polarAngle(PT p){  return atan2(p.y, p.x); } // Angle
    to x-axis [-pi, pi]
AF5 bool cmp_ang(PT p, PT q){ return p.quad() != q.quad() ?
    p.quad()<q.quad() : q.ccw(PT(0,0), p); }

874 PT rotateCCW90(PT p){ return PT(-p.y, p.x); } // perp
222 PT rotateCW90(PT p){ return PT(p.y, -p.x); }
96F PT rotateCCW(PT p, ld t){
E8C   ld c = cos(t), s = sin(t);
D80   return PT(p.x*c - p.y*s, p.x*s + p.y*c);
93E }
```

3.9 Polygons

Returns **twice area of a simple polygon.** area*2 (Shoelace Formula: signed cross product sum)

```
5AB ll Area2x(vector<PT>& p){
604   ll area = 0;
37F   for(int i=2; i < p.size(); i++)
20A     area += (p[i]-p[0]) % (p[i-1]-p[0]);
199   return abs(area);
64B }
```

Returns if a point is **inside a triangle** (or in the border).

```
5CA bool ptInsideTriangle(PT p, PT a, PT b, PT c){
58B   if((b-a) % (c-b) < 0) swap(a, b);
805   if(onSegment(a,b,p)) return 1;
1A3   if(onSegment(b,c,p)) return 1;
1DB   if(onSegment(c,a,p)) return 1;
13A   bool x = (b-a) % (p-b) < 0;
B85   bool y = (c-b) % (p-c) < 0;
CE5   bool z = (a-c) % (p-a) < 0;
4B5   return x == y && y == z;
9C6 }
```

Returns 1 if a **point is inside a polygon**, 2 if in border, else 0. Non-convex O(n)

```
172 int ptInsidePol(vector<PT>& pol, PT p){
8DE   int qt = 0;
892   for(int i=0, n=pol.size(); i<n; i++){
B3F     auto s = pol[i], e=pol[(i+1)%n];
D41
05C     if(onSegment(s, e, p)) return 2;
894     if((s.y < p.y) == (e.y < p.y)) continue;
D41
0B3     qt ^= (s.y < p.y) == (s.cross(p, e) > 0);
3F8   }
B84   return qt != 0;
C26 }
```

Returns the **center of mass for a polygon.** O(n)

```
303 PT polygonCenter(const vector<PT>& v){
313   PT res(0, 0); double A = 0;
E3C   for(int i=0, j=v.size()-1; i<v.size(); j=i++){
FF1     res = res + (v[i]+v[j]) * (v[j]%v[i]);
587     A += v[j] % v[i];
D4F   }
33C   return res / A / 3;
CD0 }
```

PolygonCut: Returns the vertices of the polygon cut away at the left of the line s->e.polygonCut(p, PT(0,0), PT(1,0));


```
767 vector<PT> polygonCut(const vector<PT>& poly, PT s, PT e
    ){
81A   vector<PT> res;
6F1   for(int i=0; i<poly.size(); i++){
431     PT cur = poly[i], prev = i ? poly[i-1] : poly.back()
    ;
C5F     auto a = s.cross(e, cur), b = s.cross(e, prev);
498     if((a < 0) != (b < 0)) res.push_back(cur + (prev -
    cur) * (a / (a - b)));
DDB     if(a < 0) res.push_back(cur);
1E0   }
B50   return res;
D6D }
```

getArea Returns the area of the polygon formed by the points in range [L, R). (Or [0, L] U [R, N) if R<L)Struct is only for lib purpose, copy the code inline.

```
A05 struct PolygonAreaPS{
776   int n; vector<ll> ps = {0}; vector<PT> pts;
D41
209   PolygonAreaPS(vector<PT> pts) : pts(pts), n(pts.size()
    ){
AA4     for(int i=1; i<n; i++)
F8A     ps.push_back(ps.back() + pts[i-1] % pts[i]);
C65   }
D41
CC1   ll getArea(int l, int r){
C04     if(l <= r) return ps[r] - ps[l] + pts[r] % pts[l];
125     return getArea(0, n-1) - getArea(r, l);
E77   }
6DE };
```

Pick's theorem for **lattice points** in a simple polygon. (lattice points = integer points)Area = insidePts + boundPts/2 - 12A - b + 2 = 2i

```
CDC ll cntInsidePts(ll area_db, ll bound){ return (area_db +
      2LL - bound)/2; }
ED9 ll latticePointsInSeg(PT a, PT b){
FA7   ll dx = abs(a.x - b.x);
97A   ll dy = abs(a.y - b.y);
695   return gcd(dx, dy) + 1;
FA7 }
```

3.10 Segment

```
D41 //if p is on segment s to e
C39 bool onSegment(PT s, PT e, PT p){
6A6   return p.cross(s, e) == 0 && (s-p) * (e-p) <= 0;
960 }
```

Returns the shortest **distance** between point p and the **segment** s->e.


```
95D ld segmentDist(PT& s, PT& e, PT& p){
BD2   if (s==e) return (p-s).len();
4B2   ld d = (e-s)*(e-s);
385   ld t = min(d, max<ld>(0, (p-s)*(e-s)));
9E6   return ((p-s)*d - (e-s)*t).len() / d;
A45 }
```

Segment intersection
Unique -> {p}
No inter -> { }
Infinity -> {a, b}, the endpoints of the common segment.
May be rounded if inter isn't integer; Watch out for overflow if long long.

```
3DA int sgn(ll x){ return (x>0) - (x<0); }
FFB vector<PT> segInter(PT a, PT b, PT c, PT d){
E62   auto oa = c.cross(d, a), ob = c.cross(d, b);
473   auto oc = a.cross(b, c), od = a.cross(b, d);
914   if(sgn(oa)*sgn(ob) < 0 && sgn(oc)*sgn(od) < 0)
E5B     return {(a*ob - b*oa) / (ob-oa)};
529   set<PT> s;
CCB   if(onSegment(c, d, a)) s.insert(a);
0AD   if(onSegment(c, d, b)) s.insert(b);
3D8   if(onSegment(a, b, c)) s.insert(c);
2FA   if(onSegment(a, b, d)) s.insert(d);
C2C   return {begin(s), end(s)};
276 }
```

3.11 quadtree

```
FD6 const int MXN = 1e5+100;

F26 struct Point {
E91   int x, y;
D41
301   bool const operator<(const Point& o) const {
8D4     return make_tuple(x, y) < make_tuple(o.x, o.y);
2DC   }
3B4 };

ADA struct AABB {
619   int x1, y1, x2, y2;
D41
09B   AABB() : x1(0), y1(0), x2(MXN), y2(MXN) {}
DF7   AABB(int x1, int y1, int x2, int y2) : x1(x1), y1(y1),
      x2(x2), y2(y2) {}
D41
E8A   bool intersects(const AABB& other) const {
BF6     bool overlap_x = (x1 <= other.x2) && (x2 >= other.x1
    );
A07     bool overlap_y = (y1 <= other.y2) && (y2 >= other.y1
    );
88B     return overlap_x && overlap_y;
5C2   }
D41
F06   bool contains(int x, int y) const {
C49     return (x >= x1 && x <= x2 && y >= y1 && y <= y2);
3AF   }
D41
A7E   array<AABB, 4> subdivide() const {
185     int x_center = x1 + (x2 - x1) / 2;
216     int y_center = y1 + (y2 - y1) / 2;
2D1     return {
5E5       AABB{x1, y1, x_center, y_center},      // NW
1D9       AABB{x_center, y1, x2, y_center},      // NE
29C       AABB{x1, y_center, x_center, y2},      // SW
1C6       AABB{x_center, y_center, x2, y2}       // SE
064     };
FE7   }
792 };


D2F struct Circle {
463   Point c;
890   int r, w;
112   AABB box;
D41
720   Circle(Point c, int r, int w)
5CB     : c(c), r(r), w(w), box(c.x - r, c.y - r, c.x + r, c
    .y + r) {}
D41
777   bool const operator<(const Circle& o) const {
665     return make_tuple(c.x, c.y, r) < make_tuple(o.c.x, o
    .c.y, o.r);
C43   }
DB4 };

99E struct Square {
B89   Point p1, p2;
AEA   int w;
112   AABB box;
D41
B8F   Square(Point p1, Point p2)
EFF     : p1(p1), p2(p2), box(min(p1.x, p2.x), min(p1.y, p2.
    y),
52C               max(p1.x, p2.x), max(p1.y, p2.y)) {}
D41
DA6   bool const operator<(const Square& o) const {
E1F     return make_tuple(p1, p2) < make_tuple(o.p1, o.p2);
090   }
E9F };

0BC struct Triangle {
B5A   Point p1, p2, p3;
AEA   int w;
112   AABB box;
D41
E68   Triangle(Point p1, Point p2, Point p3)
235     : p1(p1), p2(p2), p3(p3),
F08       box(min({p1.x, p2.x, p3.x}), min({p1.y, p2.y, p3.y
    }), max({p1.x, p2.x, p3.x}), max({p1.y, p2.y, p3.y}))
    {}
D41
1EA   bool const operator<(const Triangle& o) const {
09E     return make_tuple(p1, p2, p3) < make_tuple(o.p1, o.
    p2, o.p3);
A60   }
0EE };

67A template <typename T>
A42 class Quadtree {
673   public:
```

```
E73   static const int MIN_OBJECTS = 8;
493   static const int MAX_DEPTH = 16;
D41
B08   Quadtree(const AABB& root_bounds, const vector<T>&
    all_objects)
04B     : bounds(root_bounds), depth(0) {
D41
DA6     vector<const T*> object_ptrs;
EC2     object_ptrs.reserve(all_objects.size());
DB4     for (const auto& obj : all_objects) {
7A0       object_ptrs.push_back(&obj);
00D     }
D41
12F     build(object_ptrs);
788   }
D41
264   const vector<const T*>& query(int x, int y) const {
CF5     const Quadtree* node = this;
D41
310     while (node->is_branch) {
365       int child_index = node->get_child_index(x, y);
CF0       if (child_index == -1) break;
F30       node = node->children[child_index].get();
221     }
D41
52B     return node->objects;
DA0   }
D41
BF2   private:
170   AABB bounds;
C15   int depth;
6A6   bool is_branch = false;
372   int x_center, y_center;
D41
099   array<unique_ptr<Quadtree<T>>, 4> children;
D41
53E   vector<const T*> objects;
D41
B6A   Quadtree(const AABB& box, int d) : bounds(box), depth(
    d) {}
D41
92F   void build(const vector<const T*>& parent_objects) {
233     x_center = bounds.x1 + (bounds.x2 - bounds.x1) / 2;
8FD     y_center = bounds.y1 + (bounds.y2 - bounds.y1) / 2;
D41
15B     for (const T* obj : parent_objects) {
6C4       if (bounds.intersects(obj->box)) {
33A         objects.push_back(obj);
EFF       }
C1E     }
D41
1AE     if (objects.size() > MIN_OBJECTS && depth <
    MAX_DEPTH) {
79D       is_branch = true;
F94       auto child_bounds = bounds.subdivide();
D41
8C3       for (int i = 0; i < 4; ++i) {
AFC         children[i] = unique_ptr<Quadtree<T>>(new
    Quadtree<T>(child_bounds[i], depth + 1));
60B         children[i]->build(objects);
63D       }
D41
10D       objects.clear();
B46     }
DA7   }
D41
83C   int get_child_index(int x, int y) const {
8D5     if (y <= y_center) return (x <= x_center) ? 0 : 1;
    // 0 (NW) ou 1 (NE)
380     else return (x <= x_center) ? 2 : 3; // 2 (SW) ou 3
    (SE)
3D7   }
CE0 };
```

4 Grafos

4.1 2SAT

2 SAT - Two Satisfiability Problem
Retorna uma valoracao verdadeira se possivel ou um vetor vazio se impossivel;
inverso de u = ~u

A	B	OR	AND	NOR	NAND	XOR	XNOR	IMPLY
0	0	0	0	1	1	0	1	1
0	1	1	0	0	1	1	0	1
1	0	1	0	0	1	1	0	0
1	1	1	1	0	0	0	1	1

```
D9D struct TwoSat {
060   int N;
67E   vector<vector<int>> E;
D41
662   TwoSat(int N) : N(N), E(2 * N) {}
3E1   inline int eval(int u) const{ return u < 0 ? ((~u)+N)
    %(2*N) : u; }
D41
B0E   void add_or(int u, int v){
245     E[eval(~u)].push_back(eval(v));
F37     E[eval(~v)].push_back(eval(u));
30A     }
4B9   void add_nand(int u, int v) {
9FA     E[eval(u)].push_back(eval(~v));
CED     E[eval(v)].push_back(eval(~u));
D1C   }
CEB   void set_true (int u){ E[eval(~u)].push_back(eval(u));
    }
5A5   void set_false(int u){ set_true(~u); }
286   void add_imply(int u, int v){ E[eval(u)].push_back(
    eval(v)); }
E81   void add_and  (int u, int v){ set_true(u);  set_true(v
    );    }
347   void add_nor  (int u, int v){ add_and(~u, ~v); }
A32   void add_xor  (int u, int v){ add_or(u, v); add_nand(u
    , v); }
F65   void add_xnor (int u, int v){ add_xor(u, ~v); }
D41
28E   vector<bool> solve() {
F18     vector<bool> ans(N);
F40     auto scc = tarjan();
D41
51F     for (int u = 0; u < N; u++)
FC2       if(scc[u] == scc[u+N]) return {}; //false
951       else ans[u] = scc[u+N] > scc[u];
D41
BA7     return ans; //true
166   }
BF2 private:
401   vector<int> tarjan() {
798     vector<int> low(2*N), pre(2*N, -1), scc(2*N, -1), st
    ;
226     int clk = 0, ncomps = 0;
D41
214     function<void(int)> dfs = [&](int u){
FD2       pre[u] = low[u] = clk++;
2D9       st.push_back(u);
D41
7F2       for(auto v : E[u])
3C0         if(pre[v] == -1) dfs(v), low[u] = min(low[u],
    low[v]);
295         else
16E         if(scc[v] == -1) low[u] = min(low[u], pre[v]);
D41
8AD       if(low[u] == pre[u]){
78B         int v = -1;
931         while(v != u) scc[v = st.back()] = ncomps, st.
    pop_back();
9DF         ncomps++;
B25       }
601     };
D41
438     for(int u=0; u < 2*N; u++)
DC6       if(pre[u] == -1)
512         dfs(u);
D41
9AB     return scc; //tarjan SCCs order is the reverse of
    topoSort, so (u->v if scc[v] <= scc[u])
094   }
4BB };
```

4.2 Bellman-Ford

```
658 const int MAXN = 5e2;
222 const int INF = 1e18;


E9B struct Edge {
C7B     ll a, b, cost;
D97 };

B32 int n, m, v;
321 vector<Edge> edges;


AC5 void solve()
F95 {
D55     vector<int> d(n, INF);
A7F     d[v] = 0;
3FE     vector<int> p(n, -1);
D41
1DE     for (;;) {
B10         bool any = false;
84B         for (Edge e : edges)
427             if (d[e.a] < INF)
6D8                 if (d[e.b] > d[e.a] + e.cost) {
EB9                     d[e.b] = d[e.a] + e.cost;
28E                     p[e.b] = e.a;
62B                     any = true;
45A                 }
818         if (!any)
C2B             break;
C1C     }
D41
6BB     int t = 0; // curr node
D9E     if (d[t] == INF)
F69         cout << "No path from " << v << " to " << t << "
    .";
4E6     else {
5B4         vector<int> path;
538         for (int cur = t; cur != -1; cur = p[cur])
```

```
73E             path.push_back(cur);
3A9         reverse(path.begin(), path.end());
D41
C31         cout << "Path from " << v << " to " << t << ": "
    ;
B30         for (int u : path)
B6B             cout << u << ' ';
87E     }
8B4 }
```

4.3 BlockCutTree

Block Cut Tree - BiConnected Component

```
BlockCutTree bcc(n);
bcc.addEdge(u, v);
bcc.build();

bcc.tree    -> graph of BlockCutTree (tree.size() <= 2n)
bcc.id[u]   -> componet of u in the tree
bcc.cut[u]  -> 1 if u is a cut vertex; 0 otherwise
bcc.comp[i] -> vertex of comp i (cut are part of
     multiple comp)
```

```
142 struct BlockCutTree {
0AD   vector<vector<int>> g, tree, comp;
657   vector<int> id, cut;
40B   BlockCutTree(int n) : n(n), g(n), cut(n) {}
D41
FAE   void addEdge(int u, int v){
7EA     g[u].emplace_back(v);
4A3     g[v].emplace_back(u);
1DB   }
D41
0A8   void build(){
9AB     pre = low = id = vector<int>(n, -1);
D0A     for(int u=0; u<n; u++, chd=0) if(pre[u] == -1) //if
    graph is disconected
86E       tarjan(u, -1), makeComp(-1);                //find
    cut vertex and make components
D41
35C     for(int u=0; u<n; u++) if(cut[u]) comp.emplace_back
    (1, u); //create cut components
584     for(int i=0; i<comp.size(); i++)
                              //mark id of each node
679       for(auto u : comp[i]) id[u] = i;
D41
6A6     tree.resize(comp.size());
584     for(int i=0; i<comp.size(); i++)
5AE       for(auto u : comp[i]) if(id[u] != i)
30E         tree[i].push_back(id[u]),
D8D         tree[id[u]].push_back(i);
1D5   }
BF2 private:
5D4   vector<int> pre, low;
EA9   vector<pair<int, int>> st;
226   int n, clk = 0, chd=0, ct, a, b;
D41
20D   void makeComp(int u){
DAB     comp.emplace_back();
016     do {
986       tie(a, b) = st.back();
D73       st.pop_back();
71A       comp.back().push_back(b);
203     } while(a != u);
7C1     if(~u) comp.back().push_back(u);
5CF   }
D41
701   void tarjan(int u, int p){
FD2     pre[u] = low[u] = clk++;
5C6     st.emplace_back(p, u);
D41
DD3     for(auto v : g[u]) if(v != p){
EE1       if(pre[v] == -1){
3D2         tarjan(v, u);
AB6         low[u]  =  min(low[u], low[v]);
30C         cut[u] |= ct = (~p && low[v] >= pre[u]) || (p
    ==-1 && ++chd >= 2);
10E         if(ct) makeComp(u);
995       }
553       else low[u] = min(low[u], pre[v]);
AC4     }
0D9   }
D8F };
```

4.4 CentroidDecomposition

Centroid Decomposition - O(N*LogN)

```
dfsc()     -> para criar a centroid tree
rem[u]     -> True se U ja foi removido (pra dfsc)
szt[u]     -> Size da subarvore de U (pra dfsc)
parent[u] -> Pai de U na centroid tree *parent[ROOT] =
     -1
dist[u][i]-> Distancia na arvore original de u p i-esimo
      pai na centroid tree *distToAncestor[u][0] = 0

dfsc(u=node, p=parent(subtree), f=parent(centroid tree),
      sz=size of tree)
```

```
229 const int MAXN = 1e6 + 5;

282 vector<int> g[MAXN];
CAF deque<int> dist[MAXN];

C76 bool rem[MAXN];
BBD int szt[MAXN], parent[MAXN];

1B0 void getDist(int u, int p, int d=0){
384   for(auto v : g[u]) if(v != p && !rem[v])
334     getDist(v, u, d+1);
4BF   dist[u].emplace_front(d);
644 }

3A5 int getSz(int u, int p){
030   szt[u] = 1;
384   for(auto v : g[u]) if(v != p && !rem[v])
35F     szt[u] += getSz(v, u);
865   return szt[u];
CEC }

994 void dfsc(int u=0, int p=-1, int f=-1, int sz=-1){
C0F   if(sz < 0) sz = getSz(u, -1); //starting new tree
D41
70D   for(auto v : g[u])
E5C     if(v != p && !rem[v] && szt[v]*2 >= sz)
6F7       return dfsc(v, u, f, sz);
D41
2EA   rem[u] = true, parent[u] = f;
C5E   getDist(u, -1, 0); //get subtree dists to centroid
D41
C79   for(auto v : g[u]) if(!rem[v])
D8F     dfsc(v, u, u, -1);
16D }
```

4.5 CentroidMinPath

```
0A3 const int MAXN = 2e5+5;
EA6 vector<int> adj[MAXN];
C76 bool rem[MAXN];
D20 int subtree_size[MAXN], parents[MAXN];
8A5 int K; // caminho de tamanho K
04B ll ans = 0; // contagem de caminhos com tamanho K

DBA int cnt[MAXN];

7E4 int get_sub_size(int v, int p = -1) {
FF8     subtree_size[v] = 1;
F74     for(int u : adj[v]) {
763         if(u == p || rem[u]) {
5E2             continue;
922         }
68F         subtree_size[v] += get_sub_size(u, v);
6DE     }
2B3     return subtree_size[v];
B56 }

322 int get_centroid(int v, int tree_size, int p = -1) {
F74     for(int u : adj[v]) {
763         if(u == p || rem[u]) {
5E2             continue;
922         }
0C0         if(subtree_size[u]*2 > tree_size) {
EC4             return get_centroid(u, tree_size, v);
E72         }
F86     }
6DC     return v;
C1F }

0CB void get_distances(int v, int p, int dist, vector<int>&
     distances) {
D67     if(dist > K) {
505         return;
C5C     }
899     distances.push_back(dist);
F74     for(int u : adj[v]) {
763         if(u == p || rem[u]) {
5E2             continue;
922         }
5B2         get_distances(u, v, dist+1, distances);
51A     }
18F }

7EA void process_centroid(int centroid) {
D63     vector<int> used;
878     cnt[0] = 1;
C51     used.push_back(0);
2C6     for(int u : adj[centroid]) {
B07         if(rem[u]) {
5E2             continue;
019         }
F96         vector<int> curr;
E9C         get_distances(u, centroid, 1, curr);
D41
58A         for(int d : curr) {
CFA             if(K - d >= 0) {
C67                 ans += cnt[K - d];
B32             }
632         }
```

```
58A         for(int d : curr) {
71D             if(cnt[d] == 0) {
618                 used.push_back(d);
AF1             }
375             cnt[d]++;
0A9         }
9F5     }
5C4     for(int d : used) {
EAA         cnt[d] = 0;
2AB     }
4DE }

D02 int decompose(int v, int p = -1) {
DBA     int tree_size = get_sub_size(v);
F84     int centroid = get_centroid(v, tree_size);
36F     process_centroid(centroid);
8CD     rem[centroid] = true; parents[centroid] = p;
2C6     for(int u : adj[centroid]) {
97A         if(!rem[u]) {
8ED             decompose(u);
76E         }
40C     }
661     return centroid;
2E1 }
```

4.6 DSU Persistente

SemiPersistent DSU - O(Log n)
find(u, q) -> Retorna o pai de U no tempo q
* tim -> tempo em que o pai de U foi alterado

```
2CE struct DSUp {
AE4   vector<int> pai, sz, tim;
258   int t=1;
910   DSUp(int n) : pai(n+1), sz(n+1, 1), tim(n+1) {
51E     for(int i=0; i<=n; i++) pai[i] = i;
50F   }
D41
7F9   int find(int u, int q = INT_MAX){
568     if( pai[u] == u || q < tim[u] ) return u;
8B3     return find(pai[u], q);
0A1   }
D41
AF9   void join(int u, int v){
B80     u = find(u), v = find(v);
D41
360     if(u == v) return;
844     if(sz[v] > sz[u]) swap(u, v);
D41
555     pai[v] = u;
36E     tim[v] = t++;
CC3     sz[u] += sz[v];
8D8   }
96D };
```

4.7 DSU Rollback

Disjoint Set Union with Rollback - O(Log n)
checkpoint() -> salva o estado atual
rollback() -> restaura no ultimo checkpoint
save another var? +save in join & +line in pop

```
4EA struct DSUr {
ECD   vector<int> pai, sz, savept;
D35   stack<pair<int&, int>>  st;
EB0   DSUr(int n) : pai(n+1), sz(n+1, 1) {
51E     for(int i=0; i<=n; i++) pai[i] = i;
6CE   }
D41
43F   int find(int u){ return pai[u] == u ? u : find(pai[u])
    ; }
D41
AF9   void join(int u, int v){
B80     u = find(u), v = find(v);
D41
360     if(u == v) return;
844     if(sz[v] > sz[u]) swap(u, v);
D41
A60     save(pai[v]); pai[v] = u;
5DA     save(sz[u]);  sz[u] += sz[v];
047   }
D41
2D0   void save(int &x){ st.emplace(x, x); }
42D   void pop(){
6A1     st.top().first = st.top().second; st.pop();
6A1     st.top().first = st.top().second; st.pop();
4DD   }
D41
6E6   void checkpoint(){ savept.push_back(st.size()); }
5CF   void rollback(){
8EB     while(st.size() > savept.back()) pop();
520     savept.pop_back();
BB2   }
9E2 };
```

4.8 DSU

```
D56 struct DSU {
B15   vector<int> pai, sz;
D5C   DSU(int n) : pai(n+1), sz(n+1, 1) {
51E     for(int i=0; i<=n; i++) pai[i] = i;
A82   }
D41
F6C   int find(int u){ return pai[u] == u ? u : pai[u] =
    find(pai[u]); }
D41
AF9   void join(int u, int v){
B80     u = find(u), v = find(v);
D41
360     if(u == v) return;
844     if(sz[v] > sz[u]) swap(u, v);
D41
555     pai[v] = u;
CC3     sz[u] += sz[v];
32C   }
175 };
```

4.9 Dijkstra

```
51C #define INF 0x3f3f3f3f3f3f3f3f
E40 #define pii pair<ll,ll>

161 vector<pii> g[MAXN];

F22 vector<ll> dijkstra(int s, int N){
187   vector<ll> dist (N, INF);
F37   priority_queue<pii, vector<pii>, greater<pii>> pq;
7BA   pq.push({0, s});
A93   dist[s] = 0;
D41
502   while(!pq.empty()){
2F9     auto [d, u] = pq.top();
716     pq.pop();
3E1     if(d > dist[u]) continue;
D41
706     for(auto [v, c] : g[u])
511       if( dist[v] > dist[u] + c ){
085         dist[v] = dist[u] + c;
BF3         pq.push({dist[v], v});
F86       }
BE3   }
8D7   return dist;
D99 }
```

4.10 Dinic

Dinic - Max Flow Min Cut

Algoritmo de Dinitz para encontrar o Fluxo Maximo.
IMPORTANTE! O algoritmo esta 0-indexado

Complexity:
O(V^2 * E) -> caso geral
O(sqrt(V) * E) -> grafos com cap = 1 para toda Edge // matching bipartido

* Informacoes:
Crie o Dinic: Dinic dinic(n, src, sink);
Adicione as edges: dinic.addEdge(u, v, capacity);
Para calcular o Fluxo Maximo: dinic.maxFlow()
Para saber se um vertice U esta no Corte Minimo: dinic.inCut(u)

* Sobre o Codigo:
vector<Edge> edges; -> Guarda todas as edges do grafo e do grafo residual
vector<vector<int>> adj; -> Guarda em adj[u] os indices de todas as edges saindo de u
vector<int> ptr; -> Pointer para a proxima Edge ainda nao visitada de cada vertice
vector<int> lvl; -> Distancia em vertices a partir do Source. Se igual a N o vertice nao foi visitado.
A BFS retorna se Sink e alcancavel de Source. Se nao e porque foi atingido o Fluxo Maximo
A DFS retorna um possivel aumento do Fluxo

Use Cases of Flow

+ **Minimum cut**: the minimum cut is equal to maximum flow. i.e. to split the graph in two parts, one on the src side and another on sink side. The capacity of each edge is it weight.

+ **Edge-disjoint-paths**: maximum number of edge-disjoint paths equals maximum flow of the graph, assuming that the capacity of each edge is one. (paths can be found greedily)

+ **Node-disjoint-paths**: can be reduced to maximum flow. each node should appear in at most one path, so limit the flow through a node dividing each node in two. One with incoming edges, other with outgoing edges and a new edge from the first to the second with capacity 1.

+ **Maximum matching** (bipartite): maximum matching is equal to maximum flow. Add a src and a sink, edges from the src to every node at one partition and from each node of the other partition to the sink.

+ **Minimum node cover** (bipartite) : minimum set of nodes such each edge has at least one endpoint. The size of minimum node cover is equal to maximum matching (Konig's theorem).

+ **Maximum-independent-set** (bipartite): largest set of nodes such that no two nodes are connected with an edge. Contain the nodes that aren't in "Min node cover" (N - MAXFLOW).

+ **Minimum path cover** (DAG): set of paths such that each node belongs to at least one path.
- Node-disjoint: construc a matching where each node is represented by two nodes, a left and a right at the matching and add the edges (from l to r). Each edge in the matching corresponds to an edge in the path cover. The number of paths in the cover is (N - MAXFLOW).
- General: almost like a minimum node-disjoint. Just add edges to the matching whenever there is an path from U to V in the graph (possibly through several edges).
- Antichain: a set of nodes such that there is no path from any node to another. In a DAG, the size of min general path cover equals the size of maximum antichain (Dilworth's theorem).

+ **Project selection**: Given N projects, each w profit pi, and M machines, each w cost ci.
A project requires a set of machines (can be shared). Choose a set that maximizes value of the profit(projects) - the cost(machines). Add an edge (cap pi) from Source to project.
An edge (cap ci) from machine to Sink. An edge (cap INF) from a project to each machine it requires.
ans = SUM(pi) - MAXFLOW. If the edge of a machine is saturated, buy it.

+ **Closure**
Problem (directed graph): Each node has a weight w (+ or -). choose a closure with maximum sum.
A closure is a set of nodes such that there is no edge from a node inside the set to a node outside.
Is a general case of project selection. Original edges with cap INF. Add edges from Source to nodes with W > 0; and from nodes with W < 0 to Sink (cap |W|).

```
E9B struct Edge {
37D   int u, v; ll cap;
525   Edge(int u, int v, ll cap) : u(u), v(v), cap(cap) {}
15B };

14D struct Dinic {
B82   int n, src, sink;
903   vector<vector<int>> adj;
321   vector<Edge> edges;
B4A   vector<int> lvl, ptr; //pointer para a proxima Edge
      nao saturada de cada vertice
D41
4A1   Dinic(int n, int src, int sink) : n(n), src(src), sink
      (sink) { adj.resize(n); }
D41
F82   void addEdge(int u, int v, ll cap){
471     adj[u].push_back(edges.size());
497     edges.emplace_back(u, v, cap);
D41
282     adj[v].push_back(edges.size());
659     edges.emplace_back(v, u, 0);
7B9   }
D41
AD2   ll dfs(int u, ll flow = 1e9){
87D     if(flow == 0) return 0;
B2A     if(u == sink) return flow;
D41
F73     for(int &i = ptr[u];  i < adj[u].size();  i++){
023       int at = adj[u][i];
C99       int v = edges[at].v;
D41
6A0       if(lvl[u] + 1 != lvl[v]) continue;
D41
A80       if(ll got = dfs(v, min(flow, edges[at].cap)) ){
6FA         edges[at].cap -= got;
E39         edges[at^1].cap += got;
529         return got;
B9F       }
5A7     }
D41
BB3     return 0;
95A   }
D41
838   bool bfs(){
26B     lvl = vector<int> (n, n);
91E     lvl[src] = 0;
D41
26A     queue<int> q;
8A7     q.push(src);
D41
14D     while(!q.empty()){
E4A       int u = q.front();
833       q.pop();
D41
E20       for(auto i : adj[u]){
628         int v = edges[i].v;
D41
1B2         if(edges[i].cap == 0 || lvl[v] <= lvl[u] + 1 )
      continue;
D41
97B         lvl[v] = lvl[u] + 1;
2A1         q.push(v);
714       }
3AF     }
710     return lvl[sink] < n;
752   }
D41
D6E   bool inCut(int u){ return lvl[u] < n; }
D41
FE4   ll maxFlow(){
04B     ll ans = 0;
6D4     while( bfs() ){
11B       ptr = vector<int> (n+1, 0);
CF2       while(ll got = dfs(src)) ans += got;
815     }
BA7     return ans;
E9E   }
D41
700   vector<pair<int,int>> MinCut() {
68C         vector<pair<int,int>> cut;
D41
E89     for (int i = 0; i < edges.size(); i += 2) {
E58           int&u = edges[i].u;
E74           int&v = edges[i].v;
D41
103           if (inCut(u) && !inCut(v)) {
866         cut.emplace_back(u, v);
```

```
4CD             }
BB6         }
D41
D1B     return cut;
D41
B5D     }
D41
D41   // all flow paths
5A2   void printPath(int maxflow) {
11B         ptr = vector<int>(n+1, 0);
D41
BCF         for (int i = 0; i < maxflow; i++) {
670             vector<int> currPath;
B10             int u = src;
74B             currPath.push_back(u);
D41
0F4             while (u != sink) {
AD1                 for (int& j = ptr[u]; j < adj[u].size();
    j++) {
030                     int at = adj[u][j];
D41
37E                     if (at % 2 == 0 && edges[at].cap ==
    0){
933                         u = edges[at].v;
74B                         currPath.push_back(u);
04B                         j++;
C2B                         break;
FC1                     }
C69                 }
FE0             }
D41
15B             cout << currPath.size() << br;
F3D             for(auto&i:currPath) cout << i << ' ';
0FC             cout << br;
D86         }
A12     }
D41
D41   // for bipartite match
CE1   void printPairs(int lft) {
D4A     for (int u = 1; u <= lft; u++) {
E11       for (int edge_id : adj[u]) {
E12         if (edge_id % 2 == 0 && edges[edge_id].cap == 0)
    {
8E7           int v = edges[edge_id].v;
5EF           cout << u << " " << v - lft << br;
8AA         }
D4C       }
BFC     }
91B   }
D41
A43 };
```

4.11 DominatorTree

Dominator Tree & **Edge Dominator**

```
Seja S um no de um grafo direcionado, um vertice U
     domina V sse todo caminho de S para V passa por U.
A definicao e semelhante para aresta.
S sempre sera a raiz da dominator Tree e a relacao e
     transitiva.

- Relacionado: Strong Bridges e Strong Cut Points
Vertice ou Aresta que, se removido, aumenta a quantidade
      de SCCs.
Seja G um SCC e GR seu grafo reverso, podemos calcular
     as Strong Bridges e Strong Cut Points usando
     Dominators e EdgeDominators.
Seja S a raiz escolhida, calcule os dominators partindo
     de S em G. Depois troque G e Gr e recalcule.
  build(n, 0); getDom(); for(int u=0; u<n; u++) swap(g[u
      ], gr[u]); build(n, 0); getDom();
Os strong dominators serao a uniao dos dois conjuntos.
A unica excessao e S, que sempre sera um dominator por
     ser a raiz, ele deve ser considerado a parte.
Se G nao for um SCC, use tarjan pra encontrar os SCCs e
     isole cada chamada do Build e da DFS a um SCC.
```

```
1A1 const int maxn = 1e5;
FFA int anc[maxn], par[maxn], pmin[maxn];
E2B int sdom[maxn], idom[maxn];
2E0 int tin[maxn], tout[maxn];
A74 vector<int> g[maxn];
447 vector<int> gr[maxn];
24C vector<int> tree[maxn];
165 vector<int> bucket[maxn];
55B vector<int> order;

952 int tt=0;
315 void dfs(int u){
0A0   tin[u] = tt++;
DFF   sdom[u] = pmin[u] = u;
C75   order.push_back(u);
D41
70D   for(auto v : g[u])
4FD     if(tin[v] == -1)
B44       dfs(v), par[v] = u;
87F }

004 int sfind(int v){
842   if(anc[v] == -1) return v;
8CD   if(anc[anc[v]] != -1){
469     int u = sfind(anc[v]);
19E     if(tin[sdom[u]] < tin[sdom[pmin[v]]]) pmin[v] = u;
712     anc[v] = anc[u];
250   }
B43   return pmin[v];
CC9 }

9E2 void treefs(int u){
8CA   tin[u] = ++tt;
26C   for(auto v : tree[u])
79F     treefs(v);
A6B   tout[u] = tt;
193 }

490 bool dominates(int u, int v){
5EE   return tin[u] <= tin[v] && tin[v] <= tout[u];
137 }

3E5 void build(int n, int s){
64A   memset(anc, -1, sizeof anc);
3D6   memset(tin, -1, sizeof tin);
D41
C6C   dfs(s);
D41
4A0   reverse(begin(order), end(order)); order.pop_back();
D41
66C   auto smin = [&](int u, int v){
934     return tin[sdom[u]] < tin[sdom[v]] ? sdom[u] : sdom[
    v];
1C9   };
D41
BA5   for(auto w : order){
080     for(auto v : gr[w]) sdom[w] = smin(w, sfind(v));
758     anc[w] = par[w];
680     bucket[sdom[w]].push_back(w);
D41
D78     for(auto v : bucket[par[w]]){
82D       int u = sfind(v);
977       idom[v] = (u == v) ? sdom[v] : u;
FEF     }
97C     bucket[anc[w]].clear();
1D7   }
D41
3B9   reverse(begin(order), end(order));
D41
879   for(auto u : order)
675     if(idom[u] != sdom[u])
7E1       idom[u] = idom[idom[u]];
D41
1E9   idom[s] = -1;
087   for(auto i : order) tree[idom[i]].push_back(i);
A87   treefs(s);
D41   // edgeDominator(order);
4DC }

489 auto edgeDominator(vector<int>&nodes){
45C   vector<pair<int, int>> edges;
95A   for(auto w : nodes){
CE4     int cnt = 0, okok = true;
945     for(auto x : gr[w]) if(x == par[w]) cnt++; else okok
      &= dominates(w, x);
05A     if(okok && cnt == 1) edges.push_back({par[w], w});
5E5   }
DA2   return edges;
44C }
```

4.12 Euler Path

Euler Path - Algoritmo de Hierholzer para caminho Euleriano - O(V + E)

```
IMPORTANTE! O algoritmo esta 0-indexado

* Informacoes
  addEdge(u, v) -> Adiciona uma aresta de U para V
  EulerPath(n) -> Retorna o Euler Path, ou um vetor
       vazio se impossivel
  vi path -> vertices do Euler Path na ordem
  vi pathId -> id das Arestas do Euler Path na ordem

Euler em Undirected graph:
  - Cada vertice tem um numero par de arestas (circuito)
       ; OU
  - Exatamente dois vertices tem um numero impar de
       arestas (caminho);
Euler em Directed graph:
  - Cada vertice tem quantidade de arestas |entrada| ==
       |saida| (circuito); OU
  - Exatamente 1 tem |entrada|+1 == |saida| &&
       exatamente 1 tem |entrada| == |saida|+1 (caminho)
       ;
* Circuito -> U e o primeiro e ultimo
* Caminho  -> U e o primeiro e V o ultimo
```

```
0C1 #define vi vector<int>

210 const bool BIDIRECIONAL = true;
161 vector<pii> g [MAXN];
CBD vector<bool> used;
```

```
FAE void addEdge(int u, int v){
F07   g[u].emplace_back(v, used.size()); if(BIDIRECIONAL &&
    u != v)
F57   g[v].emplace_back(u, used.size());
EDA   used.emplace_back(false);
A16 }

EFB pair<vi, vi> EulerPath(int n, int src=0){
79C   int s=-1, t=-1;
E4D   vector<int> selfLoop(n*BIDIRECIONAL, 0);
D41
C30   if(BIDIRECIONAL)
F95   {
BC5     for(int u=0; u<n; u++) for(auto&[v, id] : g[u]) if(u
    ==v) selfLoop[u]++;
19E     for(int u=0; u<n; u++)
181       if((g[u].size() - selfLoop[u])%2)
A4F         if(t != -1) return {vi(), vi()};   // mais que 2
    com grau impar
F8A         else t = s, s = u;
D41
C0E     if(t == -1 && t != s) return {vi(), vi()}; // so 1
    com grau impar
E78     if(s == -1 || t == src) s = src;           // se
    possivel, seta start como src
0D3   }
295   else
F95   {
8E2     vector<int> in(n, 0), out(n, 0);
D41
19E     for(int u=0; u<n; u++)
006       for(auto [v, edg] : g[u])
8C0         in[v]++, out[u]++;
D41
19E     for(int u=0; u<n; u++)
074       if(in[u] - out[u] == -1 && s == -1) s = u;  else
3C0       if(in[u] - out[u] ==  1 && t == -1) t = u;  else
825       if(in[u] !=out[u]) return {vi(), vi()};
D41
755     if(s == -1 && t == -1) s = t = src;         // se
    possivel, seta s como src
A6E     if(s == -1 && t != -1) return {vi(), vi()}; //
    Existe S mas nao T
1E2     if(s != -1 && t == -1) return {vi(), vi()}; //
    Existe T mas nao S
9D3   }
D41
460   for(int i=0; g[s].empty() && i<n; i++) s =(s+1)%n; //
    evita s ser vertice isolado
D41
D41   /////// DFS ///////
66A   vector<int> path, pathId, idx(n, 0);
982   stack<pii> st; // {Vertex, EdgeId}
D1E   st.push({s, -1});
D41
6F2   while(!st.empty()){
723     auto [u, edg] = st.top();
E44     while(idx[u] < g[u].size() && used[g[u][idx[u]].
    second]) idx[u]++;
D41
F22     if(idx[u] < g[u].size()){
EED       auto [v, id] = g[u][idx[u]];
3C1       used[id] = true;
F26       st.push({v, id});
5E2       continue;
C50     }
D41
960     path.push_back(u);
E1A     pathId.push_back(edg);
25A     st.pop();
CFD   }
D41
301   pathId.pop_back();
023   reverse(begin(path),   end(path));
6FF   reverse(begin(pathId), end(pathId));
D41
D41   ///  Grafo conexo ? ///
ADC   int edgesTotal = 0;
B9F   for(int u=0; u<n; u++) edgesTotal += g[u].size() + (
    BIDIRECIONAL ? selfLoop[u] : 0);
0A8   if(BIDIRECIONAL) edgesTotal /= 2;
934   if(pathId.size() != edgesTotal) return {vi(), vi()};
D41
438   return {path, pathId};
861 }
```

4.13 Euler Tour

```
1D8 ll vals[N];
13D int tin[N], tout[N];
9D7 vector<vector<int>> adj(N);
2DC int timer = 0;

70F void euler(int node, int prev) {
75C     tin[node] = timer++;
438     for(int v : adj[node]) {
256         if(v != prev) {
03D             euler(v, node);
649         }
D31     }
009     tout[node] = timer;
5B0 }

C94 bool ancestor(int u, int v) {
B6F     return tin[u] <= tin[v] && tout[u] >= tout[v];
892 }

D41 // Pre-processamento de LCA usando Seg Tree
D41 // queries em O(log N) com pre-processamento em O(N)

BC3 const int N = 100000;

22E int tin[N], euler_list[2*N];
9D7 vector<vector<int>> adj(N);
2DC int timer = 0;

97D int seg_lca[8*N];

70F void euler(int node, int prev) {
894     tin[node] = timer;
797     euler_list[timer++] = node;
438     for(int v : adj[node]) {
256         if(v != prev) {
03D             euler(v, node);
797             euler_list[timer++] = node;
E30         }
BF8     }
EEA }

823 int join(int x, int y) {
3B3     if(x == -1) {
014         return y;
565     }
4CA     if(y == -1) {
EA5         return x;
498     }
6DC     return (tin[x] < tin[y] ? x : y);
031 }

BF9 void build(int l = 0, int r = timer-1, int idx = 0) {
893     if(l == r) {
4E8         seg_lca[idx] = euler_list[l];
505         return;
B25     }
AE0     int mid = (l+r)/2;
8E4     build(l, mid, 2*idx+1);
2F1     build(mid+1, r, 2*idx+2);
325     seg_lca[idx] = join(seg_lca[2*idx+1], seg_lca[2*idx
    +2]);
BE0 }

531 int query(int L, int R, int l = 0, int r = timer-1, int
    idx = 0) {
AD8     if(R < l || L > r) {
DAA         return -1;
E2F     }
761     if(L <= l && r <= R) {
776         return seg_lca[idx];
E5D     }
AE0     int mid = (l+r)/2;
9D8     return join(query(L, R, l, mid, 2*idx+1), query(L, R
    , mid+1, r, 2*idx+2));
C8E }

310 int lca(int u, int v) {
306     if(tin[u] > tin[v]) {
7FA         swap(u, v);
252     }
4E3     return query(tin[u], tin[v]);
E53 }
```

4.14 Floyd-Warshall

```
658 const int MAXN = 5e2;
222 const int INF = 1e18;

1A8 int n;
4A0 ll g[MAXN][MAXN];

08A void floyd()
F95 {
B9B   for (int k = 0; k < n; ++k)
6CB     for (int i = 0; i < n; ++i)
A9E       for (int j = 0; j < n; ++j)
C23         if (g[i][k] < INF && g[k][j] < INF)
46A           g[i][j] = min(g[i][j], g[i][k] + g[k][j]);
B25 }
```

4.15 HLD

Heavy-Light Decomposition

Complexity: O(LogN * (qry || updt))

Change qry(l, r) and updt(l, r) to call a query and update structure of your will

```
HLD hld(n); //call init
hld.add_edges(u, v); //add all edges
hld.build(); //Build everthing for HLD

tin[u] -> Pos in the structure (Seg, Bit, ...)
nxt[u] -> Head/Endpoint
IMPORTANTE! o grafo deve estar 0-indexado!
```

```
EAA const bool EDGE = false;
403 struct HLD {
673 public:
789   vector<vector<int>> g;
575   vector<int> sz, parent, tin, nxt;
011   SegTree<int> seg;
C05   HLD() : seg(1) {}
08E   HLD(int n) : seg(n) { init(n); }
940   void init(int n){
341     t = 0; seg = SegTree<int>(n);
8F5     g.resize(n); tin.resize(n);
7BA     sz.resize(n);nxt.resize(n);
62B     parent.resize(n);
94C   }
FAE   void addEdge(int u, int v){
7EA     g[u].emplace_back(v);
4A3     g[v].emplace_back(u);
1DB   }
1F8   void build(int root=0){
E4A     nxt[root]=root;
043     dfs(root, root);
7D9     hld(root, root);
F40   }
3D1   ll query_path(int u, int v){
0E8     if(tin[u] < tin[v]) swap(u, v);
D63     if(nxt[u] == nxt[v]) return qry(tin[v]+EDGE, tin[u])
    ;
7C8     return qry(tin[nxt[u]], tin[u]) + query_path(parent[
    nxt[u]], v);
C6B   }
2F3   void update_path(int u, int v, ll x){
0E8     if(tin[u] < tin[v]) swap(u, v);
D55     if(nxt[u] == nxt[v]) return updt(tin[v]+EDGE, tin[u
    ], x);
0A7     updt(tin[nxt[u]], tin[u], x); update_path(parent[nxt
    [u]], v, x);
177   }
D41
BF2 private:
2E7   ll qry(int l, int r){ if(EDGE && l>r) return seg.
    NEUTRO; return seg.query(l, r); }
CB5   void updt(int l, int r, ll x){ if(EDGE && l>r) return;
     seg.update(l, r, x); }
D41
FB6   void dfs(int u, int p){
573     sz[u] = 1, parent[u] = p;
E69     for(auto &v : g[u]) if(v != p) {
1FB       dfs(v, u); sz[u] += sz[v];
D41
14A       if(sz[v] > sz[g[u][0]] || g[u][0] == p)
06F         swap(v, g[u][0]);
7E2     }
53F   }
D41
6BB   int t=0;
11E   void hld(int u, int p){
2C6     tin[u] = t++;
BF0     for(auto &v : g[u]) if(v != p)
B18       nxt[v] = (v == g[u][0] ? nxt[u] : v),
42C       hld(v, u);
36C   }
D41
D41   /// OPTIONAL ///
310   int lca(int u, int v){
582     while(!inSubtree(nxt[u], v)) u = parent[nxt[u]];
E1D     while(!inSubtree(nxt[v], u)) v = parent[nxt[v]];
40A     return tin[u] < tin[v] ? u : v;
AEB   }
65E   bool inSubtree(int u, int v){ return tin[u] <= tin[v]
    && tin[v] < tin[u] + sz[u]; }
D41   //query/update_subtree[tin[u]+EDGE, tin[u]+sz[u]-1];
095   vector<pair<int, int>> pathToAncestor(int u, int a){
F77       vector<pair<int, int>> ans;
7F3       while(nxt[u] != nxt[a])
FCA         ans.emplace_back(tin[nxt[u]], tin[u]),
5C3         u = parent[nxt[u]];
B35       ans.emplace_back(tin[a], tin[u]);
BA7       return ans;
52A     }
7CA };
```

4.16 Kahn's

```
1A8 int n;
98B vector<vector<int>>& adj;



163 vector<int> toposort() {
9C2     vector<int> deg(n, 0);
19F     for (int u = 0; u < n; ++u) {
372         for (int v : adj[u]) {
418             deg[v]++;
584         }
6F9     }
D41
26A     queue<int> q;
BAE     for (int i = 0; i < n; ++i) {
992         if (deg[i] == 0) {
3F2             q.push(i);
2A6         }
0B4     }
D41
6C1     vector<int> ord;
14D     while (!q.empty()) {
E4A         int u = q.front();
833         q.pop();
153         ord.push_back(u);
D41
372         for (int v : adj[u]) {
90C             deg[v]--;
12D             if (deg[v] == 0) {
2A1                 q.push(v);
175             }
977         }
112     }
D41
342     return ord;
B9B }
```

4.17 Kruskal

```
D41 /*Create a DSU*/
310 void join(int u, int v); int find(int u);

229 const int MAXN = 1e6 + 5;
264 struct Aresta{ int u, v, c; };
1DB bool compAresta(Aresta a, Aresta b){ return a.c < b.c; }

B83 vector<Aresta> arestas;       //Lista de Arestas

4F3 int kruskal(){
76A   sort(begin(arestas), end(arestas), compAresta); //
    Ordena pelo custo
3BD   int resp = 0;          //Custo total da MST
D41
67E   for(auto a : arestas)
8EC     if( find(a.u) != find(a.v) )
F95     {
801       resp += a.c;
24B       join(a.u, a.v);
27D     }
68A   return resp;
EAB }
```

4.18 LCA

LCA - Lowest Common Ancestor - **Binary Lifting** - O(Log N) - Build O(N Log N)

Encontrar o menor ancestral comum entre dois vertices em uma arvore enraizada

IMPORTANTE! O algoritmo esta 0-indexado

- -> chame dfs(root, root) para calcular o pai e a altura de cada vertice
- -> chame buildBL() para criar a matriz do Binary Lifting
- -> chame lca(u, v) para encontrar o menor ancestral comum

bl[i][u] -> Binary Lifting com o (2^i)-esimo pai de u
lvl[u] -> Altura ou level de U na arvore

```
9EC const int MAXN = 5e5 + 5;
256 const int MAXLG = 20;

282 vector<int> g[MAXN];
A87 int bl[MAXLG][MAXN], lvl[MAXN];

80E void dfs(int u, int p, int l=0){
34C   lvl[u] = l;
4FB   bl[0][u] = p;
D41
E8B   for(auto v : g[u]) if(v != p)
0C5     dfs(v, u, l+1);
671 }

555 void buildBL(int N){
977   for(int i=1; i<MAXLG; i++)
51F     for(int u=0; u<N; u++)
69C       bl[i][u] = bl[i-1][bl[i-1][u]];
59A }

310 int lca(int u, int v){
DC4   if(lvl[u] < lvl[v]) swap(u, v);
D41
D07   for(int i=MAXLG-1; i>=0; i--)
```

```
179     if(lvl[u] - (1<<i) >= lvl[v])
319       u = bl[i][u];
D41
60E   if(u == v) return u;
D41
D07   for(int i=MAXLG-1; i>=0; i--)
BFA     if(bl[i][u] != bl[i][v])
E01       u = bl[i][u],
4BC       v = bl[i][v];
D41
68E   return bl[0][u];
381 }

D41 // K steps
1A8 int n;
48B const int LOG = 31;
0A3 const int MAXN = 2e5 + 5;

B0C int up[LOG][MAXN];
AD9 void bin_lift() {
EF6     for(int i = 1; i < LOG; i++) {
578         for(int j = 0; j < n; j++) {
F01             up[i][j] = up[i-1][up[i-1][j]];
F90         }
E63     }
A81 }

715 int kSteps(int v, int k) {
EAA     for(int i = 0; i < LOG; i++) {
519         if(k & (1LL << i)) {
042             v = up[i][v];
06B         }
E4B     }
6DC     return v;
C08 }
```

4.19 MinCostMaxFlow

```
E9B struct Edge {
F0B   int u, v; ll cap, cost;
DC4   Edge(int u, int v, ll cap, ll cost) : u(u), v(v), cap(
    cap), cost(cost) {}
49B };

6F3 struct MCMF {
878   const ll INF = numeric_limits<ll>::max();
DA6   int n, src, snk;
903   vector<vector<int>> adj;
321   vector<Edge> edges;
39D   vector<ll> dist, pot;
E3B   vector<int> from;
D41
00D   MCMF(int n, int src, int snk) : n(n), src(src), snk(
    snk) { adj.resize(n); pot.resize(n); }
D41
461   void addEdge(int u, int v, ll cap, ll cost){
471     adj[u].push_back(edges.size());
986     edges.emplace_back(u, v, cap, cost);
D41
282     adj[v].push_back(edges.size());
29F     edges.emplace_back(v, u, 0, -cost);
CA1   }
D41
26A   queue<int> q;
B57   vector<bool> vis;
791   bool SPFA(){
EF2     dist.assign(n, INF);
0B5     from.assign(n, -1);
543     vis.assign(n, false);
D41
8A7     q.push(src);
E13     dist[src] = 0;
D41
14D     while(!q.empty()){
E4A       int u = q.front();
833       q.pop();
D41
776       vis[u] = false;
D41
E20       for(auto i : adj[u]){
F42         if(edges[i].cap == 0) continue;
628         int v = edges[i].v;
99A         ll cost = edges[i].cost;
D41
148         if(dist[v] > dist[u] + cost + pot[u] - pot[v]){
DEC           dist[v] = dist[u] + cost + pot[u] - pot[v];
203           from[v] = i;
A1A           if(!vis[v]) q.push(v), vis[v] = true;
888         }
652       }
344     }
D41
19E     for(int u=0; u<n; u++)  //fix pot
067       if(dist[u] < INF)
AB7         pot[u] += dist[u];
D41
071     return dist[snk] < INF;
532   }
D41
B84   pair<ll, ll> augment(){
20B     ll flow = edges[from[snk]].cap, cost = 0; //fixed
    flow: flow = min(flow, remainder)
D41
473     for(int v=snk; v != src; v = edges[from[v]].u)
73D       flow = min(flow, edges[from[v]].cap),
871       cost += edges[from[v]].cost;
D41
473     for(int v=snk; v != src; v = edges[from[v]].u)
86A       edges[from[v]].cap    -= flow,
674       edges[from[v]^1].cap += flow;
D41
884     return {flow, cost};
890   }
D41
164   bool inCut(int u){ return dist[u] < INF; }
D41
6DC   pair<ll, ll> maxFlow(){
D7D     ll flow = 0, cost = 0;
D41
4EB     while( SPFA() ){
274       auto [f, c] = augment();
C87       flow += f;
BFC       cost += f*c;
35C     }
884     return {flow, cost};
D37   }
586 };
```

4.20 SCC - Kosaraju

Kosaraju - Strongly Connected Component
Algoritmo de Kosaraju para encontrar Componentes Fortemente Conexas

Complexity: O(V + E)
IMPORTANTE! O algoritmo esta 0-indexado

* **Variaveis e explicacoes** *
int C -> C e a quantidade de Componetes Conexas. As componetes estao numeradas de 0 a C-1
dag -> Apos rodar o Kosaraju, o grafo das componentes conexas sera criado aqui
comp[u] -> Diz a qual componente conexa U faz parte
g -> grafo direcionado
gr -> grafo reverso (que deve ser construido junto ao grafo normal) !!!

NOTA: A ordem que o Kosaraju descobre as componentes e uma Ordenacao Topologica do SCC
em que o dag[0] nao possui grau de entrada e o dag[C-1] nao possui grau de saida

```
229 const int MAXN = 1e6 + 5;

C3B vector<int> g[MAXN],  gr[MAXN], dag[MAXN];
A87 vector<int> comp, order;
B57 vector<bool> vis;
1EC int C = 0;

315 void dfs(int u){
B9C   vis[u] = true;
B41   for(auto v : g[u]) if(!vis[v])
6B4     dfs(v);
C75   order.push_back(u);
9C4 }

DD1 void dfsr(int u){
361   comp[u] = C;
D4E   for(auto v : gr[u]) if(comp[v] == -1)
AEF     dfsr(v);
595 }

955 void kosaraju(int n){
070   order.clear();
E28   comp.assign(n, -1);
543   vis.assign(n, false);
796   C = 0;
D41
54F   for(int v=0; v<n; v++) if(!vis[v])
6B4     dfs(v);
D41
3B9   reverse(begin(order), end(order));
D41
E3F   for(auto v : order) if(comp[v] == -1)
CA8     dfsr(v), C++;
D41
D41   //// Montar DAG  ////
78F   vector<bool> marc(C, false);
D41
687   for(int u=0; u<n; u++){
7B9     for(auto v : g[u]){
264       if(comp[v] == comp[u] || marc[comp[v]]) continue;
D41
812       marc[comp[v]] = true;
F26       dag[comp[u]].emplace_back(comp[v]);
661     }
C7B     for(auto v : g[u]) marc[comp[v]] = false;
```

```
556   }
013 }
```

4.21 Tarjan

Tarjan - Pontes e Pontos de Articulacao - O(V + E)
Algoritmo para encontrar pontes e pontos de articulacao.

pre[u]= "Altura", ou, x-esimo elemento visitado na DFS. Usado para saber a posicao de um vertice na arvore de DFS
low[u]= Low Link de U, ou a menor aresta de retorno (mais proxima da raiz) que U alcanca entre seus filhos
chd = Children. Quantidade de componentes filhos de U. Usado para saber se a Raiz e Ponto de Articulacao.
any = Marca se alguma aresta de retorno em qualquer dos componentes filhos de U nao ultrapassa U. Se isso for verdade, U e Ponto de Articulacao.

if(low[v] > pre[u]) pontes.emplace_back(u, v); -> se a mais alta aresta de retorno de V (ou o menor low) estiver abaixo de U, entao U-V e ponte
if(low[v] >= pre[u]) any = true; -> se a mais alta aresta de retorno de V (ou o menor low) estiver abaixo de U ou igual a U, entao U e Ponto de Articulacao

```
229 const int MAXN = 1e6 + 5;
F4C int pre[MAXN], low[MAXN], clk=0;
282 vector<int> g[MAXN];

A2B vector<pair<int, int>> pontes;
252 vector<int> cut;

CF2 void tarjan(int u, int p = -1){
FF7   if(p == -1) memset(pre, -1, sizeof pre); //so chama na
      root
FD2   pre[u] = low[u] = clk++;
034   int any = false, chd = 0;
D41
DD3   for(auto v : g[u]) if(v != p){
EE1     if(pre[v] == -1){
3D2       tarjan(v, u);
D41
E7F       low[u] = min(low[v], low[u]);
D41
334       if(low[v] >  pre[u]) pontes.emplace_back(u, v);
23A       if(low[v] >= pre[u]) any = true;
87D       chd++;
F1C     }
553     else low[u] = min(low[u], pre[v]);
E15   }
D41
B82   if(p == -1 && chd >= 2) cut.push_back(u);
5F3   if(p != -1 && any)      cut.push_back(u);
ECF }
```

4.22 bridges-cutpoints

```
DF6 #define ff first
A94 #define ss second


495 int dx[] = {0,0,1,-1};
B0A int dy[] = {1,-1,0,0};


14E int n, m;
903 vector<vector<int>> adj;
C2F int timer;

D41 // for the normal graph
591 vector<bool> visited;
C80 vector<int> tin, low, points;
832 vector<bool> is_cutpoint;


D41 // for the grid
1F4 vector<vector<bool>> visGrid;
E0D vector<vector<pair<int,int>>> times;
EAA vector<pair<int,int>> pointsGrid;
C5B vector<vector<bool>> is_cutpointGrid;

D41 //find bridges
0CC vector<pair<int, int>> bridges;

D41 ///////////////// - setup - //////////////////


553 void dfs_bridges(int v, int p = -1) {
E75     visited[v] = true;
F3D     tin[v] = low[v] = timer++;
D41
A39     for (int to : adj[v]) {
756         if (to == p) continue;
20A         if (visited[to]) {
6DE             low[v] = min(low[v], tin[to]);
AD0         } else {
1F3             dfs_bridges(to, v);
575             low[v] = min(low[v], low[to]);
D41
716             if (low[to] > tin[v]) {
C13                 bridges.push_back({min(v, to), max(v, to
    )});
4FC             }
5E3         }
778     }
B55 }


025 void dfs(int v, int p = -1) {
E75     visited[v] = true;
F3D     tin[v] = low[v] = timer++;
E07     int children=0;
A39     for (int to : adj[v]) {
756         if (to == p) continue;
20A         if (visited[to]) {
6DE             low[v] = min(low[v], tin[to]);
AD0         } else {
A72             dfs(to, v);
575             low[v] = min(low[v], low[to]);
399             if (low[to] >= tin[v] && p!=-1 && !
    is_cutpoint[v]) {
51B                 points.push_back(v); //v is a cutpoint
78B                 is_cutpoint[v] = true;
A25             }
42C             ++children;
988         }
C38     }
2B0     if(p == -1 && children > 1 ) {
51B         points.push_back(v); //v (the root of the dfs)
    is a cutpoint
78B         is_cutpoint[v] = true;
5C3     }
A81 }


E4D bool check(int x, int y) { return x >= 0 && x < n && y
    >= 0 && y < m && adj[x][y]; }

E98 void dfsG(pair<int,int> v, pair<int,int> p={-1,-1}) {
97C     int& vf = v.ff;
CD1     int& vs = v.ss;
D41
D14     visGrid[vf][vs] = true;
70A     times[vf][vs] = {timer, timer}, timer++;
E07     int children=0;
1CD     for (int i = 0; i < 4; i++) {
6E4         int ax = dx[i] + vf;
C32         int ay = dy[i] + vs;
D41
FD1         if (!check(ax, ay) || (ax == p.ff && ay == p.ss)
    ) continue;
D41
955         if (visGrid[ax][ay]) times[vf][vs].ss = min(
    times[vf][vs].ss, times[ax][ay].ff);
4E6         else {
699             dfsG({ax, ay}, v);
E58             times[vf][vs].ss = min(times[vf][vs].ss,
    times[ax][ay].ss);
D41
71B             if (!is_cutpointGrid[vf][vs] && times[ax][ay
    ].ss >= times[vf][vs].ff && (p.ff != -1)) {
D6C                 pointsGrid.push_back(v);
A77                 is_cutpointGrid[vf][vs] = true;
A06             }
42C             ++children;
54F         }
522     }
267     if (!is_cutpointGrid[vf][vs] && p.ff == -1 &&
    children > 1) {
D6C         pointsGrid.push_back(v);
A77         is_cutpointGrid[vf][vs] = true;
2AB     }
C99 }

537 void find_cutpoints() {
451     timer = 0;
411     visited.assign(n, false);
393     is_cutpoint.assign(n, false);
CFD     tin.assign(n, -1);
DC4     low.assign(n, -1);
2FB     points.clear();
D41
D41     /*
82D     visGrid.assign(n, vector<bool>(m, false));
005     times.assign(n, vector<pair<int,int>>(m, {-1,-1}));
139     is_cutpointGrid.assign(n, vector<bool>(m, false));
C4C     */
D41
BAE     for (int i = 0; i < n; ++i) {
```

```
6AE         if (!visited[i]) {
1E5             dfs (i);
79A         }
267     }
73C }
```

4.23 gridBFS

```
495 int dx[] = {0,0,1,-1};
B0A int dy[] = {1,-1,0,0};

9FB int isvalid(int x, int y, int n, int m) {
7B7     return x >= 0 && y >= 0 && x < n && y < m;
75E }

B34 void bfs (vector<vector<int>>& graph, vector<vector<bool
    >>& visited, pair<int,int>& v) {
E04     int n =graph.size();
A88     int m = graph[0].size();
155     queue<pair<int,int>> q;
5D3     visited[v.first][v.second] = true;
1AA     q.push({v.first, v.second});
D41
14D     while (!q.empty()) {
837         auto [x, y] = q.front(); q.pop();
B32         FOR (i, 4) {
F82             int ax = x +dx[i];
EE1             int ay = y +dy[i];
D41
B7D             if (isvalid(ax,ay,n,m) && !visited[ax][ay])
    {
332                 visited[ax][ay] = true;
41A                 q.push({ax, ay});
12C             }
A4A         }
C39     }
00D }
```

5 Math

5.1 CRT

```
D40 #define ld long double

593 ll modinv(ll a, ll b, ll s0=1, ll s1=0){ return b == 0 ?
      s0 : modinv(b, a%b, s1, s0 - s1 * (a/b)); }
D8B ll mul(ll a, ll b, ll m){
C95   ll q = (ld)a*(ld)b / (ld)m;
1A8   ll r = a*b - q*m;
B8B   return (r + m) % m;
154 }

28D struct Equation {
4C5   ll mod, ans;
08F   bool valid;
0FC   Equation() { valid = false; }
5E2   Equation(ll a, ll m) { mod = m, ans = (a % m + m) % m,
      valid = true; }
4D3   Equation(Equation a, Equation b){
355     if(!a.valid || !b.valid){ valid = false; return; }
85C     ll g = gcd(a.mod, b.mod);
DBE     if((a.ans - b.ans) % g != 0){ valid = false; return;
      }
D41
AF0     valid = true;
B98     mod = a.mod * (b.mod / g);
2F6     ans = a.ans;
5E0     ans += mul( mul(a.mod,  modinv(a.mod, b.mod), mod),
       (b.ans - a.ans) / g, mod);
D41
C4C     ans = (ans % mod + mod) % mod;
2DB   }
634   Equation operator+(const Equation& b) const { return
      Equation(*this, b); }
E15 };
D41 // Equation eq1(2, 3); // x = 2 mod 3
D41 // Equation eq2(3, 5); // x = 3 mod 5
D41 // Equation ans = eq1 + eq2;
```

5.2 Catalan

```
E8D int main() {
5A1     ios_base::sync_with_stdio(0); cin.tie(nullptr);
2E5     vector<ll> cat_nums(11);
E46     cat_nums[0] = 1;
4EB     for(int i = 0; i < 10; i++) {
59D         cat_nums[i+1] = cat_nums[i] * ((2*i+2)*(2*i+1))
      /((i+2)*(i+1));
B41     }
BB3     return 0;
9CE }

D41 /* Alguns exemplos de como usar os numeros de Catalan

192 1. Cat(n) counts the number of distinct binary trees
      with n vertices, e.g. for n = 3:

FDD           *    *   *   *   *
BB1          /    /   / \   \   \
13B         *    *   *   *   *   *
66E        /      \         /     \
455       *        *       *       *

D80 2. Cat(n) counts the number of expressions containing n
      pairs of parentheses which are
6C7 correctly matched, e.g. for n = 3, we have: ()()(), (
      ()), (())(), ((())), and (()()).

6B5 3. Cat(n) counts the number of different ways n + 1
      factors can be completely parenthesized, e.g. for n = 3
       and 3 + 1 = 4 factors: {a, b, c, d}, we have: (ab)(cd)
      , a(b(cd)),
E88 ((ab)c)d, (a(bc))(d), and a((bc)d).

2BA 4. Cat(n) counts the number of ways a convex polygon (
      see Section 7.3) of n + 2 sides
094 can be triangulated. See Figure 5.1, left.

1AF 5. Cat(n) counts the number of monotonic paths along the
       edges of an n x n grid, which
17F do not pass above the diagonal. A monotonic path is one
      which starts in the lower
302 left corner, finishes in the upper right corner, and
      consists entirely of edges pointing
EEF rightwards or upwards. See Figure 5.1, right and also
      see Section 4.7.1.

C4C */
```

5.3 Combinatorics

```
42D vector<ll> fat, finv;

AEC void Combin(int n){  // precalc
7FD   fat.assign(n+1, 1);
6AD   for(int i=2; i<=n; i++) fat[i] = fat[i-1]*i % mod;
0EB   finv.assign(n+1, fexp(fat.back(), mod-2));
4DB   for(int i=n; i>0; i--) finv[i-1] = finv[i]*i % mod;
169 }

15E ll choose(ll n, ll k){ if(k>n||k<0) return 0;
404   return fat[n] * finv[k] % mod * finv[n-k] % mod;
3B6 }

86B ll chooseLinear(ll n, ll k){ //O(k) || min(k, n-k);
E11   k = max(k, n-k);
506   ll ans = 1, inv=1;
4D1   for(int i=n; i>k; i--) ans = ans*i % mod;
B7C   for(int i=1; i<=n-k; i++) inv = inv*i % mod;
891   return ans * fexp(inv, mod-2) % mod;
829 }

58B ll permRepetition(const vector<int> &cnt){
60B   ll n = accumulate(begin(cnt), end(cnt), 0ll), ans =
      fat[n];
C87   for(int x : cnt) ans = ans * finv[x] % mod;
BA7   return ans;
09A }

D41 //#Colorir N posicoes com exatamente K cores (equival
      stirling_2 * k!)
9DF ll RhymingK(ll n, ll k){ //O(K log N)
04B     ll ans = 0;
55D     for(int j=0; j<=k; j++)
12C         if(j&1) ans = (ans + mod - choose(k, k-j) * fexp
      (k-j, n) % mod) % mod;
A53         else    ans = (ans + mod + choose(k, k-j) * fexp
      (k-j, n) % mod) % mod;
BA7   return ans;
FFA }

D41 //#Colorir N posicoes de um colar com M cores (array
      circular)
758 ll burnsideLemma(ll n, ll m){
245     ll ans = fexp(m, n);
AA4     for(int i=1; i<n; i++)
16C         ans += fexp(m, gcd(i, n)), ans %= mod;
0A9     return ans * fexp(n, mod-2);
02E }


75D ll pascal[5001][5001]; // pascal[n][k] = choose(n, k);
B39 void Pascal(int N){
A4F   pascal[0][0] = 1;
B49   for(int n=1; n<=N; n++){
E6B     pascal[n][0] = pascal[n][n] = 1;
DEA     for(int k=1; k<n; k++)
6ED       pascal[n][k] = (pascal[n-1][k-1] + pascal[n-1][k])
      % mod;
2C1   }
C90 }


D41 ////////////////////////////
D41 ////// Stars and Bars //////
D41 ////////////////////////////

327 ll starsBars(ll n, ll k){ //O(choose)
BA7   return choose(n+k-1, n);
484 }
9B9 ll starsLowerBound(ll n, const vector<ll> &lw){ //O(k)
```

```
3D8   for(auto x : lw) n -= x;
6E7   return starsBars(n, lw.size());
981 }
2FF ll starsUpperBound(ll n, ll k, ll up){ //O(k)
04B   ll ans = 0;
238   for(int i=0; i<=k; i++)
1CC     ans += choose(k, i) * choose(n+k-1-(up+1)*i, k-1) %
      mod * (i&1? -1:+1);
BA7   return ans;
98D }
293 ll starsUpperBound(ll M, const vector<ll> &up){ //O(N*M)
652   int N = up.size();
D2A   vector dp(up.size()+1, vector<ll>(N+1));
624   for(int m=0; m<=M; m++) dp[0][m] = choose(N+m-1, m);
61C   for(int n=1; n<=N; n++)
655     for(int m=0; m<=M; m++)
163       dp[n][m] = dp[n-1][m] - (m-up[n-1]-1 < 0 ? 0 : dp[
      n-1][m-up[n-1]-1]);
11B   return dp[N][M];
789 }
5B3 ll starsLowerUpperBound(ll n, const vector<ll> &lw,
      const vector<ll> &up){ //O(N*M)
3D8   for(auto x : lw) n -= x;
229   return starsUpperBound(n, up);
41E }

D41 ///// Propriedades /////
777 ll sumNci (ll n){ return fexp(2, n); }              //SUM
      (0<=i<=n) choose(n,i);
3F6 ll sumicK (ll n, ll k){ return choose(n+1, k+1); } //SUM
      (0<=i<=n) choose(i,k);
E80 ll sumNKcK(ll n, ll k){ return choose(n+k+1, k); } //SUM
      (0<=i<=k) choose(n+i,i);
1D8 ll sumNsqr(ll n){ return choose(n+n, n); }         //SUM
      (0<=i<=n) choose(n,i)^2;
FC2 ll catalan(ll n){ return choose(2*n, n) * fexp(n+1, mod
      -2) % mod; }
```

5.4 FFT

Fast Fourier Transform for polynomials multiplication

conv(a, b) = c, where $c[x] = \sum a[i]b[x-i]$.

fft(a) computes $\hat{f}(k) = \sum_x a[x]\exp(2\pi i \cdot kx/N)$ for all k. N must be a power of 2.

Rounding is safe if $(\sum a_i^2 + \sum b_i^2)\log_2 N < 9 \cdot 10^{14}$ (in practice 10^{16}; higher for random inputs).

O(N log N) // N=|A|+|B| (1s N <= 2^22)

```
|  Four Sum i<j<k<l   ||    Tree Sum i<j<k      |
|iiii = vx4;          || iii = vx3;             |
|iiij = conv(vx3, v)  || iij = conv(vx2, v)     |
|iijj = conv(vx2, vx2)|| ijk = conv(v,v,v)      |
|iijk = conv(vx2, v,v)|| ans=(ijk-3*iij+2*iii)/6|
|ijkl = conv(v,v,v,v) ||  // vx3[i*3] = v[i] //
|ans = (ijkl -6*iijk +3*iijj +8*iiij -6*iiii) / 24
* similar pra FWHT, mas vx3 vira V^V^V ou V|V|V e etc...
```

```
8E9 #define ld double
A18 typedef complex<ld> CD;
FC7 const ld PI = acos(-1);

59B void fft(vector<CD> &a, bool inverse=false){
A5B   int n = a.size(), L = 31 - __builtin_clz(n);
808   vector<int> rev(n);
5EB   for(int i=0; i<n; i++) rev[i] = (rev[i/2] | (i&1)<<L)
     /2;
EE4   for(int i=0; i<n; i++) if(i<rev[i]) swap(a[i], a[rev[i
      ]]);
D41
7CD   for(int k=1; k<n; k<<=1){
D33     ld ang= PI / k * (inverse ? -1 : +1);
245     CD wlen(cos(ang), sin(ang));
C17     for(int i=0; i<n; i+=k+k){  CD w(1);
EBB       for(int j=0; j<k; j++, w *= wlen){
D54         CD u = a[i+j];
765         CD v = a[i+j+k] * w;
6C3         a[i+j] = u+v;
139         a[i+j+k] = u-v;
6C4       }
C30     }
A48   }
1E2   if(inverse) for (CD &x : a) x /= n;
FED }

17B vector<ld> conv(const vector<ld>& a, const vector<ld>& b
      ){
F88   if(a.empty() || b.empty()) return {}; //or(32-
      builtin_clz(m))
676   int m = a.size()+b.size()-1, n=1<<__bit_width(m-1);//
      ifcomp err
D41
5AB   vector<CD> fa(begin(a), end(a)); fa.resize(n);
773   vector<CD> fb(begin(b), end(b)); fb.resize(n);
D41
DF7   fft(fa); fft(fb);
5BA   for(int i=0; i<n; i++) fa[i] *= fb[i];
959   fft(fa, true);
D41
8FE   vector<ld> ans(m);
9CE   for(int i=0; i<m; i++) ans[i] = fa[i].real();
BA7   return ans;
BD7 }
```

5.5 FFT2in1

Fast Fourier Transform for polynomials multiplication

conv(a, b) = c, where $c[x] = \sum a[i]b[x-i]$.

fft(a) computes $\hat{f}(k) = \sum_x a[x]\exp(2\pi i \cdot kx/N)$ for all k. N must be a power of 2.

Rounding is safe if $(\sum a_i^2 + \sum b_i^2)\log_2 N < 9 \cdot 10^{14}$ (in practice 10^{16}; higher for random inputs).

O(N log N) // N=|A|+|B| (1s N <= 2^22)

```
|  Four Sum i<j<k<l   ||    Tree Sum i<j<k      |
|iiii = vx4;          || iii = vx3;             |
|iiij = conv(vx3, v)  || iij = conv(vx2, v)     |
|iijj = conv(vx2, vx2)|| ijk = conv(v,v,v)      |
|iijk = conv(vx2, v,v)|| ans=(ijk-3*iij+2*iii)/6|
|ijkl = conv(v,v,v,v) ||  // vx3[i*3] = v[i] //
|ans = (ijkl -6*iijk +3*iijj +8*iiij -6*iiii) / 24
* similar pra FWHT, mas vx3 vira V^V^V ou V|V|V e etc...
```

```
8E9 #define ld double //(10% slower if long double)
A18 typedef complex<ld> CD;

B4C void fft(vector<CD>& a){
A5B   int n = a.size(), L = 31 - __builtin_clz(n);
D41
F82   static vector<complex<long double>> R(2, 1);
6B4   static vector<CD> rt(2, 1);
D41
AD8   for(static int k = 2; k < n; k *= 2){
411     auto x = polar(1.0L, acos(-1.0L)/k);
E92     R.resize(n); rt.resize(n);
D41
1D3     for(int i=k; i<2*k; i++)
CD4       rt[i] = R[i] = i&1 ? R[i/2] * x : R[i/2];
040   }
D41
808   vector<int> rev(n);
5EB   for(int i=0; i<n; i++) rev[i] = (rev[i/2] | (i&1)<<L)
     /2;
EE4   for(int i=0; i<n; i++) if(i<rev[i]) swap(a[i], a[rev[i
      ]]);
D41
657   for(int k=1; k<n; k*=2)
1E5     for(int i=0; i<n; i+=2*k)
0C2       for(int j=0; j<k; j++){
CD2         auto x=(ld*)&rt[j+k], y=(ld*)&a[i+j+k];
219         CD z (x[0]*y[0] - x[1]*y[1], x[0]*y[1] + x[1]*y
      [0]);
D41       //  CD z = rt[j+k] * a[i+j+k]; //(~25% slower,but
      less code. Delete 2lines above)
20A         a[i+j+k] = a[i+j] - z;
1B0         a[i+j] += z;
707       }
F60 }

17B vector<ld> conv(const vector<ld>& a, const vector<ld>& b
      ){
F88   if(a.empty() || b.empty()) return {};
BBB   vector<ld> res(a.size() + b.size() - 1);
E9A   int n = 1<<(32 - __builtin_clz(res.size()));
D41
576   vector<CD> in(n), out(n);
F83   copy(begin(a), end(a), begin(in));
234   for(int i=0; i<b.size(); i++) in[i].imag(b[i]);
D41
21A   fft(in);
11C   for(auto& x : in) x *= x;
2FC   for(int i=0; i<n; i++) out[i] = in[-i&(n-1)] - conj(in
      [i]);
3D7   fft(out);
D41
E35   for(int i=0; i<res.size(); i++) res[i] = imag(out[i])
     / (4*n);
B50   return res;
733 }
```

5.6 FFTmod

Fast Fourier Transform for polynomials multiplication with **MOD** FFT com **ALTA PRECISAO** (nao precisa do mod, so coloque cut=1<<15)
Can be used for convolutions modulo arbitrary integers. as long as $N \log_2 N \cdot \text{mod} < 8.6 \cdot 10^{14}$ (in practice 10^{16} or higher).

```
!!! Inputs must be in [0, mod). !!!
Get the fft function from fft section.
O(N log N) // (2x slower than NTT or FFT)
```

```
#include "FFT.cpp"

template<const int mod> vector<ll> convMod(const vector<ll> &a, const vector<ll> &b){
  if (a.empty() || b.empty()) return {};
  vector<ll> res(a.size() + b.size() - 1);
  int B=32-__builtin_clz(res.size()), n=1<<B, cut=int(sqrt(mod));
  vector<CD> L(n), R(n), outs(n), outl(n);

    for(int i=0; i<a.size(); i++) L[i] = CD((int)a[i] / cut, (int)a[i] % cut);
  for(int i=0; i<b.size(); i++) R[i] = CD((int)b[i] / cut, (int)b[i] % cut);
    fft(L), fft(R);

  for(int i=0; i<n; i++){
    int j = -i&(n-1);
    outl[j] = (L[i] + conj(L[j])) * R[i] / (2.0 * n);
    outs[j] = (L[i] - conj(L[j])) * R[i] / (2.0 * n) / 1i;
  }
    fft(outl), fft(outs);

    for(int i=0; i<res.size(); i++){
    ll av = (ll)(real(outl[i])+.5) % mod;
    ll bv = (ll)(imag(outl[i])+.5) + (ll)(real(outs[i])+.5);
        ll cv = (ll)(imag(outs[i])+.5);
    res[i] = ((av * cut + bv) % mod * cut + cv) % mod;
  }
  return res;
}
```

5.7 FWHT

```
Fast Walsh Hadamard Transform - Convolucao de XOR, OR e AND
O(N log N)
```

```
template<const char op>
vector<ll> FWHT(vector<ll> a, const bool inv = false){
  int n = a.size();
  for(int len=1; len<n; len+=len)
    for(int i=0; i<n; i += 2*len)
      for(int j=0; j<len; j++){
        ll u = a[i+j], v = a[i+j+len];
        if(op == '^') a[i+j]   = u+v, a[i+j+len] = u-v;
        if(op == '|') a[i+j+len] = v + (inv ? -u : +u);
        if(op == '&') a[i+j]     = u + (inv ? -v : +v);
      }

  if(op=='^'&&inv) for(auto &x : a) x /= n;
  return a;
}

template<const char op>
vector<ll> multiply(vector<ll> a, vector<ll> b){
  int n=1; while(n < max(a.size(), b.size())) n*=2;
  a.resize(n, 0);  b.resize(n, 0);
  a = FWHT<op>(a); b = FWHT<op>(b);
  vector<ll> ans(n);
  for(int i=0; i<n; i++) ans[i] = a[i]*b[i] % mod;
  ans = FWHT<op>(ans, true);
  return ans;
}


const int mxlog = 17;
vector<ll> subset_multiply(vector<ll> a, vector<ll> b){
  //OPTIONAL
  int n = 1; while(n < max(a.size(), b.size())) n <<= 1;
  a.resize(n, 0);  b.resize(n, 0);
  vector<ll> ans(n, 0LL); vector A(mxlog+1, vector<ll>(n)), B = A;
  for(int i=0; i<n; i++) A[__builtin_popcount(i)][i]=a[i], B[__builtin_popcount(i)][i]=b[i];
  for(int i=0; i<=mxlog; i++) A[i] = FWHT<'|'>(A[i]), B[i] = FWHT<'|'>(B[i]);
  for(int i=0; i<=mxlog; i++){
    vector<ll> C(n);
    for(int x=0; x<=i; x++)
      for(int j=0; j<n; j++)
        C[j] += A[x][j] * B[i-x][j];

    C = FWHT<'|'>(C, true);
    for(int j=0; j < n; j++)
      if(__builtin_popcount(j) == i)
        ans[j] += C[j];
  }
  return ans;
}
```

5.8 GaussElimin

```
Eliminacao Gaussiana - O(N*N*M)

Resolve um sistema de equacoes lineares, escalonando a
     matriz;

Entrada       || Saida        || interpretacao
1  4  6   80  || 1  0  0  76  || X0 = 76
2  0  6  140  || 0  1  0  4   || X1 = 4
1  2  12  60  || 0  0  1  -2  || X2 = -2

Entrada       || Saida        || interpretacao
1  4  6  18   || 1  4  0  -6  || X0 = -4 * X1  - 6
0  0  6  24   || 0  0  1   4  || X2 =  4
1  4  3   6   || 0  0  0   0  || 0  =  0

* Se 0 != 0, o sistema nao tem solucao
* Variaveis do lado direito da equacao tem valor livre
```

```
template<typename T> struct Gauss {
  int n, m = 0;
  vector<vector<T>> mat;
  Gauss(int n) : n(n){}

  void addLine(vector<T> l = vector<T>()){
    l.resize(n, T(0));
    mat.push_back(l); m++;
  }
  void solve(){
    for(int c=0, i=0, g; c<n && i < m; c++, i+=!g){
      for(int j=i; j<m && mat[i][c] == T(0); j++)
        swap(mat[j], mat[i]);

      if(g = mat[i][c] == T(0)) continue;
      for(int j=n-1; j>=0; j--) mat[i][j] /= mat[i][c];

      for(int j=0; j<m; j++) if(i != j && mat[j][c] != T(0)){
        T alpha = mat[j][c];
        for(int k=i; k<n; k++)
          mat[j][k] -= mat[i][k] * alpha;
      }
    }
  }
  int isValid(){
    int pivos = 0;
    for(int i=0, c; i<m; i++){
      for(c=0; c<n-2; c++) if(mat[i][c] != T(0)) break;
      if(mat[i][c] != T(0)){ pivos++;
        for(int j=c+1; j<n-1; j++)
          if(mat[i][j] != T(0))
            pivos = -2*n;
      }
      else if(mat[i][n-1] != T(0)) return 0; // 0 = 1
    }
    return pivos == n-1 ? +1 : -1; // 1 - Solucao unica // 0 - Sem solucao // -1 - Infinitas solucoes
  }
  void print(){ for(auto v : mat){ for(auto x:v) cout<<x<<"\t"; cout<<"\n"; } }
  void printSolution(){ // OPTIONAL / FOR DEBUG
    for(int i=0, c; i<m; i++){
      for(c=0; c<n-2; c++) if(mat[i][c] != T(0)) break;
      if(mat[i][c] != T(0)) cout << "X" << c << " = ";
      else cout << "0  = ";
      for(int j=c+1; j<n-1; j++) if(mat[i][j] != T(0))
        cout << mat[i][j]*T(-1) << " * X" << j << "   + ";
      cout << mat[i][n-1] << endl;
    }
  }
};
```

5.9 Matrix

```
template<typename T> struct Matrix {
  vector<vector<T>> mat;
  int n, m;

  Matrix(int N, int M=0) : n(N), m(M?M:N){ mat.assign(n, vector<T>(m, 0)); }

  friend Matrix operator* (const Matrix &a, const Matrix &b){
    assert(a.m == b.n);
    Matrix ans(a.n, b.m);
    for(int i=0; i<a.n; i++)
      for(int j=0; j<b.m; j++)
        for(int k=0; k<a.m; k++)
          ans.mat[i][j] += a.mat[i][k] * b.mat[k][j];
    return ans;
  }
};

template<typename T> Matrix<T> inverse(Matrix<T> mat){
  int n = mat.n; assert(n == mat.m);
  Gauss<T> g(n+n);
```

```
603   for(int i=0; i<n; i++){
CEF     vector<T> line = mat.mat[i];
D7F     line.resize(n+n, 0); line[n+i] = 1;
841     g.addLine(line);
8A6   }
5A4   g.solve();
830   for(int i=0; i<n; i++)
B1F     mat.mat[i] = {begin(g.mat[i])+n, end(g.mat[i])};
B49   return mat;
F98 }
```

5.10 NTT

Number Theoretic Transform for polynomials multiplication MOD

conv(a, b) = c, where $c[x] = \sum a[i]b[x-i]$.

!!! Inputs must be in [0, mod). !!!

For manual convolution: NTT the inputs, multiply pointwise, divide by n, reverse(start+1, end), NTT back.
Consider using template<const ll mod, const ll root> in conv and ntt if you need more than one mod.
Mod primes must be of the form $2^a b + 1$,
Consider using CRT (Chinese Remainder Theorem) or FFTmod if you need a different MOD.
ntt(a) computes $\hat{f}(k) = \sum_x a[x] g^{xk}$ for all k, where $g = \text{root}^{(mod-1)/N}$.

O(N log N)

```
A6B const ll mod = 998244353, root = 62; //// 9e8 < mod1 < 1
    e9

15A void ntt(vector<ll> &a){
A5B   int n = a.size(), L = 31 - __builtin_clz(n);
D41
D51   static vector<ll> rt(2, 1);
8EE   for(static int k=2, s=2; k<n; k*=2, s++){
335     rt.resize(n);
8AA     ll z[] = {1, fexp(root, mod >> s)};
631     for(int i=k; i<2*k; i++) rt[i] = rt[i/2] * z[i&1] %
    mod;
E44   }
D41
808   vector<int> rev(n);
5EB   for(int i=0; i<n; i++) rev[i] = (rev[i / 2] | (i & 1)
    << L) / 2;
EE4   for(int i=0; i<n; i++) if (i < rev[i]) swap(a[i], a[
    rev[i]]);
D41
657   for(int k=1; k<n; k*=2)
1E5     for(int i=0; i<n; i+=2*k)
0C2       for(int j=0; j<k; j++){
86E         ll z = rt[j+k] * a[i+j+k] % mod, &ai =a[i+j];
598         a[i+j+k] = ai - z + (z>ai? mod:0);
4B8         ai += z - (ai+z>=mod? mod:0);
D6A       }
FB7 }

CCC vector<ll> conv(const vector<ll> &a, const vector<ll> &b
    ) {
F88   if (a.empty() || b.empty()) return {};
919   int s = a.size()+b.size()-1, B = 32 - __builtin_clz(s)
    , n = 1<<B;
D41
F94   vector<ll> L(a), R(b), out(n);
6B4   L.resize(n), R.resize(n);
D9E   ntt(L), ntt(R);
D41
649   int inv = fexp(n, mod - 2);
9CD   for(int i=0; i<n; i++) out[-i&(n-1)] = L[i]*R[i] % mod
      * inv % mod;
D41
EC9   ntt(out);
C20   return {out.begin(), out.begin() + s};
4BF }

A01 const ll mod2 = 918552577, root2 = 63; // 9e8 < mod2 < 1
    e9 //also valid mods
551 const ll mod3 = 7340033,   root3 = 25; // 7e6 < mod3 < 1
    e7
```

Computes the first LIM terms of $P(x)^K$ in O(n*limit)

```
9E3 vector<ll> power(vector<ll> &p, int k, int limit=-1){ //
    O(n*limit)
884   while(p.back() == 0) p.pop_back();
EF6   if(p.empty() || limit == 0) return {};
AAF   if(limit == -1) limit = (p.size()-1) * k;
D41
AB5   vector<ll> ans(limit+1, 0);
1F5   ans[0] = fexp(p[0], k);
D41
D36   for(int i=1; i<=limit; i++){
B60     for(int j=1; j <= i && j < p.size(); j++){
FE0       ans[i] += p[j] * ans[i-j] % mod * (k*j - (i-j)) %
    mod;
30D       ans[i] %= mod;
3E4     }
8A6     ans[i] = ans[i] * fexp(i * p[0] % mod, mod-2) % mod;
C37   }
BA7   return ans;
213 }
```

5.11 Sieve

```
A8C const int LIM = 1e6 + 5;
BDE bool isPrime[LIM];

CBD vector<int> sieve(){
076     memset(isPrime, 1, sizeof isPrime);
1F3     isPrime[0] = isPrime[1] = false;
D41
FD3     vector<int> primes;
A01     FOR(i, 2, LIM) {
5ED         if (isPrime[i]) {
E74             primes.push_back(i);
DBF             for(int j = i + i; j < LIM; j += i) isPrime[
    j] = false;
113         }
6EB     }
D41
A20     return primes;
1EA }
D41 // O(n*log(log n))


3E7 vector<int> calc_prime(int n){ // O(n log n)
781   vector<int> prime(n+1, 1);
D18   for(int i=2; i<=n; i++) if(prime[i] == i)
5A3     for(int j=i+i; j<=n; j+=i)
2F9       prime[j] = false;
AB1   return prime;
97D }

C08 vector<int> calc_phi(int n){ // O(n log n)
340   vector<int> phi(n+1);
606   for(int i=0; i<=n; i++) phi[i] = i;
301   for(int i=2; i<=n; i++) if(phi[i] == i)
B77     for(int j=i; j<=n; j+=i)
A9B       phi[j] -= phi[j] / i;
970   return phi;
2E1 }

8BB vector<int> calc_mobius(int n){ // O(n log n)
5C9   vector<int> mobius(n+1, 1), prime(n+1, 1);
10A   for(int i=2, j; i<=n; i++) if(prime[i])
7CD     for(mobius[i]=-1, j=i+i; j<=n; j+=i){
601       if((j/i)%i) mobius[j] *= -1;
4CD       else mobius[j] = 0;
2F9       prime[j] = false;
798     }
D78   return mobius;
621 }
```

5.12 StirlingNumbers

```
81D #include "Combinatorics.cpp"

0E0 ll st1[MAXN][MAXN];
55D void StirlingFirst_nn(){ // O(n^2)
55C   st1[0][0] = 1;
D41
E5E   for(int n=1; n<MAXN; n++)
871     for(int k=1; k<=n; k++)
3AA       st1[n][k] = (n-1) * st1[n-1][k] + st1[n-1][k-1];
C68 }

882 ll st2[MAXN][MAXN];
E95 void StirlingSecond_nn(){ // O(n^2)
524   st2[0][0] = 1;
D41
E5E   for(int n=1; n<MAXN; n++)
871     for(int k=1; k<=n; k++)
B3F       st2[n][k] = k * st2[n-1][k] + st2[n-1][k-1];
2BB }

D41 //// Fixed N ////
887 #include "NTT.cpp"

C6C vector<ll> shift(vector<ll> pol, ll n){ //para
    StirlingFirst
05B     ll s = pol.size(), k = 1;
5BF     vector<ll> a(s), b(s);
22C     for(int i=0; i<s; i++, k=k*n%mod){
377       a[i] = pol[i] * fat[i] % mod;
3F8       b[s-i-1] = k * finv[i] % mod;
F44     }
90A     a = conv(a, b);
10C     for(int i=0; i<s; i++) pol[i] = a[s-1+i] * finv[i] %
    mod;
B22     return pol;
7B6 }

8BD vector<ll> StirlingFirst(ll n, bool sign = false){  //O(
    n log^2 n) //lembrar do fat/finv
AD0   if(n == 0) return {1};
108   vector<ll> pol(n+1), q = n&1 ? StirlingFirst(n-1) :
    StirlingFirst(n/2);
```

```
D41
BE3   if(n&1){
891     for(int i=0; i<n-1; i++)
F2F       pol[i+1] = (q[i] + q[i+1] * (n-1)) % mod;
04C     pol[n] = 1;
8D4   }
884   else pol = conv(q, shift(q, n/2));
D41
B2C   if(sign&&n&1) for(int i=0; i<n/2+1; i++) pol[i*2]    =
    (mod - pol[i*2])    % mod;
FDF   if(sign>(n&1))for(int i=0; i<n/2;   i++) pol[i*2+1] =
    (mod - pol[i*2+1]) % mod;
D41
B22   return pol;
3E8 }

920 vector<ll> StirlingSecond(int n){ //O(n log^2 n) //
    lembrar do fat/finv
4F7   vector<ll> a(n+1), b(n+1);
690   for(int i=0; i<n+1; i++){
5D6     a[i] = fexp(i, n) * finv[i] % mod;
E3C     b[i] = i&1 ? mod - finv[i] : finv[i];
2F4   }
90A   a = conv(a, b);
6E9   return {begin(a), begin(a)+n+1};
D42 }
```

5.13 fexp

```
FF4 ll mod = 1e9 + 7;

4A0 ll fexp(ll b, ll p){
D54   ll ans = 1;
D08   while(p){
F66     if(p&1) ans = ans * b % mod;
8B5     b = b * b % mod;
8B8     p >>= 1;
486   }
BA7   return ans;
1AE }
D41 // O(Log P) // b - Base // p - Potencia

B44 Matrix<ll> Matfexp(Matrix<ll>& b, ll p){
0BF     Matrix<ll> ans(b.n);
BC6     FOR (i,0, b.n) ans.mat[i][i] = 1;
D41
D08     while(p) {
E70         if(p&1) ans = ans * b;
E04         b = b * b;
8B8         p >>= 1;
7F1     }
BA7     return ans;
E8F }
```

5.14 frac

```
C2D struct frac{
893   ll num, den;
8D2   frac(){}
90A   frac(ll num, ll den):num(num), den(den){
1E0     if(!num) den = 1;
E61     if(num > 0 && den < 0) num = -num,  den = -den;
16F     simplify();
012   }
C10   void simplify(){
664     ll g = __gcd(abs(num), abs(den));
DB3     if(g) num /= g,  den /= g;
984   }
57C   frac operator+(const frac& b){ return {num*b.den + b.
    num*den, den*b.den};}
8C4   frac operator-(const frac& b){ return {num*b.den - b.
    num*den, den*b.den};}
008   frac operator*(const frac& b){ return {num*b.num, den*
    b.den};}
37A   frac operator/(const frac& b){ return {num*b.den, den*
    b.num};}
F19   bool operator<(const frac& b)const{ return num*b.den <
     den*b.num; }
1A4 };
```

5.15 getprimes

```
327 #define FOR(i,j,n) for(int i = j; i < n; i++)
882 #define br '\n'


0DA int cntprimes(int n) {
87C     int ans = 1;
2ED     for (int i = 2; i*i <= n; i++) {
AC9         int cnt = 0;
D41
4CD         while (n % i == 0) {
135             n /= i;
F65             cnt++;
CC8         }
D41
EEB         if (cnt > 0) ans *= cnt+1;
EA8     }
D41
3D7     if (n > 1) ans *= 2;
BA7     return ans;
90A }
D41 // O(sqrt(n))


1B4  vector<pair<int,int>> getprimes(int n) {
B07     vector<pair<int,int>> primes;
2ED     for (int i = 2; i*i <= n; i++) {
AC9         int cnt = 0;
D41
4CD         while (n % i == 0) {
135             n /= i;
F65             cnt++;
CC8         }
D41
395         if (cnt > 0) primes.push_back({i, cnt});
FB3     }
D41
E69     if (n > 1) primes.push_back({n, 1});
A20     return primes;
420 }
D41 // O(sqrt(n))
```

5.16 mint

```
E54 struct mint {
60E   ll v = 0;
279   mint(ll x=0) : v((x%mod+mod)%mod){}
2D0   mint operator+ (const mint &b) const { ll a = v+b.v;
    return a < mod ? a : a-mod; }
348   mint operator- (const mint &b) const { ll a = v-b.v;
    return a <  0  ? a+mod : a; }
AE3   mint operator* (const mint &b) const { return v * b.v
    % mod; }
834   mint operator/ (const mint &b) const { return v * fexp
    (b.v, mod-2) % mod;  }
6C4 };
D41 // Extra Operators - Bool Operators
A7B bool operator==(const mint&a, const mint &b){ return a.v
     == b.v; }
2F6 bool operator!=(const mint&a, const mint &b){ return a.v
     != b.v; }
6AB bool operator< (const mint&a, const mint &b){ return a.v
     <  b.v; }
D41 // Assignment Operators
D49 mint operator+= (mint&a, const mint &b){ return a = a +
    b; }
373 mint operator-= (mint&a, const mint &b){ return a = a -
    b; }
005 mint operator*= (mint&a, const mint &b){ return a = a *
    b; }
74C mint operator/= (mint&a, const mint &b){ return a = a /
    b; }
```

5.17 random

```
C8A mt19937 rng(chrono::steady_clock::now().time_since_epoch
    ().count());
D41 //int x = rng();

463 int uniform(int l, int r){
A7F   uniform_int_distribution<int> uid(l, r);
F54   return uid(rng);
D9E }
```

5.18 utils

```
6AF #define i128 __int128_t




D49 ll gcd_ll(ll a, ll b) {
495     while (b != 0) {
CB1         ll t = a % b;
CE1         a = b;
D59         b = t;
C2D     }
3F5     return a;
BF7 }

A6D ll lcm_ll(ll a, ll b) {
B45     return a / gcd_ll(a, b) * b;
3EB }

D41 // Bit manipulation utilities
A74 ll count_set_bits(ll n) {
3C3     return __popcount<ll>(n); // __builtin_popcount(n);
AE5 }

134 inline ll safe_mod(ll x) {
9EA     return (x % MOD + MOD) % MOD;
6B7 }


6AF #define i128 __int128_t
```

```
D41 // Usando i128 pra evitar overflow no lcm
509 i128 lcmgcd(ll a, ll b) {
580     return (i128)a/gcd(a, b) * b;
CD2 }
D41 // Dps checa se o lcm e maior que 1e18 e decide o que
     fazer (ignora ou outra coisa)

D41 // ------------------------------------------------

D41 // Cuidado com re-hashing do map e unordered_map
D41 // Usar .reserve

D41 // ------------------------------------------------

D41 // Estrategia de random shuffle para algoritmos
     randomizados

4B2 void random_shuffle(vector<int>& vec, int n) {
603     for(int i = 0; i < n; i++) {
7DE         int j = rand() % (i+1);
DA8         swap(vec[i], vec[j]);
315     }
FE5 }
```

6 Others

6.1 BuscaBinariaParalela

Busca Binaria Paralela - O(Q+K log K)

Dado **K** updates ordenados pelo tempo, e **Q** queries da forma:
- Qual o primeiro momento entre [0, K-1] em que * e verdade?

De forma que:
- A resposta e monotonica (se e verdadeiro para t=x, e verdade para t'=x+1)
- E possivel responder em O(N^2) iterando pelos updates e verificando a cada passo todas as queries nao satisfeitas ainda.

* No caso do range de busca ser [0, 1e9]: recursivo OU veja se e possivel olhar apenas os valores que aparecem no input(?)

```
1C8 void reset(){};
6F8 void update(int mid){};
DFF bool check(int i){}

D41 //q = #queries | [0, k-1] = intervalo de busca
019 vector<int> pbs(int q, int k){
194   bool LACK = true;
4D9   vector<int> L(q, 0), R(q, k-1), ans(q, -1);
25A   vector<vector<int>> atMid(k);
D41
234   while(LACK){
BD0     reset(); LACK = false;
D41
EDF     for(int i=0; i<q; i++)
4F2       if(L[i] <= R[i])
4CE         atMid[(L[i]+R[i])/2].push_back(i), LACK = true;
D41
254     for(int mid=0; mid<k; mid++){
B5B       update(mid);
7A2       for(auto i : atMid[mid])
5AA         if(check(i)) R[i] = mid-1, ans[i] = mid;
D64         else L[i] = mid+1;
BF1       atMid[mid].clear();
F9D     }
593   }
BA7   return ans;
C64 }

DAB vector<int> ans; // recursive version
B6C void pbsR(vector<int> &qidx, int l, int r){
DE6   if(l > r) return;
1C3   int mid = (l+r)/2; update(mid);
8B1   vector<int> L, R;
225   for(auto i : qidx){
CF8     if(check(i)) L.push_back(i), ans[i] = mid;
FB4     else R.push_back(i);
74B   }
E69   if(!L.empty()) pbsR(L, l, mid-1);
724   if(!R.empty()) pbsR(R, mid+1, r);
5BB }
```

6.2 BuscaTernaria

Ternary search and Golden section search

if(f1 < f2) to find minimum
if(f1 > f2) to find maximum

Golden Search faz menos chamadas a funcao;
Para busca em inteiros, cuidado, mantenha uma margem do L e R para evitar looping infinito.

```
D40 #define ld long double

BF0 ld func(ld x){ return 2*x*x - 4*x + 2; }

C14 ld ternary_search(ld l, ld r) {
311   for(int it=250; it--;){
26A     ld m1 = l + (r-l)/3, m2 = r - (r-l)/3;
78D     ld f1 = func(m1), f2 = func(m2);
2C3     if(f1 < f2) r = m2;
E14     else l = m1;
DE0   }
792   return l;
CE1 }

90D ld golden_search(ld l, ld r) {
2A6   const ld iphi = (sqrt(5)-1)/2;
D41
6F1   ld m1 = r - iphi*(r-l);
34D   ld m2 = l + iphi*(r-l);
78D   ld f1 = func(m1), f2 = func(m2);
D41
311   for(int it=250; it--;){
F4D     if(f1 < f2){
A3B       r = m2;
DD9       tie(m2, f2) = tie(m1, f1);
B2C       f1 = func( m1 = r - iphi*(r-l) );
03B     } else {
6C9       l = m1;
894       tie(m1, f1) = tie(m2, f2);
FB8       f2 = func( m2 = l + iphi*(r-l) );
0F6     }
FA1   }
792   return l;
32F }

D7C int iternary_search(int l, int r) {
218   while(r-l > 5){  //margem de seguranca
898     int m1 = l + (r-l)/3, m2 = r - (r-l)/3;
C8F     int f1 = func(m1), f2 = func(m2);
2C3     if(f1 < f2) r = m2;
E14     else l = m1;
7E6   }
7AF   int ans = r, fa = func(ans);
6B0   for(int f1; l<r; l++){
356     f1 = func(l);
611     if(f1 < fa)
2BB       ans = l, fa = f1;
6CE   }
BA7   return ans;
EEF }
```

6.3 Date

```
D41 //
```

converts Gregorian date to integer (Julian day number)

```
B37 int dateToInt (int m, int d, int y){ return
B8C   + 1461 * (y + 4800 + (m - 14) / 12) / 4
CAD   + 367  * (m - 2    - (m - 14) / 12  * 12)  / 12
47F   - 3    *((y + 4900 + (m - 14) / 12) / 100) / 4
6BC   + d - 32075;
C1B }
```

converts integer (Julian day number) to Gregorian date: day/month/year

```
32D tuple<int, int, int> intToDate(int jd){
402   int x, n, i, j, d, m, y;
33A   x = jd + 68569;
403   n = 4 * x / 146097;
33E   x -= (146097 * n + 3) / 4;
6FC   i = (4000 * (x + 1)) / 1461001;
B1D   x -= 1461 * i / 4 - 31;
FC9   j = 80 * x / 2447;
C8D   d = x - 2447 * j / 80;
179   x = j / 11;
335   m = j + 2 - 12 * x;
23D   y = 100 * (n - 49) + i + x;
B86   return {d, m, y};
4AC }
```

converts integer (Julian day number) to day of week

```
58B string dayOfWeek[] = {"Mon", "Tue", "Wed", "Thu", "Fri",
      "Sat", "Sun"};
264 string intToWeek (int jd){ return dayOfWeek[jd % 7]; }
```

6.4 Dice

```
   Dadinho de 6 lados      |   |4|       ^ norte
24 estados possiveis       | |2|6|5| w < + > leste
Assume que a soma de lados |   |3|       v
opostos e 7.               |   |1|     sul
Se precisar de labels diferentes, crie um
 array<int, 7> face = {0, 1, 2, 3, 4, 5, 6}
e acesse a posicao da face retornada.
```

```
0E0 struct Dice {
F35   int topo=6, norte=4, leste=5;
```

```
D41
3AA   int top()   { return topo; }
895   int north() { return norte; }
BAF   int east()  { return leste; }
513   int bottom(){ return 7 - topo; }
247   int south() { return 7 - norte; }
A93   int west()  { return 7 - leste; }
D41
AAC   void roll_north(){ tie(topo, norte) = pair(south(),
    top()); }
210   void roll_east( ){ tie(topo, leste) = pair(west(),
    top()); }
373   void rotate_ccw(){ tie(norte,leste) = pair(east(),
    south()); }
A3B   void roll_south(){ roll_north(); roll_north();
    roll_north(); }
A4A   void roll_west( ){ roll_east();  roll_east();
    roll_east();  }
FC0   void rotate_cw (){ rotate_ccw(); rotate_ccw();
    rotate_ccw(); }
D41
2D7   int get_id(){ //[0, 23]
07E     int id = (topo-1)^(norte-1);
EF3     id %= topo==3||topo==4 ? 6 : 4;
1E9     return topo*4 + id - 4;
44B   }
E6E };
```

6.5 Hungarian

Hungarian Algorithm - Assignment Problem
Algoritmo para o problema de atribuicao minima.

Complexity: O(N^2 * M)

hungarian(int n, int m); -> Retorna o valor do custo minimo
getAssignment(int m) -> Retorna a lista de pares < linha, Coluna> do Minimum Assignment

n -> Numero de Linhas // m -> Numero de Colunas

IMPORTANTE! O algoritmo e 1-indexado
IMPORTANTE! O tipo padrao esta como int, para mudar para outro tipo altere | typedef <TIPO> TP; |
Extra: Para o problema da atribuicao maxima, apenas multiplique os elementos da matriz por -1

```
941 typedef int TP;

3CE const int MAXN = 1e3 + 5;
657 const TP INF = 0x3f3f3f3f;

F31 TP matrix[MAXN][MAXN];
F10 TP row[MAXN], col[MAXN];
E1F int match[MAXN], way[MAXN];

E5E TP hungarian(int n, int m){
715   memset(row, 0, sizeof row);
CD2   memset(col, 0, sizeof col);
187   memset(match, 0, sizeof match);
D41
78A   for(int i=1; i<=n; i++){
96C     match[0] = i;
23B     int j0 = 0, j1, i0;
76E     TP delta;
D41
693     vector<TP> minv (m+1, INF);
C04     vector<bool> used (m+1, false);
D41
016     do {
472       used[j0] = true;
F81       i0 = match[j0];
B27       j1 = -1;
7DA       delta = INF;
D41
2E2       for(int j=1; j<=m; j++)
F92         if(!used[j]){
76D           TP cur = matrix[i0][j] - row[i0] - col[j];
D41
9F2           if( cur < minv[j] ) minv[j] = cur, way[j] = j0
    ;
821           if(minv[j] < delta) delta = minv[j], j1 = j;
6FD         }
D41
FC9       for(int j=0; j<=m; j++)
E48         if(used[j]){
7AC           row[match[j]] += delta,
429           col[j] -= delta;
23B         }
6EC         else minv[j] -= delta;
D41
6D4       j0 = j1;
A95     } while(match[j0]);
D41
016     do {
B8C       j1 = way[j0];
77A       match[j0] = match[j1];
6D4       j0 = j1;
196     } while(j0);
799   }
D41
A33   return -col[0];
7FF }

3B4 vector<pair<int, int>> getAssignment(int m){
F77   vector<pair<int, int>> ans;
8EA   for(int i=1; i<=m; i++)
843     ans.push_back(make_pair(match[i], i));
BA7   return ans;
01D }
```

6.6 MO

Algoritmo de MO para query em range

Complexity: O((N + Q) * SQRT(N) * F) | F e a complexidade do Add e Remove

IMPORTANTE! Queries devem ter seus indices (Idx) 0-indexados!

Modifique as operacoes de Add, Remove e GetAnswer de acordo com o problema.
BLOCK_SZ pode ser alterado para aproximadamente SQRT(MAX_N)

```
861 const int BLOCK_SZ = 700;

670 struct Query{
738   int l, r, idx;
991   Query(int l, int r, int idx) : l(l), r(r), idx(idx) {}
406   bool operator < (Query q) const {
6EB     if(l / BLOCK_SZ != q.l / BLOCK_SZ) return l < q.l;
387     return (l / BLOCK_SZ &1) ? ( r < q.r ) : (r > q.r );
667   }
F51 };

543 void add(int idx);
F8A void remove(int idx);
AD7 int getAnswer();

73F vector<int> MO(vector<Query> &queries){
51F   vector<int> ans(queries.size());
D41
BFA   sort(queries.begin(), queries.end()); // to use
    hilbert curves, call sortQueries instead
D41
32D   int L = 0, R = 0;
49E   add(0);
D41
FE9   for(auto [l, r, idx] : queries){
128     while(l < L) add(--L);
C4A     while(r > R) add(++R);
684     while(l > L) remove(L++);
B50     while(r < R) remove(R--);
D41
830     ans[idx] = getAnswer();
08D   }
D41
BA7   return ans;
ACF }

D41 //OPTIONAL
E5B void sortQueries(vector<Query> &qr){
1FC   vector<ll> h(qr.size());
489   for(int i=0; i<qr.size(); i++) h[i] = hilbert(qr[i].l,
    qr[i].r);
35E   sort(qr.begin(), qr.end(), [&](Query&a, Query&b) {
    return h[a.idx] < h[b.idx]; });
308 }

E51 inline ll hilbert(int x, int y){ //OPTIONAL
C85   static int N = 1 << (__builtin_clz(0) - __builtin_clz(
    MAXN));
B69   int rx, ry, s; ll d = 0;
43B   for(s = N/2; s > 0; s /= 2){
C95     rx = (x & s) > 0, ry = (y & s) > 0;
F15     d += s * (ll)(s) * ((3 * rx) ^ ry);
E2D     if(ry == 0) { if(rx == 1) x = N-1 - x, y = N-1 - y;
    swap(x, y); }
200   }
BE2   return d;
038 }
```

6.7 MOTree

Algoritmo de MO para query de **caminho em arvore**
Complexity: O((N + Q) * SQRT(N) * F) | F e a complexidade do Add e Remove
IMPORTANTE! 0-indexado!

```
80E const int MAXN = 1e5+5;
F5A const int BLOCK_SZ = 500;
```

```
304 struct Query{int l, r, idx;}; //same of MO. Copy
     operator <

282 vector<int> g[MAXN];
212 int tin[MAXN], tout[MAXN];
03B int pai[MAXN], order[MAXN];

179 void remove(int u);
C8B void add(int u);
AD7 int getAnswer();

C0A void go_to(int ti, int tp, int otp){
B21   int u = order[ti], v, to;
61E   to = tout[u];
AA5   while(!(ti <= tp && tp <= to)){ //subo com U (ti) ate
     ser ancestral de W
E7C     v = pai[u];
D41
BAF     if(ti <= otp && otp <= to) add(v);
96E     else remove(u);
D41
A68     u = v;
363     ti = tin[u];
61E     to = tout[u];
462   }
D41
915   int w = order[tp];
D88   to = tout[w];
082   while(ti < tp){ //subo com W (tp) ate U
80E     v = pai[w];
D41
F19     if(tp <= otp && otp <= to) remove(v);
7AC     else add(w);
D41
9A1     w = v;
FCA     tp = tin[w];
D88     to = tout[w];
34D   }
B15 }

1D4 int TIME = 0;
FB6 void dfs(int u, int p){
49E   pai[u] = p;
6FD   tin[u] = TIME++;
A2B   order[tin[u]] = u;
D41
70D   for(auto v : g[u])
F6B     if(v != p)
95E       dfs(v, u);
916   tout[u] = TIME-1;
686 }

73F vector<int> MO(vector<Query> &queries){
51F   vector<int> ans(queries.size());
564   dfs(0, 0);
D41
C89   for(auto &[u, v, i] : queries)
563     tie(u, v) = minmax(tin[u], tin[v]);
BFA   sort(queries.begin(), queries.end());
D41
49E   add(0);
7AC   int Lm = 0, Rm = 0;
FE9   for(auto [l, r, idx] : queries){
9D4     if(l < Lm) go_to(Lm, l, Rm), Lm = l;
0E8     if(r > Rm) go_to(Rm, r, Lm), Rm = r;
A5C     if(l > Lm) go_to(Lm, l, Rm), Lm = l;
035     if(r < Rm) go_to(Rm, r, Lm), Rm = r;
830     ans[idx] = getAnswer();
30A   }
D41
BA7   return ans;
64A }
```

6.8 stressTest

```
P=code   #mude pro filename do codigo
Q=brute  #mude pro filename do brute [correto]
g++ ${P}.cpp -o sol -O2 || exit 1
g++ ${Q}.cpp -o brt -O2 || exit 1
g++ gen.cpp  -o gen -O2 || exit 1
for ((i = 1; ; i++)) do
  echo $i
  ./gen $i > in
  ./sol < in > out
  ./brt < in > out2
  if (! cmp -s out out2) then
    echo "--> entrada:"
    cat in
    echo "--> saida code:"
    cat out
    echo "--> saida brute:"
    cat out2
    break;
  fi
done
```

7 String

7.1 KMP

```
692 vector<int> Pi(string &t){
82B   vector<int> p(t.size(), 0);
D41
6F4   for(int i=1, j=0; i<t.size(); i++){
90B     while(j > 0  && t[j] != t[i]) j = p[j-1];
3C7     if(t[j] == t[i]) j++;
F8C     p[i] = j;
9E8   }
74E   return p;
85D }

2AD vector<int> kmp(string &s, string &t){
D9E   vector<int> p = Pi(t), occ;
D41
1EF   for(int i=0, j=0; i<s.size(); i++){
705     while( j > 0 && s[i] != t[j]) j = p[j-1];
566     if(s[i]==t[j]) j++;
2F0     if(j == t.size()) occ.push_back(i-j+1), j = p[j-1];
6C4   }
FB0   return occ;
087 }
```

Optional: KMP Automato. j = state atual [root=j=0]

```
3E3 struct Automato {
632   vector<int> p;
78F     string t;
119   Automato(string &t) : t(t), p(Pi(t)){}
6DD     int next(int j, char c){ //return nxt state
E60         if(final(j)) j = p[j-1];
28D         while(j && c != t[j]) j = p[j-1];
5B4         return j + (c == t[j]);
26F       }
DFA     bool final(int j){ return j == t.size(); }
8C2 };

25D **KMP** - Knuth-Morris-Pratt Pattern Searching
05C Complexity: O(|S|+|T|)
DB8 kmp(s, t) -> returns all occurences of t in s
020 p = Pi(t) -> p[i] = biggest prefix that is a sufix of t
     [0,i]
```

7.2 Manacher

Manacher Algorithm - O(N)
Find every palindrome in string

```
DC6 vector<int> manacher(string &st){
E13   string s = "$_";
821   for(char c : st){ s += c; s += "_"; }
095   s += "#";
D41
7AB   int n = s.size()-2, l=1, r=1;
BD7   vector<int> p(n+2, 0);
D41
E68   for(int i=1, j; i<=n; i++){
DAF     p[i] = max(0, min(r-i, p[l+r-i]) ); //atualizo o
     valor atual para o valor do palindromo espelho na
     string ou para o total que esta contido
A5F     while( s[i-p[i]] == s[i+p[i]] ) p[i]++;
39C     if( i+p[i] > r ) l = i-p[i], r = i+p[i];
E75   }
D41
6AE   for(auto &x : p) x--; //o valor de p[i] era o tamanho
     do palindromo + 1
74E   return p; //agora e o tamanho real
781 }
```

7.3 SuffixArray

```
sf = suffixArray(s) -> O(N log N)
LCP(s, sf) -> O(N)

SuffixArray -> index of suffix in lexicographic order
LCP[i] -> LargestCommonPrefix of sufix at sf[i] and sf[i
     -1]
LCP(i,j) = min(lcp[i+1...j])

To better understand, print: lcp[i] sf[i] s.substr(sf[i
     ])
```

```
B6C vector<int> suffixArray(string s){
92A   int n = (s += "!").size();//if vector, s.push_back(-
     INF);
6B4   vector<int> sf(n), ord(n), aux(n), cnt(n);
CE4   iota(begin(sf), end(sf), 0);
30A   sort(begin(sf), end(sf), [&](int i, int j){ return s[i
     ] < s[j]; });
D41
104   int cur = ord[sf[0]] = 0;
AA4   for(int i=1; i<n; i++)
0BB     ord[sf[i]] = s[sf[i]] == s[sf[i-1]] ? cur : ++cur;
D41
C1E   for(int k=1; cur+1 < n && k < n; k<<=1){
727     cnt.assign(n, 0);
```

```
8FF     for(auto &i : sf)          i = (i-k+n)%n, cnt[ord[i
    ]]++;
DC5     for(int i=1; i<n; i++)     cnt[i] += cnt[i-1];
0A4     for(int i=n-1; i>=0; i--) aux[--cnt[ord[sf[i]]]] =
    sf[i];
71C     sf.swap(aux);
D41
662     aux[sf[0]] = cur = 0;
AA4     for(int i=1; i<n; i++)
AEB       aux[sf[i]] = ord[sf[i]] == ord[sf[i-1]] &&
E19       ord[(sf[i]+k)%n] == ord[(sf[i-1]+k)%n] ? cur : ++
    cur;
43A     ord.swap(aux);
52E   }
61D   return vector<int>(begin(sf)+1, end(sf));
968 }

B1D vector<int> LCP(string &s, vector<int> &sf){
163   int n = s.size();
BF1   vector<int> lcp(n), pof(n);
E51   for(int i=0; i<n; i++) pof[sf[i]] = i;
D41
9A7   for(int i=0, j, k=0; i<n; k?--k:k, i++){
76D     if(!pof[i]) continue;
D5B     j = sf[pof[i]-1];
329     while(i+k<n && j+k<n && s[i+k]==s[j+k]) k++;
F12     lcp[pof[i]] = k;
1D0   }
5ED   return lcp;
EC1 }
```

7.4 Z-Function

```
403 vector<int> Zfunction(string &s){ // O(N)
163   int n = s.size();
2B1   vector<int> z (n, 0);
D41
A5C   for(int i=1, l=0, r=0; i<n;  i++){
76D     if(i <= r) z[i] = min(z[i-l], r-i+1);
D41
F61     while(z[i] + i < n && s[z[i]] == s[i+z[i]]) z[i]++;
D41
EAF     if(r < i+z[i]-1) l = i, r = i+z[i]-1;
0CD   }
070   return z;
D58 }
```

7.5 ahoCorasick

Aho-Corasick: Trie automaton to search multiple patterns in a text
O(SUM|P| + |S|) * ALPHA

```
for(auto p: patterns) aho.add(p);
aho.buildSufixLink();
auto ans = aho.findPattern(s);

parent(p), sufixLink(sl), outputLink(ol), patternID(idw)
outputLink -> edge to other pattern end (when p is a
    sufix of it)
ALPHA -> Size of the alphabet. If big, consider changing
    nxt to map
```

To find ALL occurrences of all patterns, don't delete ol in findPattern. But it can be slow (at number of occ), so consider using DP on the automaton.
If you need a **nextState** function, create it using the while in findPattern.
if you need to **store node indexes** add int i to Node, and in Aho add this and change the new Node() to it:

```
vector<trie> nodes;
trie new_Node(trie p, char c){
  nodes.push_back(new Node(p, c));
  nodes.back()->i = nodes.size()-1;
  return nodes.back();
}
```

```
322 const int ALPHA = 26, off = 'a';
BF2 struct Node {
E05   Node* p  = NULL;
A26   Node* sl = NULL;
C3A   Node* ol = NULL;
CB8   array<Node*, ALPHA> nxt;
D41
F02   int idw = -1, i; char c;
D41
212   Node(){ nxt.fill(NULL); }
B04   Node(Node* p, char c) : p(p), c(c) { nxt.fill(NULL); }
969 };
2CA typedef Node* trie;
B3F struct Corasick {
ACD   trie root;
EAA   int nwords = 0;
F78   vector<trie> nodes;
DFA   Corasick(){ root = new_Node(NULL, 0); }
D41
22D   void add(string &s){
346     trie t = root;
242     for(auto c : s){ c -= off;
508       if(!t->nxt[c])
02F         t->nxt[c] = new Node(t, c);
4F8       t = t->nxt[c];
E9A     }
71E     t->idw = nwords++; //cuidado com strings iguais! use
    vector
625   }
34A   void buildSufixLink(){
A2F     deque<trie> q(1, root);
D41
14D     while(!q.empty()){
81D       trie t = q.front();
CED       q.pop_front();
D41
630       if(trie w = t->p){
29D         do w = w->sl; while(w && !w->nxt[t->c]);
619         t->sl = w ? w->nxt[t->c] : root;
D7B         t->ol = t->sl->idw == -1 ? t->sl->ol : t->sl;
8DB       }
D41
806       for(int c=0; c<ALPHA; c++)
F72         if(t->nxt[c])
78D           q.push_back(t->nxt[c]);
693     }
09C   }
66F   vector<bool> findPattern(string &s){
BFD     vector<bool> ans(nwords, 0);
82D     trie w = root;
242     for(auto c : s){ c -= off;
A7A       while(w && !w->nxt[c]) w = w->sl;  // trie next(w,
    c)
AEA       w = w ? w->nxt[c] : root;
D41
5BE       for(trie z=w, nl; z; nl=z->ol, z->ol=NULL, z=nl)
972         if(z->idw != -1) //get ALL occ: dont delete ol (
    may slow)
31E           ans[z->idw] = true;
B04     }
BA7     return ans;
C8E   }
410   trie new_Node(trie p, char c){
0B8     nodes.push_back(new Node(p, c));
996     nodes.back()->i = nodes.size()-1;
13C     return nodes.back();
4E9   }
F9F };
```

7.6 hash

```
229 const int MAXN = 1e6 + 5;

622 const ll MOD = 1e9 + 7; //WA? Muda o MOD e a base
AA0 const ll base = 153;
7E6 ll expb[MAXN];

FE8 void precalc(){
5A7   expb[0] = 1;
7E4   for(int i=1; i<MAXN; i++)
3C6     expb[i] = (expb[i-1]*base)%MOD;
7FF }

3CE struct StringHash{
894   vector<ll> hsh;
D41
B4B   StringHash(string &s){
4E1     hsh.assign(s.size()+1, 0);
724     for(int i=0; i<s.size(); i++)
24D       hsh[i+1] = (hsh[i] * base % MOD + s[i]) % MOD;
9E9   }
D41
A5B   ll gethash(int l, int r){
794     return (MOD + hsh[r+1] - hsh[l]*expb[r-l+1] % MOD )
    % MOD;
C17   }
FFA };
22B String Hash
C5E precalc()     -> O(N)
12A StringHash() -> O(|S|)
170 gethash()     -> O(1)

C07 StringHash hash(s); -> Cria uma struct de StringHash
    para a string s
4AF hash.gethash(l, r); -> Retorna o hash do intervalo L R
    da string (0-Indexado)

7AE IMPORTANTE! Chamar precalc() no inicio do codigo

034 const ll MOD  = 131'807'699; -> Big Prime Number
827 const ll base = 127;         -> Random number larger
    than the Alphabet
```

7.7 hash2

```
String Hash - Double Hash
precalc()    -> O(N)
StringHash() -> O(|S|)
gethash()    -> O(1)

StringHash hash(s); -> Cria o Hash da string s
hash.gethash(l, r); -> Hash [L,R] (0-Indexado)
```

```
229 const int MAXN = 1e6 + 5;

E8E const ll MOD1 = 131'807'699;
D5D const ll MOD2 = 1e9 + 9;
145 const ll base = 157;

DB4 ll expb1[MAXN], expb2[MAXN];

921 #warning "Call precalc() before use StringHash"
FE8 void precalc(){
6D8   expb1[0] = expb2[0] = 1;
D41
7E4   for(int i=1;i<MAXN;i++)
E0E     expb1[i] = expb1[i-1]*base % MOD1,
C4B     expb2[i] = expb2[i-1]*base % MOD2;
A02 }

3CE struct StringHash{
0DD   vector<pair<ll,ll>> hsh;
AC0   string s; // comment S if you dont need it
D41
6F2   StringHash(string& s) : s(s){
63F     hsh.assign(s.size()+1, {0,0});
D41
724     for (int i=0;i<s.size();i++)
B7A       hsh[i+1].first  = ( hsh[i].first *base % MOD1 + s[
    i] ) % MOD1,
08F       hsh[i+1].second = ( hsh[i].second*base % MOD2 + s[
    i] ) % MOD2;
5A6   }
D41
2F0   ll gethash(int a,int b){
F96     ll h1 = (MOD1+ hsh[b+1].first  - hsh[a].first *expb1
    [b-a+1] % MOD1) % MOD1;
F4A     ll h2 = (MOD2+ hsh[b+1].second - hsh[a].second*expb2
    [b-a+1] % MOD2) % MOD2;
D23     return (h1<<32) | h2;
C77   }
1D3 };

D41 // OPTIONAL
0FB int firstDiff(StringHash& a, int la, int ra, StringHash&
     b, int lb, int rb){
7E5   int l=0, r=min(ra-la, rb-lb), diff=r+1;
3D5   while(l <= r){
EE4     int m = (l+r)/2;
065     if(a.gethash(la, la+m) == b.gethash(lb, lb+m)) l = m
    +1;
72D     else r = m-1, diff = m;
BAD   }
2B1   return diff;
C88 }

03D int hshComp(StringHash& a, int la, int ra, StringHash& b
    , int lb, int rb){
E85   int diff = firstDiff(a, la, ra, b, lb, rb);
23E   if(diff > ra-la && ra-la == rb-lb) return 0; //equal
D15   if(diff > ra-la || diff  >  rb-lb) return ra-la < rb-
    lb ? -2 : +2; //prefix of the other
626   return a.s[la+diff] < b.s[lb+diff] ? -1 : +1;
8C4 }
```

7.8 hash2A

```
String Hash - Double Hash
precalc()    -> O(N)
StringHash() -> O(|S|)
gethash()    -> O(1)

StringHash hash(s); -> Cria o Hash da string s
hash.gethash(l, r); -> Hash [L,R] (0-Indexado)
```

```
229 const int MAXN = 1e6 + 5;

D29 const array<ll, 2> mod = {131'807'699, 1e9 + 9};
145 const ll base = 157;

8A4 array<ll, 2> expb[MAXN];

921 #warning "Call precalc() before use StringHash"
FE8 void precalc(){
F3E   expb[0][0] = expb[0][1] = 1;
D41
217   for(int i=1, j;i<MAXN;i++) for(j=1; ~j; j--)
468     expb[i][j] = expb[i-1][j]*base % mod[j];
E0B }

3CE struct StringHash{
8E6   vector<array<ll,2>> hsh;
AC0   string s; // comment S if you dont need it
D41
6F2   StringHash(string& s) : s(s){
63F     hsh.assign(s.size()+1, {0,0});
D41
218     for(int i=0, j;i<s.size();i++) for(j=1; ~j; j--)
CED       hsh[i+1][j] = ( hsh[i][j]*base + s[i] ) % mod[j];
528   }
2F0   ll gethash(int a,int b){
DFC     ll h1 = (mod[0]+ hsh[b+1][0] - hsh[a][0]*expb[b-a
    +1][0] % mod[0]) % mod[0];
534     ll h2 = (mod[1]+ hsh[b+1][1] - hsh[a][1]*expb[b-a
    +1][1] % mod[1]) % mod[1];
D23     return (h1<<32) | h2;
D9A   }
A55 };

D41 // OPTIONAL
0FB int firstDiff(StringHash& a, int la, int ra, StringHash&
     b, int lb, int rb){
7E5   int l=0, r=min(ra-la, rb-lb), diff=r+1;
3D5   while(l <= r){
EE4     int m = (l+r)/2;
065     if(a.gethash(la, la+m) == b.gethash(lb, lb+m)) l = m
    +1;
72D     else r = m-1, diff = m;
BAD   }
2B1   return diff;
C88 }

03D int hshComp(StringHash& a, int la, int ra, StringHash& b
    , int lb, int rb){
E85   int diff = firstDiff(a, la, ra, b, lb, rb);
23E   if(diff > ra-la && ra-la == rb-lb) return 0; //equal
D15   if(diff > ra-la || diff  >  rb-lb) return ra-la < rb-
    lb ? -2 : +2; //prefix of the other
626   return a.s[la+diff] < b.s[lb+diff] ? -1 : +1;
8C4 }
```

7.9 trie

```
Trie - Arvore de Prefixos
insert(P) - O(|P|)
count(P)  - O(|P|)
sigma - Tamanho do alfabeto
off   - primeiro simbolo do alfabeto (offset)
```

```
322 const int ALPHA = 26, off = 'a';
BF2 struct Node {
CB8     array<Node*, ALPHA> nxt;
34A     int terminal = 0;
212     Node() { nxt.fill(NULL); }
E65 };

71A struct Trie {
95F   Node* root;
814   Trie(){ root = new Node(); }
D41
22D   void add(string &s){
D66     Node* t = root;
242     for(auto c : s){ c -= off;
508       if(!t->nxt[c])
957         t->nxt[c] = new Node();
4F8       t = t->nxt[c];
BE3     }
6FF     t->terminal++;
F94   }
D41
912   int count(string &s){
D66     Node* t = root;
242     for(auto c : s){ c -= off;
F63       if(!t->nxt[c]) return 0;
4F8       t = t->nxt[c];
0A5     }
515     return t->terminal;
B99   }
942 };
```

8 Theorems

8.1 Combinatorics

- **Sums:**

$$\sum_{k=0}^{n} k = n(n+1)/2$$
$$\sum_{k=a}^{b} k = (a+b)(b-a+1)/2$$
$$\sum_{k=0}^{n} k^2 = n(n+1)(2n+1)/6$$
$$\sum_{k=0}^{n} k^3 = n^2(n+1)^2/4$$
$$\sum_{k=0}^{n} k^4 = (6n^5+15n^4+10n^3-n)/30$$
$$\sum_{k=0}^{n} k^5 = (2n^6+6n^5+5n^4-n^2)/12$$
$$\sum_{k=0}^{n} x^k = (x^{n+1}-1)/(x-1)$$
$$\sum_{k=0}^{n} kx^k = (x-(n+1)x^{n+1}+nx^{n+2})/(x-1)^2$$
$$1+x+x^2+\cdots = 1/(1-x)$$

$$\binom{n}{k} = \frac{n!}{(n-k)!k!}$$
$$\binom{n}{k} = \binom{n-1}{k} +$$
$$\binom{n+1}{k} = \frac{n+1}{n-k+1}$$
$$\binom{n}{k+1} = \frac{n-k}{k+1}\binom{n}{k}$$
$$\binom{n}{k} = \frac{n}{n-k}\binom{n-1}{k}$$
$$\binom{n}{k} = \frac{n-k+1}{k}\binom{n}{k}$$
$$12! \approx 2^{28.8}$$
$$20! \approx 2^{61.1}$$

- **Hockey-stick identity:** $\sum_{i=r}^{n} \binom{i}{r} = \binom{n+1}{r+1}$
- **Number of ways to color n-objects with r-colors** if all colors must be used at least once:

$$\sum_{k=0}^{r} \binom{r}{k} (-1)^{r-k} k^n \quad \text{or} \quad \sum_{k=0}^{r} \binom{r}{r-k} (-1)^k (r-k)^n$$

- **Binomial coefficients:**
  - Number of ways to pick a multiset of size k from n elements: $\binom{n+k-1}{k}$
  - Number of n-tuples of non-negative integers with sum s: $\binom{s+n-1}{n-1}$, at most s: $\binom{s+n}{n}$
  - Number of n-tuples of positive integers with sum s: $\binom{s-1}{n-1}$
  - Number of lattice paths from $(0,0)$ to (a,b), restricted to east and north steps: $\binom{a+b}{a}$
- **Multinomial theorem:** $(a_1 + \cdots + a_k)^n = \sum \binom{n}{n_1,\ldots,n_k} a_1^{n_1} \ldots a_k^{n_k}$, where $n_i \geq 0$ and $\sum n_i = n$.

$$\binom{n}{n_1, \ldots, n_k} = M(n_1, \ldots, n_k) = \frac{n!}{n_1! \ldots n_k!}$$

$$M(a, \ldots, b, c, \ldots) = M(a + \cdots + b, c, \ldots) M(a, \ldots, b)$$

- **Catalan numbers:**
  - $C_n = \frac{1}{n+1}\binom{2n}{n} = \frac{(2n)!}{(n+1)!n!}$ with $n \geq 0$, $C_0 = 1$ and $C_{n+1} = \frac{2(2n+1)}{n+2} C_n$. Also, $C_n = \sum_{i=0}^{n-1} C_i C_{n-1-i}$
  - Sequence: 1, 1, 2, 5, 14, 42, 132, 429, 1430, 4862, 16796, 58786, 208012, 742900, 2674440, 9694845, 35357670
  - C_n is the number of: properly nested sequences of n pairs of parentheses; rooted ordered binary trees with $n+1$ leaves; triangulations of a convex $(n+2)$-gon.
- **Derangements:** Number of permutations of $n = 0, 1, 2, \ldots$ elements without fixed points is $1, 0, 1, 2, 9, 44, 265, 1854, 14833, \ldots$
  Recurrence: $D_n = (n-1)(D_{n-1} + D_{n-2}) = nD_{n-1} + (-1)^n$.
  Corollary: number of permutations with exactly k fixed points is $\binom{n}{k} D_{n-k}$.
- **Stirling numbers of 1^{st} kind:** $s_{n,k}$ is $(-1)^{n-k}$ times the number of permutations of n elements with exactly k permutation cycles.
  $|s_{n,k}| = |s_{n-1,k-1}| + (n-1)|s_{n-1,k}|$. $\sum_{k=0}^{n} s_{n,k} x^k = x^{\underline{n}}$
- **Stirling numbers of 2^{nd} kind:** $S_{n,k}$ is the number of ways to partition a set of n elements into exactly k non-empty subsets.
  $S_{n,k} = S_{n-1,k-1} + kS_{n-1,k}$. $S_{n,1} = S_{n,n} = 1$.
  $x^n = \sum_{k=0}^{n} S_{n,k} x^{\underline{k}}$
- **Bell numbers:** B_n is the number of partitions of n elements.
  $B_0, \ldots = 1, 1, 2, 5, 15, 52, 203, \ldots$
  $B_{n+1} = \sum_{k=0}^{n} \binom{n}{k} B_k = \sum_{k=1}^{n} S_{n,k}$.
  Bell triangle: $B_r = a_{r,1} = a_{r-1,r-1}$, $a_{r,c} = a_{r-1,c-1} + a_{r,c-1}$.
- **Bernoulli numbers:** $\sum_{k=0}^{m-1} k^n = \frac{1}{n+1} \sum_{k=0}^{n} \binom{n+1}{k} B_k m^{n+1-k}$.
  $\sum_{j=0}^{m} \binom{m+1}{j} B_j = 0$. $B_0 = 1$, $B_1 = -\frac{1}{2}$. $B_n = 0$, for all odd $n \neq 1$.
- **Eulerian numbers:** $E(n,k)$ is the number of permutations with exactly k descents $(i : \pi_i < \pi_{i+1})$ / ascents $(\pi_i > \pi_{i+1})$ / excedances $(\pi_i > i)$ / $k+1$ weak excedances $(\pi_i \geq i)$.
  Formula: $E(n,k) = (k+1)E(n-1,k) + (n-k)E(n-1,k-1)$. $x^n = \sum_{k=0}^{n-1} E(n,k) \binom{x+k}{n}$.
- **Burnside's lemma:** The number of orbits under group G's action on set X:

$$|X/G| = \frac{1}{|G|} \sum_{g \in G} |X_g|$$

where $X_g = \{x \in X : g(x) = x\}$ ("Average number of fixed points.")
Let $w(x)$ be weight of x's orbit. Sum of all orbits' weights:

$$\sum_{o \in X/G} w(o) = \frac{1}{|G|} \sum_{g \in G} \sum_{x \in X_g} w(x)$$

8.2 DP

8.2.1 DP Optimization Theory

- **Optimization Summary Table:**

Name	Original Recurrence	Sufficient Condition	From	To
CH 1	$dp[i] = \min_{j<i}\{dp[j] + b[j] * a[i]\}$	$b[j] \geq b[j+1]$ (Opt. $a[i] \leq a[i+1]$)	$O(n^2)$	$O(n)$
CH 2	$dp[i][j] = \min_{k<j}\{dp[i-1][k] + b[k] * a[j]\}$	$b[k] \geq b[k+1]$ (Opt. $a[j] \leq a[j+1]$)	$O(kn^2)$	$O(kn)$
D&Q	$dp[i][j] = \min_{k<j}\{dp[i-1][k] + C[k][j]\}$	$A[i][j] \leq A[i][j+1]$	$O(kn^2)$	$O(kn \log n)$
Knuth	$dp[i][j] = \min_{i<k<j}\{dp[i][k] + dp[k][j]\} + C[i][j]$	$A[i,j-1] \leq A[i,j] \leq A[i+1,j]$	$O(n^3)$	$O(n^2)$

- **Notes:**
  - $A[i][j]$: the smallest k that gives the optimal answer, for example in $dp[i][j] = dp[i-1][k] + C[k][j]$.
  - $C[i][j]$: some given cost function.
  - We can generalize a bit in the following way: $dp[i] = \min_{j<i}\{F[j] + b[j] * a[i]\}$, where $F[j]$ is computed from $dp[j]$ in constant time.

8.2.2 General

- **Divide and Conquer Optimization:** Utilizada em problemas do tipo:

$$dp[i][j] = \min_{k<j}\{dp[i-1][k] + C[k][j]\}$$

onde o objetivo é dividir o subsegmento até j em i segmentos com algum custo. A otimização é válida se:

$$A[i][j] \leq A[i][j+1]$$

onde $A[i][j]$ é o valor de k que minimiza a transição.
- **Knuth Optimization:** Aplicável quando:

$$dp[i][j] = \min_{i<k<j}\{dp[i][k] + dp[k][j]\} + C[i][j]$$

e a condição de monotonicidade é satisfeita:

$$A[i][j-1] \leq A[i][j] \leq A[i+1][j]$$

com $A[i][j]$ sendo o índice k que minimiza a transição.
- **Slope Trick:** Técnica usada para lidar com funções lineares por partes e convexas. A função é representada por pontos onde a derivada muda, que podem ser manipulados com `multiset` ou `heap`. Útil para manter o mínimo de funções acumuladas em forma de envelopes convexos.
- **Outras Técnicas e Truques Importantes:**
  - **FFT (Fast Fourier Transform):** Convolução eficiente de vetores.
  - **CHT (Convex Hull Trick):** Otimização para DP com funções lineares e monotonicidade.
  - **Aliens Trick:** Técnica para binarizar o custo em problemas de otimização paramétrica (geralmente em problemas com limite no número de grupos/segmentos).
  - **Bitset:** Utilizado para otimizações de espaço e tempo em DP de subconjuntos ou somas parciais, especialmente em problemas de mochila.

8.3 Games

- **Grundy numbers:** For a two-player, normal-play (last to move wins) game on a graph (V, E): $G(x) = \text{mex}(\{G(y) : (x, y) \in E\})$, where $\text{mex}(S) = \min\{n \geq 0 : n \notin S\}$. x is losing iff $G(x) = 0$.
- **Sums of games:**
  - *Player chooses a game and makes a move in it.* Grundy number of a position is xor of grundy numbers of positions in summed games.
  - *Player chooses a non-empty subset of games (possibly, all) and makes moves in all of them.* A position is losing iff each game is in a losing position.
  - *Player chooses a proper subset of games (not empty and not all), and makes moves in all chosen ones.* A position is losing iff grundy numbers of all games are equal.
  - *Player must move in all games, and loses if can't move in some game.* A position is losing if any of the games is in a losing position.
- **Misère Nim:** A position with pile sizes $a_1, a_2, \ldots, a_n \geq 1$, not all equal to 1, is losing iff $a_1 \oplus a_2 \oplus \cdots \oplus a_n = 0$ (like in normal nim.) A position with n piles of size 1 is losing iff n is *odd*.

8.4 Geometria

- **Fórmula de Euler:** Em um grafo planar ou poliedro convexo, temos: $V - E + F = 2$ onde V é o número de vértices, E o número de arestas e F o número de faces.
- **Teorema de Pick:** Para polígonos com vértices em coordenadas inteiras:

$$\text{Área} = i + \frac{b}{2} - 1$$

  onde i é o número de pontos interiores e b o número de pontos sobre o perímetro.
- **Teorema das Duas Orelhas (Two Ears Theorem):** Todo polígono simples com mais de três vértices possui pelo menos duas "orelhas"— vértices que podem ser removidos sem gerar interseções. A remoção repetida das orelhas resulta em uma triangulação do polígono.
- **Incentro de um Triângulo:** É o ponto de interseção das bissetrizes internas e centro da circunferência inscrita. Se a, b e c são os comprimentos dos lados opostos aos vértices $A(X_a, Y_a)$, $B(X_b, Y_b)$ e $C(X_c, Y_c)$, então o incentro (X, Y) é dado por:

$$X = \frac{aX_a + bX_b + cX_c}{a + b + c}, \quad Y = \frac{aY_a + bY_b + cY_c}{a + b + c}$$

- **Triangulação de Delaunay:** Uma triangulação de um conjunto de pontos no plano tal que nenhum ponto está dentro do círculo circunscrito de qualquer triângulo. Essa triangulação:
  - Maximiza o menor ângulo entre todos os triângulos.
  - Contém a árvore geradora mínima (MST) euclidiana como subconjunto.
- **Fórmula de Brahmagupta:** Para calcular a área de um quadrilátero cíclico (todos os vértices sobre uma circunferência), com lados a, b, c e d:

$$s = \frac{a + b + c + d}{2}, \quad \text{Área} = \sqrt{(s - a)(s - b)(s - c)(s - d)}$$

  Se $d = 0$ (ou seja, um triângulo), ela se reduz à fórmula de Heron:

$$\text{Área} = \sqrt{(s - a)(s - b)(s - c)s}$$

8.5 Point in Polygon e Truques Geométricos

- **Ray Casting (Curva de Jordan):** Resolve ponto em polígono geral em $O(N)$. Traça-se um raio do ponto P até o infinito. Se cruzar as arestas um número ímpar de vezes, P está dentro. **Truque dos Coprimos:** Para evitar *edge cases* (raio bater num vértice ou aresta colinear), use um vetor de direção com primos altos:

$$P_\infty = (P.x + 10^9 + 7, P.y + 10^9 + 9)$$

  Isso inclina a reta o suficiente para garantir que ela nunca acerte uma coordenada inteira exata, reduzindo o problema a uma simples checagem de interseção de segmentos.
- **Winding Number (Soma dos Ângulos):** Alternativa em $O(N)$ baseada na soma dos ângulos entre P e vértices adjacentes:

$$\sum \text{Ângulos} = \begin{cases} \pm 2\pi, & \text{dentro} \\ 0, & \text{fora} \end{cases}$$

  Dica: Implemente as checagens usando apenas **Produto Vetorial** (verificando semiplanos) para manter a aritmética inteira e fugir da imprecisão do `atan2`.
- **Prefix Sum de Áreas (Shoelace):** Usado para responder *queries* de área de sub-polígonos (cortes) em $O(1)$. Mantém-se o prefixo do produto vetorial:

$$S[k] = S[k - 1] + (V_{k-1} \times V_k)$$

  A área da fatia conectando V_i a V_j é:

$$\text{Area}_{i,j} = \frac{1}{2}\Big|S[j] - S[i] + (V_j \times V_i)\Big|$$

- **Busca Binária em Polígono Convexo:** Resolve ponto em polígono estritamente convexo em $O(\log N)$.
  - Fixe o vértice V_0.
  - Use busca binária baseada no `ccw` (Cross Product) para achar o triângulo angular (V_0, V_k, V_{k+1}) que contém P.
  - Verifique se P está no semiplano interno da aresta $V_k \to V_{k+1}$.

8.6 Grafos

- **Fórmula de Euler (para grafos planares):**

$$V - E + F = 2$$

  onde V é o número de vértices, E o número de arestas e F o número de faces.
- **Handshaking Lemma:** O número de vértices com grau ímpar em um grafo é par.
- **Teorema de Kirchhoff (contagem de árvores geradoras):** Monte a matriz M tal que:

$$M_{i,i} = \deg(i), \quad M_{i,j} = \begin{cases} -1 & \text{se existe aresta } i - j \\ 0 & \text{caso contrário} \end{cases}$$

  O número de árvores geradoras (spanning trees) é o determinante de qualquer co-fator de M (remova uma linha e uma coluna).
- **Condições para Caminho Hamiltoniano:**
  - **Teorema de Dirac:** Se todos os vértices têm grau $\geq n/2$, o grafo contém um caminho Hamiltoniano.
  - **Teorema de Ore:** Se para todo par de vértices não adjacentes u e v, temos $\deg(u) + \deg(v) \geq n$, então o grafo possui caminho Hamiltoniano.
- **Algoritmo de Borůvka:** Enquanto o grafo não estiver conexo, para cada componente conexa escolha a aresta de menor custo que sai dela. Essa técnica constrói a árvore geradora mínima (MST).
- **Árvores:**
  - Existem C_n árvores binárias com n vértices (C_n é o n-ésimo número de Catalan).
  - Existem C_{n-1} árvores enraizadas com n vértices.
  - **Fórmula de Cayley:** Existem n^{n-2} árvores com vértices rotulados de 1 a n.

- **Código de Prüfer:** Remova iterativamente a folha com menor rótulo e adicione o rótulo do vizinho ao código até restarem dois vértices.

- **Fluxo em Redes:**
  - **Corte Mínimo:** Após execução do algoritmo de fluxo máximo, um vértice u está do lado da fonte se level$[u] \neq -1$.
  - **Máximo de Caminhos Disjuntos:**
    - **Arestas disjuntas:** Use fluxo máximo com capacidades iguais a 1 em todas as arestas.
    - **Vértices disjuntos:** Divida cada vértice v em v_{in} e v_{out}, conectados por aresta de capacidade 1. As arestas que entram vão para v_{in} e as que saem saem de v_{out}.
  - **Teorema de König:** Em um grafo bipartido:

    Cobertura mínima de vértices = Matching máximo

    O complemento da cobertura mínima de vértices é o conjunto independente máximo.
  - **Coberturas:**
    - **Vertex Cover mínimo:** Os vértices da partição X que **não** estão do lado da fonte no corte mínimo, e os vértices da partição Y que **estão** do lado da fonte.
    - **Independent Set máximo:** Complementar da cobertura mínima de vértices.
    - **Edge Cover mínimo:** É $N -$ matching, pegando as arestas do matching e mais quaisquer arestas restantes para cobrir os vértices descobertos.
  - **Path Cover:**
    - **Node-disjoint path cover mínimo:** Duplicar vértices em tipo A e tipo B e criar grafo bipartido com arestas de $A \to B$. O path cover é $N -$ matching.
    - **General path cover mínimo:** Criar arestas de $A \to B$ sempre que houver caminho de A para B no grafo. O resultado também é $N -$ matching.
  - **Teorema de Dilworth:** O path cover mínimo em um grafo dirigido acíclico é igual à **antichain máxima** (conjunto de vértices sem caminhos entre eles).
  - **Teorema do Casamento de Hall:** Um grafo bipartido possui um matching completo do lado X se:

$$\forall W \subseteq X, \quad |W| \leq |\text{vizinhos}(W)|$$

  - **Fluxo Viável com Capacidades Inferiores e Superiores:** Para rede sem fonte e sumidouro:
    - Substituir a capacidade de cada aresta por $c_{\text{upper}} - c_{\text{lower}}$
    - Criar nova fonte S e sumidouro T
    - Para cada vértice v, compute:

$$M[v] = \sum_{\text{arestas entrando}} c_{\text{lower}} - \sum_{\text{arestas saindo}} c_{\text{lower}}$$

    - Se $M[v] > 0$, adicione aresta (S, v) com capacidade $M[v]$; se $M[v] < 0$, adicione (v, T) com capacidade $-M[v]$.
    - Se todas as arestas de S estão saturadas no fluxo máximo, então um fluxo viável existe. O fluxo viável final é o fluxo computado mais os valores de c_{lower}.

8.7 Propriedades Matemáticas

- **Lagrange:** Todo número inteiro pode ser representado como soma de 4 quadrados.
- **Zeckendorf:** Todo número pode ser representado como soma de números de Fibonacci diferentes e não consecutivos.
- **Tripla de Pitágoras (Euclides):** Toda tripla pitagórica primitiva pode ser gerada por $(n^2-m^2, 2nm, n^2+m^2)$ onde n e m são coprimos e um deles é par.
- **Progressão Geométrica:** $S_n = a_1 \cdot \frac{q^n-1}{q-1}$
- **Soma de quadrados e cubos:** $\sum_{i=1}^{n} i^2 = \frac{n(n+1)(2n+1)}{6}$, $\sum_{i=1}^{n} i^3 = \frac{n^2(n+1)^2}{4}$
- **Chicken McNugget:** Para dois coprimos x e y, o número de inteiros que não podem ser expressos como $ax + by$ é $(x-1)(y-1)/2$. O maior inteiro não representável é $xy - x - y$.
- **Primos até 200:** 2, 3, 5, 7, 11, 13, 17, 19, 23, 29, 31, 37, 41, 43, 47, 53, 59, 61, 67, 71, 73, 79, 83, 89, 97, 101, 103, 107, 109, 113, 127, 131, 137, 139, 149, 151, 157, 163, 167, 173, 179, 181, 191, 193, 197, 199
- **Fibonacci** $[0, 20]$: 0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, 89, 144, 233, 377, 610, 987, 1597, 2584, 4181, 6765.
- **Fatorial** $[0, 15]$: 1, 1, 2, 6, 24, 120, 720, 5040, 40320, 362880, 3628800, 39916800, 479001600, 6227020800, 87178291200, 1307674368000.
- **Potencias**
  2^n $[1, 16]$: 2, 4, 8, 16, 32, 64, 128, 256, 512, 1024, 2048, 4096, 8192, 16384, 32768, 65536
  3^n $[1, 13]$: 3, 9, 27, 81, 243, 729, 2187, 6561, 19683, 59049, 177147, 531441, 1594323
  5^n $[1, 12]$: 5, 25, 125, 625, 3125, 15625, 78125, 390625, 1953125, 9765625, 48828125, 244140625
  7^n $[1, 9]$: 7, 49, 343, 2401, 16807, 117649, 823543, 5764801, 40353607, 282475249
- **Totiente de Euler:** $\varphi(n)$ conta quantos números entre 1 e n são coprimos com n.
  Seq.$[1, 32]$: 1, 1, 2, 2, 4, 2, 6, 4, 6, 4, 10, 4, 12, 6, 8, 8, 16, 6, 18, 8, 12, 10, 22, 8, 20, 12, 18, 12, 28, 8, 30

Primos

- **Goldbach:** Todo número par $n > 2$ pode ser representado como $n = a + b$, onde a e b são primos.
- **Primos Gêmeos:** Existem infinitos pares de primos p, $p + 2$.
- **Legendre:** Sempre existe um primo entre n^2 e $(n+1)^2$.
- **Wilson:** n é primo se e somente se $(n-1)! \bmod n = n - 1$.

Combinatória

- **Propriedades de Coeficientes Binomiais:**

$$\binom{n}{k} = \binom{n}{n-k} = \frac{n}{k}\binom{n-1}{k-1},$$

$$\sum_{i=0}^{k} \binom{m}{i}\binom{n}{k-i} = \binom{m+n}{k}, \sum_{i=0}^{m} \binom{n}{i}(-1)^i = \binom{n-1}{m}(-1)^m$$

$$\sum_{i=0}^{n} \binom{n}{i} = 2^n, \qquad \sum_{i=0}^{n} \binom{n}{i} i = n \cdot 2^{n-1}, \qquad \sum_{i=0}^{n}$$

$$\sum_{i=0}^{n} \binom{n-i}{i} = F_{n+1}, \qquad \sum_{i=0}^{m} \binom{n+i}{i} = \binom{n+m+1}{m}, \quad \sum_{i=0}^{n}$$

- **Triângulo de Pascal**



- **Números de Catalan:** expressões de parênteses bem formadas, #binary trees com n+1 nodes, etc. $C_0 = 1$, e:

$$C_n = \frac{1}{n+1}\binom{2n}{n} = \sum_{i=0}^{n-1} C_i C_{n-1-i}$$

Seq.$[0, 20]$: 1, 1, 2, 5, 14, 42, 132, 429, 1430, 4862, 16796, 58786, 208012, 742900, 2674440, 9694845, 35357670, 129644790, 477638700, 1767263190, 6564120420.

- **Burnside Lemma:** Número de colares diferentes (sem contar rotações), com m cores e comprimento n:

$$\frac{1}{n}\left(m^n + \sum_{i=1}^{n-1} m^{\gcd(i,n)}\right)$$

- **Inversão de Möbius:** Útil para inclusão e exclusão nos primos. Seq.$[1, 30]$: 1, -1, -1, 0, -1, 1, -1, 0, 0, 1, -1, 0, 1, 1, 0, -1, 1, 0, 0, 1, -1, 1, 0, -1, -1, 0, 1, 0, 0, 1. $\sum_{d|n} \mu(d) = 0$ if $n > 1$ else 1
- **Lindström-Gessel-Viennot:** A quantidade de caminhos disjuntos em um grid pode ser computada como o determinante da matriz do número de caminhos.
- **Numeros de Stirling:**
  - **First Type:** $|s(n, m)|$ é definido como a quantidade de permutações de n elementos que contém exatamente m ciclos de permutação. Tem aplicações em inclusão e exclusão.

$$\begin{bmatrix} n \\ k \end{bmatrix} = (n-1)\begin{bmatrix} n-1 \\ k \end{bmatrix} + \begin{bmatrix} n-1 \\ k-1 \end{bmatrix} = (-1)^{n-k} s(n, k)$$

$$\begin{bmatrix} n \\ 1 \end{bmatrix} = (n-1)! \quad , \quad \begin{bmatrix} n \\ n \end{bmatrix} = 1 \quad , \quad \begin{bmatrix} n+1 \\ m+1 \end{bmatrix} = \sum_i \begin{bmatrix} n \\ i \end{bmatrix} \binom{i}{m}$$

$n\|k$	0	1	2	3	4	5	6
0	1						
1		1					
2		−1	1				
3		2	−3	1			
4		−6	11	−6	1		
5		24	−50	35	−10	1	
6		−120	274	−225	85	−15	1

  - **Second Type:** O Stirling set $\left\{ {n \atop k} \right\}$ conta maneiras de particionar um conjunto de n elementos em k sub-conjuntos não vazios. Equivalente a Rhyming Schemes de n posições e k símbolos. (exemplo n=3: k=1 {aaa}; k=2 {aab, aba, abb}; k=3 {abc})

$$\left\{ {n \atop k} \right\} = k\left\{ {n-1 \atop k} \right\} + \left\{ {n-1 \atop k-1} \right\}$$

$$\left\{ {n \atop 1} \right\} = \left\{ {n \atop n} \right\} = 1 \quad , \quad \left\{ {n+1 \atop k+1} \right\} = \sum_i \left\{ {i \atop k} \right\} \binom{n}{i}$$

$n\|k$	0	1	2	3	4	5	6
0	1						
1		1					
2		1	1				
3		1	3	1			
4		1	7	6	1		
5		1	15	25	10	1	
6		1	31	90	65	15	1

- **Números de Bell B_n:** numero de partições de um conjunto de n elementos. $B_n = \sum_i \left\{ {n \atop i} \right\} = \sum_i \binom{n-1}{i} B_i$. $[0, 12]$: 1, 1, 2, 5, 15, 52, 203, 877, 4140, 21147, 115975, 678570, 4213597.
- **Eulerian numbers (first order):**
  O Eulerian number $\left\langle {n \atop k} \right\rangle$ ou $A(n, k)$ conta o número de permutações de tamanho n com exatamente k *ascents* ($p_i < p_{i+1}$).

$$\left\langle {n \atop k} \right\rangle = (k+1)\left\langle {n-1 \atop k} \right\rangle + (n-k)\left\langle {n-1 \atop k-1} \right\rangle = \sum_{i=0}^{k} (-1)^i \binom{n}{i} (k+1-i)^n$$

$$\left\langle {1 \atop 0} \right\rangle = 1, \qquad \left\langle {n \atop 1} \right\rangle = 2^n - n - 1, \qquad \sum_{k=0}^{n-1} \left\langle {n \atop k} \right\rangle = n!$$

$n\|k$	0	1	2	3	4	5	6
1	1						
2	1	1					
3	1	4	1				
4	1	11	11	1			
5	1	26	66	26	1		
6	1	57	302	302	57	1	
7	1	120	1191	2416	1191	120	1

Modular

- **Fermat:** Se p é primo, então $a^{p-1} \equiv 1 \mod p$. Se x e m são coprimos e m primo, então $x^k \equiv x^{k \bmod (m-1)} \mod m$. *Euler:* $x^{\varphi(m)} \equiv 1 \mod m$. $\varphi(m)$ é o totiente de Euler.
- **Teorema Chinês do Resto:** Dado um sistema de congruências: $x \equiv a_1 \mod m_1, \ \ldots, \ x \equiv a_n \mod m_n$ com m_i coprimos dois a dois. E seja $M_i = \frac{m_1 m_2 \cdots m_n}{m_i}$ e $N_i = M_i^{-1} \mod m_i$. Então a solução é dada por $x = \sum_{i=1}^{n} a_i M_i N_i$ Outras soluções são obtidas somando $m_1 m_2 \cdots m_n$.

Probabilidade

- **Bertrand Ballot:** Com $p > q$ votos, a probabilidade de sempre haver mais votos do tipo A do que B até o fim é: $\frac{p-q}{p+q}$ Permitindo empates: $\frac{p+1-q}{p+1}$. Multiplicando pela combinação total $\binom{p+q}{q}$, obtém-se o número de possibilidades.
- **Linearidade da Esperança:** $E[aX + bY] = aE[X] + bE[Y]$
- **Variância:** $\mathrm{Var}(X) = E[(X - \mu)^2] = E[X^2] - E[X]^2$
- **Uniforme:** $X \in \{a, a+1, \ldots, b\}$, $E[X] = \frac{a+b}{2}$
- **Binomial:** n tentativas com probabilidade p de sucesso: $P(X = x) = \binom{n}{x} p^x (1-p)^{n-x}$, $E[X] = np$
- **Geométrica:** Número de tentativas até o primeiro sucesso: $P(X = x) = (1-p)^{x-1} p$, $E[X] = \frac{1}{p}$

9 Number Theory

Linear diophantine equation: . $ax + by = c$. Let $d = \gcd(a, b)$. A solution exists iff $d|c$. If (x_0, y_0) is any solution, then all solutions are given by $(x, y) = (x_0 + \frac{b}{d}t, y_0 - \frac{a}{d}t)$, $t \in \mathbb{Z}$. To find some solution (x_0, y_0), use extended GCD to solve $ax_0 + by_0 = d = \gcd(a, b)$, and multiply its solutions by $\frac{c}{d}$.

Linear diophantine equation in n variables: $a_1 x_1 + \cdots + a_n x_n = c$ has solutions iff $\gcd(a_1, \ldots, a_n)|c$. To find some solution, let $b = \gcd(a_2, \ldots, a_n)$, solve $a_1 x_1 + by = c$, and iterate with $a_2 x_2 + \cdots = y$.

Extended GCD:

```
// Finds g = gcd(a,b) and x, y such that ax+by=g.
// Bounds: |x|<=b+1, |y|<=a+1.
void gcdext(int &g, int &x, int &y, int a, int b)
{ if (b == 0) { g = a; x = 1; y = 0; }
  else        { gcdext(g, y, x, b, a % b); y = y -
```

Multiplicative inverse of a modulo m: x in $ax+my=1$, or $a^{\phi(m)-1} \pmod m$.

Chinese Remainder Theorem: . System $x \equiv a_i \pmod{m_i}$ for $i = 1, \ldots, n$, with pairwise relatively-prime m_i has a unique solution modulo $M = m_1 m_2 \ldots m_n$: $x = a_1 b_1 \frac{M}{m_1} + \cdots + a_n b_n \frac{M}{m_n} \pmod M$, where b_i is modular inverse of $\frac{M}{m_i}$ modulo m_i.

System $x \equiv a \pmod m$, $x \equiv b \pmod n$ has solutions iff $a \equiv b \pmod g$, where $g = \gcd(m,n)$. The solution is unique modulo $L = \frac{mn}{g}$, and equals: $x \equiv a + T(b-a)m/g \equiv b + S(a-b)n/g \pmod L$, where S and T are integer solutions of $mT + nS = \gcd(m,n)$.

Prime-counting function: . $\pi(n) = |\{p \leq n : p \text{ is prime}\}|$. $n/\ln(n) < \pi(n) < 1.3n/\ln(n)$. $\pi(1000) = 168$, $\pi(10^6) = 78498$, $\pi(10^9) = 50\ 847\ 534$. n-th prime $\approx n \ln n$.

Miller-Rabin's primality test: . Given $n = 2^r s + 1$ with odd s, and a random integer $1 < a < n$.
If $a^s \equiv 1 \pmod n$ or $a^{2^j s} \equiv -1 \pmod n$ for some $0 \leq j \leq r-1$, then n is a probable prime. With bases 2, 7 and 61, the test indentifies all composites below 2^{32}. Probability of failure for a random a is at most $1/4$.

Pollard-ρ: . Choose random x_1, and let $x_{i+1} = x_i^2 - 1 \pmod n$. Test $\gcd(n, x_{2^k+i} - x_{2^k})$ as possible n's factors for $k = 0, 1, \ldots$ Expected time to find a factor: $O(\sqrt{m})$, where m is smallest prime power in n's factorization. That's $O(n^{1/4})$ if you check $n = p^k$ as a special case before factorization.

Fermat primes: . A Fermat prime is a prime of form $2^{2^n} + 1$. The only known Fermat primes are 3, 5, 17, 257, 65537. A number of form $2^n + 1$ is prime only if it is a Fermat prime.

Fermat's Theorem: . Let m be a prime and x and m coprimes, then:

- $x^{m-1} \equiv 1 \mod m$
- $x^k \mod m = x^{k \mod (m-1)} \mod m$
- $x^{\phi(m)} \equiv 1 \mod m$

Perfect numbers: . $n > 1$ is called perfect if it equals sum of its proper divisors and 1. Even n is perfect iff $n = 2^{p-1}(2^p - 1)$ and $2^p - 1$ is prime (Mersenne's). No odd perfect numbers are yet found.

Carmichael numbers: . A positive composite n is a Carmichael number ($a^{n-1} \equiv 1 \pmod n$ for all a: $\gcd(a,n) = 1$), iff n is square-free, and for all prime divisors p of n, $p-1$ divides $n-1$.

Number/sum of divisors: . $\tau(p_1^{a_1} \ldots p_k^{a_k}) = \prod_{j=1}^k (a_j + 1)$. $\sigma(p_1^{a_1} \ldots p_k^{a_k}) = \prod_{j=1}^k \frac{p_j^{a_j+1}-1}{p_j - 1}$.

Product of divisors: . $\mu(n) = n^{\frac{\tau(n)}{2}}$

- if p is a prime, then: $\mu(p^k) = p^{\frac{k(k+1)}{2}}$
- if a and b are coprimes, then: $\mu(ab) = \mu(a)^{\tau(b)} \mu(b)^{\tau(a)}$

Euler's phi function: . $\phi(n) = |\{m \in \mathbb{N}, m \leq n, \gcd(m,n) = 1\}|$.

- $\phi(mn) = \frac{\phi(m)\phi(n)\gcd(m,n)}{\phi(\gcd(m,n))}$.
- $\phi(p) = p - 1$ si p es primo
- $\phi(p^a) = p^a(1 - \frac{1}{p}) = p^{a-1}(p-1)$
- $\phi(n) = n(1-\frac{1}{p_1})(1-\frac{1}{p_2})...(1-\frac{1}{p_k})$ donde p_i es primo y divide a n

Euler's theorem: . $a^{\phi(n)} \equiv 1 \pmod n$, if $\gcd(a,n) = 1$.

Wilson's theorem: . p is prime iff $(p-1)! \equiv -1 \pmod p$.

Mobius function: . $\mu(1) = 1$. $\mu(n) = 0$, if n is not squarefree. $\mu(n) = (-1)^s$, if n is the product of s distinct primes. Let f, F be functions on positive integers. If for all $n \in N$, $F(n) = \sum_{d|n} f(d)$, then $f(n) = \sum_{d|n} \mu(d) F(\frac{n}{d})$, and vice versa. $\phi(n) = \sum_{d|n} \mu(d) \frac{n}{d}$. $\sum_{d|n} \mu(d) = 1$.
If f is multiplicative, then $\sum_{d|n} \mu(d) f(d) = \prod_{p|n}(1 - f(p))$,
$\sum_{d|n} \mu(d)^2 f(d) = \prod_{p|n}(1 + f(p))$.
$\sum_{d|n} \mu(d) = e(n) = [n == 1]$.
$S_f(n) = \prod_{p=1}(1 + f(p_i) + f(p_i^2) + ... + f(p_i^{e_i}))$, p - primes(n).

Legendre symbol: . If p is an odd prime, $a \in \mathbb{Z}$, then $\left(\frac{a}{p}\right)$ equals 0, if $p|a$; 1 if a is a quadratic residue modulo p; and -1 otherwise. Euler's criterion: $\left(\frac{a}{p}\right) = a^{\left(\frac{p-1}{2}\right)} \pmod p$.

Jacobi symbol: . If $n = p_1^{a_1} \cdots p_k^{a_k}$ is odd, then $\left(\frac{a}{n}\right) = \prod_{i=1}^k \left(\frac{a}{p_i}\right)^{k_i}$.

Primitive roots: . If the order of g modulo m (min $n > 0$: $g^n \equiv 1 \pmod m$) is $\phi(m)$, then g is called a primitive root. If Z_m has a primitive root, then it has $\phi(\phi(m))$ distinct primitive roots. Z_m has a primitive root iff m is one of 2, 4, p^k, $2p^k$, where p is an odd prime. If Z_m has a primitive root g, then for all a coprime to m, there exists unique integer $i = \text{ind}_g(a)$ modulo $\phi(m)$, such that $g^i \equiv a \pmod m$. $\text{ind}_g(a)$ has logarithm-like properties: $\text{ind}(1) = 0$, $\text{ind}(ab) = \text{ind}(a) + \text{ind}(b)$.

If p is prime and a is not divisible by p, then congruence $x^n \equiv a \pmod p$ has $\gcd(n, p-1)$ solutions if $a^{(p-1)/\gcd(n,p-1)} \equiv 1 \pmod p$, and no solutions otherwise. (Proof sketch: let g be a primitive root, and $g^i \equiv a \pmod p$, $g^u \equiv x \pmod p$. $x^n \equiv a \pmod p$ iff $g^{nu} \equiv g^i \pmod p$ iff $nu \equiv i \pmod p$.)

Discrete logarithm problem: . Find x from $a^x \equiv b \pmod m$. Can be solved in $O(\sqrt{m})$ time and space with a meet-in-the-middle trick. Let $n = \lceil \sqrt{m} \rceil$, and $x = ny - z$. Equation becomes $a^{ny} \equiv ba^z \pmod m$. Precompute all values that the RHS can take for $z = 0, 1, \ldots, n-1$, and brute force y on the LHS, each time checking whether there's a corresponding value for RHS.

Pythagorean triples: . Integer solutions of $x^2 + y^2 = z^2$ All relatively prime triples are given by: $x = 2mn, y = m^2 - n^2, z = m^2 + n^2$ where $m > n, \gcd(m,n) = 1$ and $m \not\equiv n \pmod 2$. All other triples are multiples of these. Equation $x^2 + y^2 = 2z^2$ is equivalent to $(\frac{x+y}{2})^2 + (\frac{x-y}{2})^2 = z^2$.

- Given an arbitrary pair of integers m and n with $m > n > 0$:
  $a = m^2 - n^2$, $b = 2mn$, $c = m^2 + n^2$
- The triple generated by Euclid's formula is primitive if and only if m and n are coprime and not both odd.
- To generate all Pythagorean triples uniquely:
  $a = k(m^2 - n^2)$, $b = k(2mn)$, $c = k(m^2 + n^2)$
- If m and n are two odd integer such that $m > n$, then:
  $a = mn$, $b = \frac{m^2 - n^2}{2}$, $c = \frac{m^2 + n^2}{2}$
- If $n = 1$ or 2 there are no solutions. Otherwise
  n is even: $((\frac{n^2}{4} - 1)^2 + n^2 = (\frac{n^2}{4} + 1)^2)$
  n is odd: $((\frac{n^2-1}{2})^2 + n^2 = (\frac{n^2+1}{2})^2)$

Postage stamps/McNuggets problem: . Let a, b be relatively-prime integers. There are exactly $\frac{1}{2}(a-1)(b-1)$ numbers *not* of form $ax+by$ $(x, y \geq 0)$, and the largest is $(a-1)(b-1)-1 = ab-a-b$.

Fermat's two-squares theorem: . Odd prime p can be represented as a sum of two squares iff $p \equiv 1 \pmod 4$. A product of two sums of two squares is a sum of two squares. Thus, n is a sum of two squares iff every prime of form $p = 4k+3$ occurs an even number of times in n's factorization.

RSA: . Let p and q be random distinct large primes, $n = pq$. Choose a small odd integer e, relatively prime to $\phi(n) = (p-1)(q-1)$, and let $d = e^{-1} \pmod{\phi(n)}$. Pairs (e, n) and (d, n) are the public and secret keys, respectively. Encryption is done by raising a message $M \in Z_n$ to the power e or d, modulo n.

10 Extra

10.1 Hash Function

Call

```
g++ hash.cpp -o hash
./hash < code.cpp
```

to get the hash of the code.

The hash ignores comments and whitespaces.
The hash of a line whith } is the hash of all the code since the { that opens it. (is the hash of that context)

(Optional) To make letters upperCase: for(auto&c:s)if('a'<=c) c^=32;

```
DE3 string getHash(string s){
E7F   ofstream("z.cpp") << s;
410   system("g++ -E -P -dD -fpreprocessed ./z.cpp | tr -d '[:space:]' | md5sum > sh");
F24   ifstream("sh") >> s;
A15   return s.substr(0, 3);
89F }
E8D int main(){
973   string l, t;
C3E   stack<string> st({""});
C61   while(getline(cin, l)){
54F       t = l;
242     for(auto c : l)
A53       if(c == '{') st.push(""); else
733       if(c == '}') t = st.top()+l, st.pop();
1B9     cout << getHash(t) + " " + l << endl;
DB4     st.top() += t;
C14   }
692 }
```