

METHOD	URI	BODY	DATABASE QUERY	BODY RESPONSE
POST	/USERS/	{ "name": "bubina popera" "password": "bu1n@" "email:" "bub@ina.com" "nick:" "bubs" }	INSERT INTO users (name,pass,email,nick) VALUES ("bubina popera", "bub1n@", "bub@ina.com", "bubs")	{"code": "200", "message": "OK"}, {"code": "400", "message": "Bad request"}, {"code": "404", "message": "Object not found"}, {"code": "500", "message": "Internal server error"}, {"code": "505", "message": "HTTP Version Not Supported"}
PUT	/USERS/	{ "userId:" 1, "name": "bubina popera silva" "password:" "Bub1n@S1lv@" "email:" bubs@hotmail.com "nick:" "littlePopera" }	UPDATE users SET name = "bubina popera silva" password= "Bub1n@S1lv@" email= "bubs@hotmail.com" nick= "littlePopera" WHERE userId=1	{"code": "200", "message": "OK"}, {"code": "400", "message": "Bad request"}, {"code": "404", "message": "Object not found"}, {"code": "500", "message": "Internal server error"}, {"code": "505", "message": "HTTP Version Not Supported"}
GET	/USERS/?_id=1	-	SELECT name, email, nick, FROM users WHERE enabled= true AND userId=1	[{ "name": "bubina popera silva", "email": "bubs@hotmail.com", "nick": "littlePopera"}], {"code": "200", "message": "OK"}, {"code": "404", "message": "Object not found"}, {"code": "500", "message": "Internal server error"},

METHOD	URI	BODY	DATABASE QUERY	BODY RESPONSE
POST	/TESTS/	<pre> {"title": " bubina popera" "archiveLocation": " lxp022//Ed.jpg" "username:" "filibixu" } </pre>	INSERT INTO test (title,archiveLocation,username) VALUES ("bubina popera", " lxp022//Ed.jpg", "filibixu") WHERE userId=1	<pre> {"code": "200", "message:" "OK"}, {"code": "400", "message": "Bad request"}, {"code": "404", "message": "Object not found"}, {"code": "500", "message": "Internal server error"}, {"code": "505", "message": "HTTP Version Not Supported"} </pre>
PUT	/TESTS/	<pre> {"testId"1, "title": " jooj" "archiveLocation": " lxp022//posts/Ed.jpg" "username:" "filibixu" } </pre>	UPDATE tests SET title = "bubina popera silva" archiveLocation= " lxp022//posts/Ed.jpg" username= "filibixu" WHERE testId=1	<pre> {"code": "200", "message:" "OK"}, {"code": "400", "message": "Bad request"}, {"code": "404", "message": "Object not found"}, {"code": "500", "message": "Internal server error"}, </pre>
GET	/TESTS/	-	SELECT title, username, FROM tests WHERE enabled= true AND testId=1	<pre> {"code": "200", "message:" "OK"}, {"code": "400", "message": "Bad request"}, {"code": "404", "message": "Object not found"}, {"code": "500", "message": "Internal server error"}, </pre>

METHOD	URI	BODY	DATABASE QUERY	BODY RESPONSE
POST	/COMMENTS/	<pre>{ "test": "lxpin022//posts/Ed.jpg" "title": " ahhhh" "text": " delicia de prova cara" "username:" "filibixu" }</pre>	<pre>INSERT INTO comments (test,title,text,username) VALUES ("lxpin022//posts/Ed.jpg", " " ahhhh", " delicia de prova cara" "filibixu") WHERE testId=1</pre>	<pre>{“code”:“200”, “message:” “OK”}, {“code”:“400”, “message”:“Bad request”}, {“code”:“500”, “message”:“Internal server error”},</pre>
PUT	/COMMENTS/	<pre>{ "test": "lxpin022//posts/EstruD.jpg" "title": " oohhh" "text": " delicia de prova cara,ahhh" "username:" "filibixu" }</pre>	<pre>UPDATE comments SET test= "lxpin022//posts/EstruD.jpg" title=" oohhh" text= " dlc de prova cara,ahhh" username="filibixu" } WHERE testId=1</pre>	<pre>{“code”:“200”, “message:” “OK”}, {“code”:“400”, “message”:“Bad request”}, {“code”:“500”, “message”:“Internal server error”}</pre>
GET	/COMMENTS/	-	<pre>SELECT title ,text, username FROM tests WHERE enabled= true AND testId=1</pre>	<pre>{“code”:“200”, “message:” “OK”}, {“code”:“400”, “message”:“Bad request”}, {“code”:“500”, “message”:“Internal server error”}</pre>

