STM32H743IIT6 Core Board
Sheet-to-sheet connectivity via global labels and power symbols.

MCU

File: mcu.kicad_sch

Memory

File: memory.kicad_sch

Power_USB

File: power_usb.kicad_sch

IO

File: io.kicad_sch

Display_Camera

File: display_camera.kicad_sch


Sheet Root

Sheet: /
File: STM32H743_CoreBoard.kicad_sch


Title: STM32H743IIT6 Core Board – Root

Size: A4	Date:	Rev:
KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4		Id: 1/6


MCU – Power / System




MCU – Port A / B




MCU – Port C / D




MCU – Port E / F




MCU – Port G / H / I



CLOCKS



KEY / RESET



PWR_FLAG (ERC)




Sheet MCU


Sheet: /MCU/
File: mcu.kicad_sch

Title: STM32H743IIT6 Core Board – MCU


Size: A2	Date:	Rev:
KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4		Id: 2/6


SDRAM







QSPI FLASH





EEPROM





PWR_FLAG (ERC)




Sheet Memory

Sheet: /Memory/
File: memory.kicad_sch


Title: STM32H743IIT6 Core Board – Memory

Size: A3	Date:	Rev:
KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4		Id: 3/6


POWER



USB (USB OTG FS)



COM (CH340X USB-UART)



PWR_FLAG (ERC)




Sheet Power_USB

Sheet: /Power_USB/
File: power_usb.kicad_sch


Title: STM32H743IIT6 Core Board – Power_USB

Size: A3	Date:	Rev:
KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4		Id: 4/6


GPIO




MICRO SD



SWD



LED



MOUNTING HOLES




Sheet IO


Sheet: /IO/
File: io.kicad_sch

Title: STM32H743IIT6 Core Board – IO


Size: A3	Date:	**Rev:**
KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4		Id: 5/6


RGB LCD (40P FPC)







SPI LCD (20P FPC)





CAMERA (DCMI)





Sheet Display_Camera

Sheet: /Display_Camera/
File: display_camera.kicad_sch

Title: STM32H743IIT6 Core Board – Display_Camera

Size: A3	Date:	Rev:
KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4		Id: 6/6