alcor1.las (CWLS log ASCII Standard -VERSION 2.0)

Section: well (page 1)

START DEPTH [F]	8300
STOP DEPTH [F]	10799.5
STEP DEPTH [F]	0.5
NULL VALUE	-999.25
FIELD NAME	Alcor
DOE NUMBER	
CONTRACTOR	Nabors
DIRECTNL CONTR	Spery Drilling Services
PROVINCE	Alaska
STATE NAME	Alaska
REGION	US Northern
MWD SHOP	Prudhoe Bay
COUNTRY NAME	USA
JOB TICKET NUMB	AK-MW-000985348
RIG NAME	Nabors 105E
LOGGING EQUIPMENT BASE LOCATION	Alaska
COUNTY NAME	North Slope Borough
LOGGING EQUIPMENT ID	117
SPUD DATE	16-Jun-12
PERMANENT DATUM	Mean Sea Level
DRILL MEAS FROM	Drill Floor
START TIME	10.03.44 16-Jun-12
END TIME	10.03.44 09-Aug-12
DRILL MOD DESC	Drill Model
SURVEY DESC	Survey
INTERP LTH DESC	Lithology
FORM TOPS DESC	Formation Tops
WELL NAME	Alcor 1
COMPANY	Great Bear Petroleum, LLC
JOB NUMBER	AK-XX-0009285348
GEO COORD DESC	Generic Lat/Long's, Degrees, -180 ==> +180
GEO GRID SYS	LL
GEO REFERENCE	Ellipsoid World Geodetic System
MAGNETIC MODEL	bggm2011.dat
MAG DATA DATE	15 June, 2012
MAG DATA SOURCE	Win MagUTM
LLGROUP	Latitude/Longitude
UNIQUE WELL IDENTIFIER	50-223-20026-00
API NUMBER	50-223-20026-00
TOWNSHIP	7N
SECTION	5
RANGE	14E
LOCATION	
LOG MEASURED FROM	Drill Floor
LATITUDE [deg]	69.99
LONGITUDE [deg]	-148.68
TVDSS CORRECTN [ft]	186
GROUND ELEVATION [ft]	163.7
WD ELEV [ft]	0
WELL HEAD N/S [ft]	0
• •	


alcor1.las (CWLS log ASCII Standard -VERSION 2.0)


Section: well (page 2)

WELL HEAD E/W [ft] 0 UTM X [ft] 665672.5 UTM Y [ft] 5847838.5 DISTANCE FWL [ft] 652 DISTANCE FSL [ft] 2542 ELEVATION [ft] 0 DEPTH ABOVE PD [ft] 186 START DEPTH [ft] 102 TOTAL DEPTH (DRILLER) [ft] 10812 VERT SEC DIRECT [deg] 208.39 MAGNETIC FIELD [nT] 57631 MAGNETIC DIP [deg] 80.82 GRAVITY FIELD [g] 1 MAGNETIC DECL [deg] 20.87 GRID CORRECTION [deg] 1.24 AZM TOTAL CORR [deg] 20.87 MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0 MAGUTM CHECKSUM 2279127		_
UTM Y [ft] 5847838.5 DISTANCE FWL [ft] 652 DISTANCE FSL [ft] 2542 ELEVATION [ft] 0 DEPTH ABOVE PD [ft] 186 START DEPTH [ft] 102 TOTAL DEPTH (DRILLER) [ft] 10812 VERT SEC DIRECT [deg] 208.39 MAGNETIC FIELD [nT] 57631 MAGNETIC DIP [deg] 80.82 GRAVITY FIELD [g] 1 MAGNETIC DECL [deg] 20.87 GRID CORRECTION [deg] 1.24 AZM TOTAL CORR [deg] 20.87 MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	WELL HEAD E/W [ft]	0
DISTANCE FWL [ft] 652 DISTANCE FSL [ft] 2542 ELEVATION [ft] 0 DEPTH ABOVE PD [ft] 186 START DEPTH [ft] 102 TOTAL DEPTH (DRILLER) [ft] 10812 VERT SEC DIRECT [deg] 208.39 MAGNETIC FIELD [nT] 57631 MAGNETIC DIP [deg] 80.82 GRAVITY FIELD [g] 1 MAGNETIC DECL [deg] 20.87 GRID CORRECTION [deg] 1.24 AZM TOTAL CORR [deg] 20.87 MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	UTM X [ft]	665672.5
DISTANCE FSL [ft] 2542 ELEVATION [ft] 0 DEPTH ABOVE PD [ft] 186 START DEPTH [ft] 102 TOTAL DEPTH (DRILLER) [ft] 10812 VERT SEC DIRECT [deg] 208.39 MAGNETIC FIELD [nT] 57631 MAGNETIC DIP [deg] 80.82 GRAVITY FIELD [g] 1 MAGNETIC DECL [deg] 20.87 GRID CORRECTION [deg] 1.24 AZM TOTAL CORR [deg] 20.87 MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	UTM Y [ft]	5847838.5
ELEVATION [ft] 0 DEPTH ABOVE PD [ft] 186 START DEPTH [ft] 102 TOTAL DEPTH (DRILLER) [ft] 10812 VERT SEC DIRECT [deg] 208.39 MAGNETIC FIELD [nT] 57631 MAGNETIC DIP [deg] 80.82 GRAVITY FIELD [g] 1 MAGNETIC DECL [deg] 20.87 GRID CORRECTION [deg] 1.24 AZM TOTAL CORR [deg] 20.87 MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	DISTANCE FWL [ft]	652
DEPTH ABOVE PD [ft] 186 START DEPTH [ft] 102 TOTAL DEPTH (DRILLER) [ft] 10812 VERT SEC DIRECT [deg] 208.39 MAGNETIC FIELD [nT] 57631 MAGNETIC DIP [deg] 80.82 GRAVITY FIELD [g] 1 MAGNETIC DECL [deg] 20.87 GRID CORRECTION [deg] 1.24 AZM TOTAL CORR [deg] 20.87 MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	DISTANCE FSL [ft]	2542
START DEPTH [ft] 102 TOTAL DEPTH (DRILLER) [ft] 10812 VERT SEC DIRECT [deg] 208.39 MAGNETIC FIELD [nT] 57631 MAGNETIC DIP [deg] 80.82 GRAVITY FIELD [g] 1 MAGNETIC DECL [deg] 20.87 GRID CORRECTION [deg] 1.24 AZM TOTAL CORR [deg] 20.87 MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	ELEVATION [ft]	0
TOTAL DEPTH (DRILLER) [ft] 10812 VERT SEC DIRECT [deg] 208.39 MAGNETIC FIELD [nT] 57631 MAGNETIC DIP [deg] 80.82 GRAVITY FIELD [g] 1 MAGNETIC DECL [deg] 20.87 GRID CORRECTION [deg] 1.24 AZM TOTAL CORR [deg] 20.87 MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	DEPTH ABOVE PD [ft]	186
VERT SEC DIRECT [deg] 208.39 MAGNETIC FIELD [nT] 57631 MAGNETIC DIP [deg] 80.82 GRAVITY FIELD [g] 1 MAGNETIC DECL [deg] 20.87 GRID CORRECTION [deg] 1.24 AZM TOTAL CORR [deg] 20.87 MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	START DEPTH [ft]	102
MAGNETIC FIELD [nT] 57631 MAGNETIC DIP [deg] 80.82 GRAVITY FIELD [g] 1 MAGNETIC DECL [deg] 20.87 GRID CORRECTION [deg] 1.24 AZM TOTAL CORR [deg] 20.87 MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	TOTAL DEPTH (DRILLER) [ft]	10812
MAGNETIC DIP [deg] 80.82 GRAVITY FIELD [g] 1 MAGNETIC DECL [deg] 20.87 GRID CORRECTION [deg] 1.24 AZM TOTAL CORR [deg] 20.87 MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	VERT SEC DIRECT [deg]	208.39
GRAVITY FIELD [g] 1 MAGNETIC DECL [deg] 20.87 GRID CORRECTION [deg] 1.24 AZM TOTAL CORR [deg] 20.87 MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	MAGNETIC FIELD [nT]	57631
MAGNETIC DECL [deg] 20.87 GRID CORRECTION [deg] 1.24 AZM TOTAL CORR [deg] 20.87 MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	MAGNETIC DIP [deg]	80.82
GRID CORRECTION [deg] 1.24 AZM TOTAL CORR [deg] 20.87 MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	GRAVITY FIELD [g]	1
AZM TOTAL CORR [deg] 20.87 MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	MAGNETIC DECL [deg]	20.87
MAGUTM CALC DEP [ft] -21 AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	GRID CORRECTION [deg]	1.24
AIR GAP [ft] 22.3 RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	AZM TOTAL CORR [deg]	20.87
RIG COST [\$/da] 1 KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	MAGUTM CALC DEP [ft]	-21
KB ELEVATION [ft] 0 DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	AIR GAP [ft]	22.3
DF ELEVATION [ft] 186 VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	RIG COST [\$/da]	1
VS TO CLOSURE 0 WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	KB ELEVATION [ft]	0
WELL TYPE 0 NORTH REFERENCE 1 HOLE POS TYPE 0	DF ELEVATION [ft]	186
NORTH REFERENCE 1 HOLE POS TYPE 0	VS TO CLOSURE	0
HOLE POS TYPE 0	WELL TYPE	0
	NORTH REFERENCE	1
MAGUTM CHECKSUM 2279127	HOLE POS TYPE	0
	MAGUTM CHECKSUM	2279127

alcor1.las (CWLS log ASCII Standard -VERSION 2.0)


Section: curves (page 1)






alcor1.las (CWLS log ASCII Standard -VERSION 2.0)

Section: curves (page 2)





alcor1.las (CWLS log ASCII Standard -VERSION 2.0)

Section: curves (page 3)



