



PATIENT ID	: GP202600056	BILL NO	: OSP202600094
NAME	: PRAVEEN	BILL DATE	: 09-10-2026 11:59 AM
GENDER / AGE	: Male	COLLECTED ON	: —
MOBILE NO	: 917997171134	REPORTED ON	: —
REF DR.	: Dr. Kavita Nair	PRINTED ON	: 09-10-2026 10:20 PM

DEPARTMENT OF HEMATOLOGY
COMPLETE BLOOD PICTURE

Investigation	Result	Units	Reference Range
Synthetic pagination parameter 1 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 2 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 3 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 4 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 5 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 6 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 7 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 8 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 9 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 10 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 11 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 12 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 13 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 14 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 15 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 16 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 17 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 18 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 19 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 20 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 21 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 22 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 23 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5



ANJALI DIAGNOSTICS

Regd. No. 414/DM & HO/RR/2008

PATIENT ID : GP202600056
NAME : PRAVEEN
GENDER / AGE : Male
MOBILE NO : 917997171134
REF DR. : Dr. Kavita Nair

BILL NO : OSP202600094
BILL DATE : 09-10-2026 11:59 AM
COLLECTED ON : —
REPORTED ON : —
PRINTED ON : 09-10-2026 10:20 PM

DEPARTMENT OF HEMATOLOGY COMPLETE BLOOD PICTURE

Investigation	Result	Units	Reference Range
Synthetic pagination parameter 24 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 25 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 26 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 27 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 28 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 29 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 30 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 31 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 32 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 33 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 34 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 35 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 36 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 37 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 38 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 39 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 40 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 41 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 42 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 43 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 44 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 45 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 46 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 47 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5



ANJALI DIAGNOSTICS

Regd. No. 414/DM & HO/RR/2008

PATIENT ID : GP202600056
NAME : PRAVEEN
GENDER / AGE : Male
MOBILE NO : 917997171134
REF DR. : Dr. Kavita Nair

BILL NO : OSP202600094
BILL DATE : 09-10-2026 11:59 AM
COLLECTED ON : —
REPORTED ON : —
PRINTED ON : 09-10-2026 10:20 PM

DEPARTMENT OF HEMATOLOGY COMPLETE BLOOD PICTURE

Investigation	Result	Units	Reference Range
Synthetic pagination parameter 48 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 49 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 50 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 51 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 52 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 53 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 54 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 55 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 56 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 57 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 58 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 59 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 60 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 61 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 62 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 63 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 64 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 65 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 66 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 67 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 68 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 69 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 70 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 71 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5



ANJALI DIAGNOSTICS

Regd. No. 414/DM & HO/RR/2008

PATIENT ID : GP202600056
NAME : PRAVEEN
GENDER / AGE : Male
MOBILE NO : 917997171134
REF DR. : Dr. Kavita Nair

BILL NO : OSP202600094
BILL DATE : 09-10-2026 11:59 AM
COLLECTED ON : —
REPORTED ON : —
PRINTED ON : 09-10-2026 10:20 PM

DEPARTMENT OF HEMATOLOGY COMPLETE BLOOD PICTURE

Investigation	Result	Units	Reference Range
Synthetic pagination parameter 72 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 73 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 74 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 75 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 76 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 77 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 78 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 79 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 80 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 81 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 82 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 83 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 84 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 85 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 86 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 87 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 88 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 89 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 90 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 91 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 92 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 93 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 94 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 95 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5



ANJALI DIAGNOSTICS

Regd. No. 414/DM & HO/RR/2008

PATIENT ID : GP202600056
NAME : PRAVEEN
GENDER / AGE : Male
MOBILE NO : 917997171134
REF DR. : Dr. Kavita Nair

BILL NO : OSP202600094
BILL DATE : 09-10-2026 11:59 AM
COLLECTED ON : —
REPORTED ON : —
PRINTED ON : 09-10-2026 10:20 PM

DEPARTMENT OF HEMATOLOGY COMPLETE BLOOD PICTURE

Investigation	Result	Units	Reference Range
Synthetic pagination parameter 96 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 97 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 98 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 99 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5
Synthetic pagination parameter 100 (Method: Automated Cell Counter)	—	Grams %	13.5-18.5

Note : Please Correlate Clinically if necessary kindly discuss.

***** END OF REPORT *****

Lab Technician

Lab Technician

ANJALI
DIAGNOSTICS CENTRE