22/1



## STUDENT REPORT

8/24

AST

# **DÉTAILS**

S IMMANVIEL DAVID RAJ

#### Roll Number 🔎

22BI24ME451-T

#### **EXPERIMENT**

# 22B 2 Title

CANDIES

#### **Description**

Let's consider a scenario where there are K candies to be distributed among N children, each uniquely numbered from 1 to N. The distribution commences with Child A, followed by a sequential allocation to the subsequent children in the order: A, A+1, A+2,..., N. The query at hand is to identify which child will be the last recipient of a candy.

In more explicit terms, after Child x (where  $1 \le x \le N$ ) receives a candy, the subsequent candy is granted to Child x+1. Upon Child N receiving a candy, the distribution cycle restarts. and Child 1 becomes the next recipient.

The primary objective is to ascertain the identity of the child who will receive the last candy in this cyclic distribution.

**Note:** Each child receives only 1 candy.

#### **Input Format:**

The first line of input contains 3 space seperated integers N, K and A.

#### **Output Format:**

Print the friend who will be the final recipient of the candy.

#### **Constraints:**

#### 1<=N<=K<=10^8

Sample Input:

521

Sample Output:

2

```
Source Code:
n,k,a=list(map(int,input().split()))
ans=(a+k-1)%n
if ans==0:
    print(n)
else:
    print(ans)
```

### **RESULT**

24/09/2024, 22:48 22BI24ME451-T-Candies

6 / 6 Test Cases Passed | 100 %