

Nomor : 006_R1/TRS-QUOT/SLS/VIII/2025 Jakarta, 04 Agustus 2025
Lampiran : 1 Paket
Perihal : Penawaran Harga Pengadaan Peralatan Pemantau Kualitas Udara Ambien Otomatis (AQMS)

Kepada Yth,
Bapak John Kapoh
Kepala Dinas Lingkungan Hidup Kota Tomohon
Matani Satu, Kec. Tomohon Tengah, Kota Tomohon, Sulawesi Utara
di
Tempat

Dengan Hormat,

Bersama surat ini kami sampaikan penawaran harga paket pengadaan peralatan pemantau kualitas udara ambien otomatis (AQMS).

Adapun penawaran harga, paket pekerjaan dan spesifikasi teknis peralatan AQMS kami jelaskan dalam lampiran yaitu :

1. AQMS fixed station 7 parameter + Odor
2. AQMS fixed station 3 parameter + Odor
3. AQMS Portable
4. AQMS Portable EWS

Demikian surat penawaran harga ini di sampaikan, atas perhatian dan kerjasamanya kami ucapkan terima kasih.

Hormat kami,
PT.Trusur Unggul Teknusa



Ipa Teguh Akbar
Head Of Commercial

Catatan :

Kami PT.Trusur Unggul Teknusa sebagai pemilik merk "TRUSUR" dengan nomor : IDM000507646 dan merek "ISPUKTEK" dengan nomor : IDM000621385 yang diberikan oleh Menteri Hukum dan Hak Asasi Manusia berdasarkan undang-undang nomor 15 tahun 2001. Dan kami sebagai pemilik paten untuk invensi dengan judul "SISTEM PENGAMAT KUALITAS UDARA DAN/ATAU GAS YANG DILENGKAPI DENGAN PENGKONDISI UDARA" dengan nomor paten : IDS000006587 yang diberikan oleh Menteri Hukum dan Hak Asasi Manusia berdasarkan undang-undang nomor 13 tahun 2006.

LAMPIRAN I :

Penawaran harga dan spesifikasi teknis AQMS Fixed Station ISPU TEK EFS-2

No.	Deskripsi	Merk	Qty	Satuan	HARGA	
					HARGA SATUAN	JUMLAH HARGA
I	Belanja Peralatan AQMS Fixed Station + ODOR					
	Peralatan Pemantau Kualitas Udara Tetap (Fixed Station) dan Aplikasi integrasi sistem pemantauan ke main center					
1	AQMS Fixed Station + ODOR	ISPU TEK EFS-2	1	unit	822.862.500	822.862.500
a	Gas Testing Module:					
	SO2: Electrochemical sensor, 0-100ppm, 0.1ppm resolution					
	NO2: Electrochemical sensor, 0-20ppm, 0.01ppm resolution					
	CO: Electrochemical sensor, 0-1000ppm, 1ppm resolution					
	O3: Electrochemical sensor, 0-5ppm, 0.01ppm resolution					
	HC: PID sensor, 0-20ppm 0.01ppm resolution					
b	Odor Testing Module:					
	H2S: Electrochemical sensor, 0-10ppm or 0-10mg/m3, 0.01ppm or 0.01mg/m3 resolution					
	NH3: Electrochemical sensor 0-10ppm or 0-10mg/m3, 0.01ppm or 0.01mg/m3 resolution					
	C2H6S: Electrochemical sensor, 0-10ppm or 0-10mg/m3, 0.001ppm or 0.001mg/m3 resolution					
	C8H8: Electrochemical sensor, 0-10ppm or 0-10mg/m3, 0.001ppm or 0.001mg/m3 resolution					
	CH3SH: Electrochemical sensor, 0-10ppm or 0-10mg/m3, 0.001ppm or 0.001mg/m3 resolution					
c	Parameter Partikulat (PM 10, PM 2.5):					
	PM2.5: Light Scattering – Optical Particle Counter (OPC), 0-1000ug/m3, 1ug/m3 resolution					
	PM10: Light Scattering – Optical Particle Counter (OPC), 0-1000ug/m3, 1ug/m3 resolution					
d	Parameter Meteorologi:					
	MiniC6 weather station(combined 6-in-1 sensor module)					
	wind speed: 0-30m/s, 0.1m/s resolution					
	wind direction: 16 directions					
	humidity: 0-100%RH, 0.1%RH resolution					
	temperature: -40 °C~ 80°C, 0.1°C resolution					
	air pressure: 800-1100kpa, 1kpa resolution					
	rain gauge: 0-8mm/min, radar sensor					
	solar radiation:RY-CEBN 0-2000w/m2, 1w/m2 resolution					
e	Data Acquisition System ISPU (station monitoring)					
	- sistem transfer data, sistem pembacaan data, penyimpanan data, pengolahan data dan analisis data					
f	Aplikasi integrasi sistem pemantauan ke main center					
	* Private Network Connection Manager					
	* Application Access Management					
	* Technology and User Interface					
	* Display Management					
	* Client Network Connection Manager					
	* Database System					
	* Database Synchronisation Management					
	* License Per Client (Fixed Unit Location)					
	* Integrasi ke server					

g	Memberikan:					
	* jaminan penggantian consumable part (Main Unit AQM) selama 1 tahun					
	* jaminan sensor analyzer selama 1 tahun					
	* jaminan ketersediaan sparepart selama 5 tahun					
	* kegiatan pemeliharaan selama 1 tahun (3 kali visit)					
	* kalibrasi sensor gas berikut sertifikat hasil uji kalibrasi					
	* Pengujian fungsi sensor gas (bump test)					
II	Belanja Modal Peralatan Pengilah Data danPerangkat Pendukung AQMS					
	1 Personal Computer:					
	Tipe All in One Processor: Intel i7-11700 2.5GHz Up to 4.9GHz, 16MB Cache, 8 Core RAM: Memory 16GB DDR4 2666MHz; HDD 1TB SATA + 256GB SSD VGA: NVIDIA GTX 1650, 4GB Konektivitas: Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth 5.1 Ukuran Layar: 23.8" FHD (1920 x 1080) Touchscreen Sistem Operasi: Windows 10 Profesional 64Bit Kelengkapan: Wireless Keyboard & Mouse	Dell OptiPlex 7490 All-in-One	1	unit	30.000.000	30.000.000
	2 Laptop:					
	Apple Macbook PRO M3 2023 14 inch RAM 8GB 512GB	Macbook Pro 2023 M3 14"	1	unit	30.000.000	30.000.000
	3 Color Printer					
	Print Method: Print, Scan, and Copy.	Printer EPSON 3256	1	unit	3.500.000	3.500.000
	4 Indoor Display 60" + bracket					
	TV LED minimum 60 inch, dilengkapi bracket	TV sharp 60"	1	unit	9.000.000	9.000.000
	5 Modem Internet	Telkomsel Orbit 5G	1	lokasi	3.000.000	3.000.000
	6 Mini PC					
	Intel N5105 Ram 4GB 512GB	Mini PC Asus N5105	1	unit	6.500.000	6.500.000
	7 Software:					
	WPS Office - Last Version		1	aplikasi	-	
	8 Pendingin Ruangan	AC Sharp AH-A5UHL	1	Set	9.000.000	9.000.000
	- Air Conditiong Split type kapasitas 1 PK type Auto-On/Off Inverter					
	Include piping + wall duct PVC, cabling, supporting & testing					
	- Pipa AC					
	- Kabel Kontrol / Power					
	- Cable Duct 50/100 (Untuk Pipa AC)					
	- Bracket AC (Galvanized)					
	9 Exhaust Fan	Panasonic 10"	1	unit	1.200.000	1.200.000
	- Exhaust fan ukuran 10"					
	- Shutter otomatis buka tutup					
	- Canopy menyesuaikan ukuran exhaust dan dilengkapi RAM nyamuk					
	- Exhaust inlet canopy dilengkapi filter udara					
	10 CCTV Outdoor	Hikvision Mixed Fullset	1	set	8.000.000	8.000.000
	- 3 kamera (1 indoor doom dan 3 outdoor 360°) 2 MP HD output up to 1080p resolution full time color, OSD menu 3D DNR true WDR, up to 620 db up to 20 m white light distance ip 67 up to coax 4 in 1 video output (switchkable TVI/AHD/DCI/CVBS)					
	- Hikvision DS-6204HQHI-K1 Turbo HD DVR (Digital Video Recording) + monitor					
	- Wide Angle Outdoor Cam.					
	- Kapasitas Harddisk 1TB					
	11 Running Text	Custom	1	unit	22.000.000	22.000.000
	Panjang 100cm x Tinggi 35cm					

12	Tiang Sensor		3	unit	2.000.000	6.000.000
13	UPS dan Batery Backup					
	Uninterruptible Power Supply (UPS)	UPS ICA PN 2022B	1	set	12.000.000	12.000.000
	ICA Smart UPS Capacity 4000VA/2000W					
	- AC Frequency : 50 ± 5% Hz					
	- Dapat dihubungkan dengan baterai eksternal/baterai backup					
	- Tahan 4 jam					
14	Batery:	Batterai ICA Custom	1	set	5.000.000	5.000.000
	- Modifikasi					
	- ICA Baterai 12 Volt / 7,2 AH (8 buah)					
	- Tahan 4 jam					
15	Stabilizer	stabilizer SVC Matsunaga 3000w	1	unit	1.500.000	1.500.000
	3000VA, Input Voltage 160V ~ 240V, Output Voltage 110V dan 220V					
16	Kursi, Meja, dan Buffet	Custom	1	unit	9.000.000	9.000.000
	Kursi:					
	- Kursi Staff					
	Meja:					
	- Bahan meja multiplex lapisan pvc, rangka kuat dan kokoh					
	- Warna abu abu					
	- Dimensi 1500 x 700 x 730 mm					
	- Terdapat laci dokumen (2 susun kiri dan kanan)					
	Buffet (3 pintu) + Jok Busa					
	- Dimensi P 150 x L 40 x T 50 cm					
	- bahan multiplex finishing hpl					
17	APAR (Alat Pemadam Api Ringan) + P3K + Alat Kebersihan	Viking	1	Unit	1.500.000	1.500.000
	- Tabung pemadam kebakaran 3,5 kg, dry chemical powder					
	- 1 set P3K					
	- Alat Kebersihan Shelter (Sapu, Alat pel, ember, kanebo)					
18	Tools kit	Multipro	1	unit	1.000.000	1.000.000
	1 set (electronic tool kit)					
19	Tangga Alumunium Multipurpose		1	Unit	2.000.000	2.000.000
	- Bahan Alumunium Lipat 4					
	- Panjang tangga minimal 4 meter					
20	Microwave Low Wattage	Sharp R735b MT	1	unit	3.000.000	3.000.000
	- Microwave Oven					
	- Oven Capacity 25 Liter					
	- Top Handle					
	- Daya (Micro) 900 W & (Grill) 1000 W					
21	Silica gel		5	kg	100.000	500.000
	- Silikat (SiO3) sintetis berbentuk butiran warna biru	Lokal				
22	Unit Shelter Complete Knock Down	SHELTER CKD TYPE SSR - 3 x 2.5 x 2.75- BF	1	unit	85.000.000	85.000.000
	Shelter					
	- Jenis Shelter: Shelter Single Room (SSR) CKD					
	- Jenis Lantai: Base Frame					
	- Dimensi: P.3000 x L.2000 x T.2750 mm					
	Dinding Insulasi					
	- Material Kulit luar: Pre painted Galvanized					
	- Material Kulit dalam: Pre painted Galvanized					
	- Sistem Insulasi: Polyurethane Foam					
	- Tebal: 75 mm					
	Atap Insulasi					
	- Material Kulit luar: Pre painted Galvanized					
	- Material Kulit dalam: Pre painted Galvanized					
	- Sistem Insulasi: Polyurethane Foam					
	- Tebal: 75 mm					
	- Reinforcement: Multiplex 12 mm					
	- Roof Sheet: rangka baja ringan, Zyncalum					

	Lantai Insulasi					
	- Material Kulit luar: Pre painted Galvanized					
	- Material Kulit dalam: Pre painted Galvanized					
	- Sistem Insulasi: Polyurethane Foam					
	- Tebal: 75 mm					
	- Reinforcement: Multiplex 12 mm					
	Unit Base Frame					
	- Besi UNP 80.45.5					
	- Finishing Hot deep galvanized					
	Pintu					
	- Jenis Pintu: Double Swing Door					
	- Dimensi Daun Pintu: P.1800 x L.800 x T40 mm					
	- Material Kulit dalam & luar: Pre Painted Galvanized					
	- Engsel: Stainless Steel					
	- Handel: Stainless Steel					
	- Door Stopper: Stainless Steel					
	- Dilengkapi dengan Canopy					
23	Penerangan dan Elektrikal Shelter	Custom	1	unit	10.000.000	10.000.000
	- Kabel NYM (3x2,5mm ² , 4 besar)					
	- Stop Kontak AC Outbow (2 pcs) setara Broco					
	- Stop Kontak 2 Lubang Outbow (2 pcs) setara Broco					
	- Saklar ganda Outbow (1 pc) setara Broco					
	- Fitting lampu tempel (1 pcs) setara Broco					
	- Lampu LED 220V 10W (2 pcs) setara Philips					
	- Sensor otomatis penerangan diluar shelter					
	- Finishing (T-Dust 3 Way, Pipa dan Flexibel Conduit, Clamp Pipa, Sock Pipa)					
24	Panel ACPDB	Custom	1	unit	11.000.000	11.000.000
	- Box Panel (400x600x200), Finishing Cat Powder Coating					
	- MCB: 1 Pole (9 pcs)					
	- Arrester 270V 20KA: 2 Poles (1 pc)					
	- Timer (2 pcs, 220V, 24 Jam)					
	- Lampu Indikator LED					
	- Kabel Grounding NYA (1x16mm, 4 besar)					
	- Ground Stick (5/8 x 2M)					
	- Kabel NYAF					
25	Penangkal Petir / Grounding System	Kurn	1	unit	38.000.000	38.000.000
	- 1 Buah Split (Tombak) Atas "Kerucut"					
	- 1 Buah Split (Tombak) Bawah					
	- Resistensi kurang dari 5 Ohm.					
	- Busbar 300x100x10mm (Cu 10 lobang)					
	- Copper rod 5/8" with 4 m long.					
	- Splitzen Cu 60" + Pipa 1,5" 2m + Isolator					
	- BC 50 mm ² for grounding perimeter + Grounding Plate + Control Box					
	- BCC 50 mm ² for Splitzen + ACPDB + Plate Bar + Control					
	Kangkeng AC + Base Frame CKD					
	- Exothermix/cadweld (welding).					
	- Misiu					
	- Kabel Scun 50					
	- Control Box					
	- Pipa pvc 3" for control copper rod					
	- Install Grounding					
27	Biaya mobilisasi, demobilisasi, pengiriman sampai kota tujuan, dan instalasi serta biaya pendukung lainnya:		1	kota	50.000.000	50.000.000

III	Belanja Pondasi/Bangunan					
1	Pondasi Shelter	Custom	1	unit	80.000.000	80.000.000
	a Lantai Dasar Shelter/Floor					
	- P (500cm) x L (400cm) x T (25cm)					
	- Cor, diplester dan diaci serta dilapis/cat water proof warna abu2 tua/gelap					
	b Pondasi Beton untuk Penempatan Shelter					
	- Pondasi kokoh disesuaikan kondisi tanah.					
	- Penyangga Shelter dari floor P (315 cm) x L (215 cm) x T (50 cm)					
	- Pasangan bata, Urugan, Plester, aci dan di Cat Water Proof warna abu2 tua/gelap					
	c Dua Anak Tangga pintu masuk					
	- Tangga di pintu masuk					
	P (1.0 M) x L (0.25 M) x T (0.25 M)					
	P (1.0 M) x L (0.25 M) x T (0.5 M)					
	- Pasangan bata, Urugan, Plester, aci dan di Cat Water Proof warna abu2 tua/gelap					
2	Pagar Pengaman Shelter	Custom	1	unit	20.000.000	20.000.000
	a Tiang Penyangga Pagar BRC					
	- Tinggi 250Cm dari permukaan lantai					
	- Dia. 2"					
	- Material Besi Galvanis					
	- Tiang ditanam ke dalam lantai (kokoh)					
	b Pagar BRC					
	- Tinggi 240Cm dari permukaan lantai					
	- Dia. Besi 7mm					
	- Material Hot Dip Galvanis					
	c Pintu Pagar BRC					
	- Ukuran T 180 cm x L 100 cm (daun pintu)					
	- Ukuran tiang/gawang pintu minimal T 187 cm x L 114 cm (daun pintu)					
IV	Belanja Jaringan					
	a - Pemasangan listrik baru shelter 3500 VA dan instalasi		1	lokasi	5.000.000	5.000.000
	b - Modem Internet (AQMS di shelter)	Telkomsel Orbit 5G	1	lokasi	3.000.000	3.000.000
Jumlah						1.288.562.500
PPn (11%)						141.741.875
Total Harga						1.430.304.375
Total Harga (Pembulatan)					Rp	1.430.300.000

Kondisi Penawaran :

Harga : Harga franco Tomohon
Pembayaran : Lumpsum
Validasi : Validasi penawaran 30 hari

Hormat kami,
PT.Trusur Unggul Teknusa



Ipa Teguh Akbar
Head Of Commercial

LAMPIRAN II :

Penawaran harga dan spesifikasi teknis AQMS Fixed Station ISPUK 3 Parameter

No.	Deskripsi	Merk	Qty	Satuan	HARGA	
					HARGA SATUAN	JUMLAH HARGA
I	Belanja Peralatan AQMS Fixed Station 3 Parameter + ODOR					
1	AQMS Fixed Station (3 Parameter) + ODOR	ISPUK	1	unit	539.050.000	539.050.000
	a Gas Testing Module:					
	SO2: Electrochemical sensor, 0-100ppm, 0.1ppm resolution					
	NO2: Electrochemical sensor, 0-20ppm, 0.01ppm resolution					
	b Parameter Partikulat (PM 10, PM 2.5):					
	PM2.5: Light Scattering – Optical Particle Counter (OPC), 0-1000ug/m3, 1ug/m3 resolution					
	c Odor Testing Module:					
	H2S: Electrochemical sensor, 0-10ppm or 0-10mg/m3, 0.01ppm or 0.01mg/m3 resolution					
	NH3: Electrochemical sensor 0-10ppm or 0-10mg/m3, 0.01ppm or 0.01mg/m3 resolution					
	C2H6S: Electrochemical sensor, 0-10ppm or 0-10mg/m3, 0.001ppm or 0.001mg/m3 resolution					
	C8H8: Electrochemical sensor, 0-10ppm or 0-10mg/m3, 0.001ppm or 0.001mg/m3 resolution					
	CH3SH: Electrochemical sensor, 0-10ppm or 0-10mg/m3, 0.001ppm or 0.001mg/m3 resolution					
2	Biaya mobilisasi, demobilisasi, pengiriman sampai kota tujuan, dan instalasi serta biaya pendukung lainnya:		1	lokasi	45.000.000	45.000.000
II	Belanja Pondasi dan Bangunan					
a	Pondasi tiang main unit :		1	Lot	50.000.000	50.000.000
	Tapak P (40cm) X L (40cm) X T (15cm)					
	Pedestal (40cm) X L (40cm) X T (120cm)					
	Lantai :					
	P(120cm) X L(120) X T(10cm)					
	Plester, Aci dan cat					
b	Pagar Pengaman		1	Lot	24.000.000	24.000.000
	Tiang pagar :					
	Tinggi 250 cm dari permukaan lantai					
	Diameter 2 inch					
	Material besi galvanis					
	Pagar BRC :					
	Tinggi 240cm dari permukaan lantai (spesifikasi terlampir)					
	Diameter besi 7mm					
	Material galvanis					
	Pintu :					
	T(180cm) X L(95cm)					
	Material Galvanis					
c	Tiang Main Unit (Monopole)		1	Lot	12.000.000	12.000.000
	Tiang Main Unit :					
	Tiang PJU Tinggi 300 cm					
	Material galvanis					
d	Penangkal Petir + Instalasi		1	Lot	15.400.000	15.400.000
	Penangkal Petir :					
	1 buah Splitzen tombak Atas "					
	1 As Grounding Bonded 5/8" x 1,5mtr (Lapisan Tembaga)					
	Kabel BC					

e	Panel ACPDB + Instalasi	1	Lot	20.000.000	20.000.000
	Panel ACPDB :				
	Box panel IP65				
	MCB 6 A				
	MCB 4 A				
	ELCB 6 A				
	Stop kontak 3 Lubang				
f	Running Text + Instalasi	1	Lot	33.600.000	33.600.000
	Running Text :				
	6 X Modul P10 Dip Outdoor				
	Controller HD-E62				
	Frame modul custom				
	Controller Running Text :				
	Box Control IP65				
	Mini PC				
	Power supply				
	Kabel lan				
	USB to Lan				
g	Pemasangan listrik baru shelter 1300 VA dan instalasi	1	lokasi	7.500.000	7.500.000
	Box kwh topi outdoor				
	Bahan plat cat powder coating				
	40 cm x 30 cm x 20 cm				
	Kaca bahan akrilik				
Jumlah					746.550.000
PPn (11%)					82.120.500
Total Harga					828.670.500
Total Harga (Pembulatan)					Rp 828.670.500

Kondisi Penawaran :

Harga : Harga franco Tomohon
Pembayaran : Lumpsum
Validasi : Validasi penawaran 30 hari

Hormat kami,
PT.Trusur Unggul Teknusa



Ipa Teguh Akbar
Head Of Commercial

LAMPIRAN III :

Penawaran harga dan spesifikasi teknis AQMS Portable

No.	Deskripsi	Merk	Qty	Satuan	HARGA	
					HARGA SATUAN	JUMLAH HARGA
I	Belanja Peralatan AQMS Portable + ODOR					
1	AQMS Portable + ODOR	ISPUK PP22	1	unit	515.437.500	515.437.500
	a Gas Testing Module:					
	SO2: Electrochemical sensor, 0-100ppm, 0.1ppm resolution					
	CO2: Infrared sensor, 0-5000 ppm, 0.1 ppm resolution					
	H2S: Electrochemical sensor, 0-10ppm or 0-10mg/m3, 0.01ppm or 0.01mg/m3 resolution					
	b Odor Testing Module:					
	NH3: Electrochemical sensor 0-10ppm or 0-10mg/m3, 0.01ppm or 0.01mg/m3 resolution					
	C2H6S: Electrochemical sensor, 0-10ppm or 0-10mg/m3, 0.001ppm or 0.001mg/m3 resolution					
	C8H8: Electrochemical sensor, 0-10ppm or 0-10mg/m3, 0.001ppm or 0.001mg/m3 resolution					
	CH3SH: Electrochemical sensor, 0-10ppm or 0-10mg/m3, 0.001ppm or 0.001mg/m3 resolution					
	c Parameter Partikulat (PM 2.5):					
	PM2.5: Light Scattering – Optical Particle Counter (OPC), 0-1000ug/m3, 1ug/m3 resolution					
	e Peralatan sudah termasuk :					
	Training penggunaan dan pengoperasian alat					
	Manual book					
	Sertifikat kalibrasi					
	Garansi 1 tahun					
Jumlah						515.437.500
PPn (11%)						56.698.125
Total Harga						572.135.625
Total Harga (Pembulatan)					Rp	572.135.600

Kondisi Penawaran :

Harga : Harga franco Tomohon
Pembayaran : Lumpsum
Validasi : Validasi penawaran 30 hari

Hormat kami,
PT.Trusur Unggul Teknusa



Ipa Teguh Akbar
Head Of Commercial

LAMPIRAN IV :

Penawaran harga dan spesifikasi teknis AQMS Portable EWS



**RAB PENAWARAN HARGA
PENGADAAN PERALATAN PEMANTAUAN KUALITAS UDARA AMBIEN PORTABLE EWS
TAHUN 2025**

No.	Deskripsi	Merk	Qty	Satuan	HARGA	
					HARGA SATUAN	JUMLAH HARGA
I	Belanja Peralatan AQMS Portable EWS					
1	AQMS Portable	ISPUK PP22	1	unit	290.937.500	290.937.500
	a Gas Testing Module:					
	SO2: Electrochemical sensor, 0-100ppm, 0.1ppm resolution					
	CO2: Infraret sensor, 0-5000 ppm, 0.1 ppm resolution					
	H2S: Electrochemical sensor, 0-10ppm or 0-10mg/m3, 0.01ppm or 0.01mg/m3 resolution					
	b Parameter Meteorologi:					
	MiniC6 weather station(combined 6-in-1 sensor module)					
	wind speed: 0-30m/s, 0.1m/s resolution					
	wide direction: 16 directions					
	humidity: 0-100%RH, 0.1%RH resolution					
	temperature: -40 °C~ 80°C, 0.1°C resolution					
	air pressure: 800-1100kpa, 1kpa resolution					
	solar radiation:RY-CEBN 0-2000w/m2, 1w/m2 resolution					
	c Parameter Partikulat (PM 2.5):					
	PM2.5: Light Scattering – Optical Particle Counter (OPC), 0-1000ug/m3, 1ug/m3 resolution					
	d EWS function					
	e Peralatan sudah termasuk :					
	Training penggunaan dan pengoperasian alat					
	Manual book					
	Sertifikat kalibrasi					
	Garansi 1 tahun					
Jumlah						290.937.500
PPn (11%)						32.003.125
Total Harga						322.940.625
Total Harga (Pembulatan)					Rp	322.940.600

Harga : Harga franco Tomohon
Pembayaran : Lumpsum
Validasi : Validasi penawaran 30 hari

Hormat kami,
PT.Trusur Unggul Teknusa



PT Trusur Unggul Teknusa

Ipa Teguh Akbar
Head Of Commercial

Summery Penawaran Harga

No.	Keterangan	Harga Satuan	QTY	Total Harga	PPN	Jumlah
1	AQMS Fixed Station + ODOR	1.288.562.500	1	1.288.562.500	141.741.875	1.430.304.375
	<i>Gas Testing Module:</i> SO ₂ , NO ₂ , CO, O ₃ , HC <i>Odor Testing Module:</i> H ₂ S, NH ₃ , C ₂ H ₆ S, C ₈ H ₈ , CH ₃ SH PM 10, PM 2.5 Weather Station					
2	AQMS Fixed Station 3 Parameter + ODOR	746.550.000	1	746.550.000	82.120.500	828.670.500
	<i>Gas Testing Module:</i> SO ₂ , NO ₂ PM 2.5 <i>Odor Testing Module:</i> H ₂ S, NH ₃ , C ₂ H ₆ S, C ₈ H ₈ , CH ₃ SH					
3	AQMS Portable	515.437.500	1	515.437.500	56.698.125	572.135.625
	<i>Gas Testing Module:</i> CO ₂ , SO ₂ , H ₂ S <i>Odor Testing Module:</i> NH ₃ , C ₂ H ₆ S, C ₈ H ₈ , CH ₃ SH PM 2.5					
4	AQMS Portable EWS	290.937.500	1	290.937.500	32.003.125	322.940.625
	<i>Gas Testing Module:</i> CO ₂ , SO ₂ , H ₂ S PM 2.5 Weather Station					
GRAND TOTAL						3.154.051.125