If

Aprendizagem 2021

Lab 6-7: Neural Networks

Practical exercises

I. Multi-layer Perceptron

- **1.** Consider a network with three layers: 5 inputs, 3 hidden units and 2 outputs where all units use a sigmoid activation function.
 - a) Initialize connection weights to 0.1 and biases to 0. Using the squared error loss do a stochastic gradient descent update (with learning rate $\eta=1$) for the training example $\{x = [1 \ 1 \ 0 \ 0 \ 0]^T, z = [1 \ 0]^T\}$
 - b) Compute the MLP class for the query point $x_{new} = [1\ 0\ 0\ 0\ 1]^T$
- **2.** Consider a network with four layers with the following numbers of units 4, 4, 3, 3. Assume all units use the *hyperbolic tangent* activation function.
 - a) Initialize all connection weights and biases to 0.1. Using the squared error loss do a stochastic gradient descent update (with learning rate η =0.1) for the training example: $\{x = [1 \ 0 \ 1 \ 0]^T, z = [0 \ 1 \ 0]^T\}$
 - b) Reusing the computations from the previous exercise do a *gradient descent update* (with learning rate η =0.1) for the batch with the training example from the a) and the following: $\{x = \begin{bmatrix} 0 & 0 & 10 & 0 \end{bmatrix}^T, z = \begin{bmatrix} 0 & 0 & 1 \end{bmatrix}^T\}$
 - c) Consider the learned MLPs from a) and b). Which has smallest squared error? Which model has better classification accuracy?
 - d) Compute the MLP class for the query point $x_{new} = [1 \ 1 \ 1 \ 0]^T$
- **3.** Repeat the exact same exercise, but this time with following adaptations:
 - the output units have a softmax activation function
 - the error function is cross-entropy

What are the major differences between using squared error and cross-entropy?

Programming quest

- **4.** Consider a 10-fold CV, and MLPs with a single hidden layer with 5 nodes. Using *sklearn*:
 - a) assess the classification accuracy of the MLP on the *iris* data using a cross-entropy loss
 - b) assess the MAE of the MLP on the housing data using a squared error loss

Resource: https://scikit-learn.org/stable/modules/neural networks supervised.html