


Table of Contents

1. Overview • Analytics • Palantir
2. Overview • Analytics • Palantir
3. Types of analysis • Palantir
4. Analytical results • Dashboards • Palantir
5. Analytical results • Reporting • Palantir
6. Analytical results • Models • Palantir
7. Analytical results • Datasets and Object Sets • Palantir
8. Exporting outputs • Palantir
9. Reusable logic • Palantir

Analytics / Overview



Analytics

Foundry provides analytical capabilities for every type of user in an organization, integrated with the Foundry Ontology. Out of the box, Foundry contains both point-and-click and code-based tools that enable table-based analysis, top-down visual analysis, geospatial analysis, temporal analysis, and more. Analytics in Foundry are designed to go beyond conventional “read-only” paradigms to write data back into the Ontology, producing valuable new insights within unified security, lineage, and governance models.

Core applications

Foundry’s core Analytics applications include:

- **Contour**, a top-down analysis application for rapidly exploring tabular data at scale, deriving new datasets through visual transformations, and creating charts.
- **Quiver**, a multimodal charting application that allows for object-driven analysis, time series-driven analysis, point-and-click machine learning, and dashboard building.
- **API Reference** [↗](#), an application that blends data engineering and data science motifs, for Python-, R-, or SQL-driven transformations to be rapidly executed and training machine learning models, and much more.

Send feedback

- [Notepad](#), an integrated solution for embedding dynamic analytical, visual, and operational artifacts from across Foundry, alongside formatted text and media.
- [Fusion](#), a spreadsheet-driven application that synthesizes tabular computation with the power of Foundry's Ontology and object-driven query system.

Analytical connectivity

Foundry is also designed to integrate deeply with your existing analytical tools. Organizations can connect their business intelligence, visualization, and other analytics applications to Foundry through standard APIs and interfaces. Integration options include:

- Out-of-the-box connectors for common tools, like [Power BI®](#) and [Tableau](#).
- [REST APIs](#) for ad-hoc connectivity.
- [ODBC and JDBC drivers](#) for general connectivity.
- [Python ↗](#) and [R ↗](#) SDKs for connection to data science tools.
- Guided integrations for tools like Microsoft Report Builder and Excel, which leverage standard interfaces.

[Learn more about the types of analysis that you can perform in Foundry.](#)

Power BI® and the Power BI® logo are trademarks of the Microsoft group of companies.

NEXT
Types of analysis →

© 2026 Palantir Technologies Inc. All rights reserved.

[Cookies Statement ↗](#)


[Privacy Statement ↗](#)

[Terms of Use ↗](#)

[API Reference ↗](#)

[Send feedback](#)

Analytics / Overview



Analytics

Foundry provides analytical capabilities for every type of user in an organization, integrated with the Foundry Ontology. Out of the box, Foundry contains both point-and-click and code-based tools that enable table-based analysis, top-down visual analysis, geospatial analysis, temporal analysis, and more. Analytics in Foundry are designed to go beyond conventional “read-only” paradigms to write data back into the Ontology, producing valuable new insights within unified security, lineage, and governance models.

Core applications

Foundry’s core Analytics applications include:

- **Contour**, a top-down analysis application for rapidly exploring tabular data at scale, deriving new datasets through visual transformations, and creating charts.
- **Quiver**, a multimodal charting application that allows for object-driven analysis, time series-driven analysis, point-and-click machine learning, and dashboard building.
- **API Reference** [↗](#), an application that blends data engineering and data science motifs, for Python-, R-, or SQL-driven transformations to be rapidly executed and training machine learning models, and much more.

Send feedback

- [Notepad](#), an integrated solution for embedding dynamic analytical, visual, and operational artifacts from across Foundry, alongside formatted text and media.
- [Fusion](#), a spreadsheet-driven application that synthesizes tabular computation with the power of Foundry's Ontology and object-driven query system.

Analytical connectivity

Foundry is also designed to integrate deeply with your existing analytical tools. Organizations can connect their business intelligence, visualization, and other analytics applications to Foundry through standard APIs and interfaces. Integration options include:

- Out-of-the-box connectors for common tools, like [Power BI®](#) and [Tableau](#).
- [REST APIs](#) for ad-hoc connectivity.
- [ODBC and JDBC drivers](#) for general connectivity.
- [Python ↗](#) and [R ↗](#) SDKs for connection to data science tools.
- Guided integrations for tools like Microsoft Report Builder and Excel, which leverage standard interfaces.

[Learn more about the types of analysis that you can perform in Foundry.](#)

Power BI® and the Power BI® logo are trademarks of the Microsoft group of companies.

NEXT
Types of analysis →

© 2026 Palantir Technologies Inc. All rights reserved.

[Cookies Statement ↗](#)

[Privacy Statement ↗](#)

[Terms of Use ↗](#)

[API Reference ↗](#)

[Send feedback](#)

Types of analysis

The Foundry analytical suite supports both point-and-click analysis (no-code or low-code) and code-based data analysis, with tools optimized for different analysis and source types as well as tools for dashboarding and reporting.

A summary of tools and supported workflows is below:

	Point-and-click analysis	Code-based analysis
Tabular data	Contour	Code Workbook
Object data (Ontology)	Insight, Quiver	
Time series data	Quiver	Code Workbook
Map (geospatial) data	Map, Contour, Quiver, Insight	

Point-and-click analysis

Foundry provides several tools for point-and-click analysis: Contour, Insight, and Quiver.

- **Contour** enables data analysis on [tabular data](#) at scale.
- **Insight** is designed for operational users to analyze the ontology and create [object sets](#).
- **Quiver** supports advanced ontology analysis, dashboard creation, and [time series](#) data.

Additionally, **Object Explorer** is a search and discovery tool for the [Ontology layer](#) that supports searching across the ontology and finding individual objects.

API Reference ↗

Quiver allow you to:


visualize, filter, and transform data without code.

Send feedback

- Leverage expression languages for more advanced transformations and aggregations.
- Organize complex analyses.
- Create interactive dashboards that allow others to explore and investigate data in a guided, structured way.
- Share analyses with colleagues.

Learn more below about the specific use cases for which these tools are optimized.

Contour




Contour is a good fit for analytical use cases where:

Send feedback

- **Some or all of the data you want to use is not mapped in the Ontology:** In general, we recommend using the [Ontology layer](#) whenever possible, but there are some cases where this may not be appropriate, such as a one-time upload that will not be cleaned or reused. Not all data is intended for the ontology layer. For example Contour can be useful for looking at intermediary datasets in pipelines.
- **You need to operate on a very large dataset:** Contour was designed to facilitate analytical operations on very large datasets, while Quiver supports object aggregations of up to 50,000 rows.
- **You want to share your analysis results as a new dataset for use in other Foundry tools.** [Learn more about saving results as datasets.](#)
- **You want to build parameterized analyses to easily switch between different views of the data and results.**

[Learn how to get started with Contour.](#)

Insight



Insight is a good fit for analytical use cases where:

API Reference ↗


- **Your data is mapped in the Ontology:** Insight leverages Ontology types, interfaces, link types, and actions.

[Send feedback](#)

- **You need to perform ad-hoc analysis without code:** The visual analysis path makes it easy to build complex queries step by step, supporting both simple and complex drill down workflows.
- **You want to explore relationships between objects:** The **Link** step lets you follow links to discover connected objects across the Ontology as well as filter data based on linked properties.
- **You want to write data back to the Ontology:** Insight supports creating, updating, and deleting objects from your analysis results.

[Learn how to get started with Insight.](#)

Quiver



Quiver is a good fit for analytical use cases where:

- **Your data is mapped in the Ontology:** Links between objects are natively represented in the Ontology, so Quiver users do not have to perform joins or worry about identifying primary or foreign keys. Joins represented as links are returned by performing a [Search Around](#) on an object or object set to retrieve any linked objects.
- **You are working with time series data:** Quiver has been optimized to work with time series data. Quiver includes a specific time series library with sensor and signal processing functions and can be backed by a proprietary time series database that has been optimized for specific operations on high frequency signals. See [Time series analysis](#) for more information.
- **You want to embed your findings into other object-aware applications:** Quiver dashboards can be embedded into operational applications such as [Workshop](#).
- **You want to write back to the Ontology:** Quiver can be used to write analytical decisions back to the Ontology using an [Action](#). This allows you to capture analytical conclusions immediately for use by others.

[Learn how to get started with Quiver.](#)

Object Explorer

Users can conduct simple object-based analytical workflows in [Object Explorer](#). Object Explorer is a search and analysis tool for answering questions about anything in the Ontology layer. Users can visually compose search queries in Object Explorer, ranging from simple filters to Search-arounds to find objects of interest. Object Explorer is a good fit for analytical workflows in which:

- **You want to search terms across your Ontology:** Object Explorer provides a search entry point to find objects or object types across the ontology. The search results page supports viewing object instance and object type results.
- **You want to explore an object type and its properties:** Object Explorer is a great starting point for finding relevant object data and looking at Object Views.
- **Your end goal is creating a list of relevant objects (object set):** Object Explorer enables creating object explorations and object lists to share with others or use in other applications like Quiver or Insight for further analysis. [Learn more about explorations and object lists.](#)

API Reference ↗


[Learn how to get started with Object Explorer.](#)

Send feedback

Code-based analysis

Code Workbook

Code Workbook is an application that allows users to analyze and transform data using an intuitive graphical interface.



Code Workbook was designed with these principles in mind:

- **Iteration speed:** Users can quickly test and refine logic for transformation and visualization in order to produce useful results.
- **Low barrier to entry:** Code Workbook's graphical interface and support for using pre-authored logic were designed to enable easy onboarding of users of varying technical skill.
- **Collaboration:** Disparate groups of users can share logic and work together on a single analysis in Code Workbook.
- **Model creation:** Users can iterate on Foundry Models in Code Workbook, and easily view Model stages and metrics. Models can then be submitted to Modeling objectives and used operationally.

API Reference ↗

Exportability: Users can productionize their findings across the platform by exporting logic to Notepads and promoting production-ready pipelines to Code Repository.

Send feedback

Key features of Code Workbook include:

- An **interactive console** for rapid iteration on transformation logic and ad-hoc data exploration.
- **Visualization support** to create detailed, interactive images with commonly used packages (Matplotlib, Plotly, Seaborn).
- **Templates** that enable reuse of complex and domain-specific logic through a simple interface.
- Support for **multiple languages** (Python, SQL, R) for code and templates to allow users to select the best language for an analysis and leverage multiple languages in a single analysis.
- **Branching** to facilitate collaboration by isolating users' changes from one another.
- An **intuitive user interface** that makes it easy to customize the Spark environment, set input types for transforms, and view relationships between nodes.

[Learn how to get started with Code Workbook.](#)

i Which tool should I use to build pipelines?

Code Workbook is not optimized for building production pipelines. If you are building or maintaining production pipelines, use the Code Repositories application, which includes version history, branching and pull requests, and other functionality essential for robust pipelines. More information can be found in [this comparison of Foundry's tools for writing code-based transformations](#).

Time series analysis

Foundry provides advanced end-to-end tooling for time series storage, monitoring, transformation, analysis, and writeback. Workflows from historical performance analysis to trend and correlation analysis to forecasting can make use of Foundry's time series capabilities.

Both [Foundry's Code Workbook](#) support time series analysis for no-code and code-based a [Learn how to get started with time series.](#)

API Reference ↗

Send feedback

Map-based (geospatial) analysis

Geospatial data is often a key input for Foundry users seeking to connect analytics with operations. Foundry streamlines geospatial data transformations and analytics and can enable map-based workflows.

The [Map application](#) is a powerful application for geospatial analysis. Also, [Contour](#) and [Quiver](#) include map widgets for use in analyses that include geospatial data.

Dashboarding

Both Contour and Quiver support building interactive dashboards based on analytical results. [Learn more about dashboarding.](#)

Reporting

Notepad is Foundry's next-gen reporting tool and is recommended for the majority of reporting use cases. [Learn more about reporting.](#)

PREVIOUS
← Overview

ANALYTICAL RESULTS / DASHBOARDS
NEXT →

© 2026 Palantir Technologies Inc. All rights reserved.

[Cookies Statement ↗](#)

[Privacy Statement ↗](#)

[Terms of Use ↗](#)

[API Reference ↗](#)

[Send feedback](#)

Dashboards

There are two primary ways to build interactive dashboards from Foundry analyses: [Contour dashboards](#) and [Quiver dashboards](#). In some circumstances, you may want to use a [Code Workspaces dashboard](#), [Notepad](#), or a [custom application](#) instead. This page discusses which tools you can use and when you might use them.


[Learn more about the differences between Contour and Quiver.](#)

Contour dashboards

Contour dashboards are used to present content from a Contour analysis, such as analysis results and findings. These dashboards support chart-to-chart filtering, inline parameter references, a fullscreen presentation view, and PDF exports.

[Learn more about Contour and Contour dashboards.](#)

[API Reference ↗](#)[Send feedback](#)



This screenshot uses open source data from the [NYC Taxi & Limousine Commission](#).


Quiver dashboards

Quiver dashboards are used to present content from a Quiver analysis in a read-only, interactive dashboard.

Quiver dashboards can be used as standalone dashboards or embedded in [Object Views](#), [Workshop applications](#), or [Notepad documents](#). Quiver dashboards can also be displayed in [API Reference](#) directly to operational users.

[Learn more about Quiver and Quiver dashboards.](#)

[Send feedback](#)




Code Workspaces applications

Code Workspaces currently supports [Dash](#) and [Streamlit](#) for Python applications and [Shiny®](#) for R applications. Users can create application workflows directly in Code Workspaces with Foundry's version control, branching, and data governance features built-in.

[Learn more about Code Workspaces and Code Workspace applications.](#)

[API Reference ↗](#)

[Send feedback](#)



Other presentation tools

Notepad

Contour dashboards and Quiver templates are best suited for direct consumption within Foundry, as their interactive design allows users to work with live data using parameters and chart selections. In contrast, [Notepad](#) is designed for reporting workflows that focus on creating static content that may be exported. In addition, a Notepad document can include content coming from multiple applications (including Contour boards and Quiver cards), while Contour dashboards and Quiver templates only support content from their respective applications. Due to the focus on static content, users cannot conduct analysis or create charts in Notepad directly.

[Learn more about reporting workflows.](#)

Custom applications

[API Reference ↗](#)

Contour dashboards and Quiver templates are optimized for easily presenting a view of analytical results, while application building tools (such as Workshop) may be a

[Send feedback](#)

better fit for some use cases. Specifically, if your use case requires full customization and layout flexibility, multi-step workflows, or writeback, you should consider Foundry's [application building tools](#).

Quiver dashboards can be embedded in Workshop applications to make more complex analytical content available to operational users.

[Learn more about embedding Quiver dashboards in Workshop.](#)

Analytics / Analytical results / Reporting

Reporting

In Foundry, we define "reporting" as creating point-in-time content with annotation for in-platform sharing or download. If you want to create interactive content for others to work with directly, we recommend the use of Foundry's [dashboarding.products](#).

Notepad

Notepad is Foundry's reporting tool. With Notepad, you can create both live-updating and static ("point-in-time") documents, annotate documents, share documents in-platform, and export documents as PDFs.

API Reference ↗



Send feedback

Testing Proje... > notepad > *** > Example Document

File Help 1

Share

ParagraphB I U </> S A +Last checkpoint added 3 minutes ago3 LinksActions

Heading 1

1 Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

[Link to Website](#)

Source dataset: titanic

Sub Heading 1

1 Etiam ut velit non metus dignissim pretium. Aenean dignissim lobortis sapien, vel blandit sapien malesuada eu. Quisque porttitor at nunc eu semper. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Donec ac ex eu ex convallis varius non bibendum quam. Nullam vel risus eget est molestie blandit vitae ultricies nunc. Cras nec metus malesuada, lacinia enim dapibus, volutpat eros. Curabitur aliquam quis ipsum id fermentum. Vivamus accumsan metus ultricies enim rutrum, fringilla tincidunt est suscipit.

27. Categorical Line Plot of Football Players by Wage Eur

object count

Wage Eur

SOURCE Quiver - Test Charts

	Column 1	Column 2	Column 3
Row 1			
Row 2			

Key features of Notepad include:

- An easy-to-use document creation and editing experience.
- Ability to add content from a wide range of Foundry sources, including Quiver, Contour, Code Workbook, and Object Explorer.
- Support for document templating with dynamic inputs.
- Customizable exports of PDFs.


[Learn how to get started with Notepad.](#)

API Reference ↗

Send feedback

⚠ Sunset

Reports is in the [sunset](#) phase of development and will be deprecated at a future date. Full support remains available. Previously saved reports are still read-only available and do not need to be converted or transitioned to new formats unless they need to be edited. We recommend migrating your workflows to other applications and tools to serve your use case purposes.



The legacy Foundry Reports application supports both live dashboarding and static reporting use cases. However, other Foundry tools have improved support for these workflows and richer feature sets. We recommend the following products for most dashboarding and reporting use cases:

Contour dashboards for content that is generated by a Contour analysis. Contour [API Reference](#) ⤵ provides improved interactivity over Reports, with features like chart-to-chart filtering, and an easy drag-and-drop interface to build dashboard analyses. [Learn more about getting started with Contour dashboards](#)

[Send feedback](#)

- **Quiver dashboards** for content that is driven by a Quiver analysis. Reports does not support embedding most Quiver visualization types. [Learn more about getting started with Quiver dashboards.](#)
- **Notepad** for cross-product content and the majority of Foundry reporting use cases, as described [above](#). [Learn more about getting started with Notepad.](#)

You may still want to use Reports if you are creating a dashboard with content from multiple sources - for example, a Contour analysis and a Code Workbook, or two Contour analyses. If so, you can [learn more about getting started with Reports](#).

PREVIOUS
← Dashboards

NEXT
Models →

© 2026 Palantir Technologies Inc. All rights reserved.

[Cookies Statement ↗](#)

[Privacy Statement ↗](#)

[Terms of Use ↗](#)


—[Cookies Settings](#)

[API Reference ↗](#)

[Send feedback](#)

Models

You can create and iterate on Foundry Model Assets in [Code Repositories](#) and [Code Workspaces](#). A Foundry Model is a "container for logic" - an object which encodes knowledge about your data to create predictions and empower decisions. Models can be saved for later use, providing lineage, history, security, and branching.



Learn more about [creating models in Code Repositories](#), [creating models in Code Workspaces](#), and [machine learning and modeling in Foundry](#).

[API Reference ↗](#)

NEXT

Data

[Send feedback](#)

© 2026 Palantir Technologies Inc. All rights reserved.

[Cookies Statement ↗](#)

[Privacy Statement ↗](#)

[Terms of Use ↗](#)

— [Cookies Settings](#)

[API Reference ↗](#)

[Send feedback](#)

Datasets and object sets

Datasets


In Contour and Code Workbook, users can choose to output datasets (tabular data) to capture analysis results. These datasets can be used in applications like Contour, Code Workbook, and Fusion, and can be shared with other users.

i Which tool should I use to build pipelines?

Contour and Code Workbook are not optimized for creating production pipelines. If you are building or maintaining production pipelines, use the [Code Repositories](#) application, which includes version history, branching and pull requests, and other functionality essential for robust pipelines. More information can be found in [this comparison of Foundry's tools for writing code-based transformations](#).


Contour

You can save the results of a Contour path by selecting **Save as dataset** at the bottom of the path. After naming the dataset and choosing its save location, the dataset will build with the results of the analysis. [Learn more about saving a dataset from Contour](#).



Code Workbook

You can choose to save the results of Code Workbook transformations as a dataset by selecting **Save as dataset**. By default, new transforms are not saved as datasets. [Learn more about saving a dataset from Code Workbook.](#)



When are Code Repositories a better fit?

We recommend using the [Code Repositories](#) application to create robust production pipelines and support workflows that require an additional layer of governance and monitoring. With Code Repositories, data engineers can create efficient pipelines in bulk.

Example workflows that are a good fit for Code Repositories include:

- A daily pipeline at high data scale which requires incremental compute.
- A high-visibility pipeline with strict governance requiring the ability to revert to previous versions of historical code, or to gate code changes on successful unit tests.

Example workflows that are a good fit for saving a dataset in Contour or Code Workbook are:

One-time capture of data that is then used in another analytical application.

[API Reference ↗](#)

While you can set build schedules on datasets created in Contour and pipeline workflows generally belong in Code Repositories.

[Send feedback](#)

Object sets


Object sets are lists of real-world entities that are saved for future reference and use across Foundry applications that support objects. Object sets are saved as resources for easy sharing with collaborators.

There are two types of object sets:

- **Static object sets:** Static object sets are saved as a list of primary keys, and will stay the same regardless of any changes to the input data.
- **Dynamic object sets:** Dynamic object sets are saved as a representation of the filters applied to create the object set. When new data matches the filters, the object set will be updated.

Object sets created in a Quiver analysis can be saved in Foundry. Once saved, such object sets can be imported in a new Quiver analysis or opened in another Foundry application, such as Object Explorer.

To export an object set, open the editor of the object set card by clicking the  icon in the upper-right corner of the card, and navigate to the Export tab.



The screenshot displays the Foundry interface. At the top, a table lists object sets with columns: TITLE, PH, PLANT ID, END TIME, TEA BATCH ID, CAFFEINE, and EQUIPMENT ID. Below this, a filter editor for '12. Filtered Tea Batches' is shown, featuring a 'WHERE' clause with 'Caffeine is greater than 10' and a 'pH is less than 5' condition. The interface includes a sidebar with 'NEW' and '42,820 Tea Batches' buttons, and a bottom navigation bar with options like Timeline, Table, Bar Plot, All Plots, Transform Columns, Linked, and Filter.

TITLE	PH	PLANT ID	END TIME	TEA BATCH ID	CAFFEINE	EQUIPMENT ID
batch_41672	4.79066199217	plant_4	Oct 16, 2018, 4:00 AM	batch_41672	9.49 g	Steeping Vat 9
batch_41673	5.02616319274	plant_4	Oct 16, 2018, 9:00 AM	batch_41673	9.02 g	Steeping Vat 9
batch_41674	4.97931159045	plant_4	Oct 16, 2018, 2:00 PM	batch_41674	11 g	Steeping Vat 9
batch_41675	4.83272517236	plant_4	Oct 16, 2018, 7:00 PM	batch_41675	9.35 g	Steeping Vat 9

WHERE

Caffeine is greater than 10

AND


pH is less than 5

AND Add a filter to limit your resulting object set

[API Reference ↗](#)

To import an object set, use the **Import saved object reference** card.

[Send feedback](#)



Read more on [how to import and export object sets in Quiver](#).

Object sets can also be saved, updated, and compared in Object Explorer. Read more on how to save object sets in [Object Explorer](#).

PREVIOUS
← Models

NEXT
Exporting outputs →

© 2026 Palantir Technologies Inc. All rights reserved.

[Cookies Statement](#) ↗

[Privacy Statement](#) ↗

[Terms of Use](#) ↗

—Cookies Settings

API Reference ↗

Send feedback

Analytics / Exporting outputs

Exporting outputs

Foundry allows qualified users to export analytical outputs for use off-platform.

Supported exports include [PDF export](#), [export of visualizations as images](#), and [export as CSV or XLSX](#).

PDF export

Notepad supports downloading documents to PDF with the ability to customize content such as page orientation, headers and footers, and individual embed (charts, tables, etc.) appearance.

[Learn how to get started with Notepad.](#)

Visualization export


You can export individual visualizations as images in Contour, Quiver, and Code Workbook.

In Contour and Quiver, look for the  button (**Download chart as image**) in the top right of any chart, as shown below.


API Reference ↗



Send feedback



In Code Workbook, choose **Download image** from the action menu of any visualization node as shown below.



[API Reference ↗](#)

Data export


[Send feedback](#)

You can export analytical results as CSV and/or XLSX in Contour, Quiver, and Code Workbook.


Contour

There are two ways to export data from Contour, both of which have an export limit of 100,000 rows:

- Add an **Export** board to your analysis path.



- Alternatively, you can select the relevant board in your analysis and open the table panel, then select your desired export option.



Quiver


To [API Reference](#) a Quiver analysis, select **Download as CSV** from the action menu for any card.

Send feedback



Code Workbook

To export data from a Code Workbook, select **Download as CSV** from the action menu for transforms that are saved as datasets. The default export limit is 100,000 rows. Note that the results of unpersisted transforms cannot be downloaded as CSV. [Learn more about persisted and unpersisted transforms in Code Workbook.](#)



[API Reference ↗](#)

[Send feedback](#)

© 2026 Palantir Technologies Inc. All rights reserved.

[Cookies Statement ↗](#)

[Privacy Statement ↗](#)

[Terms of Use ↗](#)

— [Cookies Settings](#)

[API Reference ↗](#)


[Send feedback](#)

Reusable logic


In analytical applications, you can choose to save pieces of logic for reuse by other users. This can be helpful to limit duplicative work, reduce time-to-value, and to allow users to leverage logic created by domain experts or more technical collaborators.

Contour

In Contour, you can [save expressions](#) to easily reuse logic across analyses and paths, as well as share logic with others. Saved expressions can be used to create or replace columns or to perform aggregates. [Learn more about Contour.](#)

[API Reference ↗](#)

A [visual function](#) in Quiver consists of one or more Quiver cards that load, combine, and transform data. Visual functions automatically apply a set of logical steps to data inputs within a Quiver analysis, and can be used by others in their analyses. [Learn more about Quiver.](#)



Code Workbook

By abstracting code away behind a simple form-based interface, Code Workbook templates provide a lightweight way for highly technical users to collaborate with users who may be less comfortable writing code. Values selected by users are substituted into a template, which can then be run like any other transform in the workbook. Any transform that can be created with code, such as Matplotlib or Plotly visualizations, can be built with code templates. [Learn more about Code Workbook.](#)

[API Reference ↗](#)

[Send feedback](#)

</> Transformation Logic

View templateActionsESCExit full screen

Edit "bar_chart_example"

```
1 def bar_chart({{titanic_dataset}}):
2     input_df = {{titanic_dataset}}
3     test_df2 = input_df
4     categorical_column = "{{param1}}"
5
6     # calculate the counts
7     total = test_df2 \
8         .groupBy(categorical_column) \
9         .agg(F.count("*").alias("count")) \
10        .orderBy("count")
11
12    # convert summarized dataset to pandas
13    total_pdf = total.toPandas()
14
15    # plotting code
16    fig = plt.figure()
17    ax = fig.add_subplot(111)
18
19    y_pos = np.arange(len(total_pdf[categorical_column]))
20    ax.set_yticks(y_pos)
21    ax.barh(y_pos, total_pdf["count"])
22    ax.set_yticklabels(total_pdf[categorical_column])
23    plt.xlabel("count")
24    plt.ylabel(categorical_column)
25
26    plt.tight_layout()
27    plt.show()
28
29    # return the aggregated dataframe to save it as a dataset
30    return total
31
32
33 #####
34 ## Global imports and functions included below ##
35 #####
36
37 # Functions defined here will be available to call in
38 # the code for any table.
39 from pyspark.sql import functions as F
40 import matplotlib.pyplot as plt
41 import numpy as np
```

Update "bar_chart_example"

Title*: bar_chart_example

Description: Add a helpful description about this template...

Parameters: Highlight variables in the code to create parameters below

titanic_dataset

(x) param1

+ Add new parameter

Status: Unreleased

☐ Save as default version

CancelUpdate template

© 2026 Palantir Technologies Inc. All rights reserved.

[Cookies Statement ↗](#)

[Privacy Statement ↗](#)

[Terms of Use ↗](#)

—[Cookies Settings](#)

[API Reference ↗](#)

Send feedback