Análisis y Desarrollo de Software (ADSO)

GC-F-004v.08

Servicio Nacional de Aprendizaje

TABLA DE **CONTENIDO**

01 FLUTTER - PROYECTOS

FLUTTER

Servicio Nacional de Aprendizaje



FLUTTER - Ajustes del entorno

VISUAL STUDIO CODE

Extensiones

FLUTTER - Ajustes del entorno

VISUAL STUDIO CODE

Snippets - Flutter

Snippet	Description
fstful	StatefulWidget snippet. This is an alternative of stful
fstless	StatelessWidget snippet. This is an alternative of stless
fscaff	Scaffold widget snippet
fedgall	EdgeInsets widget snippet with named constructor all
fedgonly	EdgeInsets widget snippet with named constructor only
ftxt	Text widget snippet
finitlf	Flutter initState lifecycle method snippet
fic	Flutter Icon widget snippet
fcont	Flutter Container widget snippet
fcent	Flutter Center widget snippet

frow	Flutter Row widget snippet
fcol	Flutter Column widget snippet
fex	Expand widget snippet
fszbw	SizedBox widget snippet with just width argument
fszbh	SizedBox widget snippet with just height argument

fszb	SizedBox widget with width and height arguments
fedgsym	EdgeInsets widget with named constructor symmetric
fedgsymv	EdgeInsets widget with named constructor symmetric with vertical parameter
fedgsymh	EdgeInsets widget with named constructor symmetric with horizontal parameter
fimpmat	Add material's package import statement
fstream	Display a StreamBuilder widget
felbtn	Flutter ElevatedButton snippet

FLUTTER - Ajustes del entorno

VISUAL STUDIO CODE

Snippets - Dart

Snippet	Description
dvar	Dart variable declaration using var
dfinal	Dart variable declaration using final
dconst	Dart variable declaration using const
dinvar	Dart Public Instance variable snippet
dprinvar	Dart Private instance variable snippet
dmt	Dart public method snippet
dprmt	Dart private method snippet
darr	Dart public arrow function snippet
dprarr	Dart private arrow function snippet
dopnctor	Dart optional named parameters constructor snippet
dlist	Dart List collection snippet
dmap	Dart Map collection snippet
dset	Dart Set collection snippet
dgetarr	Dart arrow function getter snippet

dimpas	Dart import as snippet
dimpshow	Dart import show snippet
dimplazy	Dart import deffered as snippet
dimphide	Dart import hide snippet
dexhide	Dart export hide snippet
dexshow	Dart export show snippet
dconvert	Dart convert lib import snippet
dimpmeta	Add meta package import statement
dan	Add a Dart anonymous function
dcla	Add Dart Class snippet
dclae	Add Dart Class snippet with extends keyword

FLUTTER - Ajustes del entorno

VISUAL STUDIO CODE

Snippets - Dart

Snippet	Description
dvar	Dart variable declaration using var
dfinal	Dart variable declaration using final
dconst	Dart variable declaration using const
dinvar	Dart Public Instance variable snippet
dprinvar	Dart Private instance variable snippet
dmt	Dart public method snippet
dprmt	Dart private method snippet
darr	Dart public arrow function snippet
dprarr	Dart private arrow function snippet
dopnctor	Dart optional named parameters constructor snippet
dlist	Dart List collection snippet
dmap	Dart Map collection snippet
dset	Dart Set collection snippet
dgetarr	Dart arrow function getter snippet

dimpas	Dart import as snippet
dimpshow	Dart import show snippet
dimplazy	Dart import deffered as snippet
dimphide	Dart import hide snippet
dexhide	Dart export hide snippet
dexshow	Dart export show snippet
dconvert	Dart convert lib import snippet
dimpmeta	Add meta package import statement
dan	Add a Dart anonymous function
dcla	Add Dart Class snippet
dclae	Add Dart Class snippet with extends keyword

FLUTTER - Proyecto

VISUAL STUDIO CODE

- Crear un nuevo proyecto

Crear nuevo

Abrir ***command palette***:

a. Teclado:

b. Buscar ***Flutter***
c. Seleccionar ***New Project***
d. Seleccionar ***Application***

e. Crear la carpeta del proyecto y seleccionarla:
f. Aceptar que se confía en el autor (Evidentemente pues usted es el autor)

FLUTTER - Proyecto

VISUAL STUDIO CODE

- Ahora empecemos a trabajar desde cero:
- Borrar todo del archivo lib\main.dart e iniciamos digitando main y presionando (Ctrl + espacio).



FLUTTER - Proyecto

VISUAL STUDIO CODE

El main requiere de un widget para iniciar; mediante runApp se especificará:

- Tener en cuenta que runApp está sobrecargado y seleccionaremos el primero, que es de MaterialApp.





FLUTTER - Proyecto

VISUAL STUDIO CODE

- Seleccionar StatelessWidget



Código que se genera:



FLUTTER - Proyecto

VISUAL STUDIO CODE

- Para eliminar el error, nos ubicamos en la primera línea de código, nos aparecerá un bombillo, el cual debemos seleccionar, para instalar la biblioteca que se debe importar:





FLUTTER - Proyecto

ESTRUCTURA DEL PROYECTO

Una app en flutter crece de manera jerárquica:



FLUTTER - Proyecto

ESTRUCTURA DEL PROYECTO

MaterialApp: Cambiaremos Container por MaterialApp

```
class Principal extends StatelessWidget {
  const Principal({super.key});

  @override
  Widget build(BuildContext context) {
    return Container();
  }
}
```

debugShowCheckedModeBanner

debugShowCheckedModeBanner: false,

```
return MaterialApp
(
  debugShowCheckedModeBanner: false,
  title: "Ejemplo No 2",
```

FLUTTER - Proyecto

ESTRUCTURA DEL PROYECTO

MaterialApp: Cambiaremos Container por MaterialApp.



main.dart

lib > main.dart > ...

```
import 'package:flutter/material.dart';

Run | Debug | Profile
void main() {
  runApp(
    const Center(
      child: Text(
        'Hello, world!',
        textDirection: TextDirection.ltr,
        style: TextStyle(color: Colors.blue),
      ), // Text
    ), // Center
  );
}
```

Widgets

Los widgets de Flutter se crean utilizando un marco moderno que se inspira en React.

La idea central es que construyas tu interfaz de usuario a partir de widgets. Los widgets describen cómo debería verse su vista dada su configuración y estado actuales. Cuando el estado de un widget cambia, el widget reconstruye su descripción, que el marco compara con la descripción anterior para determinar los cambios mínimos necesarios en el árbol de representación subyacente para pasar de un estado al siguiente.

FLUTTER - Actividad

Widgets

- Crear un proyecto nuevo
  - Adicionar unos Widgets
  - Cambiar los colores
  - Adicionar Texto
- El proyecto debe contener una barra de navegación
  - Icono de menu
- Una caja de texto
- Un botón flotante en el costado izquierdo

FLUTTER - Ejemplo

Widgets

- main.dart

main.dart

lib > main.dart > TutorialHome

```
1  import 'package:flutter/material.dart';
2
   Run | Debug | Profile
3  void main() {
4    runApp(const MaterialApp(title: 'Flutter Tutorial', home: TutorialHome()));
5  }
```

FLUTTER - Ejemplo

Widgets

```
7   class TutorialHome extends StatelessWidget {
8     const TutorialHome({super.key});
9     @override
10    Widget build(BuildContext context) {
11      // Scaffold is a layout for
12      // the major Material Components.
```

```
13      return Scaffold(
14        appBar: AppBar(
15          leading: const IconButton(
16            icon: Icon(Icons.menu),
17            tooltip: 'Navigation menu',
18            onPressed: null,
19          ), // IconButton
20          title: const Text('Example title'),
21          actions: const [
22            IconButton(
23              icon: Icon(Icons.search),
24              tooltip: 'Search',
25              onPressed: null,
26            ), // IconButton
27          ],
28        ), // AppBar
29        // body is the majority of the screen.
30        body: const Center(child: Text('Hello, world!')),
31        floatingActionButton: const FloatingActionButton(
32          tooltip: 'Add', // used by assistive technologies
33          onPressed: null,
34          child: Icon(Icons.add),
35        ), // FloatingActionButton
36      ); // Scaffold
37    }
38  }
```

FLUTTER - Ejemplo

Widgets



G R A C I A S

Línea de atención al ciudadano: 01 8000 910270
Línea de atención al empresario: 01 8000 910682

@SENAComunica

www.sena.edu.co