

Product Information: Similac® With Iron 24 Cal

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

Similac® With Iron 24 Cal

Infant Formula with Iron

- 1 When an iron-fortified feeding of increased caloric density is desired.
- 1 Use under medical supervision.
- 1 Calcium for strong bones - no palm olein oil.
- 1 Gluten-free.
- 1 Halal.
- 1 Kosher.

Safety Precautions

- 1 **Never use a microwave oven to warm formula.** Serious burns can result.



Ingredients

Liquid Unflavored:

Water, Lactose, Nonfat Milk, High Oleic Safflower Oil, Coconut Oil, Soy Oil, Whey Protein Concentrate.
Less than 0.5% of: Ascorbic Acid, Calcium Carbonate, Potassium Citrate, Monoglycerides, Soy Lecithin, Sodium Citrate, Potassium Chloride, Magnesium Chloride, Calcium Phosphate, Carrageenan, Potassium Phosphate, Choline Chloride, Ferrous Sulfate, Potassium Hydroxide, Taurine, m-Inositol, L-Tryptophan, d-Alpha-Tocopheryl Acetate, Zinc Sulfate, Niacinamide, Calcium Pantothenate, L-Carnitine, Cupric Sulfate, Vitamin A Palmitate, Thiamine Chloride Hydrochloride, Riboflavin, Pyridoxine Hydrochloride, Folic Acid, Phylloquinone, Manganese Sulfate, Biotin, Vitamin D3, Cyanocobalamin, Sodium Selenate, Magnesium Sulfate, Sodium Chloride, and Potassium Iodide.
Allergens: Contains milk and soy ingredients.

Availability

List Number	Item
63075	Similac With Iron 24 Cal / 2-fl-oz (59-mL) bottle / 48 ct

For more information, contact your Abbott Nutrition Representative or visit www.abbottnutrition.com

Similac® With Iron 24 Cal

Infant Formula with Iron

Nutrition Information - Liquid Unflavored

	100 Cal (5 fl oz)	
	Value	%RDI / %DV
Calories	100	
Volume, mL	124	
Protein, g	2.07	
Fat, g	5.51	
Carbohydrate, g	10.6	
Water, g	109	
Linoleic Acid, mg	870	
Vitamin A, IU	296	
Vitamin D, IU	52	
Vitamin E, IU	1.5	
Vitamin K, mcg	12	
Thiamin (Vitamin B1), mcg	96	
Riboflavin (Vitamin B2), mcg	173	
Vitamin B6, mcg	70	
Vitamin B12, mcg	0.35	
Niacin, mcg	670	
Folic Acid (Folacin), mcg	12	
Pantothenic Acid, mcg	590	
Biotin, mcg	4.4	
Vitamin C (Ascorbic Acid), mg	15	
Choline, mg	16	
Inositol, mg	5.9	
Calcium, mg	79	
Phosphorus, mg	42	
Magnesium, mg	7	
Iron, mg	1.8	
Zinc, mg	0.69	
Manganese, mcg	5	
Copper, mcg	69	
Iodine, mcg	14	
Selenium, mcg	2.0	
Sodium, mg	27	
Potassium, mg	117	
Chloride, mg	65	

For more information, contact your Abbott Nutrition Representative or visit www.abbottnutrition.com

Similac® With Iron 24 Cal

Infant Formula with Iron

Preparation

Directions for Preparation and Use

- 1 Do not add water.
- 1 Shake very well.
- 1 Do not use if breakaway ring is missing or broken.
- 1 Ready to feed formula if mixed with water may not provide proper nutrition, and repeated use of such feedings could cause illness.
- 1 Twist off cap.
- 1 Twist on nipple and ring.
 - 1 Use clean hands to attach nipple and ring.
- 1 Once feeding begins, **use within one hour or discard.**

Storage & Handling

Ready to Feed

- 1 Avoid prolonged exposure of bottles to light.
- 1 Store unopened bottles at room temperature; avoid extreme temperatures.
- 1 Do not reuse bottle.

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com