

Actividad 2

David Blas Bravo

1. Put

PUT /usersclass/ Usersclass

Parameters

No parameters

Request body *required* application/json

```
{
  "Passenger_Id": 1,
  "Survived": 1,
  "pClass": 3,
  "Name": "manuel gutierritos",
  "sex": "indistinto",
  "Age": 14
}
```

Execute

1.1

```
Status: 200 OK Size: 2.59 KB Time: 12 ms
Response Headers 5 Cookies Results Docs
1 [
2 {
3   "Passenger_Id": 1,
4   "Survived": 1,
5   "pClass": 3,
6   "Name": "manuel gutierritos",
7   "sex": "indistinto",
8   "Age": 14
9 },
10 {
11   "Passenger_Id": 2,
12   "Survived": 1,
```

2. Delete

DELETE /usersclass/{id} Usersclass

Parameters

Name Description

Passenger_Id *required* Integer (query) 5

Execute Clear

Responses

2.1

```
26  {
27    "Passenger_Id": 4,
28    "Survived": 1,
29    "pClass": 1,
30    "Name": "Futrelle, Mrs. Jacques Heath (Lily May Peel)",
31    "sex": "female",
32    "Age": 35
33  },
34  {
35    "Passenger_Id": 6,
36    "Survived": 0,
37    "pClass": 3,
38    "Name": "Moran, Mr. James",
39    "sex": "male",
40    "Age": 0
```

3. Post

POST /userclass/ Userclass

Parameters Cancel Reset

No parameters

Request body required application/json

```
{
  "Passenger_Id": 26,
  "Survived": 0,
  "pClass": 0,
  "Name": "Cristiano Nazario",
  "sex": "masculino",
  "Age": 37
}
```

3.1

Status: 200 OK Size: 2.59 KB Time: 9 ms

| Response | Headers ⁵ | Cookies | Results | Docs |
|----------|--|---------|---------|------|
| 188 | "Survived": 0, | | | |
| 189 | "pClass": 3, | | | |
| 190 | "Name": "Palsson, Miss. Torborg Danira", | | | |
| 191 | "sex": "female", | | | |
| 192 | "Age": 30 | | | |
| 193 | }, | | | |
| 194 | { | | | |
| 195 | "Passenger_Id": 26, | | | |
| 196 | "Survived": 0, | | | |
| 197 | "pClass": 0, | | | |
| 198 | "Name": "Cristiano Nazario", | | | |
| 199 | "sex": "masculino", | | | |
| 200 | "Age": 37 | | | |
| 201 | } | | | |
| 202 |] | | | |

4. Delete

DELETE /usersclass/{id} Usersclass

Parameters Cancel

| Name | Description |
|--------------------------------|-------------|
| Passenger_id * required | |
| integer | |
| (query) | |

Execute

Clear

Responses

Curl

4.1

```
186 {
187   "Passenger_Id": 25,
188   "Survived": 0,
189   "pClass": 3,
190   "Name": "Palsson, Miss. Torborg Danira",
191   "sex": "female",
192   "Age": 30
193 }
194 ]
```

5. Delete

DELETE /usersclass/{id} Usersclass

Parameters Cancel

| Name | Description |
|--------------------------------|-------------|
| Passenger_id * required | |
| integer | |
| (query) | |

Execute

Clear

Responses

Curl

5.1

```
138 {
139   "Passenger_Id": 19,
140   "Survived": 0,
141   "pClass": 2,
142   "Name": "Vander Planke, Mrs. Julius (Emelia M
143     Vandemoortele)",
144   "sex": "female",
145   "Age": 31
146 },
147 {
148   "Passenger_Id": 21,
149   "Survived": 0,
150   "pClass": 2,
```

6.delete

DELETE /usersclass/{id} Usersclass

Parameters

Cancel

| Name | Description |
|---|--------------------------------|
| Passenger_Id <small>required</small> | |
| integer (query) | <input type="text" value="9"/> |

Execute

Clear

6.1

Status: 200 OK Size: 2.47 KB Time: 7 ms

Response Headers 5 Cookies Results Docs

```
57 },
58 {
59   "Passenger_Id": 8,
60   "Survived": 0,
61   "pClass": 3,
62   "Name": "Palsson, Master. Gosta Leonard",
63   "sex": "male",
64   "Age": 2
65 },
66 {
67   "Passenger_Id": 10,
68   "Survived": 1,
```

7.PUT

PUT /usersclass/ Usersclass

Parameters

No parameters

Request body required

```
{
  "Passenger_Id": 10,
  "Survived": 1,
  "pClass": 3,
  "Name": "Ronaldo",
  "sex": "nazario",
  "Age": 59
}
```

7.1

Status: 200 OK Size: 2.44 KB Time: 9 ms

Response Headers 5 Cookies Results

```
66 {
67   "Passenger_Id": 10,
68   "Survived": 1,
69   "pClass": 3,
70   "Name": "Ronaldo",
71   "sex": "nazario",
72   "Age": 59
73 },
```

8. post

| | | |
|---|-------------|-----------|
| POST | /userclass/ | Userclass |
| Parameters | | |
| No parameters | | |
| Request body <small>required</small> | | |
| <pre>{ "Passenger_Id": 26, "Survived": 1, "pClass": 0, "Name": "medio", "sex": "metro", "Age": 15 }</pre> | | |

8.1

Status: 200 OK Size: 2.52 KB Time: 9 ms

| Response | Headers 5 | Cookies | Results |
|----------|---------------------------------|---------|---------|
| 188 | "Survived": 0, | | |
| 189 | "pClass": 3, | | |
| 190 | "Name": "Palsson, Miss. Torborg | | |
| 191 | "sex": "female", | | |
| 192 | "Age": 30 | | |
| 193 | }, | | |
| 194 | { | | |
| 195 | "Passenger_Id": 26, | | |
| 196 | "Survived": 1, | | |
| 197 | "pClass": 0, | | |
| 198 | "Name": "medio", | | |
| 199 | "sex": "metro", | | |
| 200 | "Age": 15 | | |
| 201 | } | | |

9. post

| | | |
|---|-------------|-----------|
| POST | /userclass/ | Userclass |
| Parameters | | |
| No parameters | | |
| Request body <small>required</small> | | |
| <pre>{ "Passenger_Id": 27, "Survived": 2, "pClass": 0, "Name": "angel", "sex": "david", "Age": 22 }</pre> | | |

9.1

Status: 200 OK Size: 2.6 KB Time: 10 ms

| Response | Headers 5 | Cookies | Results |
|----------|---------------------|---------|---------|
| 196 | "Survived": 1, | | |
| 197 | "pClass": 0, | | |
| 198 | "Name": "medio", | | |
| 199 | "sex": "metro", | | |
| 200 | "Age": 15 | | |
| 201 | }, | | |
| 202 | { | | |
| 203 | "Passenger_Id": 27, | | |
| 204 | "Survived": 2, | | |
| 205 | "pClass": 0, | | |
| 206 | "Name": "angel", | | |
| 207 | "sex": "david", | | |
| 208 | "Age": 22 | | |

10. post

POST /userclass/ Userclass

Parameters

No parameters

Request body required

```
{
  "Passenger_Id": 29,
  "Survived": 3,
  "pClass": 0,
  "Name": "velma",
  "sex": "woshin",
  "Age": 29
}
```

10.1

Status: 200 OK Size: 2.68 KB Time: 10 ms

Response Headers ⁵ Cookies Results

```
204 "Survived": 2,
205 "pClass": 0,
206 "Name": "angel",
207 "sex": "david",
208 "Age": 22
209 },
210 {
211   "Passenger_Id": 29,
212   "Survived": 3,
213   "pClass": 0,
214   "Name": "velma",
215   "sex": "woshin",
216   "Age": 29
217 }
```

11. put

PUT /usersclass/ Usersclass

Parameters

No parameters

Request body required

```
{
  "Passenger_Id": 1,
  "Survived": 1,
  "pClass": 3,
  "Name": "rayo",
  "sex": "barca",
  "Age": 8
}
```

11.1

Status: 200 OK Size: 2.07 KB Time: 10 ms

Response Headers ⁵ Cookies Results

```
1  ✓ [
2  ✓ {
3    "Passenger_Id": 1,
4    "Survived": 1,
5    "pClass": 3,
6    "Name": "rayo",
7    "sex": "barca",
8    "Age": 8
9  },
10  {
```

12 delete

DELETE /usersclass/{id} Usersclass

Parameters

| Name | Description |
|--------------------------------|-------------|
| Passenger_Id * required | |
| integer | |
| (query) | |

1

Execute

13. delete

DELETE /usersclass/{id} Usersclass

Parameters

| Name | Description |
|--------------------------------|-------------|
| Passenger_Id * required | |
| integer | |
| (query) | |

2

Execute

14.

DELETE /usersclass/{id} Usersclass

Parameters

| Name | Description |
|--------------------------------|-------------|
| Passenger_Id * required | |
| integer | |
| (query) | |

8

Execute

Responses

15 put

PUT /usersclass/ Usersclass

Parameters

No parameters

Request body required

```
{
  "Passenger_Id": 11,
  "Survived": 1,
  "Pclass": 3,
  "Name": "rayo",
  "sex": "barca",
  "Age": 8
}
```

16.post

| | | |
|---|-------------|-----------|
| POST | /userclass/ | Userclass |
| Parameters | | |
| No parameters | | |
| Request body <small>required</small> | | |
| <pre>{ "Passenger_Id": 30, "Survived": 3, "pClass": 0, "Name": "oliver", "sex": "atom", "Age": 17 }</pre> | | |

17. post

| | | |
|---|-------------|-----------|
| POST | /userclass/ | Userclass |
| Parameters | | |
| No parameters | | |
| Request body <small>required</small> | | |
| <pre>{ "Passenger_Id": 28, "Survived": 1, "pClass": 0, "Name": "fred", "sex": "molsao", "Age": 28 }</pre> | | |

18. post

| | | |
|---|-------------|-----------|
| POST | /userclass/ | Userclass |
| Parameters | | |
| No parameters | | |
| Request body <small>required</small> | | |
| <pre>{ "Passenger_Id": 31, "Survived": 1, "pClass": 0, "Name": "casemero", "sex": "hosteo", "Age": 25 }</pre> | | |

19 put

| | | |
|---|--------------|------------|
| PUT | /usersclass/ | Usersclass |
| Parameters | | |
| No parameters | | |
| Request body <small>required</small> | | |
| <pre>{ "Passenger_Id": 11, "Survived": 1, "pClass": 3, "Name": "rayo", "sex": "barca", "Age": 8 }</pre> | | |

20 put

PUT

/usersclass/ Usersclass

Parameters

No parameters

Request body required

```
{
  "Passenger_Id": 26,
  "Survived": 1,
  "pClass": 3,
  "Name": "almada",
  "sex": "de santos",
  "Age": 29
}
```

21.

PUT

/usersclass/ Usersclass

Parameters

No parameters

Request body required

```
{
  "Passenger_Id": 20,
  "Survived": 3,
  "pClass": 3,
  "Name": "tomas",
  "sex": "muller",
  "Age": 26
}
```

22. delete

DELETE

/usersclass/{id} Usersclass

Parameters

| Name | Description |
|---|---------------------------------|
| Passenger_Id * <small>required</small> | <input type="text" value="15"/> |
| integer | |
| (query) | |

Execute

23.delete

DELETE

/usersclass/{id} Usersclass

Parameters

| Name | Description |
|---|---------------------------------|
| Passenger_Id * <small>required</small> | <input type="text" value="16"/> |
| integer | |
| (query) | |

Execute

24. post

| | |
|--|------------------------------|
| POST | /userclass/ Userclass |
| Parameters | |
| No parameters | |
| Request body <small>required</small> | |
| <pre>{ "Passenger_Id": 40, "Survived": 1, "pClass": 0, "Name": "pablo", "sex": "moloteco", "Age": 28 }</pre> | |

25. get

| | |
|-------------|---|
| Code | Details |
| 200 | Response body <pre>[{ "Passenger_Id": 3, "Survived": 1, "pClass": 3, "Name": "Heikkinen, Miss. Laina", "sex": "female", "Age": 26 }, { "Passenger_Id": 4, "Survived": 1, "pClass": 1, "Name": "Futrelle, Mrs. Jacques Heath (Lily May Peel)", "sex": "female", "Age": 35 }, { "Passenger_Id": 5, "Survived": 0, "pClass": 3, "Name": "Allen, Mr. William Henry", "sex": "male", "Age": 35 }, { "Passenger_Id": 6, "Survived": 0, </pre> |