



## **TSconfig Pages and Users by extManager**

Configure the TSconfig for your pages and users with the mouse! tsconf offers the eight most commonly used porperties like page tree uids, activated extended view, activated clipboard, activated admin panel and cache management for editors among others. Add your own icons to the page tree.



Version: 6.1.0, 2015-03-31

Extension Key: tsconf

Language: en

Keywords: forAdmins, forDevelopers, forBeginners, forAdvanced

Copyright 2011-2015, Dirk Wildt - Die Netzmacher, <a href="http://wildt.at.die-netzmacher.de">http://wildt.at.die-netzmacher.de</a>

This document is published under the Open Content License available from http://www.opencontent.org/opl.shtml The content of this document is related to TYPO3 a GNU/GPL CMS/Framework available from www.typo3.org



# **Table of Contents**

TSconfig Pages and Users by extManager 1	Own Pag
Screen Shot	Sampl
Extension Manager 3	Your (
Page tree icons 3	Extens
Icon in the page tree	Further I
Introduction 5	Featur
What does it do? 5	Bugtra
Install 6	SVN R
Configure pageTS 6	Profes
Configure userTS 6	Other
Page tree icons	Change I

Own Page Tree Icons	Č
Sample	8
Your Configuration File	9
Extension Manager 1	(
Further Information	1
Feature Requests and Suggestions 1	. 1
Bugtracker 1	. 1
SVN Repository 1	. 1
Professional support 1	. 1
Other extensions published by Die Netzmacher 1	2
Change log	:





## Screen Shot

## **Extension Manager**




Illustration 1: Configure the userTSconf and pageTSconf with the extension manager

## Page tree icons

### Icon in the page tree




Illustration 2: Page tree with some icons provided by tsconf



### Available icons




Illustration 3: 66 icons are available for the TYPO3 page tree

You can add your own icons. See "Own Page Tree Icons" on page 8 below.





## Introduction

### What does it do?

This extension offers some TS default configurations for pages and users. It offers page tree icons too.

You can enable and disable 12 configuration options:

### All backend users should

- · have an AdminPanel by default
- be able to clean the TYPO3 general cache
- be able to clean the TYPO3 system cache (from TYPO3 version 6.2)
- · will see a page tree with uids
- have activated [Extended view], [Display thumbnails] and [Show clipboard] in all forms of the module "file list"
- · will see include static templates with place upto 40 items and enhanced width

#### **Images**

- Enhance the maximum limit of the image property columns (imagecols) from 7 to 12.
- Enable the cutting of images.

### All pages should display

- a reduced menu in the modul web pages: without the items Quick Edit and Page Information
- · forms for pages without the fields alias and content from pid
- · forms for content with four headers only and a proper translation
- have activated [Extended view] and [Show clipboard] in all forms of the module "web list"

### The extension offers page tree icons for the groups

- application
- device
- dialog
- emblem
- flag
- · folder
- game
- jQuery
- library
- system
- TYPO3

Last but not least you can add own icons.





## **Install**

Install this extension.

## Configure pageTS

Configure the default page TS with the extension manager.

## Configure userTS

Configure the default user TS with the extension manager.



# Page tree icons




Illustration 4: Alert icon as page tree icon (2)

You can change the sysfolder default icon to a template icon like in the illustration below (2).

If you like the TypoScript template icon as a page tree icon, please follow this steps:

1. Modul web > page

2. Page tree: select the page with your TypoScript templates

3. Edit area: edit the page properties

4. select the tab [Appearance]

5. select in the field [Contains Plugin]: System (alert icon)



# Own Page Tree Icons

## Sample




Illustration 5: Add your own icons to the TYPO3 page tree!

You can add your own icons (5).

You have to copy a prepaired configuration file and adapt it to your needs. See the next section below.





### Your Configuration File

- 1. Copy Resources/Private/myPageTreeIcons.php to fileadmin/mytsconf
  - # cp typo3conf/ext/tsconf/Resources/Private/myPageTreeIcons.php fileadmin/mytsconf
- 2. Copy your icons to fileadmin/mytsconf In the sample below:
  - fileadmin/mytsconf/my.gif
  - · fileadmin/mytsconf/myOtherIcon.gif
- 3. Adapt the properties to your needs.

  Be aware, that in the methods below the second parameter should not be longer than ten characters
  - Proper: myOthIcon <- 9 characters
  - Not proper: myOtherIcon <- 11 characters

### Code Snippet

You have to adapt the variables in the code snippet below, which are marked red and bold.

```
$myExtIconPath = t3lib extMgm::extRelPath( $ EXTKEY ) . '../fileadmin/mytsconf/';
$TCA[ 'pages' ][ 'columns' ][ 'module' ][ 'config' ][ 'items' ][] = array(
  'My icon', 'myIcon', $myExtIconPath . 'my.gif'
'FTCA[ 'pages' ][ 'columns' ][ 'module' ][ 'config' ][ 'items' ][] = array(
   'My other icon', 'myOthIcon', $myExtIconPath . 'myOtherIcon.gif'
switch ( true )
  case( $typo3Version < 6000000 ):</pre>
    t3lib_SpriteManager::addTcaTypeIcon(
             'pages', 'contains-mylcon', $myExtIconPath . 'my.gif'
    t3lib SpriteManager::addTcaTypeIcon(
             'pages', 'contains-myOthIcon', $myExtIconPath . 'myOtherIcon.gif'
    break;
    TYPO3\CMS\Backend\Sprite\SpriteManager::addTcaTypeIcon(
             'pages', 'contains-mylcon', $myExtIconPath . 'my.gif'
    TYPO3\CMS\Backend\Sprite\SpriteManager::addTcaTypeIcon(
             'pages', 'contains-myOthIcon', $myExtIconPath . 'myOtherIcon.gif'
    break;
}
```



### **Extension Manager**

Include your configuration file: Configure tsconf by the Extension Manager (1)

- Select the tab [my icons] (3)
- Field "Path" (4): Enter the path from this file here: fileadmin/mytsconf/myPageTreeIcons.php




Illustration 6: Extension Manager (1): enter the path to your configuration file (4)



## **Further Information**

### Feature Requests and Suggestions

If you have helpful suggestions please send an e-mail to http://wildt.at.die-netzmacher.de

### **Bugtracker**

https://forge.typo3.org/projects/extension-tsconf/issues

### **SVN** Repository

### Interface

https://forge.typo3.org/projects/extension-tsconf/repository

### Checkout / Download / Update

```
Latest version / Specific version
```

```
your@server:/path/to/typo3conf/ext# \
   svn co https://forge.typo3.org/projects/extension-tsconf/repository/show/tags/x.x.x1 tsconf
```

### Developer version - not recommended!

```
your@server:/path/to/typo3conf/ext# \
   svn co https://forge.typo3.org/projects/extension-tsconf/repository/show/trunk tsconf
```

#### Update

your@server:/path/to/typo3conf/ext/tsconf# svn update

## **Professional support**

If you need professional support, please refer to

- Call me: http://wildt.at.die-netzmacher.de
- Send a request form: http://die-netzmacher.de/kontakt

<sup>1</sup> See: https://forge.typo3.org/projects/extension-tsconf/repository/show/tags





### Other extensions published by Die Netzmacher

- +AOE Linkhandler Configurator: Configure the AOE linkhandler supported by userinterfaces. Out-of-the-box templates for cal, org, tt\_news and tt\_products. Don't edit page TSconfig any longer. http://typo3.org/extensions/repository/view/linkhandlerconf/
- autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU. http://typo3.org/extensions/repository/view/autositemap/
- Browser TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need one line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. http://typo3.org/extensions/repository/view/browser/
- Caddy the TYPO3 shopping cart. You can use it for your own needs. You need a database with products or any other items only. You can install Caddy out of the box with one mouse click see Quick Shop below. http://typo3.org/extensions/repository/view/caddy/
- Deal! TYPO3 Quick Shop interface for the marketplace ebay. Manage all items with TYPO3 and publish it on ebay. Amazon is under construction. http://typo3.org/extensions/repository/view/deal/
- Duty collection of helpful scheduler tasks. Here: remove deprecated files from directories. http://typo3.org/extensions/repository/view/duty/
- If pit! offers lovely and smooth page flip transitions. It enables you to run over pages in PDF documents like in a real magazine. It is based on flash. Flipt it! can convert PDF documents to swf files automatically. http://typo3.org/extensions/repository/view/flipit/
- Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse. Job Market hasn't any PHP code, it should be easy to adapt it to your needs. http://typo3.org/extensions/repository/view/job\_market/
- Organiser TYPO3 for the lobby and the organisers. Handle news, events, staff, headquarters, locations, workshops and a calendar with one extension. Sell online tickets! Install the Organiser with one mouse click! http://typo3-organiser.de/
- Quick Shop the fastest shop in the history of TYPO3. Install it with one mouse click! Quick Shop is based on the browser (see above) and powermail. http://typo3-quick-shop.de/
- PDF Controller: Easy to install. Add to your HTML page the PDF-controller-button. Link from the button to the controller. Adjust the controller by mouseclicks. The PDF Controller supports CSS 3. http://typo3-pdfcontroller.de/
- Radial Search (Umkreissuche) Enable the browsing through your data by geo location. 'Your data must have a latitude and a longitude. Address data can geocoded automatically by the Browser TYPO3 without PHP. http://typo3.org/extensions/repository/view/radialsearch/
- Route Publish your routes with GoogleMaps or OpenStreetMap. Routes have points of interest (POI). You can categorise and filter both: routes and POI. Address data can geocoded automatically. http://typo3.org/extensions/repository/view/route/
- Seo\_dynamic\_tag: Search Engine Optimization for the title tag, the canonical tag and the meta tags author, description and keywords. Configuration by a user interface.
   http://typo3.org/extensions/repository/view/seo\_dynamic\_tag/
- Slick jQuery Carousel: Fully responsive. Scales with its container. Separate settings per breakpoint. Uses CSS3 when available. Swipe enabled. Desktop mouse dragging. Infinite looping. Fully accessible. http://typo3.org/extensions/repository/view/slick/
- TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig porperties with the mouse like page tree uids, activated extended view, activated clipboard, ... http://typo3.org/extensions/repository/view/tsconf/





## Change log

_		_	_
6	1.	n	Feature

\* #66176: Individual Icons

#### **Bugfix**

\* #66211: No items in TYPO3 4.x

#### 6.0.1 **Feature**

\* #i0008: Compatibility for TYPO3 4.x

#### 6.0.0 **Feature**

\* #i0007: Default upload folder

#### 1.6.0 **Feature**

\* #i0006: TYPO3 7.0

\* TYPO3\CMS\Backend\Sprite\SpriteManager

### 1.5.2 **Bugfix**

\* #i0006: Class t3lib\_extMgm is moved to \TYPO3\CMS\Core\Utility\ExtensionManagementUtility

#### 1.5.0 **New Feature**

\* #62476: Enhance the maximum of the image property columns (imgcols) from 7 to 12

\* #62475: Move the image properties height and width from integer to string to enable values like 100c.

#### 1.4.4 **New Feature**

\* #i0005: mod.SHARED.defaultLanguageFlag and mod.SHARED.defaultLanguageLabel

### 1.4.3 **Improvement**

\* #i0004: Überschrift -> Ueberschrift

### 1.4.2 **New Feature**

\* #i0003: options.clearCache.system

### 1.4.1 **Improvement**

\* #i0002: Author ext\_emconf.php

### 1.4.0 Feature

\* #58585: Fit it into TYPO3 6.2

### 1.3.0 **Feature**

\* 55323: Big form fields for including TypoScript static templates

### 1.2.0 Feature

\* #54966: TYPO3 6.1

### 1.1.1 Features

\* #i0001: New icons: backend\_layout, jQuery and TYPO3

#### 1.1.0 **Improvement**

\* #45079: Downgrade for TYPO3 < 4.4

Effected file:

\* ext\_tables.php

### 1.0.1 **Improvement**

\* #34858: Usage of \$ICON\_TYPES is deprecated since 4.4.

### 1.0.0 **New feature**

\* 34 new icons: application-exit, applications-development, applications-internet, application-rss+xml, call-start, call-stop, camera-photo, chronometer, code-class, code-context, configure, dialog-cancel, dialog-close, dialog-ok-applay, dialog-password, edit-bomb, emblem-favorite, emblem-important, games-highscores, help-hint, home-mdk, media-optical-recordable, office-calendar, preferences-system, roll, security-high, security-low, security-medium, speaker, status-unknown, tool-animator, user-trash, view-conversation-balloon, view-filter

### 0.1.3 **Improvement**

\* 27 new icons: flags, folders and library

### 0.1.2 **New feature**

\* Page tree: TypoScript template icon

### 0.1.1 Improvement

\* Extension title is moved from tsConf to tsConfig (search engine optimization)





n	.1.0	New	Features

- \* Module web list: activate Extended view and Show clipboard by default
  \* Module file list: activate Extended view, Display thumbnails and Show clipboard by default

### 0.0.7

**Corporate Design**\* Icon is moved to TYPO3 icon

#### 0.0.6 **Improvement**

\* Added to user TSconf: options.clearCache.pages

### 0.0.5

\* Proper Manual

#### 0.0.4 **Publishing**

**Initial release** 0.0.1