

Web Development Introduction



Navbar vertical – styling nav list of links

© Hugh McCabe & Matt Smith 2008-2014-MBrennan2016


list of links should be marked-up as a **LIST** of links then place inside 'nav'

- While we ***could*** create nav bars with links as blocks
- Meaningful, semantic, markup requires us to use an **unordered list of links** when creating navbars but I will demonstrate a couple of methods and you can use what you are comfortable with...
- So we need to learn to style lists of links for navigation:

```
<nav>
  <ul>
    <li><a href="index.html">home</a></li>
    <li><a href="products.html">products</a></li>
    <li><a href="about.html">about</a></li>
    <li><a href="contact.html">sitemap</a></li>
  </ul>
</nav>
```

HMTL

Default styling list of links



```
<nav>
  <ul>
    <li><a href="index.html">home</a></li>
    <li><a href="products.html">products</a></li>
    <li><a href="about.html">about</a></li>
    <li><a href="contact.html">sitemap</a></li>
  </ul>
</nav>
```

HMTL

**How make list of links look like
nice vertical navigation bar?**

1 – 2 – 3 ...

3 steps to styling vertical navbars (css)

1. Remove nav list spacing and bullet points

- `nav ul`

2. Make nav 'a' elements display as blocks

- `nav a`



`<a>`

3. Add desired styling rules for:


- `nav a` (unvisited/visited state)
- `nav a:hover` (mouse hover over state)
- `nav a.current_page` (highlight current page link)

Step 1

remove bullets and spacing from nav list

Step 1

Remove bullets and spacing from nav list



```
nav ul {  
  list-style-type: none;  
  margin: 0;  
  padding: 0;  
}
```


CSS

Step 2

Make nav 'a' elements display as blocks

Step 2

Make nav 'a' elements display as blocks



```
nav a {  
  display: block;  
  
  border: 0.1rem solid red;  
  padding: 0.2em;  
  margin-bottom: 0.5em;  
}
```


CSS

Step 3a

Add desired styling rules for: a

Step 3a

Add desired styling rules for: a



```
nav a {  
  display: block;  
  text-decoration: none;  
  text-align: center;  
}
```


CSS

Step 3b

Add desired styling rules for `a:hover`

Step 3b

Add desired styling rules for: `a: hover`



```
nav a: hover {  
  text-decoration: underline;  
  background-color: yellow;  
}
```

CSS


Step 3c

Add desired styling rules for: `a.current_page`

Step 3c: style

a.current_page

Assume current page is
sitemap




```
<nav>
  <ul>
    <li><a href="index.html">home</a></li>
    <li><a href="products.html">products</a></li>
    <li><a href="about.html">about</a></li>
    <li><a href="contact.html"
      class="current_page">sitemap</a></li>
  </ul>
</nav>
```

HTML

Step 3c: style

a.current_page

Assume current page is
sitemap



```
nav a.current_page {  
  color: lightgreen;  
  background-color: darkgreen;  
  font-style: italic;  
}
```

CSS

CSS rules for all 3 steps

```
nav ul {  
  list-style-type: none;  
  margin: 0;  
  padding: 0;  
}
```

```
nav a {  
  display: block;.....display inline to make this appear  
  horizontal across the page  
  border: 0.1rem solid red;  
  padding: 0.2rem;  
  margin-bottom: 0.5rem;  
  text-decoration: none;  
  text-align: center;  
}
```

[Home](#) [About Us](#) [Gallery](#) [Products](#) [Links](#) [Contact Us](#)

```
nav a:hover {  
  text-decoration: underline;  
  background-color: yellow;  
}
```

```
nav a.current_page {  
  color: lightgreen;  
  background-color: darkgreen;  
  font-style: italic;  
}
```

CSS

Sample Code For Navigation Lists – horizontal

```
/******A list of items******/
```

```
#nav ul li a
{
    padding: 5px 40px;
    color: #ffffff;
    background-color: lightgray;
    font-family: Arial, Helvetica, sans-serif;
    font-size: 12px;
    font-weight: bold;
    text-align: center;
    text-decoration: none;
}
```

```
#nav ul li
{
    display: inline;
}
```

```
#nav ul li a:link
{
    color : #FFFFFF;
}
#nav ul li a:visited
{
    color : #cccccc;
}
```

```
#nav ul li a:hover
{
    color : #66cc33;
}
```

```
/******
```

```
-----
<!-- *****HEADER *****-->
```

```
<div id="header">
<h1>My Website</h1>
</div>
```

```
<!-- a nav created for the *****NAV BAR***** and given a separate ID -->
```

```
<div align="center" id = "nav">
```

```
<ul>
<li><a href="index.html" >Home</a></li>
<li><a href="about.html">About Us</a></li>
<li><a href="gallery.html">Gallery</a></li>
<li><a href="Products.html" >Products</a></li>
<li><a href="links.html" >Links</a></li>
<li><a href="contactus.html" >Contact Us </a></li>
</ul>
```

```
</div>
```

```
<!-- ***** -->
```

```
<!-- *****ASIDE***** -->
```

3 steps to styling vertical navbars

1. Remove nav list spacing and bullet points

- `nav ul`

2. Make nav 'a' elements display as blocks

- `nav a`

3. Add desired styling rules for:

- `nav a` (unvisited/visited state)
- `nav a:hover` (mouse hover over state)
- `nav a.current_page` (highlight current page link)

Sophisticated horizontal nav bars

- In this week's class we are going to learn how to:
 - style unordered lists into professional looking horizontal navigation bars “navbars”
- Different strategies
 - *float: left/right*
 - *display: inline-block*
 - *display: flex*
- We'll learn to use:
display: flex;
- **REMEMBER:** you must test using Google Chrome !

The 4 rules for effective use of: Unordered lists for navbars

- The 4 steps for simple (vertical) navigation bars
 1. `` remove bullets and margins and padding
 2. `<a>` display as blocks
 3. `<a>` define `:hover` style
 4. `<a>` define `.current_page` style+ (add some pretty CSS colors/padding/border etc.)
- Two new steps:
 - Make list block `` a flex box container
 - Make the list items `` share space flexibly

RECAP – Steps 1 – 4 for simple nav bars

Nav lists ...

- Features of unordered lists:

- Indentation of whole list
- Bullet points

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title>IT Blanchardstown</title>
</head>

<body>

<nav>
  <ul>
    <li><a href="index.html">home</a></li>
    <li><a href="about.html">about</a></li>
    <li><a href="products.html">products</a></li>
    <li><a href="contact.html">contact</a></li>
  </ul>
</nav>

</body>
</html>
```

- [home](#)
- [about](#)
- [products](#)
- [contact](#)

- Use CSS to remove spacing and bullet points:

- Note –
descendent selector
 - So only inside <nav> affected ...

```
nav ul {
  margin: 0;
  padding: 0;
  list-style-type: none;
}
```

- [home](#)
- [about](#)
- [products](#)
- [contact](#)

step 1

remove bullets/spacing from list

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title>IT Blanchardstown</title>
</head>

<body>

<nav>
  <ul>
    <li><a href="index.html">home</a></li>
    <li><a href="about.html">about</a></li>
    <li><a href="products.html">products</a></li>
    <li><a href="contact.html">contact</a></li>
  </ul>
</nav>

</body>
</html>
```

- [home](#)
- [about](#)
- [products](#)
- [contact](#)

```
nav ul {
  margin: 0;
  padding: 0;
  list-style-type: none;
}
```

[home](#)
[about](#)
[products](#)
[contact](#)

step 2

display <a> as block

step 1

```
nav ul {  
    margin: 0;  
    padding: 0;  
    list-style-type: none;  
}
```

```
nav ul li a {  
    display: block;  
    background-color: yellow;  
    padding: 1em;  
    border: 1px solid black;  
}
```

step 2

[home](#)

[about](#)

[products](#)

[contact](#)

step 3

style a: hover for link when mouse over

step 1

[about](#)
[products](#)

step 2

[home](#)

[about](#)

[home](#)



[about](#)

[products](#)

[contact](#)

```
nav ul {  
    margin: 0;  
    padding: 0;  
    list-style-type: none;  
}
```

```
nav ul li a {  
    display: block;  
    background-color: yellow;  
    padding: 1em;  
    border: 1px solid black;  
}
```

```
/* step 3 - :hover style for links */
```

```
nav ul li a: hover {  
    background-color: black;  
    color: yellow;  
    text-decoration: none;  
}
```

style current page differently

```
nav ul {  
    margin: 0;  
    padding: 0;  
    list-style-type: none;  
}
```

[home](#)
[about](#)
[products](#)

```
nav ul li a {  
    display: block;  
    background-color: yellow;  
    padding: 1em;  
    border: 1px solid black;  
}
```

[home](#)

[about](#)

```
/* step 3 - :hover style for links */
```

```
nav ul li a:hover {  
    background-color: black;  
    color: yellow;  
    text-decoration: none;  
}
```

[home](#)



[about](#)

```
nav ul li a.current_page {  
    background-color: pink;  
}
```

[home](#)

[about](#)

Lets try it now