

Exam Questions

Structures

Marcos Carrera Valle

Exam Questions

1. Why do gliders have a high aspect ratio?
A) To reduce zero-lift drag
B) To minimize lift production
C) To reduce induced drag and improve glide efficiency
D) To increase stall speed

Exam Questions

2. Why can't propeller-driven aircraft fly at very high altitudes?
A) Air density is too low, reducing thrust generation
B) Propellers become inefficient due to high temperatures
C) High altitude causes excessive engine wear
D) Airspeed becomes uncontrollable

Exam Questions

3. Why are jet engines more efficient at high speeds?
A) The higher speeds reduce drag on the aircraft
B) At high speeds, jet efficiency increases
C) Fuel consumption decreases with increasing speed
D) Jet engines have higher propulsive efficiency at low velocities

Exam Questions

4. Which component of drag increases with lift?
A) Induced drag
B) Parasitic drag
C) Wave drag
D) Form drag

Exam Questions

5. Which component of drag increases with velocity?
A) Induced drag
B) Zero-lift drag

Exam Questions

6. What are the accelerations in both directions of the airpath axis system?

A) Forward: dV/dt, Perpendicular: $Vd\gamma/dt$
B) Forward: $Vd\gamma/dt$, Perpendicular: dV/dt
C) Forward: $d\gamma/dt$, Perpendicular: V^2
D) Forward: $d\theta/dt$, Perpendicular: $Vd\alpha/dt$

Exam Questions

7. What can we say about the equations of motion under steady and level flight assumptions?
A) Acceleration is constant
B) Lift equals weight and thrust equals drag
C) The aircraft has zero velocity
D) The aircraft follows a curved trajectory

Exam Questions

8. How do slats increase lift?
A) By reducing weight
B) By increasing airspeed
C) By delaying flow separation and increasing maximum lift coefficient
D) By reducing wing surface area

Exam Questions

9. What should we maximize to achieve maximum range?
A) Lift coefficient
B) Specific range (distance per unit fuel) and minimize drag
C) Angle of attack
D) Fuel flow

Exam Questions

10. What should we minimize to achieve maximum endurance?
A) Lift coefficient
B) Fuel flow rate
C) Thrust coefficient
D) Angle of attack

Exam Questions

11. Why do fighter aircraft have a low aspect ratio?

A) Because zero-lift drag is more critical than induced drag
B) To save mass
C) To decrease the chance of wing failure
D) They do not need long wings as the fuel is not stored here

Exam Questions

12. Why do commercial airliners fly at high altitudes?

A) To increase the lift generated by the wings
B) To reach to their destination quicker
C) To minimize noise emission to the ground
D) To reduce the drag

Exam Questions

13. What does the red line represent?

A) Propeller Thrust
B) Jet Thrust
C) Drag
D) Propeller Power available



Exam Questions

14. What does the green line represent?

A) Propeller Thrust
B) Jet Thrust
C) Drag
D) Propeller Power available



Exam Questions

15. What does the blue line represent?
A) Propeller Thrust
B) Jet Thrust
C) Drag
D) Propeller Power available



Exam Questions

16. What does the blue line represent?

A) Weight
B) Jet Power available
C) Power required
D) Propeller Power available



Exam Questions

17. What does the red line represent?

A) Weight
B) Jet Power available
C) Power required
D) Propeller Power available



Exam Questions

18. What does the green line represent?

A) Weight
B) Jet Power available
C) Power required
D) Propeller Power available



Exam Questions

19. At which velocity do we fly for minimum airspeed?

A) V_G
B) V_H
C) V_I
D) V_J
E) V_K
F) V_L



Exam Questions

20. At which velocity do we fly for maximum range?

A) V_G
B) V_H
C) V_I
D) V_J
E) V_K
F) V_L



Exam Questions

21. At which velocity do we fly for maximum endurance?

A) V_G
B) V_H
C) V_I
D) V_J
E) V_K
F) V_L



Exam Questions

22. At which velocity do we fly for maximum velocity (jet engine)?

A) V_G
B) V_H
C) V_I
D) V_J
E) V_K
F) V_L



Exam Questions

23. At which velocity do we fly for maximum velocity (propeller engine)?

A) V_G
B) V_H
C) V_I
D) V_J
E) V_K
F) V_L



Exam Questions

24. At which velocity do we fly for maximum velocity (propeller engine)?

A) V_A
B) V_B
C) V_C
D) V_D
E) V_E
F) V_F



Exam Questions

25. At which velocity do we fly for minimum velocity?

A) V_A
B) V_B
C) V_C
D) V_D
E) V_E
F) V_F



Exam Questions

26. At which velocity do we fly for maximum velocity (thrust engine)?

A) V_A
B) V_B
C) V_C
D) V_D
E) V_E
F) V_F



Exam Questions

27. At which velocity do we fly for maximum range?

A) V_A
B) V_B
C) V_C
D) V_D
E) V_E
F) V_F



Answers

Exam Questions

1. Why do gliders have a high aspect ratio?
A) To reduce zero-lift drag
B) To minimize lift production
C) To reduce induced drag and improve glide efficiency
D) To increase stall speed

Exam Questions

2. Why can't propeller-driven aircraft fly at very high altitudes?
A) Air density is too low, reducing thrust generation
B) Propellers become inefficient due to high temperatures
C) High altitude causes excessive engine wear
D) Airspeed becomes uncontrollable

Exam Questions

3. Why are jet engines more efficient at high speeds?
A) The higher speeds reduce drag on the aircraft
B) At high speeds, jet efficiency increases
C) Fuel consumption decreases with increasing speed
D) Jet engines have higher propulsive efficiency at low velocities

Exam Questions

4. Which component of drag increases with lift?

A) Induced drag

B) Parasitic drag

C) Wave drag

D) Form drag

Exam Questions

5. Which component of drag increases with velocity?
A) Induced drag
B) Zero-lift drag

Exam Questions

6. What are the accelerations in both directions of the airpath axis system?

A) Forward: dV/dt, Perpendicular: $Vd\gamma/dt$
B) Forward: $Vd\gamma/dt$, Perpendicular: dV/dt
C) Forward: $d\gamma/dt$, Perpendicular: V^2
D) Forward: $d\theta/dt$, Perpendicular: $Vd\alpha/dt$

Exam Questions

7. What can we say about the equations of motion under steady and level flight assumptions?
A) Acceleration is constant
B) Lift equals weight and thrust equals drag
C) The aircraft has zero velocity
D) The aircraft follows a curved trajectory

Exam Questions

8. How do slats increase lift?
A) By reducing weight
B) By increasing airspeed
C) By delaying flow separation and increasing maximum lift coefficient
D) By reducing wing surface area

Exam Questions

9. What should we maximize to achieve maximum range?
A) Lift coefficient
B) Specific range (distance per unit fuel) and minimize drag
C) Angle of attack
D) Fuel flow

Exam Questions

10. What should we minimize to achieve maximum endurance?
A) Lift coefficient
B) Fuel flow rate
C) Thrust coefficient
D) Angle of attack

Exam Questions

11. Why do fighter aircraft have a low aspect ratio?

A) **Because zero-lift drag is more critical than induced drag**
B) To save mass
C) To decrease the chance of wing failure
D) They do not need long wings as the fuel is not stored here

Exam Questions

12. Why do commercial airliners fly at high altitudes?

A) To increase the lift generated by the wings
B) To reach to their destination quicker
C) To minimize noise emission to the ground
D) To reduce the drag

Exam Questions

13. What does the red line represent?

A) Propeller Thrust
B) Jet Thrust
C) Drag
D) Propeller Power available



Exam Questions

14. What does the green line represent?

A) Propeller Thrust

B) Jet Thrust

C) Drag

D) Propeller Power available



Exam Questions

15. What does the blue line represent?

A) Propeller Thrust
B) Jet Thrust
C) Drag
D) Propeller Power available



Exam Questions

16. What does the blue line represent?

A) Weight
B) Jet Power available
C) Power required
D) Propeller Power available



Exam Questions

17. What does the red line represent?

A) Weight

B) Jet Power available

C) Power required

D) Propeller Power available



Exam Questions

18. What does the green line represent?

A) Weight

B) Jet Power available

C) Power required

D) Propeller Power available



Exam Questions

19. At which velocity do we fly for minimum airspeed?

A) $\mathbf{V_G}$
B) V_H
C) V_I
D) V_J
E) V_K
F) V_L



Exam Questions

20. At which velocity do we fly for maximum range?

A) V_G
B) V_H
C) V_I
D) V_J
E) V_K
F) V_L



Exam Questions

21. At which velocity do we fly for maximum endurance?

A) V_G
B) $\mathbf{V_H}$
C) V_I
D) V_J
E) V_K
F) V_L



Exam Questions

22. At which velocity do we fly for maximum velocity (jet engine)?

A) V_G
B) V_H
C) V_I
D) V_J
E) V_K
F) V_L



Exam Questions

23. At which velocity do we fly for maximum velocity (propeller engine)?

A) V_G
B) V_H
C) V_I
D) V_J
E) V_K
F) V_L



Exam Questions

24. At which velocity do we fly for maximum velocity (propeller engine)?

A) V_A
B) V_B
C) V_C
D) V_D
E) V_E
F) V_F



Exam Questions

25. At which velocity do we fly for minimum velocity?

A) $\mathbf{V_A}$
B) V_B
C) V_C
D) V_D
E) V_E
F) V_F



Exam Questions

26. At which velocity do we fly for maximum velocity (thrust engine)?

A) V_A
B) V_B
C) V_C
D) V_D
E) V_E
F) V_F



Exam Questions

27. At which velocity do we fly for maximum range?

A) V_A
B) $\mathbf{V_B}$
C) V_C
D) V_D
E) V_E
F) V_F