CENGAGE | WEBASSIGN

davidcorzo@ufm.edu
(sign out)

14.5 Regla Cadena y Derivación Implicita (Homework)

INSTRUCTOR
Christiaan Ketelaar
Universidad Francisco Marroquin

Current Score

QUESTION	1	2	3	4	5	6	7	8	9	10	11	12	13
POINTS	1/1	1/1	2/2	2/2	1/1	2/0	1/1	1/1	1/1	2/0	1.2/0	2.5/2.5	1/1

TOTAL SCORE
18.7/13.5 138.5%

Due Date Past Due

SUN, APR 5, 2020
11:59 PM CST

Request Extension

Assignment Submission & Scoring

Assignment Submission

For this assignment, you submit answers by question parts. The number of submissions remaining for each question part only changes if you submit or change the answer.

Assignment Scoring

Your last submission is used for your score.

The due date for this assignment has passed.

Your work can be viewed below, but no changes can be made.

Important! Before you view the answer key, decide whether or not you plan to request an extension. Your Instructor may not grant you an extension if you have viewed the answer key. Automatic extensions are not granted if you have viewed the answer key.

Request Extension

1. 1/1 POINTS | PREVIOUS ANSWERS | SCALCET8 14.5.001.

MY NOTES | ASK YOUR TEACHER

Use the Chain Rule to find dz/dt.

$$z = xy^9 - x^2y, \quad x = t^2 + 1, \quad y = t^2 - 1$$

$\frac{dz}{dt}$ =

$$2ty-4txy+18ty8x-2tx2

Need Help? Talk to a Tutor

2. 1/1 POINTS | PREVIOUS ANSWERS | SCALCET8 14.5.005.

MY NOTES | ASK YOUR TEACHER

Use the Chain Rule to find dw/dt.

$$w = xe^{y/z}, \quad x = t^5, \quad y = 4 - t, \quad z = 2 + 3t$$

$\frac{dw}{dt}$ =

$$5t4e(yz)-xe(yz)z-3xe(yz)yz2

Need Help? Watch It Talk to a Tutor

3. 2/2 POINTS | PREVIOUS ANSWERS | SCALCET8 14.5.012.

MY NOTES | ASK YOUR TEACHER

Use the Chain Rule to find $\partial z/\partial s$ and $\partial z/\partial t$.

$$z = \tan(u/v), \quad u = 9s + 5t, \quad v = 5s - 9t$$

$\frac{\partial z}{\partial s}$ =

$$9sec2(uv-1)v-1-5sec2(uv-1)uv-2

$\frac{\partial z}{\partial t}$ =

$$5sec2(uv-1)v-1+9sec2(uv-1)uv-2

Need Help? Talk to a Tutor

4. 2/2 POINTS | PREVIOUS ANSWERS | SCALCET8 14.5.023.

MY NOTES | ASK YOUR TEACHER

Use the Chain Rule to find the indicated partial derivatives.

$$w = xy + yz + zx, \quad x = r\cos(\theta), \quad y = r\sin(\theta), \quad z = r\theta;$$

$\frac{\partial w}{\partial r}, \frac{\partial w}{\partial \theta}$ when $r = 6$, $\theta = \frac{\pi}{2}$

$\frac{\partial w}{\partial r}$ =

$$6n

$\frac{\partial w}{\partial \theta}$ =

$$-18n

Need Help? Watch It Talk to a Tutor

5. 1/1 POINTS | PREVIOUS ANSWERS | SCALCET8 14.5.027.

MY NOTES | ASK YOUR TEACHER

Use this equation to find dy/dx.

$$4y\cos(x) = x^2 + y^2$$

$\frac{dy}{dx}$ =

$$--4ysin(x)-2x4cos(x)-2y

Need Help? Watch It Talk to a Tutor

6. 2/0 POINTS | PREVIOUS ANSWERS | SCALCET8 14.5.029.

MY NOTES | ASK YOUR TEACHER

Use this equation to find dy/dx.

$$4\tan^{-1}(x^2y) = x + xy^2$$

$\frac{dy}{dx} =$

$$-(8xy(x2y)2+1)-1-y2(4x2(x2y)2+1)-2xy$$

Need Help? Watch It | Talk to a Tutor

7. 1/1 POINTS | PREVIOUS ANSWERS | SCALCET8 14.5.031.

MY NOTES | ASK YOUR TEACHER

Use the equations to find $\partial z/\partial x$ and $\partial z/\partial y$.

$$x^2 + 8y^2 + 3z^2 = 1$$

$\frac{\partial z}{\partial x} =$ $$-x3z$$

$\frac{\partial z}{\partial y} =$ $$-8y3z$$

Need Help? Watch It | Talk to a Tutor

8. 1/1 POINTS | PREVIOUS ANSWERS | SCALCET8 14.5.035.MI.

MY NOTES | ASK YOUR TEACHER

The temperature at a point (x, y) is $T(x, y)$, measured in degrees Celsius. A bug crawls so that its position after t seconds is given by $x = \sqrt{2 + t}$, $y = 4 + \frac{1}{2}t$, where x and y are measured in centimeters. The temperature function satisfies $T_x(2, 5) = 8$ and $T_y(2, 5) = 5$. How fast is the temperature rising on the bug's path after 2 seconds? (Round your answer to two decimal places.)

9/2 °C/s

Need Help? Watch It | Master It | Talk to a Tutor

9. 1/1 POINTS | PREVIOUS ANSWERS | SCALCET8 14.5.502.XP.

MY NOTES | ASK YOUR TEACHER

Use the Chain Rule to find dz/dt.

$$z = \cos(x + 7y), \quad x = 2t^3, \quad y = 4/t$$

$\frac{dz}{dt} =$

$$-sin(x+7y)(6t2-28t2)$$

Need Help? Talk to a Tutor

10. 2/0 POINTS | PREVIOUS ANSWERS | SCALCET8 14.5.509.XP.

MY NOTES | ASK YOUR TEACHER

If $z = f(x, y)$, where f is differentiable, and

$x = g(t)$ $y = h(t)$

$g(5) = -7$ $h(5) = 8$

$g'(5) = 4$ $h'(5) = -5$

$f_x(-7, 8) = 2$ $f_y(-7, 8) = -6$

find dz/dt when $t = 5$.

$\frac{dz}{dt} =$ 38

Need Help? Watch It | Talk to a Tutor

11. 1.2/0 POINTS | PREVIOUS ANSWERS | SCALCET8 14.5.512.XP.

MY NOTES | ASK YOUR TEACHER

Use the Chain Rule to find the indicated partial derivatives.

$$z = x^3 + xy^4, \quad x = uv^4 + w^3, \quad y = u + ve^w$$

$\frac{\partial z}{\partial u}, \frac{\partial z}{\partial v}, \frac{\partial z}{\partial w}$ when $u = 1$, $v = 1$, $w = 0$

$\frac{\partial z}{\partial u} =$ $$51

$\frac{\partial z}{\partial v} =$ $$108

$\frac{\partial z}{\partial w} =$ $$32

Need Help? Watch It | Talk to a Tutor

12. 2.5/2.5 POINTS | PREVIOUS ANSWERS | SCALCET8 14.5.AE.002.

MY NOTES | ASK YOUR TEACHER

Video Example

EXAMPLE 2 The pressure P (in kilopascals), volume V (in liters), and temperature T (in kelvins) of a mole of an ideal gas are related by the equation $PV = 8.31T$. Find the rate at which the pressure is changing when the temperature is 200 K and increasing at a rate of 0.3 K/s and the volume is 100 L and increasing at a rate of 0.4 L/s.

SOLUTION If t represents the time elapsed in seconds, then at the given instant, we have $T = 200$, $dT/dt = 0.3$, $V = 100$, $dV/dt = 0.4$. Since

$$P = 8.31\frac{T}{V}$$

the Chain Rule gives the following. (Round your final answer to five decimal places.)

$$\frac{dP}{dt} = \frac{\partial P}{\partial T}\frac{dT}{dt} + \frac{\partial P}{\partial V}\frac{dV}{dt}$$

$$= \frac{8.31}{V}\frac{dT}{dt} - \left(\text{ $$8.31TV2 } \right)\frac{dV}{dt}$$

$$= \frac{8.31}{100}\left(0.3\right) - \frac{8.31(200)}{100^2}\left(0.4\right)$$

$$= -0.04155$$

The pressure is decreasing at a rate, rounded to three decimal places, of about 0.042 kPA/s.

Need Help? Talk to a Tutor

13. 1/1 POINTS | PREVIOUS ANSWERS | SCALCET8 14.5.525.XP.

MY NOTES | ASK YOUR TEACHER

Use these equations to find $\partial z/\partial x$ and $\partial z/\partial y$ for the following.

$yz = 4 \ln(x + z)$

$$-4x+z4x+z-y

$\frac{\partial z}{\partial x} =$

$$z4x+z-y

$\frac{\partial z}{\partial y} =$

Need Help? Talk to a Tutor

Home My Assignments Request Extension