

Index

RP denotes Reference Page numbers.

- Abel, Niels, 211
- absolute maximum and minimum, 276, 959, 960, 965
- absolute value, 16, A6, A58
- absolute value function, 16
- absolutely convergent series, 737
- acceleration as a rate of change, 159, 224
- acceleration of a particle, 871
 - components of, 874
 - as a vector, 871
- Achilles and the tortoise, 5
- adaptive numerical integration, 523
- addition formulas for sine and cosine, A29
- addition of vectors, 798, 801
- Airy, Sir George, 752
- Airy function, 752
- algebraic function, 30
- algebraic vector, 800
- alternating harmonic series, 734, 737
- alternating series, 732
- Alternating Series Estimation Theorem, 735
- Alternating Series Test, 732
- Ampère's Law, 1086
- analytic geometry, A10
- angle, A24
 - between curves, 273
 - of deviation, 285
 - negative or positive, A25
 - between planes, 828
 - standard position, A25
 - between vectors, 808, 809
- angular momentum, 879
- angular speed, 872
- antiderivative, 350
- antidifferentiation formulas, 352
- aphelion, 687
- apolune, 681
- approach path of an aircraft, 208
- approximate integration, 514
- approximating cylinder, 440
- approximating surface, 551
- approximation
 - by differentials, 254
 - to e , 178
 - linear, 252, 929, 930, 933
 - linear, to a tangent plane, 929
 - by the Midpoint Rule, 384, 515
 - by Newton's method, 345
 - by an n th-degree Taylor polynomial, 258
 - quadratic, 258
 - by Riemann sums, 379
 - by Simpson's Rule, 519, 520
 - tangent line, 252
 - by Taylor polynomials, 774
 - by Taylor's Inequality, 762, 775
 - by the Trapezoidal Rule, 516
- Archimedes, 411
- Archimedes' Principle, 468, 1146
- arc length, 544, 861, 862
 - of a parametric curve, 652
 - of a polar curve, 671
 - of a space curve, 861, 862
- arc length contest, 550
- arc length formula, 545
- arc length formula for a space curve, 862
- arc length function, 547, 863
- arcsine function, 63
- area, 2, 366
 - of a circle, 488
 - under a curve, 366, 371, 378
 - between curves, 428, 429
 - of an ellipse, 487
 - by exhaustion, 2, 97
 - enclosed by a parametric curve, 651
 - of a plane region, 1099
 - in polar coordinates, 658, 669
 - of a sector of a circle, 669
 - surface, 654, 1026, 1027, 1116, 1117, 1118
 - of a surface of a revolution, 551, 557
- area function, 391
- area problem, 2, 366
- argument of a complex number, A59
- arithmetic-geometric mean, 706
- arrow diagram, 11
- astroid, 215, 649
- asymptote(s), 316
 - in graphing, 316
 - horizontal, 128, 316
 - of a hyperbola, 678, A20
 - slant, 316, 320
 - vertical, 90, 316
- asymptotic curve, 323
- autonomous differential equation, 594
- auxiliary equation, 1155
 - complex roots of, 1157
 - real and distinct roots of, 1156
 - real and equal roots of, 1156, 1157
- average cost function, 339
- average rate of change, 145, 224
- average speed of molecules, 535
- average value of a function, 461, 575, 997, 1039
- average velocity, 4, 81, 143, 224
- axes, coordinate, 792, A11
- axes of ellipse, A19
- axis of a parabola, 674
- bacterial growth, 610, 615
- Barrow, Isaac, 3, 97, 152, 392, 411
- base of a cylinder, 438
- base b of a logarithm, 59, A55
 - change of, 62
- baseball and calculus, 464
- basis vectors, 802
- Bernoulli, James, 600, 625
- Bernoulli, John, 306, 314, 600, 644, 760
- Bernoulli differential equation, 625
- Bessel, Friedrich, 748
- Bessel function, 217, 748, 752
- Bézier, Pierre, 657
- Bézier curves, 643, 657
- binomial coefficients, 766
- binomial series, 766
 - discovery by Newton, 773
- binomial theorem, 173, RP1
- binormal vector, 866
- blackbody radiation, 783
- blood flow, 230, 342, 570
- body mass index (BMI), 901, 916
- boundary curve, 1134
- boundary-value problem, 1159
- bounded sequence, 701
- bounded set, 965
- Boyle's Law, 234
- brachistochrone problem, 644

- Brahe, Tycho, 875
 branches of a hyperbola, 678, A20
 Buffon's needle problem, 584
 bullet-nose curve, 205

 C^1 transformation, 1053
 cable (hanging), 259
 calculator, graphing, 323, 642, 665
 See also computer algebra system
 calculus, 8
 differential, 3
 integral, 2, 3
 invention of, 8, 411
 cancellation equations
 for inverse functions, 57
 for inverse trigonometric functions, 58, 64
 for logarithms, 59
 cans, minimizing manufacturing cost of, 343
 Cantor, Georg, 718
 Cantor set, 718
 capital formation, 573
 cardiac output, 571
 cardioid, 215, 662
 carrying capacity, 236, 297, 313, 587, 612
 Cartesian coordinate system, A11
 Cartesian plane, A11
 Cassini, Giovanni, 669
 CAS. *See* computer algebra system
 catenary, 259
 Cauchy, Augustin-Louis, 109, 994, A45
 Cauchy-Schwarz Inequality, 814
 Cauchy's Mean Value Theorem, A45
 Cavalieri, 520
 Cavalieri's Principle, 448
 center of gravity, 560. *See also* center of mass
 center of mass, 560
 of a lamina, 1018
 of a plate, 563
 of a solid, 1035
 of a surface, 1124
 of a wire, 1077
 centripetal acceleration, 884
 centripetal force, 884
 centroid of a plane region, 562
 centroid of a solid, 1036
 Chain Rule, 197, 198, 200
 for several variables, 937, 938, 939, 940
 change of base, formula for, 62
 change of variables
 in a double integral, 1012, 1052, 1056
 in integration, 412
 in a triple integral, 1042, 1047, 1058, 1059

 characteristic equation, 1155
 charge, electric, 227, 1016, 1036, 1172
 charge density, 1016, 1036
 chemical reaction, 227
 circle, A16
 area of, 488
 equation of, A16
 in three-dimensional space, 794
 circle of curvature, 867
 circuit, electric, 1172
 circular cylinder, 438
 circulation of a velocity field, 1138
 cissoid of Diocles, 648, 667
 Clairaut, Alexis, 919
 Clairaut's Theorem, 919, A48
 Clarke, Arthur C., 881
 Clarke geosynchronous orbit, 881
 clipping planes, 833
 closed curve, 1089
 closed interval, A3
 Closed Interval Method, 281
 for a function of two variables, 966
 closed set, 965
 closed surface, 1128
 Cobb, Charles, 889
 Cobb-Douglas production function, 889, 890, 922, 926, 978
 graph of, 891
 level curves for, 896
 cochleoid, 690
 coefficient(s)
 binomial, 766
 of friction, 197, 284
 of inequality, 437
 of a polynomial, 27
 of a power series, 746
 of static friction, 844
 combinations of functions, 40
 comets, orbits of, 688
 common ratio, 709
 comparison properties of the integral, 387
 comparison test for improper integrals, 533
 Comparison Test for series, 727
 Comparison Theorem for integrals, 533
 complementary equation, 1161
 Completeness Axiom, 702
 complex conjugate, A57
 complex exponentials, A63
 complex number(s), A57
 addition and subtraction of, A57
 argument of, A59
 division of, A57, A60
 equality of, A57
 imaginary part of, A57

 modulus of, A58
 multiplication of, A57, A60
 polar form, A59
 powers of, A61
 principal square root of, A58
 real part of, A57
 roots of, A62
 component of b along a , 811
 component function, 848, 1069
 components of acceleration, 874
 components of a vector, 800
 composition of functions, 41, 198
 continuity of, 121, 909
 derivative of, 199
 compound interest, 241, 313
 compressibility, 228
 computer algebra system, 86, 511, 642
 for graphing sequences, 699
 for integration, 511, 756
 pitfalls of using, 86
 computer algebra system, graphing with
 curve, 323
 function of two variables, 892
 level curves, 897
 parametric equations, 642
 parametric surface, 1114
 partial derivatives, 919
 polar curve, 665
 sequence, 699
 space curve, 851
 vector field, 1070, 1071
 concavity, 296
 Concavity Test, 296, A44
 concentration, 227
 conchoid, 645, 667
 conditionally convergent series, 738
 conductivity (of a substance), 1132
 cone, 674, 837
 parametrization of, 1114
 conic section, 674, 682
 directrix, 674, 682
 eccentricity, 682
 focus, 674, 676, 682
 polar equation, 684
 shifted, 679, A21
 vertex (vertices), 674
 conjugates, properties of, A58
 connected region, 1089
 conservation of energy, 1093
 conservative vector field, 1073, 1090, 1091, 1105
 constant force (in work), 455, 811
 constant function, 172
 Constant Multiple Law of limits, 95
 Constant Multiple Rule, 175

- constraint, 971, 976
- consumer surplus, 569
- continued fraction expansion, 706
- continuity
 - of a function, 114, 849
 - of a function of three variables, 909, 910
 - of a function of two variables, 907, 908, 910
 - on an interval, 117
 - from the left, 116
 - from the right, 116
 - of a vector function, 849
- continuous compounding of interest, 241, 313
- continuous random variable, 573
- contour curves, 893
- contour map, 894, 895, 921
- convergence
 - absolute, 737
 - conditional, 738
 - of an improper integral, 528, 531
 - interval of, 749
 - radius of, 749
 - of a sequence, 696
 - of a series, 708
- convergent improper integral, 528, 531
- convergent sequence, 696
- convergent series, 708
 - properties of, 713
- conversion of coordinates
 - cylindrical to rectangular, 1040
 - rectangular to cylindrical, 1040
 - rectangular to spherical, 1046
- cooling tower, hyperbolic, 839
- coordinate axes, 792, A11
- coordinate planes, 792
- coordinate system, A2
 - Cartesian, A11
 - cylindrical, 1040
 - polar, 658
 - rectangular, A11
 - spherical, 1045
 - three-dimensional rectangular, 792, 793
- coplanar vectors, 820
- Coriolis acceleration, 883
- Cornu's spiral, 656
- cosine function, A26
 - derivative of, 192
 - graph of, 31, A31
 - power series for, 764, 766
- cost function, 231, 335
- critical number, 280
- critical point(s), 960, 970
- critically damped vibration, 1170
- cross product, 814, 815
 - direction of, 816
 - geometric characterization of, 817
 - length of, 817, 818
 - magnitude of, 817
 - properties of, 816, 819
- cross-section, 438
- cross-section of a surface, 834
- cubic function, 28
- curl of a vector field, 1103
- current, 227
- curvature, 657, 864, 865, 875
- curvature of a plane parametric curve, 869
- curve(s)
 - asymptotic, 323
 - Bézier, 643, 657
 - boundary, 1134
 - bullet-nose, 205
 - cissoid of Diocles, 667
 - closed, 1089
 - Cornu's spiral, 656
 - demand, 569
 - devil's, 215
 - dog saddle, 902
 - epicycloid, 649
 - equipotential, 902
 - grid, 1112
 - helix, 849
 - length of, 544, 861
 - level, 893, 897
 - long-bow, 691
 - monkey saddle, 902
 - orientation of, 1080, 1096
 - orthogonal, 216
 - ovals of Cassini, 669
 - parametric, 640, 849
 - piecewise-smooth, 1076
 - polar, 660
 - serpentine, 188
 - simple, 1090
 - smooth, 544, 863
 - space, 849
 - strophoid, 673, 691
 - swallowtail catastrophe, 648
 - toroidal spiral, 851
 - trochoid, 647
 - twisted cubic, 851
 - witch of Maria Agnesi, 647
- curve fitting, 25
- curve-sketching procedure, 315
- cusp, 645
- cycloid, 643
- cylinder, 438, 794, 834
 - parabolic, 834
 - parametrization of, 1114
- cylindrical coordinate system, 1040
 - conversion equations for, 1040
 - triple integrals in, 1042
- cylindrical coordinates, 1040
- cylindrical shell, 449
- damped vibration, 1169
- damping constant, 1169
- damping force, 1169, 1171
- decay, law of natural, 237
- decay, radioactive, 239
- decreasing function, 19
- decreasing sequence, 700
- definite integral, 378, 988
 - properties of, 385
 - Substitution Rule for, 416
 - of a vector function, 859
- definite integration
 - by parts, 472, 474, 475
 - by substitution, 416
- degree of a polynomial, 27
- del (∇), 949, 951
- delta (Δ) notation, 145
- demand curve, 336, 569
- demand function, 336, 569
- De Moivre, Abraham, A61
- De Moivre's Theorem, A61
- density
 - of a lamina, 1016
 - linear, 226, 406
 - liquid, 558
 - mass vs. weight, 558
 - of a solid, 1035
- dependent variable, 10, 888, 940
- derivative(s), 140, 144, 152, 257
 - of a composite function, 198
 - of a constant function, 172
 - directional, 946, 947, 948, 950, 951
 - domain of, 153
 - of exponential functions, 179, 202, A54, A55
 - as a function, 152
 - higher, 158
 - higher partial, 918
 - of hyperbolic functions, 261
 - of an integral, 393
 - of an inverse function, 218
 - of inverse trigonometric functions, 213, 214
 - left-hand, 165
 - of logarithmic functions, 218, A51, A54
 - normal, 1110
 - notation, 155
 - notation for partial, 914
 - partial, 913, 914
 - of a polynomial, 172

- derivative(s) (*continued*)
 - of a power function, 173
 - of a power series, 754
 - of a product, 183, 184
 - of a quotient, 186
 - as a rate of change, 140
 - right-hand, 165
 - second, 158, 858
 - second directional, 958
 - second partial, 918
 - as the slope of a tangent, 141, 146
 - third, 159
 - of trigonometric functions, 190, 193
 - of a vector function, 855, 856, 858
- Descartes, René, A11
- descent of aircraft, determining
 - start of, 208
- determinant, 815
- devil's curve, 215
- Difference Law of limits, 95
- difference of vectors, 799
- difference quotient, 12
- Difference Rule, 176
- differentiable function, 155, 930
- differential, 254, 932, 934
- differential calculus, 3
- differential equation, 181, 237, 353, 585, 586, 588
 - autonomous, 594
 - Bernoulli, 625
 - family of solutions, 586, 589
 - first-order, 588
 - general solution of, 589
 - homogeneous, 1154
 - linear, 620
 - linearly independent solutions, 1155
 - logistic, 612, 707
 - nonhomogeneous, 1154, 1160, 1161
 - order of, 588
 - partial, 920
 - second-order, 588, 1154
 - separable, 599
 - solution of, 588
- differentiation, 155
 - formulas for, 187, RP5
 - formulas for vector functions, 858
 - implicit, 208, 209, 917, 942
 - logarithmic, 220
 - partial, 911, 913, 914, 917
 - of a power series, 754
 - term-by-term, 754
 - of a vector function, 855, 856, 858
- differentiation operator, 155
- diffusion equation, 926
- Direct Substitution Property, 97
- directed line segment, 798
- direction angles, 810
- direction cosines, 810
- direction field, 592
- direction numbers, 825
- directional derivative, 946, 947, 948, 950, 951
 - maximum value of, 952
 - second, 958
- directrix, 674, 682
- discontinuity, 115, 116
- discontinuous function, 115
- discontinuous integrand, 531
- disk method for approximating
 - volume, 440
- dispersion, 286
- displacement, 143, 406
- displacement vector, 798, 811
- distance
 - between parallel planes, 830, 833
 - between point and line in space, 822
 - between point and plane, 822, 829, 830
 - between points in a plane, A11
 - between points in space, 795
 - between real numbers, A7
 - between skew lines, 830
- distance formula, A12
 - in three dimensions, 795
- distance problem, 373
- divergence
 - of an improper integral, 528, 531
 - of an infinite series, 708
 - of a sequence, 696
 - of a vector field, 1106
- Divergence, Test for, 713
- Divergence Theorem, 1141, 1147
- divergent improper integral, 528, 531
- divergent sequence, 696
- divergent series, 708
- division of power series, 770
- DNA, helical shape of, 850
- dog saddle, 902
- domain of a function, 10, 888
- domain sketching, 888
- Doppler effect, 945
- dot product, 800
 - in component form, 807
 - properties of, 807
 - in vector form, 808
- double-angle formulas, A29
- double helix, 850
- double integral(s), 988, 990
 - applications of, 1016
 - change of variable in, 1012, 1052, 1056
 - over general regions, 1001
- Midpoint Rule for, 992
 - in polar coordinates, 1010, 1012
 - properties of, 1006, 1007
 - over rectangles, 988
- double Riemann sum, 991
- Douglas, Paul, 889
- Dumpster design, minimizing cost of, 970
- dye dilution method, 571
- e (the number), 51, 178, A52
 - as a limit, 222, A56
 - as a sum of an infinite series, 763
- eccentricity, 682
- electric charge, 599, 602, 623, 1016, 1036
 - on a solid, 1036
- electric circuit, 599, 602, 623
 - analysis of, 1172
- electric current to a flash bulb, 79, 206
- electric field (force per unit charge), 1072
- electric flux, 1131, 1144
- electric force, 1072
- elementary function, integrability of, 507
- element of a set, A3
- ellipse, 215, 676, 682, A19
 - area, 487
 - directrix, 682
 - eccentricity, 682
 - foci, 676, 682
 - major axis, 676, 687
 - minor axis, 676
 - polar equation, 684, 687
 - reflection property, 677
 - rotated, 217
 - vertices, 676
- ellipsoid, 835, 837
- elliptic paraboloid, 836, 837
- empirical model, 25
- end behavior of a function, 139
- endpoint extreme values, 277
- energy,
 - conservation of, 1093
 - kinetic, 464, 1093
 - potential, 1093
- epicycloid, 649
- epitrochoid, 656
- equation(s)
 - cancellation, 57
 - of a circle, A17
 - differential. (*see* differential equation)
 - diffusion, 926
 - of an ellipse, 676, 684, A19
 - of a graph, A16, A17
 - heat conduction, 925
 - of a hyperbola, 67, 679, 684, A20
 - Laplace's, 920, 1107
 - of a line, A12, A13, A14, A16

- of a line in space, 824
- of a line through two points, 825
- linear, 827, A14
- logistic difference, 707
- logistic differential, 587, 619
- Lotka-Volterra, 627
- n th-degree, 211
- of a parabola, 674, 684, A18
- parametric, 640, 824, 849, 1110
- of a plane, 827
- of a plane through three points, 828
- point-slope, A12
- polar, 660, 684
- predator-prey, 627
- second-degree, A16
- slope-intercept, A13
- of a space curve, 849
- of a sphere, 795
- symmetric, 824
- two-intercept form, A16
- van der Waals, 926
- vector, 824, 827
- wave, 920
- equilateral hyperbola, A21
- equilibrium point, 629
- equilibrium solution, 587, 628
- equipotential curves, 902
- equivalent vectors, 798
- error
 - in approximate integration, 516, 517
 - percentage, 256
 - relative, 256
 - in Taylor approximation, 775
- error bounds, 518, 522
- error estimate
 - for alternating series, 735
 - for the Midpoint Rule, 516, 517
 - for Simpson's Rule, 522
 - for the Trapezoidal Rule, 516, 517
- error function, 401
- escape velocity, 535
- estimate of the sum of a series, 723, 730, 735, 740
- Euclid, 97
- Eudoxus, 2, 97, 411
- Euler, Leonhard, 52, 597, 720, 726, 763
- Euler's formula, A63
- Euler's Method, 595
- even function, 17, 315
- expected values, 1023
- exponential decay, 237
- exponential function(s), 32, 45, 177, A52, A54, RP4
 - with base b , A54
 - derivative, of 179, 202, A55
 - graphs of, 47, 179
 - integration of, 383, 413, 768, 769
 - limits of, 131, A53
 - power series for, 761
 - properties of, A53
- exponential graph, 46
- exponential growth, 237, 615
- exponents, laws of, 47, A53, A55
- extrapolation, 27
- extreme value, 276
- Extreme Value Theorem, 278, 965
- family
 - of epicycloids and hypocycloids, 648
 - of exponential functions, 46
 - of functions, 29, 327, 328
 - of parametric curves, 644
 - of solutions, 586, 589
- fat circles, 213, 550
- Fermat, Pierre, 3, 152, 279, 411, A11
- Fermat's Principle, 340
- Fermat's Theorem, 279
- Fibonacci, 695, 706
- Fibonacci sequence, 695, 706
- field
 - conservative, 1073, 1090, 1091, 1105
 - electric, 1072
 - force, 1072
 - gradient, 956, 1072
 - gravitational, 1072
 - incompressible, 1107
 - irrotational, 1106
 - scalar, 1069
 - vector, 1068, 1069
 - velocity, 1068, 1071
- first-degree Taylor polynomial, 970
- First Derivative Test, 294
 - for Absolute Extreme Values, 333
- first octant, 792
- first-order linear differential equation, 588, 620
- first-order optics, 780
- fixed point of a function, 170, 292
- flash bulb, current to, 79
- flow lines, 1074
- fluid flow, 1071, 1106, 1107, 1130
- flux, 570, 1129, 1131
- flux integral, 1129
- FM synthesis, 327
- foci, 676
- focus, 674, 682
 - of a conic section, 682
 - of an ellipse, 676, 682
 - of a hyperbola, 677
 - of a parabola, 674
- folium of Descartes, 209, 691
- force, 455
 - centripetal, 884
 - constant, 455, 811
 - exerted by fluid, 558
 - resultant, 803
 - torque, 820, 879
- force field, 1068, 1072
- forced vibrations, 1171
- Fourier, Joseph, 233
- Fourier series, finite, 485
- four-leaved rose, 662
- fractions (partial), 493, 494
- Frenet-Serret formulas, 870
- Fresnel, Augustin, 395
- Fresnel function, 395
- frustum, 447, 448
- Fubini, Guido, 994
- Fubini's Theorem, 994, 1030
- function(s), 10, 888
 - absolute value, 16
 - Airy, 752
 - algebraic, 30
 - arc length, 547, 863
 - arcsine, 64
 - area, 391
 - arrow diagram of, 11
 - average cost, 339
 - average value of, 461, 575, 997, 1039
 - Bessel, 217, 748, 752
 - Cobb-Douglas production, 889, 890, 922, 926, 978
 - combinations of, 40
 - component, 848, 1069
 - composite, 41, 198, 909
 - constant, 172
 - continuity of, 114, 849, 907, 908, 909, 910
 - continuous, 849
 - cost, 230, 231
 - cubic, 28
 - decreasing, 19
 - demand, 336, 569
 - derivative of, 144
 - differentiability of, 155, 930
 - discontinuous, 115
 - domain of, 10, 888
 - elementary, 507
 - error, 401
 - even, 17, 315
 - exponential, 32, 45, 177, A54
 - extreme values of, 276
 - family of, 29, 327, 328
 - fixed point of, 170, 292
 - Fresnel, 395
 - Gompertz, 617, 620
 - gradient of, 936, 950

- function(s) (*continued*)
- graph of, 11, 890
 - greatest integer, 101
 - harmonic, 920, 1110
 - Heaviside, 45, 87
 - homogeneous, 946
 - hyperbolic, 259
 - implicit, 209
 - increasing, 19
 - inverse, 55, 56
 - inverse cosine, 64
 - inverse hyperbolic, 261
 - inverse sine, 63
 - inverse tangent, 65
 - inverse trigonometric, 63, 64
 - joint density, 1021, 1036
 - limit of, 83, 105, 904, 909, 910
 - linear, 24, 891
 - logarithmic, 32, 59, A50, A55
 - machine diagram of, 11
 - marginal cost, 146, 231, 335, 406
 - marginal profit, 336
 - marginal revenue, 336
 - maximum and minimum values
 - of, 276, 959, 960
 - of n variables, 898
 - natural exponential, 52, A52
 - natural logarithmic, 60, A50
 - nondifferentiable, 157
 - odd, 17, 315
 - one-to-one, 56
 - periodic, 316
 - piecewise defined, 15
 - polynomial, 27, 908
 - position, 142
 - power, 29, 172
 - probability density, 574, 1021
 - profit, 336
 - quadratic, 27
 - ramp, 45
 - range of, 10, 888
 - rational, 30, 493, 908
 - reciprocal, 30
 - reflected, 37
 - representation as a power series, 752
 - representations of, 10, 12
 - revenue, 336
 - root, 29
 - of several variables, 898, 909
 - shifted, 37
 - sine integral, 401
 - smooth, 544
 - step, 17
 - stretched, 37
 - tabular, 13
 - of three variables, 897, 909
 - transformation of, 36
 - translation of, 36
 - trigonometric, 31, A26
 - of two variables, 888
 - value of, 10, 11
 - vector, 848
- Fundamental Theorem of Calculus, 392, 394, 398
- higher-dimensional versions, 1147
 - for line integrals, 1087, 1147
 - for vector functions, 859
- G (gravitational constant), 234, 460
- Gabriel's horn, 556
- Galileo, 644, 651, 674
- Galois, Evariste, 211
- Gause, G. F., 615
- Gauss, Karl Friedrich, 1141, A35
- Gaussian optics, 780
- Gauss's Law, 1131, 1144
- Gauss's Theorem, 1141
- geometric series, 709
- geometric vector, 800
- geometry of a tetrahedron, 823
- geosynchronous orbit, 881
- Gibbs, Joseph Willard, 803
- Gini, Corrado, 436
- Gini coefficient, 437
- Gini index, 437
- global maximum and minimum, 276
- Gompertz function, 617, 620
- grad f , 949, 951
- gradient, 950
- gradient vector, 949, 951, 955
- interpretations of, 955
- gradient vector field, 956, 1072
- graph(s)
- of an equation, A16, A17
 - of equations in three dimensions, 793
 - of exponential functions, 46, 179, RP4
 - of a function, 11
 - of a function of two variables, 890
 - of logarithmic functions, 60, 62
 - of a parametric curve, 640
 - of a parametric surface, 1124
 - polar, 660, 665
 - of power functions, 29, RP3
 - of a sequence, 699
 - of a surface, 1124
 - of trigonometric functions, 31, A30, RP2
- graphing calculator, 323, 642, 665
- graphing device. *See* computer algebra system
- gravitation law, 234, 460
- gravitational acceleration, 455
- gravitational field, 1072
- great circle, 1051
- greatest integer function, 101
- Green, George, 1096, 1140
- Green's identities, 1110
- Green's Theorem, 1096, 1140, 1147
- vector forms, 1108
 - for a union of simple regions, 1099
- Gregory, James, 198, 483, 520, 756, 760
- Gregory's series, 756
- grid curves, 1112
- growth, law of natural, 237, 611
- growth rate, 229, 406
- relative, 237, 611
- half-angle formulas, A29
- half-life, 50, 239
- half-space, 898
- Hamilton, Sir William Rowan, 815
- hare-lynx system, 631
- harmonic function, 920, 1110
- harmonic series, 713, 722
- harmonic series, alternating, 734
- heat conduction equation, 925
- heat conductivity, 1132
- heat flow, 1131
- heat index, 911, 931
- Heaviside, Oliver, 87
- Heaviside function, 45, 87
- Hecht, Eugene, 254, 257, 779
- helix, 849
- hidden line rendering, 834
- higher derivatives, 158
- higher partial derivatives, 918
- homogeneous differential equation, 1154
- homogeneous function, 946
- Hooke's Law, 457, 1168
- horizontal asymptote, 128, 316
- horizontal line, equation of, A13
- Horizontal Line Test, 56
- horizontal plane, 793
- Hubble Space Telescope, 282
- humidex, 899, 911
- Huygens, Christiaan, 644
- hydro-turbine optimization, 980
- hydrostatic pressure and force, 558
- hyperbola, 215, 677, 682, A20
- asymptotes, 678, A20
 - branches, 678, A20
 - directrix, 682
 - eccentricity, 682
 - equation, 678, 679, 684, A20
 - equilateral, A21
 - foci, 677, 682
 - polar equation, 684
 - reflection property, 682
 - vertices, 678

- hyperbolic function(s), 259
 - derivatives of, 261
 - inverse, 261
- hyperbolic identities, 260
- hyperbolic paraboloid, 836, 837
- hyperbolic substitution, 489, 490
- hyperboloid, 791, 837
- hypersphere, volume of, 1040
- hypervolume, 1034
- hypocycloid, 648

- i (imaginary number), A57
- \mathbf{i} (standard basis vector), 802
- I/D Test, 293
- ideal gas law, 236
- image of a point, 1053
- image of a region, 1053
- implicit differentiation, 208, 209, 917, 942
- implicit function, 208, 209
- Implicit Function Theorem, 942, 943
- improper integral, 527
 - convergence or divergence of, 528, 531
- impulse of a force, 464
- incompressible velocity field, 1107
- increasing function, 19
- increasing sequence, 700
- Increasing/Decreasing Test, 293
- increment, 145, 933
- indefinite integral(s), 403
 - table of, 403
- independence of path, 1088
- independent random variable, 1022
- independent variable, 10, 888, 940
- indeterminate difference, 309
- indeterminate forms of limits, 304
- indeterminate power, 310
- indeterminate product, 308
- index of summation, A34
- inequalities, rules for, A4
- inertia (moment of), 1019, 1020, 1036, 1086
- infinite discontinuity, 116
- infinite interval, 527, 528
- infinite limit, 89, 112, 132
- infinite sequence. *See* sequence
- infinite series. *See* series
- inflection point, 297
- initial condition, 589
- initial point
 - of a parametric curve, 641
 - of a vector, 798
- initial-value problem, 589, 1158
- inner product, 807
- instantaneous rate of change, 80, 145, 224
- instantaneous rate of growth, 229
- instantaneous rate of reaction, 227
- instantaneous velocity, 81, 143, 224
- integer, A2
- integrable function, 990
- integral(s)
 - approximations to, 384
 - change of variables in, 412, 1012, 1052, 1056, 1058, 1059
 - comparison properties of, 387
 - conversion to cylindrical coordinates, 1040
 - conversion to polar coordinates, 1012
 - conversion to spherical coordinates, 1046
 - definite, 378, 988
 - derivative of, 394
 - double (*see* double integral)
 - evaluating, 381
 - improper, 527
 - indefinite, 402
 - iterated, 993
 - line (*see* line integral)
 - patterns in, 513
 - properties of, 385
 - surface, 1122, 1129
 - of symmetric functions, 417
 - table of, 471, 503, 509, RP6–10
 - triple, 1029, 1030
 - units for, 408
- integral calculus, 2, 3
- Integral Test, 721
- integrand, 379
 - discontinuous, 531
- integration, 379
 - approximate, 514
 - by computer algebra system, 511
 - of exponential functions, 383, 413
 - formulas, 471, 503, RP6–10
 - indefinite, 402
 - limits of, 379
 - numerical, 514
 - partial, 993, 995
 - by partial fractions, 493
 - by parts, 472, 473, 474
 - of a power series, 754
 - of rational functions, 493
 - by a rationalizing substitution, 500
 - reversing order of, 995, 1006
 - over a solid, 1042
 - substitution in, 412
 - tables, use of, 508
 - term-by-term, 754
 - of a vector function, 859
- intercepts, 315, A19
- interest compounded continuously, 241
- Intermediate Value Theorem, 123
- intermediate variable, 940
- interpolation, 27
- intersection
 - of planes, 828
 - of polar graphs, area of, 670
 - of sets, A3
 - of three cylinders, 1044
- interval, A3
- interval of convergence, 749
- inverse cosine function, 64
- inverse function(s), 55, 56
- inverse sine function, 63
- inverse square laws, 36
- inverse tangent function, 65
- inverse transformation, 1053
- inverse trigonometric functions, 63, 64
- irrational number, A2
- irrotational vector field, 1106
- isobar, 895
- isothermal, 893
- isothermal compressibility, 228
- iterated integral, 993

- \mathbf{j} (standard basis vector), 802
- Jacobi, Carl Gustav Jacob, 1055
- Jacobian of a transformation, 1055, 1059
- jerk, 160
- joint density function, 1021, 1036
- joule, 455
- jump discontinuity, 116

- \mathbf{k} (standard basis vector), 802
- kampyle of Eudoxus, 215
- Kepler, Johannes, 686, 875, 880
- Kepler's Laws, 686, 875, 876, 880
- kinetic energy, 464, 1093
- Kirchhoff's Laws, 593, 1172
- Kondo, Shigeru, 763

- Lagrange, Joseph-Louis, 288, 289, 972
- Lagrange multiplier, 971, 972
- lamina, 562, 1016, 1017
- Laplace, Pierre, 920, 1107
- Laplace operator, 1107
- Laplace's equation, 920, 1107
- lattice point, 274
- law of conservation of angular momentum, 879
- Law of Conservation of Energy, 1094
- law of cosines, A33
- law of gravitation, 460
- law of laminar flow, 230, 570
- law of natural growth or decay, 237
- law of universal gravitation, 876, 880
- laws of exponents, 47, A53, A55
- laws of logarithms, 60, A51
- learning curve, 591

- least squares method, 26, 970
- least upper bound, 702
- left-hand derivative, 165
- left-hand limit, 88, 109
- Leibniz, Gottfried Wilhelm, 3, 155, 392, 411, 600, 773
- Leibniz notation, 155
- lemniscate, 215
- length
 - of a curve, 544
 - of a line segment, A7, A12
 - of a parametric curve, 652
 - of a polar curve, 671
 - of a space curve, 861
 - of a vector, 801
- level curve(s), 893, 897
- level surface, 898
 - tangent plane to, 954
- l'Hospital, Marquis de, 306, 314
- l'Hospital's Rule, 305, 314, A45
 - origins of, 314
- libration point, 350
- limaçon, 665
- limit(s), 2, 83
 - calculating, 95
 - e (the number) as, 222
 - of exponential functions, 132, A53
 - of a function, 83, 106
 - of a function of three variables, 909, 910
 - of a function of two variables, 904, 910
 - infinite, 89, 112, 132
 - at infinity, 126, 127, 132
 - of integration, 379
 - left-hand, 88, 109
 - of logarithmic functions, 91, A50, A52
 - one-sided, 88, 109
 - precise definitions, 104, 109, 112, 134, 137
 - properties of, 95
 - properties of, for vector functions, 855
 - right-hand, 88, 109
 - of a sequence, 5, 368, 696
 - involving sine and cosine functions, 190, 191, 192
 - of a trigonometric function, 192
 - of a vector function, 848
- Limit Comparison Test, 729
- Limit Laws, 95, A39
 - for functions of two variables, 907
 - for sequences, 697
- line(s) in the plane, 78, A12
 - equations of, A12, A13, A14
 - horizontal, A13
 - normal, 175
 - parallel, A14
 - perpendicular, A14
 - secant, 78, 79
 - slope of, A12
 - tangent, 78, 79, 141
- line(s) in space
 - normal, 954
 - parametric equations of, 824
 - skew, 826
 - symmetric equations of, 824
 - tangent, 856
 - vector equation of, 823, 824
- line integral, 1075, 1078
 - Fundamental Theorem for, 1087
 - for a plane curve, 1075
 - with respect to arc length, 1075, 1078, 1080
 - with respect to x and y , 1078, 1081
 - for a space curve, 1080
 - work defined as, 1082
 - of vector fields, 1082, 1083, 1084
- linear approximation, 252, 929, 930, 933
- linear combination, 1154
- linear density, 226, 406
- linear differential equation, 620, 1154
- linear equation, A14
 - of a plane, 827
- linear function, 24, 891
- linear model, 24
- linear regression, 26
- linearization, 252, 929, 930
- linearly independent solutions, 1155
- liquid force, 558
- Lissajous figure, 642, 648
- lithotripsy, 677
- local maximum and minimum, 276, 959, 960
- logarithm(s), 32, 59
 - laws of, 60, A51
 - natural, 60, A50
 - notation for, 60
- logarithmic differentiation, 220
- logarithmic function(s), 32, 59, A48
 - with base b , 59, A55
 - derivatives of, 218, A56
 - graphs of, 60, 62
 - limits of, 91, A52
 - properties of, 59, 60, A51
- logistic difference equation, 707
- logistic differential equation, 587, 612
- logistic model, 587, 611
- logistic sequence, 707
- long-bow curve, 691
- LORAN system, 681
- Lorenz curve, 436
- Lotka-Volterra equations, 627
- lower sum, 371
- LZR Racer, 887, 936
- machine diagram of a function, 11
- Maclaurin, Colin, 760
- Maclaurin series, 759, 760
 - table of, 768
- magnetic field strength of the earth, 921
- magnitude of a vector, 801
- major axis of ellipse, 676
- marginal cost function, 146, 231, 335, 406
- marginal productivity, 922
- marginal profit function, 336
- marginal propensity to consume or save, 717
- marginal revenue function, 336
- mass
 - of a lamina, 1016
 - of a solid, 1035
 - of a surface, 1124
 - of a wire, 1077
- mass, center of. *See* center of mass
- mathematical induction, 72, 74, 703
 - principle of, 72, 74, A36
- mathematical model, 13, 23
 - for vibration of membrane, 748
- maximum and minimum values, 276, 959, 960
- mean life of an atom, 536
- mean of a probability density function, 576
- Mean Value Theorem, 287, 288
 - for double integrals, 1063
 - for integrals, 462
- mean waiting time, 576
- median of a probability density function, 578
- method of cylindrical shells, 449
- method of exhaustion, 2, 97
- method of Lagrange multipliers, 971, 972
 - with two constraints, 976
- method of least squares, 26, 970
- method of undetermined coefficients, 1161, 1165
- method of variation of parameters, 1165, 1166
- midpoint formula, A16
 - for points in space, 979
- Midpoint Rule, 384, 515
 - for double integrals, 992
 - error in using, 516
 - for triple integrals, 1038
- minor axis of ellipse, 676

- mixing problems, 604
- Möbius, August, 1127
- Möbius strip, 1121, 1127
- model(s), mathematical, 13, 23
 - Cobb-Douglas, for production costs, 889, 890, 922, 926, 978
 - comparison of natural growth vs. logistic, 615
 - of electric current, 593
 - empirical, 25
 - exponential, 32, 48
 - Gompertz function, 617, 620
 - linear, 24
 - logarithmic, 32
 - polynomial, 28
 - for population growth, 237, 586, 617
 - power function, 29
 - predator-prey, 627
 - rational function, 30
 - seasonal-growth, 620
 - trigonometric, 31, 32
 - von Bertalanffy, 635
- modeling
 - with differential equations, 586
 - motion of a spring, 587
 - population growth, 48, 237, 586, 611, 617, 635
 - vibration of membrane, 748
- modulus, A58
- moment(s)
 - about an axis, 561, 1017
 - of inertia, 1019, 1020, 1036, 1086
 - of a lamina, 562, 1017, 1018
 - of a mass, 561
 - about a plane, 1035
 - polar, 1020
 - second, 1019
 - of a solid, 1035
 - of a system of particles, 561
- momentum of an object, 464
- monkey saddle, 902
- monotonic sequence, 700
- Monotonic Sequence Theorem, 702
- motion in space, 870
- motion of a projectile, 872
- motion of a spring, force affecting
 - damping, 1169, 1171
 - resonance, 1172
 - restoring, 1169, 1171
- movie theater seating, 465
- multiple integrals. *See* double integral; triple integral(s)
- multiplication, scalar, 799, 801
- multiplication of power series, 770
- multiplier (Lagrange), 971, 972, 975
- multiplier effect, 717
- natural exponential function, 52, 179, A52
 - derivative of, 179, A54
 - graph of, 179
 - power series for, 760
 - properties of, A53
- natural growth law, 237, 611
- natural logarithm function, 60, A50
 - derivative of, 218, A51
 - limits of, A51
 - properties of, A51
- n -dimensional vector, 802
- negative angle, A25
- negative of a vector, 799
- net area, 379
- Net Change Theorem, 406
- net investment flow, 573
- newton (unit of force), 455
- Newton, Sir Isaac, 3, 8, 97, 152, 155, 392, 411, 773, 876, 880
- Newton's Law of Cooling, 240, 591
- Newton's Law of Gravitation, 234, 460, 876, 880, 1071
- Newton's method, 345
- Newton's Second Law of Motion, 455, 464, 872, 876, 880, 1168
- Nicomedes, 645
- nondifferentiable function, 157
- nonhomogeneous differential equation, 1154, 1160, 1161
- nonparallel planes, 828
- normal component of acceleration, 874, 875
- normal derivative, 1110
- normal distribution, 578
- normal line, 175
 - to a surface, 954
- normal plane, 867
- normal vector, 827, 866
- normally distributed random variable, probability density function of, 1024
- n th-degree equation, finding roots of, 211
- n th-degree Taylor polynomial, 258, 761
- n -tuple, 802
- nuclear reactor, cooling towers of, 839
- number
 - complex, A57
 - integer, A2
 - irrational, A2
 - rational, A2
 - real, A2
- numerical integration, 514
- O (origin), 792
- octant, 792
- odd function, 17, 315
- one-sided limits, 87, 109
- one-to-one function, 56
- one-to-one transformation, 1053
- open interval, A3
- open region, 1089
- optics
 - first-order, 780
 - Gaussian, 780
 - third-order, 780
- optimization problems, 276, 330
- orbit of a planet, 876
- order of a differential equation, 588
- order of integration, reversed, 995, 1006
- ordered pair, A10
- ordered triple, 792
- Oresme, Nicole, 713
- orientation of a curve, 1080, 1096
- orientation of a surface, 1127
- oriented surface, 1127
- origin, 792, A2, A10
- orthogonal curves, 216
- orthogonal projection of a vector, 813
- orthogonal surfaces, 959
- orthogonal trajectory, 216, 603
- orthogonal vectors, 809
- osculating circle, 867
- osculating plane, 867
- Ostrogradsky, Mikhail, 1141
- ovals of Cassini, 669
- overdamped vibration, 1170
- Pappus, Theorem of, 565
- Pappus of Alexandria, 565
- parabola, 674, 682, A18
 - axis, 674
 - directrix, 674
 - equation, 674, 675
 - focus, 674, 682
 - polar equation, 684
 - reflection property, 274
 - vertex, 674
- parabolic cylinder, 834
- paraboloid, 836, 839
- paradoxes of Zeno, 5
- parallel lines, A14
- parallel planes, 828
- parallel vectors, 799, 817
- parallelepiped, 438
 - volume of, 820
- Parallelogram Law, 798, 814
- parameter, 640, 824, 849
- parametric curve, 640, 849
 - arc length of, 652
 - area under, 651

- parametric equations, 640, 824, 849
 - of a line in space, 824
 - of a space curve, 849
 - of a surface, 1110
 - of a trajectory, 873
- parametric surface, 1110
 - graph of, 1124
 - smooth, 1116
 - surface area of, 1116, 1117
 - surface integral over, 1122, 1123
 - tangent plane to, 1115, 1116
- parametrization of a space curve, 862
 - with respect to arc length, 863
 - smooth, 863
- paraxial rays, 254
- partial derivative(s), 913, 914
 - of a function of more than two variables, 917
 - interpretations of, 915
 - notations for, 914
 - as a rate of change, 915
 - rules for finding, 914
 - second, 918
 - as slopes of tangent lines, 915
- partial differential equation, 920
- partial differentiation, 911, 913, 914, 917
- partial fractions, 493, 494
- partial integration, 472, 473, 474
 - for double integrals, 993, 995
- partial sum of a series, 708
- particle, motion of, 870
- parts, integration by, 472, 473, 474
- pascal (unit of pressure), 558
- path, 1088
- patterns in integrals, 513
- pendulum, approximating the period
 - of, 254, 257
- percentage error, 256
- perihelion, 687
- perilune, 681
- period, 316
- period of a particle, 884
- periodic function, 316
- perpendicular lines, A14
- perpendicular vectors, 809
- phase plane, 629
- phase portrait, 629
- phase trajectory, 629
- piecewise defined function, 15
- piecewise-smooth curve, 1076
- Planck's Law, 783
- plane(s), 826
 - angle between, 828
 - coordinate, 792
 - equation(s) of, 823, 827, 828
 - equation of, through three points, 828
 - horizontal, 793
 - line of intersection, 829
 - linear equation of, 827
 - normal, 867
 - osculating, 867
 - parallel, 828
 - scalar equation of, 827
 - tangent to a surface, 928, 1115
 - vector equation of, 827
 - vertical, 888
- plane region of type I, 1002
- plane region of type II, 1002
- planetary motion, laws of, 686, 875, 876, 880
- planimeter, 1099
- point of inflection, 297
- point-slope equation of a line, A12
- point(s) in space
 - coordinates of, 792
 - distance between, 794, 795
 - projection of, 793
- Poiseuille, Jean-Louis-Marie, 230
- Poiseuille's Laws, 257, 342, 571
- polar axis, 658
- polar coordinate system, 658
 - area in, 669
 - conic sections in, 682
 - conversion of double integral to, 1012, 998
 - conversion equations for Cartesian coordinates, 659, 660
- polar curve, 660
 - arc length of, 671
 - graph of, 660
 - symmetry in, 663
 - tangent line to, 663
- polar equation(s), 660
 - of a conic, 684
 - graph of, 660
- polar form of a complex number, A59
- polar graph, 660
- polar moment of inertia, 1020
- polar rectangle, 1010
- polar region, area of, 669
- pole, 658
- polynomial, 27
- polynomial function, 27
 - of two variables, 908
- population growth, 48, 237, 610
 - of bacteria, 610, 615
 - of insects, 502
 - models, 586
 - world, 49
- position function, 142
- position vector, 800
- positive angle, A25
- positive orientation
 - of a boundary curve, 1134
 - of a closed curve, 1096
 - of a surface, 1128
- potential, 539
- potential energy, 1093
- potential function, 1073
- pound (unit of force), 455
- power, 147
- power consumption, approximation
 - of, 408
- power function(s), 29
 - derivative of, 172
- Power Law of limits, 96
- Power Rule, 173, 174, 200, 221
- power series, 746, 747
 - coefficients of, 746
 - for cosine and sine, 764
 - differentiation of, 754
 - division of, 770
 - for exponential function, 763
 - integration of, 754
 - interval of convergence, 749
 - multiplication of, 770
 - radius of convergence, 749
 - representations of functions as, 752
- predator, 627
- predator-prey model, 236, 627
- pressure exerted by a fluid, 558
- prey, 627
- prime notation, 144, 176
- principal square root of a complex number, A58
- principal unit normal vector, 866
- principle of mathematical induction, 72, 74, A36
- principle of superposition, 1163
- probability, 573, 1021
- probability density function, 574, 1021
- problem-solving principles, 71
 - uses of, 169, 363, 412, 425
- producer surplus, 572
- product
 - cross, 814, 815 (*see also* cross product)
 - dot, 807 (*see also* dot product)
 - scalar, 807
 - scalar triple, 819
 - triple, 819
- product formulas, A29
- Product Law of limits, 95
- Product Rule, 183, 184
- profit function, 336
- projectile, path of, 648, 872
- projection, 793, 811
 - orthogonal, 813
- p -series, 722

- quadrant, A11
- quadratic approximation, 258, 970
- quadratic function, 27
- quadric surface(s), 835
 - cone, 837
 - ellipsoid, 835, 837
 - hyperboloid, 837
 - paraboloid, 836, 837
 - table of graphs, 837
- quaternion, 803
- Quotient Law of limits, 95
- Quotient Rule, 185, 186
- radian measure, 190, A24
- radiation from stars, 783
- radioactive decay, 239
- radiocarbon dating, 243
- radius of convergence, 749
- radius of gyration of a lamina, 1020
- rainbow, formation and location of, 285
- rainbow angle, 286
- ramp function, 45
- range of a function, 10, 888
- rate of change
 - average, 145, 224
 - derivative as, 146
 - instantaneous, 81, 145, 224
- rate of growth, 229, 406
- rate of reaction, 147, 227, 406
- rates, related, 245
- rational function, 30, 493, 908
 - continuity of, 118
 - integration of, 493
- rational number, A2
- rationalizing substitution for integration, 500
- Ratio Test, 739
- Rayleigh-Jeans Law, 783
- real line, A3
- real number, A2
- rearrangement of a series, 742
- reciprocal function, 30
- Reciprocal Rule, 190
- rectangular coordinate system, 793, A11
 - conversion to cylindrical coordinates, 1040
 - conversion to spherical coordinates, 1046
- rectifying plane, 869
- rectilinear motion, 354
- recursion relation, 1177
- reduction formula, 475
- reflecting a function, 37
- reflection property
 - of conics, 273
 - of an ellipse, 677
 - of a hyperbola, 682
 - of a parabola, 273, 274
- region
 - between two graphs, 428
 - connected, 1089
 - open, 1089
 - plane, of type I or II, 1002, 1003
 - simple plane, 1097
 - simple solid, 1141
 - simply-connected, 1090
 - solid (of type 1, 2, or 3), 1031, 1032
 - under a graph, 366, 371
- regression, linear, 26
- related rates, 245
- relative error, 256
- relative growth rate, 237, 611
- relative maximum or minimum, 276
- remainder estimates
 - for the Alternating Series, 735
 - for the Integral Test, 723
- remainder of the Taylor series, 761
- removable discontinuity, 116
- representation(s) of a function, 10, 12, 13
 - as a power series, 752
- resonance, 1172
- restoring force, 1169, 1171
- resultant force, 803
- revenue function, 336
- reversing order of integration, 995, 1006
- revolution, solid of, 443
- revolution, surface of, 551
- Riemann, Georg Bernhard, 379
- Riemann sum(s), 379
 - double, 991
 - triple, 1029
- right circular cylinder, 438
- right-hand derivative, 165
- right-hand limit, 88, 109
- right-hand rule, 792, 816
- Roberval, Gilles de, 398, 651
- rocket stages, determining optimal masses for, 979
- Rolle, Michel, 287
- roller coaster, design of, 182
- roller derby, 1052
- Rolle's Theorem, 287
- root function, 29
- Root Law of limits, 97
- Root Test, 741
- roots of a complex number, A62
- roots of an n th-degree equation, 211
- rubber membrane, vibration of, 748
- ruled surface, 841
- ruling of a surface, 834
- rumors, rate of spread, 232
- saddle point, 961
- sample point, 371, 378, 989
- satellite dish, parabolic, 839
- scalar, 799
- scalar equation of a plane, 827
- scalar field, 1069
- scalar multiple of a vector, 799
- scalar product, 807
- scalar projection, 811
- scalar triple product, 819
 - geometric characterization of, 819
- scatter plot, 13
- seasonal-growth model, 620
- secant function, A26
 - derivative of, 193
 - graph of, A31
- secant line, 3, 78, 79, 81
- secant vector, 856
- second-degree Taylor polynomial, 971
- second derivative, 158
 - of a vector function, 858
- Second Derivative Test, 297
- Second Derivatives Test, 961
- second directional derivative, 958
- second moment of inertia, 1019
- second-order differential equation, 588
 - boundary-value problem, 1159
 - initial-value problem, 1158
 - solutions of, 1154, 1159
- second partial derivative, 918
- sector of a circle, area of, 669
- separable differential equation, 599
- sequence, 5, 694
 - bounded, 701
 - convergent, 696
 - decreasing, 700
 - divergent, 696
 - Fibonacci, 695
 - graph of, 699
 - increasing, 700
 - limit of, 5, 368, 696
 - logistic, 707
 - monotonic, 700
 - of partial sums, 708
 - term of, 694
- series, 6, 707
 - absolutely convergent, 737
 - alternating, 732
 - alternating harmonic, 734, 737, 738
 - binomial, 766
 - coefficients of, 746
 - conditionally convergent, 738
 - convergent, 708
 - divergent, 708
 - geometric, 709
 - Gregory's, 756

- series (*continued*)
 - harmonic, 713, 722
 - infinite, 707
 - Maclaurin, 759, 760
 - p -, 722
 - partial sum of, 708
 - power, 746
 - rearrangement of, 742
 - strategy for testing, 744
 - sum of, 6, 708
 - Taylor, 759, 760
 - term of, 707
 - trigonometric, 746
- series solution of a differential equation, 1176
- set, bounded or closed, 965
- set notation, A3
- serpentine, 188
- Shannon index, 969
- shell method for approximating volume, 449
- shift of a function, 37
- shifted conics, 679, A21
- shock absorber, 1169
- Sierpinski carpet, 718
- sigma notation, 372, A34
- simple curve, 1090
- simple harmonic motion, 206, 1168
- simple plane region, 1097
- simple solid region, 1141
- simply-connected region, 1090
- Simpson, Thomas, 520, 985
- Simpson's Rule, 519, 520
 - error bounds for, 522
- sine function, A26
 - derivative of, 192, 193
 - graph of, 31, A31
 - power series for, 764
- sine integral function, 401
- sink, 1145
- skew lines, 826
- slant asymptote, 316, 320
- slope, A12
 - of a curve, 141
- slope field, 592
- slope-intercept equation of a line, A13
- smooth curve, 544, 863
- smooth function, 544
- smooth parametrization of a space curve, 863
- smooth surface, 1116
- Snell's Law, 341
- snowflake curve, 788
- solid, 438
- solid, volume of, 438, 439, 990, 1031
- solid angle, 1151
- solid of revolution, 443
 - rotated on a slant, 557
 - volume of, 445, 451, 557
- solid region, 1031, 1141
- solution curve, 592
- solution of a differential equation, 588
- solution of predator-prey equations, 627
- source, 1145
- space, three-dimensional, 792
- space curve, 849
 - arc length of, 861, 862
 - parametrization of, 851
- speed of a particle, 146, 870
- sphere
 - equation of, 795
 - flux across, 1129
 - parametrization of, 1113
 - surface area of, 1117
- spherical coordinate system, 1045
 - conversion equations for, 1046
 - triple integrals in, 1047
- spherical wedge, 1047
- spherical zones, 583
- spring constant, 457, 587, 1168
- Squeeze Theorem, 101, A42
 - for sequences, 698
- standard basis vectors, 802
 - properties of, 818
- standard deviation, 578
- standard position of an angle, A25
- stationary point, 960
- steady state solution, 1174
- stellar stereography, 536
- step function, 17
- Stokes, Sir George, 1135, 1140
- Stokes' Theorem, 1134, 1140, 1147
- strategy
 - for integration, 503, 504
 - for optimization problems, 330, 331
 - for problem solving, 71
 - for related rates, 247
 - for testing series, 744
 - for trigonometric integrals, 481, 482
- streamlines, 1074
- stretching of a function, 37
- strophoid, 673, 691
- Substitution Rule, 412, 413, 416
 - for definite integrals, 416
- subtraction formulas for sine and cosine, A29
- sum, 371
 - of a geometric series, 710
 - of an infinite series, 708
 - lower, 371
 - of partial fractions, 494
 - Riemann, 379
- telescoping, 712
- upper, 371
 - of vectors, 798, 801
- Sum Law of limits, 95
- summation notation, A34
- Sum Rule, 176
- supply function, 572
- surface(s)
 - closed, 1128
 - graph of, 1124
 - level, 898
 - oriented, 1127
 - orthogonal, 959
 - parametric, 1111
 - positive orientation of, 1128
 - quadric, 835
 - smooth, 1116
- surface area, 552
 - of a graph of a function, 1118
 - of a parametric surface, 654, 1116, 1117
 - of a sphere, 1117
 - of a function of two variables, 1026
- surface integral, 1122
 - over a parametric surface, 1122, 1123
 - of a vector field, 1128, 1129
- surface of revolution, 551
 - parametric representation of, 1115
 - surface area of, 552
- swallowtail catastrophe curve, 648
- symmetric equations of a line, 824
- symmetric functions, integrals of, 417
- symmetry, 17, 315, 417
 - in polar graphs, 663
- symmetry principle, 562
- T and T^{-1} transformations, 1053
- table of differentiation
 - formulas, 187, RP5
- tables of integrals, 503, RP6–10
 - use of, 509
- tabular function, 13
- tangent function, A26
 - derivative of, 193
 - graph of, 32, A31
- tangent line(s), 141
 - to a curve, 3, 78, 141
 - early methods of finding, 152
 - to a parametric curve, 649, 650
 - to a polar curve, 663
 - to a space curve, 856
 - vertical, 158
- tangent line approximation, 252

- tangent plane
 - to a level surface, 954
 - to a parametric surface, 1115, 1116
 - to a surface, 928
- tangent plane approximation, 929, 930
- tangent problem, 2, 3, 78, 140
- tangent vector, 856
- tangential component of acceleration, 874
- tautochrone problem, 644
- Taylor, Brook, 760
- Taylor polynomial, 258, 761, 970
 - applications of, 774
- Taylor series, 759, 760
- Taylor's inequality, 762
- techniques of integration, summary, 504
- telescoping sum, 712
- temperature-humidity index, 899, 911
- term of a sequence, 694
- term of a series, 707
- terminal point of a parametric curve, 641
- terminal point of a vector, 798
- terminal velocity, 607
- term-by-term differentiation and integration, 754
- Test for Divergence, 713
- tests for convergence and divergence of series
 - Alternating Series Test, 732
 - Comparison Test, 727
 - Integral Test, 721
 - Limit Comparison Test, 729
 - Ratio Test, 739
 - Root Test, 741
 - summary of tests, 744
- tetrahedron, 823
- third derivative, 159
- third-order optics, 780
- Thomson, William (Lord Kelvin), 1097, 1135, 1140
- three-dimensional coordinate systems, 792
- TNB frame, 866
- toroidal spiral, 851
- torque, 820, 879
- Torricelli, Evangelista, 651
- Torricelli's Law, 234
- torsion of a space curve, 870
- torus, 448, 1122
- total differential, 932
- total electric charge, 1016, 1036
- total fertility rate, 168
- trace of a surface, 834
- trajectory, parametric equations for, 873
- transfer curve, 870, 883
- transformation
 - of a function, 36
 - inverse, 1053
 - Jacobian of, 1055, 1059
 - one-to-one, 1053
 - of a root function, 38
- translation of a function, 36
- Trapezoidal Rule, 516
 - error in, 516
- tree diagram, 940
- trefoil knot, 851, 855
- Triangle Inequality, 111, A8
 - for vectors, 814
- Triangle Law, 798
- trigonometric functions, 31, A26
 - derivatives of, 190, 193
 - graphs of, 31, 32, A30, A31
 - integrals of, 403, 479
 - inverse, 63
 - limits involving, 191, 192
- trigonometric identities, A28
- trigonometric integrals, 479
 - strategy for evaluating, 481, 482
- trigonometric series, 746
- trigonometric substitutions, 486
 - table of, 486
- triple integral(s), 1029, 1030
 - applications of, 1034
 - change of variables in, 1058
 - in cylindrical coordinates, 1040, 1042
 - over a general bounded region, 1031
 - Midpoint Rule for, 1038
 - in spherical coordinates, 1045, 1047
- triple product, 819
- triple Riemann sum, 1029
- trochoid, 647
- Tschirnhausen cubic, 215, 436
- twisted cubic, 851
- type I or type II plane region, 1002, 1003
- type 1, 2, or 3 solid region, 1031, 1032
- ultraviolet catastrophe, 783
- underdamped vibration, 1170
- undetermined coefficients, method of, 1161, 1165
- uniform circular motion, 884
- union of sets, A3
- unit normal vector, 866
- unit tangent vector, 856
- unit vector, 803
- upper sum, 371
- value of a function, 10
- van der Waals equation, 217, 926
- variable(s)
 - change of, 413
 - continuous random, 573
 - dependent, 10, 888, 940
 - independent, 10, 888, 940
 - independent random, 1022
 - intermediate, 940
- variables, change of. *See* change of variable(s)
- variation of parameters, method of, 1165, 1166
- vascular branching, 342
- vector(s), 798
 - acceleration, 871
 - addition of, 798, 801
 - algebraic, 800
 - angle between, 808, 809
 - basis, 802
 - binormal, 866
 - combining speed, 806
 - components of, 800
 - coplanar, 820
 - cross product of, 814, 815
 - difference, 799
 - displacement, 798, 811
 - dot product, 807
 - equality of, 798
 - force, 1071
 - geometric representation of, 800
 - gradient, 949, 951, 955
 - i**, **j**, and **k**, 802
 - length of, 801
 - magnitude of, 801
 - multiplication of, 799, 801
 - n*-dimensional, 802
 - normal, 827, 866
 - orthogonal, 807
 - orthogonal projection of, 813
 - parallel, 799, 817
 - perpendicular, 807
 - position, 800
 - properties of, 802
 - representation of, 800
 - scalar multiple of, 799, 801
 - secant, 856
 - standard basis, 802
 - subtraction of, 799, 801
 - tangent, 856
 - three-dimensional, 800
 - triple product, 820
 - two-dimensional, 800
 - unit, 803
 - unit normal, 866
 - unit tangent, 856
 - velocity, 870
 - zero, 798
- vector equation
 - of a line, 824
 - of a plane, 827

- vector field, 1068, 1069
 - component functions, 1069
 - conservative, 1073, 1090, 1091, 1105
 - curl of, 1103
 - divergence of, 1106
 - electric flux of, 1131, 1144
 - flux of, 1129
 - force, 1068, 1072
 - gradient, 956, 1072
 - gravitational, 1072
 - incompressible, 1107
 - irrotational, 1106
 - line integral of, 1082, 1083, 1084
 - surface integral of, 1128, 1129
 - velocity, 1068, 1071
- vector function, 848
 - component functions of, 848
 - continuity of, 849
 - derivative of, 855, 856, 858
 - integration of, 859
 - limit of, 848, 855
- vector product, 815
 - properties of, 816, 819
- vector projection, 811
- vector triple product, 820
- vector-valued function. *See* vector function
- velocity, 3, 80, 143, 224, 406
 - average, 4, 81, 143, 224
 - instantaneous, 81, 143, 224
- velocity field, 1071
 - airflow, 1068
 - ocean currents, 1068
 - wind patterns, 1068
- velocity gradient, 230
- velocity problem, 80, 142
- velocity vector, 870
- velocity vector field, 1086
- Verhulst, Pierre-François, 587
- vertex of a parabola, 674
- vertical asymptote, 90, 316
- vertical line, A13
- Vertical Line Test, 15
- vertical tangent line, 158
- vertical translation of a graph, 37
- vertices
 - of an ellipse, 676
 - of a hyperbola, 678
- vibration of a rubber membrane, 748
- vibration of a spring, 1168
- vibrations, 1168, 1169, 1171
- visual representations of a function, 10, 12
- volume, 439
 - by cross-sections, 438, 439, 570
 - by cylindrical shells, 449
 - by disks, 440, 443
 - by double integrals, 988
 - of a hypersphere, 1040
 - by polar coordinates, 1012
 - of a solid, 438, 990
 - of a solid of revolution, 443, 557
 - of a solid on a slant, 557
 - by triple integrals, 1035
 - by washers, 442, 443
- Volterra, Vito, 627
- von Bertalanffy model, 635
- Wallis, John, 3
- Wallis product, 478
- washer method, 442
- wave equation, 920
- Weierstrass, Karl, 502
- weight (force), 455
- wind-chill index, 889
- wind patterns in San Francisco Bay
 - area, 1068
- witch of Maria Agnesi, 188, 647
- work (force), 455, 456, 811
- work defined as a line integral, 1082
- Wren, Sir Christopher, 654
- x -axis, 792, A10
- x -coordinate, 792, A10
- x -intercept, A13, A19
- X -mean, 1023
- y -axis, 792, A10
- y -coordinate, 792, A10
- y -intercept, A13, A19
- Y -mean, 1023
- z -axis, 792
- z -coordinate, 792
- Zeno, 5
- Zeno's paradoxes, 5
- zero vector, 798

