

Dataset	Sample (%)	Best method	MAPE
Apache	10	Diversity	14.33
Apache	20	K-means Hamming (K=5)	15.49
Apache	30	Diversity	14.73
Apache	40	Diversity	14.91
Apache	50	Diversity	13.75
Apache	60	Diversity	14.21
Apache	70	Diversity	13.73
BDBC	10	K-means default (K=20)	164.26
BDBC	20	K-means default (K=29)	243.27
BDBC	30	K-means default (K=20)	261.01
BDBC	40	K-means default (K=32)	285.9
BDBC	50	K-means default (K=50)	297.54
BDBC	60	K-means default (K=20)	298.66
BDBC	70	K-means default (K=24)	310.23

Dataset	Sample (%)	Best method	MAPE
BDBJ	10	K-means default (K=6)	32.66
BDBJ	20	Diversity	32.07
BDBJ	30	Diversity	31.94
BDBJ	40	Diversity	33.83
BDBJ	50	Diversity	33.75
BDBJ	60	Diversity	33.15
BDBJ	70	Diversity	35.04
LLVM	10	Diversity	2.34
LLVM	20	K-means default (K=22)	2.36
LLVM	30	Diversity	2.28
LLVM	40	K-means Hamming (K=25)	2.37
LLVM	50	K-means Hamming (K=40)	2.36
LLVM	60	K-means default (K=36)	2.34
LLVM	70	K-means default (K=28)	2.24