

Dataset	Sample (%)	Best variant	Best K	MAPE (%)	Std (%)	Sample size
Apache	10	K-means Hamming	8	18.18	2.77	19
Apache	20	K-means Hamming	5	15.49	0.83	38
Apache	30	K-means default	50	15.02	0.42	58
Apache	40	K-means default	29	15.01	0.53	77
Apache	50	K-means default	10	14.83	0.55	96
Apache	60	K-means default	10	14.6	0.61	115
Apache	70	K-means default	10	14.29	0.69	134
BDBC	10	K-means default	20	164.26	12.18	256
BDBC	20	K-means default	29	243.27	33.65	512
BDBC	30	K-means default	20	261.01	5.18	768
BDBC	40	K-means default	32	285.9	36.54	1024
BDBC	50	K-means default	50	297.54	29.81	1280
BDBC	60	K-means default	20	298.66	8.98	1536
BDBC	70	K-means default	24	310.23	42.02	1792
BDBJ	10	K-means default	6	32.66	12.82	18
BDBJ	20	K-means Hamming	5	36.0	3.66	36
BDBJ	30	K-means Hamming	8	34.95	1.51	54
BDBJ	40	K-means Hamming	8	34.83	0.86	72
BDBJ	50	K-means Hamming	8	35.15	1.32	90
BDBJ	60	K-means Hamming	32	35.77	2.18	108
BDBJ	70	K-means Hamming	19	36.21	2.9	126
LLVM	10	K-means default	44	2.38	0.2	102
LLVM	20	K-means default	22	2.36	0.17	205
LLVM	30	K-means Hamming	27	2.36	0.07	307
LLVM	40	K-means Hamming	25	2.37	0.07	410
LLVM	50	K-means Hamming	40	2.36	0.06	512
LLVM	60	K-means default	36	2.34	0.07	614
LLVM	70	K-means default	28	2.24	0.11	717