

Integration and article information manual

for customers, software providers and implementation partners

TABLE OF CONTENTS

1. Introduction.....	3
2. Article data	4
3. Stock data	6
4. Information model	7
5. Data on the FTP server.....	9
6. Article information via Stichting DST	10
7. API integrations.....	11
8. Implementation considerations	16
9. Support and contact	17

1. INTRODUCTION

This manual describes the available integrations and data exchange options with Gransier Bike Parts. The document is intended for customers, software providers and implementation partners who want to integrate article information, stock data, order processing and logistical information into their own systems, such as webshops, ERP systems, PIM solutions and POS systems.

This documentation explains the various data flows and techniques. A distinction is made between article data, stock data, the information model, the data made available via the FTP server and the available API integrations. It also explains how article information is made available via Stichting DST.

This manual is intended as a functional and technical guide for implementation. The exact setup of an integration depends on the chosen method and the configuration of the receiving system.

- retrieving article information
- retrieving stock information
- processing regular orders and dropshipment orders
- retrieving delivery note information
- consulting price, stock and delivery information via the API
- future consultation of order status and logistical detail information

2. ARTICLE DATA

The article data contains the product information required for processing articles in external systems. This data can be used for product presentation, article enrichment, price display, order processing and classification in webshops, ERP systems and PIM environments.

The article data is offered in multiple languages and is available in both CSV and XML format. Within the file names, the country code indicates the language to which the product information relates, such as NL, ENG, DUI and FR.

The CSV files containing article data are semicolon-separated. This is important when importing into external systems or when reading the files via scripts or middleware. The XML files contain the same data in XML structure.

2.1 Key fields

Category	Fields
Identification	ArtNo, AtNoProducer, EAN_UPC, Brand
Price information	BasicDealerPrice, ConsumerPrice, VAT
Order information	MinimalOrderQuantity, OrderQuantity, BoxQuantity
Status and packaging	Status, Package
Classification	ArticleGroup, ArticleKeyword, ProductCategory, ProductCategoryTree
Commercial information	URL, ExpDelTime, PosImages, Colour, ShortDescription, LongDescription, LongDescriptionHTML, VideoURL
Dates	Created, Change
Optional attributes	for example Mounting, Material, Size, Valve, Brake, Length, Width, Height, Volume, Framesize
Compliance and GPSR	CountryOfOrigin, GrossWeight, CompanyName, CompanyAddress, CompanyZipCode, CompanyCity, CompanyState, CompanyCountry, CompanyEmail, CompanyPhone
Sales restrictions	SalesRestrictionNotice, SalesRestrictionComment

2.2 Status values

Value	Meaning
1	Current - active product
2	Clearance - final article stock
3	Discontinued - removed from the range and no longer orderable
4	Blocked - temporarily unavailable

2.3 Packaging

Value	Meaning
1	Retail packaging
2	Workshop packaging

3. STOCK DATA

The stock data is intended to provide current stock-related information per article. This data can be used for stock display in webshops, availability checks in ERP systems and other processes where current stock status is important.

The stock data is provided in CSV and XML format. The CSV version of the stock file is comma-separated.

The stock file contains at least the Gransier article number (SKU), the barcode and the article status code. Because the stock files are updated frequently, these files are suitable for regular synchronisation.

- Use the stock data for frequent availability updates.
- Align the update frequency of your own system with the refresh rate of the source files.
- Combine stock data with article data where necessary for a complete product view.

4. INFORMATION MODEL

The information model describes at a high level which data is available in the various files and how this data is logically grouped. The model forms the basis for processing the files in external systems.

4.1 Article data - identification

This group contains the primary identification of an article, including article number, manufacturer code, EAN or UPC and brand.

4.2 Article data - classification and structure

This group contains data for classification and categorisation, including article group, keywords, product category and product category tree.

4.3 Article data - commercial and logistical information

This group contains data relevant for sales, presentation and order processing, including dealer price, recommended retail price, VAT, minimum order quantity, order quantity, outer carton quantity, packaging type, expected delivery time and article status.

4.4 Article data - content and media

This group contains presentation data for websites and other systems, including product page URL, product images, short description, long description, HTML description and video URL.

4.5 Article data - properties and attributes

This group contains product-specific properties such as colour, material, dimensions, brake type, valve type, mounting method and other optional attributes.

4.6 Article data - compliance and additional data

This group contains additional fields such as country of origin, gross weight, the GPSR responsible party within the EU and information about any sales restrictions.

4.7 Stock data

The stock data contains the fields related to availability and stock status and is intended for current synchronisation in external systems.

5. DATA ON THE FTP SERVER

5.1 General information

Gransier provides various export files via an FTP server. This environment is intended for customers who want to retrieve and process article data and stock data automatically in their own systems.

Customers who want to use these files can request FTP access via Gransier customer service.

5.2 Available files

File	Description	Update
Articles_DUI.CSV	German product texts in CSV format (semicolon-separated)	1x per working day
Articles_DUI.XML	German product texts in XML format	1x per working day
Articles_ENG.CSV	English product texts in CSV format (semicolon-separated)	1x per working day
Articles_ENG.XML	English product texts in XML format	1x per working day
Articles_FR.CSV	French product texts in CSV format (semicolon-separated)	1x per working day
Articles_FR.XML	French product texts in XML format	1x per working day
Articles_NL.CSV	Dutch product texts in CSV format (semicolon-separated)	1x per working day
Articles_NL.XML	Dutch product texts in XML format	1x per working day
Stock.csv	Article stock in CSV format (comma-separated)	1x every 10 minutes
Stock.XML	Article stock in XML format	1x every 10 minutes

5.3 Content of the files

The Articles files contain the article data. These files are intended for making product information, product texts, price information, classifications, media and additional product properties available.

The Stock files contain the stock data. These files contain at least the Gransier article number (SKU), the barcode and the article status code.

5.4 Update frequency

The files containing article data are updated once per working day. The stock files are updated once every 10 minutes. As a result, the article texts and master data are intended for daily synchronisation, while stock data can be refreshed more frequently for a more up-to-date view of availability.

5.5 Use and processing

During implementation, it is important to distinguish between data that changes daily and data that is updated more frequently. For article data, daily synchronisation is the most logical approach. For stock data, a more frequent update process is desirable, depending on the application and the technical capabilities of the receiving system.

In addition, a modification date is supplied for each article. This can be used to process only changed records, so that all data does not need to be fully reloaded every time.

6. ARTICLE INFORMATION VIA STICHTING DST

In addition to direct data exchange via FTP and API, article information is also available via Stichting DST. Stichting DST is a platform for standardised article information within the bicycle industry.

For organisations that work with DST, article information can be made available and processed in connected systems through this standard, such as POS systems, PIM environments and webshops.

Website: <https://www.stichtingdst.nl>

7. API INTEGRATIONS

Several API integrations are available for automated data exchange. These APIs make it possible to submit order information, retrieve logistical information and consult article information such as prices, stock and delivery times.

API	Purpose	Technology
DeliveryNote	Retrieve delivery note information	SOAP
PlaceOrder	Place regular orders	SOAP
PlaceDropshipmentOrder	Place dropshipment orders	SOAP
ArticleInfo	Retrieve article information	REST / JSON
Orderstatus	Current order status and logistical details	In development

7.1 Retrieve delivery note data - DeliveryNote

With the DeliveryNote method, information from a delivery note can be requested based on a delivery note number. This method is intended for customers who want to verify after shipment which articles have actually been included on the delivery note.

Endpoint: POST /api/order.asmx

SOAPAction (SOAP 1.1): https://office.gransier.nl:1234/api/DeliveryNote

Request fields

Field	Description
Username	Username for authentication
Password	Password for authentication
DeliveryNoteNumber	Delivery note number for which the data must be retrieved

Response fields

Field	Description
Okay	Indicates whether the request was processed successfully
OrderNumber	Internal order number
OrderTimestamp	Date and time of the order
Message	Additional message or error text
DeliveryNoteLines	List of delivery note lines

For each delivery note line, the fields IndexNumber, ArticleNumber, ArticleDescription and DeliveredAmount are returned.

Points to note: always check both the value of Okay and the content of Message. If authentication is incorrect or the delivery note number is unknown, the request may be rejected.

7.2 Place regular orders - PlaceOrder

With the PlaceOrder method, a regular order can be placed directly in the Gransier system. This method is intended for standard orders that are not processed as dropshipments.

Endpoint: POST /api/order.asmx

SOAPAction (SOAP 1.1):

<https://office.gransier.nl:1234/api/PlaceOrder>

Documentation:

<https://office.gransier.nl:1234/api/order.asmx>

Request fields

Field	Description
Username	Username for authentication
Password	Password for authentication
DebiteurNummer	Debtor number of the customer
Referentie	Free reference from the customer
Opmerking	<i>Not used</i>
Pickup	Boolean indicating whether this is a pickup order
OrderRegels	List of order lines

For each order line, the fields IndexNumber, ArticleNumber and Amount are used.

Response fields

Field	Description
Okay	Indicates whether the order was placed successfully
GeneratedOrderNumber	Order number generated by Gransier
Message	Message or error description
ShippingCost	Calculated shipping costs

Points to note: use a unique and recognisable value in Referentie, specify the correct article number and quantity for each order line and use Pickup = true only when the order is intended for pickup.

7.3 Place dropshipment orders - PlaceDropshipmentOrder

With the PlaceDropshipmentOrder method, a dropshipment order can be placed directly in the Gransier system. This method is intended for orders that are delivered directly to the end recipient.

Endpoint: POST /api/order.asmx

SOAPAction (SOAP 1.1): https://office.gransier.nl:1234/api/PlaceDropshipmentOrder

Request fields

Field	Description
Username / Password	Authentication details
DebiturNummer	Debtor number of the customer
Referentie	Customer reference
Opmerking	<i>Not used</i>
BedrijfsNaam	Company name of the recipient
Gebouw	Building or location designation
OntvangerNaam	Name of the recipient
OntvangerTelefoon	Telephone number of the recipient
OntvangerEmail	Email address of the recipient
OntvangerStraat	Street name
OntvangerHuisnummer	House number
OntvangerHuisnummerToevoeging	House number addition
OntvangerPostcode	Postal code
OntvangerWoonplaats	City
OntvangerLand	Country code or country designation
OrderRegels	List of order lines

For each order line, the fields IndexNumber, ArticleNumber and Amount are used.

Response fields

Field	Description
Okay	Indicates whether the order was placed successfully
GeneratedOrderNumber	Order number generated by Gransier
Message	Message or error description

Field	Description
ShippingCost	Calculated shipping costs

Points to note: complete the recipient details fully and always check both Okay and Message.

7.4 Retrieve article information - ArticleInfo

With the REST API for article information, current information can be retrieved for one or more articles, including stock, net purchase prices, volume prices and expected shipping and delivery dates.

Endpoint: POST <https://api.gransier.nl/api/v1/ArticleInfo>

Detailed documentation: <https://api.gransier.nl/scalar>

Authentication: Basic Authentication

Main request fields

Field	Description
Articles	List of articles for which information must be retrieved
DestinationCountryCode	Optional. 2-letter country code for more accurate shipping and delivery information
IncludePrice	Optional. Add price information
IncludePrices	Optional. Add volume prices
IncludeStock	Optional. Add stock information
IncludeShipping	Optional. Add shipping and delivery information

For each article, at least ArticleNumber and optionally DesiredAmount are specified. If DesiredAmount is not specified, a default value of 1 is assumed.

Main response fields

Field	Description
DebNo	Debtor number of the authenticated user
ArticleNumber	Article number
Description	Description
EAN	EAN code
DesiredAmount	Requested quantity
StockQuantity	Current stock quantity

Field	Description
StockIndication	Stock indication
ShippingDate	Planned shipping date
DeliveryDate	Planned delivery date
BasePurchasePrice	Base purchase price without discounts
NettPurchasePrice	Net purchase price after applying pricing rules
AppliedPriceLogic	Description of the applied pricing logic
PricingRules	Available pricing rules
Prices	Volume prices

Meaning of StockIndication

Value	Meaning
AVAILABLE	Article is in stock
UNAVAILABLE	Article is currently out of stock
INCOURANT	Article is obsolete
UNKNOWN	Article was not found

Important characteristics: a minimum of 1 and a maximum of 250 articles can be specified per request. The fields for stock, price and delivery are only included when they are explicitly requested. In the event of disruptions, the API may return a 503 response. The rate limits can be consulted via </api/v1/Status/Rates>.

7.5 Retrieve order status

The API for retrieving order status is currently still under development. Further technical information will follow in a later version of this manual.

Detailed documentation: <https://api.gransier.nl/scalar>

This API will make it possible to consult the current status of an order. In addition, this integration will provide insight into logistical details such as shipping information, package information and package contents.

8. IMPLEMENTATION CONSIDERATIONS

Our support is limited to making data and integrations available. We cannot carry out the technical implementation of integrations. However, you can always contact us for explanation and advice about the available data and interfaces.

By using our data, you automatically agree to our disclaimer and the General Terms and Conditions.

An important point of attention when implementing integrations is keeping the data up to date. Make clear agreements about this with the developer or implementation partner so that article data and stock data are updated on time and on a structural basis.

Our data always includes a modification date for each article. This can be used to organise synchronisation more efficiently so that not all data has to be fully refreshed continuously.

Article images may be downloaded once from our web server via the URLs included in the article data file on the FTP server. They can then be hosted via your own web server or your own environment.

Although we strive to always provide correct and up-to-date data, the use of article information and images remains at your own risk. No rights can be derived from this information.

For online sales, it is necessary to always check whether sales restrictions apply to an article. For this purpose, the fields SalesRestrictionNotice and SalesRestrictionComment are available in the article data.

9. SUPPORT AND CONTACT	
Address	Gransier Bike Parts Wijngaardsweg 121c 6433 KA Hoensbroek Nederland
Contact person	Max Bonte
Email	max@gransier.nl