TECHNICAL REGULATIONS - DEMO SINGLE-MAKE CUP 2026

General provisions

A: Entrants and mechanics must know these regulations and the sporting regulations.
B: Anything not expressly mentioned as authorized is considered prohibited.
C: These regulations apply from 1-01-2026 to 31-12-2026. Changes are announced through official category annexes.
D: The category is single-make: all cars share the same model and base components.

Contents: 2-Chassis 3-Front track 4-Rear track 5-Weight 7-Tires
8-Data acquisition 9-Pre-event check 10-Numbering 11-Brakes
12-Fuel 13-Safety 14-Electronic flag device 15-Interpretation

TECHNICAL REGULATIONS - DEMO SINGLE-MAKE CUP 2026

Chassis and dimensions

2- CHASSIS: The wheelbase must be between 2495 and 2505 mm, both included.
It is measured with the car at rest on a flat surface.

3- FRONT TRACK: 1660 mm maximum.

4- REAR TRACK: 1648 mm maximum.

Track widths are measured with the car at rest on a flat surface.

TECHNICAL REGULATIONS - DEMO SINGLE-MAKE CUP 2026

Weight and tires

5- WEIGHT: The minimum weight of the car with the driver aboard, equipped and in racing position, is 1090 kg. Weighing is done on a scale on a flat, level surface.

7- TIRES

7-A: Only tires of the specification supplied by the category are used.

7-B: The minimum tread depth in the center band is 2.0 mm.

TECHNICAL REGULATIONS - DEMO SINGLE-MAKE CUP 2026

Data, pre-event check and seals

8- DATA ACQUISITION: Only the data acquisition system authorized by the category is allowed. Any other GPS or telemetry system is prohibited.

9- PRE-EVENT TECHNICAL CHECK: Before qualifying, each car reports to the technical check. Without this procedure the car is not cleared to compete.
The engine is sealed; the seal must be intact and its number recorded.

TECHNICAL REGULATIONS - DEMO SINGLE-MAKE CUP 2026

Numbering, brakes and fuel

10- NUMBERING: The competition number digits are yellow on a black rectangle. The minimum digit height is 20 cm.

11- BRAKES: Discs and pads must be original to the model. The minimum pad thickness is 3.5 mm.

12- FUEL: It is supplied by the category. The density of the sample, measured at 15 °C, must be between 725 and 770 g/l, both included.

TECHNICAL REGULATIONS - DEMO SINGLE-MAKE CUP 2026

Safety, flag device and interpretation

13- SAFETY: The extinguisher must be charged, fixed to the car, and within its charge date. Safety belts must be within their expiry date.

14- ELECTRONIC FLAG DEVICE: The category flag device is mandatory, securely installed and visible to the driver.

15- INTERPRETATION: Cases not covered are decided by the technical commission.