Summarized notes from customer check-ins:

First impressions from the client were very positive compared to the high fidelity design. The main struggle from our high fidelity design was how minimal it was, which is why our WordPress design shifted to a more complex design. Overall impressions were good. It was a huge step up from last time. However there are still some things that the client was unsatisfied with.

- The Font(s)

The fonts used on our site were not liked by the client. There were a total of three different fonts and the client would like to see one consistent font across all pages. The client however would be happy with two fonts one for the navigation bar and one for the pages themselves however our plan likely will be to pick one font and have it stay constant throughout the whole website.

- The colour

The colour was still not liked by the client. We went with a greenish header which contrasted very nicely with the APSS logo and white background. However the client still could not see that header colour looking good for the site. We originally had a gradient to start but we have noticed that gradients were completely not liked so going with one colour was our best bet. We will still play around and find one solid colour that best fits the site.

- Emphasis more on donate and report needles

One of the most important things about APSS is the report needles and donations. In our current website design they are visible however the client would like to see them more visible and stand out and stay consistently there across all pages so that users navigating the website can see them immediately no matter where they are on the site.

- Spacing

The utilization of white space was one of our primary goals with this website design. The client however was not fully happy with the way things looked spaced wise. Many of our text and images were centred in the middle so that users can scroll down and see the information displayed in the middle. Ideally we would implement ways to make things less in the middle and more spaced out while still using white space as white space itself was ok from the client.

- Too Vertical, Not enough Horizontal

Again with our design it felt very vertical. Scrolling down through the home page took more time then the client wanted. Many of our information again felt like it was stacked

on top of each other. We plan to space it out and condense it more so that it doesn't give too much of that vertical look.

- Navigation bar

The navigation bar itself was not fully liked by the client. It felt too small and didn't grab as much attention as it should have. When in mobile mode the navigation bar would stack on top of each other which is another factor we will have to consider when redesigning it.

- Exit button on the bottom left of the screen

One of the things that the client requested was for us to include a consistent button on the bottom left of each page that says "Exit Quickly" which would direct the user to a different website.