

# Terraform Module: EC2 Auto Scaling Group Target

This module creates the necessary AWS resources to run a scalable web application behind an Application Load Balancer (ALB). It links an ALB Target Group with an Auto Scaling Group (ASG) of EC2 instances.

Key features include: \* An ALB Target Group with configurable health checks. \* A dedicated Security Group for the EC2 instances that allows traffic from the ALB and **SSH traffic from specified IPs**. \* An Auto Scaling Group that uses a specified EC2 Launch Template to launch instances across multiple subnets. \* Optional, configurable CPU-based step scaling policies and CloudWatch alarms to automatically scale the number of instances based on load. \* Optional creation of an ALB Listener Rule to route traffic to the target group based on conditions like host headers or path patterns.

## Usage

```
module "ec2_asg_target" {
  source = "../modules/ec2_asg_target"

  app_name           = "my-api"
  target_environment = "dev"
  vpc_id             = "vpc-0123456789abcdef0"
  subnet_ids         = ["subnet-0123...", "subnet-4567..."] # Public subnets
  alb_source_security_group_id = "sg-0fedcba9876543210"
  launch_template_id = "lt-0abcdef1234567890"
  ssh_ingress_cidr_blocks = ["YOUR_IP/32"]

  desired_capacity = 2
  min_size         = 1
  max_size         = 10

  # Optionally enable auto scaling
  enable_cpu_scaling_policies = true

  tags = {
    Service = "user-api"
  }
}
```

## Requirements

Name	Version
terraform	>= 1.0
aws	~> 6.0

## Providers

Name	Version
aws	~> 6.0

## Inputs

Name	Description	Type	Default	Required
app_name	A unique name for the web application (e.g., 'my-webapp').	string	n/a	yes
target_environment	The target environment (e.g., 'dev', 'test', 'prod').	string	n/a	yes
vpc_id	The ID of the VPC where resources will be deployed.	string	n/a	yes
subnet_ids	A list of subnet IDs for the ASG. For direct SSH access, these should be <b>public</b> subnets.	list(string)	n/a	yes

Name	Description	Type	Default	Required
ssh_ingress_cidr_blocks	A list of CIDR blocks to allow SSH (port 22) ingress from. <b>SECURITY NOTE:</b> Restrict this to your IP.	list(string)	[]	yes
alb_source_security_group_id	The ID of the ALB's security group to allow traffic from.	string	n/a	yes
launch_template_id	The ID of the EC2 Launch Template to use for the ASG.	string	n/a	yes
launch_template_version	The version of the Launch Template to use.	string	"\$Latest"	no
desired_capacity	The desired number of instances in the ASG.	number	1	no
min_size	The minimum number of instances in the ASG.	number	1	no
max_size	The maximum number of instances in the ASG.	number	2	no
target_group_port	The port on which instances receive traffic.	number	80	no
health_check_path	The path for the health check request.	string	"/"	no
enable_cpu_scaling_policies	Specifies to create CPU-based step scaling policies.	bool	false	no
tags	A map of tags to assign to all resources.	map(string)	{}	no

## Outputs

Name	Description
target_group_arn	The ARN of the created ALB Target Group.
autoscaling_group_name	The name of the created Auto Scaling Group.
ec2_target_security_group_id	The ID of the security group created for the EC2 instances.
listener_rule_arn	The ARN of the created ALB Listener Rule, if created.
scale_up_policy_arn	The ARN of the scale-up Auto Scaling policy, if created.
scale_down_policy_arn	The ARN of the scale-down Auto Scaling policy, if created.