

PHP Libraries – Cheatsheet

Mobile Detect • Endroid QR Code • FakerPHP

1. Mobile Detect (Device Detection)

Detects mobile, tablet, and desktop devices based on User-Agent.

- 1 isMobile() – checks if device is mobile
- 2 isTablet() – checks if device is tablet
- 3 isiOS() / isAndroidOS() – OS detection
- 4 mobileGrade() – device performance grade

```
use Detection\MobileDetect;

$detect = new MobileDetect();

if ($detect->isMobile()) {
    echo "Mobile device";
}

if ($detect->isTablet()) {
    echo "Tablet device";
}
```

2. Endroid QR Code (QR Code Generator)

Generates QR codes for URLs, text, WiFi, etc.

- 1 Supports PNG, SVG formats
- 2 Custom size, margin, colors
- 3 Logo embedding supported
- 4 Error correction levels

```
use Endroid\QrCode\QrCode;
use Endroid\QrCode\Writer\PngWriter;

$qrCode = QrCode::create('https://example.com')
    ->setSize(300)
    ->setMargin(10);

$writer = new PngWriter();
$result = $writer->write($qrCode);

header('Content-Type: '.$result->getMimeType());
echo $result->getString();
```

3. FakerPHP (Fake Data Generator)

Generates fake data for testing, seeding, and demos.

- 1 fake names, emails, addresses
- 2 dates, numbers, text, UUIDs
- 3 localized data support
- 4 commonly used for database seeding

```
use Faker\Factory;

$faker = Factory::create();
echo $faker->name;
```

```
echo $faker->email;  
echo $faker->address;
```

Exam tip: MobileDetect reads User-Agent headers, Endroid QR generates visual codes, and FakerPHP is used only in development/testing environments.