

Just some rubbish, ignore it

In [1]:

```
['a'].remove('a')
```

In [2]:

```
x = ['a']  
x.insert(3, 'b')  
x
```

Out[2]:

```
['a', 'b']
```

In [3]:

```
x
```

Out[3]:

```
['a', 'b']
```

In [4]:

```
y = []  
y.insert(0, 'a')  
y
```

Out[4]:

```
['a']
```

In [5]:

```
z = ['a','c']  
z.insert(1,'b')  
z
```

Out[5]:

```
['a', 'b', 'c']
```

In [6]:

```
z = ['a','c'].reverse()
```

In [7]:

```
p = ['a', 'b']  
p.pop()
```

Out[7]:

```
'b'
```

In [8]:

In [8]:

%%HTML

<p class="algolab-warn">
WARNING: <code>delete <i>t</i></code> is a command that asks the environment to physically deallocate
the memory occupied by object <i>t</i>, and it is different from the method <code>delete(TREE t)</code>
(notice the parenthesis) which is something defined by the user to perform more sophisticated cleaning
procedures (in this case, going through connected useless nodes and deallocate them one by one)!
</p>

<p class="algolab-important">
IMPORTANT: While coding to Python, you can often ignore the pseudo code command <code>delete</code>
like in <code>delete <i>t</i></code> !
The reason is commands like <code>delete</code> are mostly thought for languages where you
have to manually deallocate memory once you don't need it anymore (like in <i>C</i>). Luckily for us, Python
manages memory for us - that is, now and then Python garbage collector runs
and
whenever an object is not referenced by any pointer, it gets automatically removed.
</p>

<p class="algolab-question">
QUESTION: Given the above, do you really need to implement the <code>delete(TREE t)</code> method ?</p>
</p>

WARNING: delete *t* is a command that asks the environment to physically deallocate the memory occupied by object *t*, and it is different from the method delete(TREE *t*) (notice the parenthesis) which is something defined by the user to perform more sophisticated cleaning procedures (in this case, going through connected useless nodes and deallocate them one by one)!

IMPORTANT: While coding to Python, you can often ignore the pseudo code command delete like in delete *t* ! The reason is commands like delete are mostly thought for languages where you have to manually deallocate memory once you don't need it anymore (like in C). Luckily for us, Python manages memory for us - that is, now and then Python garbage collector runs and whenever an object is not referenced by any pointer, it gets automatically removed.

QUESTION: Given the above, do you really need to implement the delete(TREE *t*) method ?