
Jupman

A template manager for online books made with Jupyter notebooks and NBSphinx doc generator

People That Write a Lot

Aug 08, 2022

Copyright © 2022 by People That Write a Lot.

Jupman is available under the Creative Commons Attribution 4.0 International License, granting you the right to copy, redistribute, modify, and sell it, so long as you attribute the original to People That Write a Lot and identify any changes that you have made. Full terms of the license are available at:

<http://creativecommons.org/licenses/by/4.0/>

The complete book can be found online for free at:

<https://jupman.softpython.org/en/latest/>

CONTENTS

	About	1
	Preface	2
1	Overview	3
1.1	Contents	3
1.2	Revisions	3
1.3	Credits	4
2	Quickstart	5
2.1	Installation	5
2.2	Configure	8
2.3	Building the manual	8
2.4	Publish	9
2.5	Further steps	9
3	Editing worksheets	11
3.1	Common files	11
3.2	Running Jupyter	11
3.3	Source code for chapters	11
3.4	Exercise types	12
3.5	Solution tags	13
3.6	Directive tags	15
3.7	Utilities and custom js and css	16
3.8	Hiding cells	17
3.9	Launch unit tests	17
3.10	Python Tutor	17
3.11	Pandas	18
3.12	Showing function help	19
4	Customize	21
4.1	Change website theme	21
4.2	Fonts	21
4.3	font sizes	22
4.4	Warning about old versions	22
4.5	Fix nbsphinx to create rst files	22
4.6	Git performance notes	22
5	Exams management	25
5.1	What is an exam	25
5.2	Exam commands	25
6	Chapter examples	29

6.1	Python example	29
6.2	Jupyter example	31
6.3	Jupyter and Python example	35
6.4	Big sub chapter 1	39
6.5	Big sub chapter 2	81
6.6	Example Challenge	122
7	Templates	123
7.1	Changelog	123
7.2	June 4th 2022 - 3.5	123
7.3	Past Exams	126
7.4	Exam project	126
7.5	Project ideas	127
7.6	Jupman Project	128
7.7	Markdown	129
8	Tests	131
8.1	Tests	131
8.2	Python tutor tests	142
9	References	147

About

A template for online books made with [Jupyter](#)¹ notebooks and [NBSphinx](#)² doc generator.

Features:

- inherits generation of static websites from [NBSphinx](#)³, with search, PDF, EPUB
- builds with ReadTheDocs, [Github Actions](#)⁴, or local Docker emulating ReadTheDocs
- exercises generation from solution templates (both .ipynb and .py)
- zips chapters
- code sharing among chapters (so students don't need to install dependencies)
- Python Tutor integration (offline, no required dependencies)
- supports hundreds pages and deep nesting
- decent PDF layout
- basic exam management
- *documentation* and tests⁵
- requires Python 3.7+
- Apache License v2.0, open source code [on Github](#)⁶

Currently lacking:

- generated PDF always displays solutions⁷
- Python Tutor doesn't work in JupyterLab⁸
- more testing for exam management⁹

Used by:

- SoftPython book: [english](#)¹⁰ | [italian](#)¹¹ (both 1000+ pdf pages from jupyter notebooks)
- [Scientific Programming Lab @ University of Trento, Data Science Master](#)¹² (english, many python exercises and exams in mixed jupyter + python format)

¹ <http://jupyter.org>

² <http://nbsphinx.readthedocs.io/>

³ <http://nbsphinx.readthedocs.io/>

⁴ <https://github.com/DavidLeoni/readthedocs-to-actions>

⁵ https://github.com/DavidLeoni/jupman/tree/master/_test

⁶ <https://github.com/DavidLeoni/jupman>

⁷ <https://github.com/DavidLeoni/jupman/issues/87>

⁸ <https://github.com/DavidLeoni/jupman/issues/42>

⁹ <https://github.com/DavidLeoni/jupman/issues?q=is%3Aopen+is%3Aissue+label%3Aexams>

¹⁰ <https://en.softpython.org/>

¹¹ <https://it.softpython.org/>

¹² <https://sciprog.davidleoni.it/>

Preface

This book is the result of ... We thank this and that ...

OVERVIEW

1.1 Contents

1. *Quickstart*
2. *Editing worksheets*
3. *Customize*
4. *Exams management*
5. Chapter examples
 1. *Python example*
 2. *Jupyter example*
 3. *Mixed jupyter and python example*
 4. Challenges: *example worksheet* *solution*¹³
6. Templates
 1. *Past exams*
 2. *Changelog*
7. Tests
 1. *Jupman tests*
 2. *Python Tutor tests*

1.2 Revisions

- **4 June 2022:** Released v3.5
- **30 April 2022:** Released v3.4
- **22 February 2022:** Released v3.3
- **16 October 2020:** Released v3.2
- **16 January 2020:** Released v3.1
- **29 December 2019:** Released v3.0
- **24 September 2018:** Released v2.0

¹³ <https://github.com/DavidLeoni/jupman/blob/master/challenge-example/example-chal-sol.ipynb>

- **3 August 2018:** Released v0.8
- *[Change log](#)*

1.3 Credits

- This site was made with Jupyter using [NBSphinx extension](#)¹⁴ and [Jupman template](#)¹⁵.

¹⁴ <http://nbsphinx.readthedocs.io/>
¹⁵ <http://jupman.readthedocs.io/>

QUICKSTART

Jupman uses [NbSphinx](#)¹⁶ and either [ReadTheDocs](#)¹⁷ or [Github Actions](#)¹⁸

2.1 Installation

(Instructions are for Ubuntu, on Windows may differ)

First, on Github, fork as a template [jupman project](#)¹⁹ to create yours, for example `my-project`.

Then, on your computer, clone the `my-project` from Github

You can choose to build either on:

- [ReadTheDocs](#)
- [Github Actions](#)
- locally with plain Sphinx
- locally with [RTD Docker](#)²⁰

(Note Jupman itself is building on both ReadTheDocs and Github Actions only for testing purposes, one is enough)

2.1.1 Building with ReadTheDocs:

IMPORTANT: choose a name which is NOT already on [ReadTheDocs](#)²¹

Create a [ReadTheDocs account](#)²² using the same name as in Github so the address in readthedocs will be something like `my-project.readthedocs.org`.

- Use ReadTheDocs panels to link the project to your Github repository.
- In *Admin->Advanced settings panel*, set:
 - *Python interpreter* to *CPython 3.x*
 - *Requirements* to `requirements-build.txt`

¹⁶ <http://nbsphinx.readthedocs.io/>

¹⁷ <https://readthedocs.org>

¹⁸ <https://github.com/features/actions>

¹⁹ <https://github.com/DavidLeoni/jupman>

²⁰ <https://github.com/DavidLeoni/readthedocs-to-actions>

²¹ <http://readthedocs.org>

²² <http://readthedocs.org>

2.1.2 Building with Github Actions:

Configure `.github/workflows/main.yml`²³ on your computer to your needs - you will need to:

1. at the beginning in the `build_docs_job` section there is an `if` which makes the workflow only work in DavidLeoni/jupman repository, change it with your project repo and comment the following needs: `run_tests` line
2. set `RTD_PRJ_NAME`
3. If you want to publish to [Github Pages](#)²⁴: everything is set, just create an empty branch `gh-pages` in a new `HTML_FOLDER` **before** committing - from some other folder in your file system:

```
git clone YOUR_REPO_ADDRESS HTML_FOLDER
cd HTML_FOLDER
git checkout --orphan gh-pages
git rm -rf .
touch bla
git add .
git commit -m "init"
git push origin gh-pages
```

2.1.3 Local build with Sphinx

Assuming you are on Linux/Mac:

- 1) Install Python 3.7+
- 2) [Install Jupyter](#)²⁵
- 3) Install required modules:

3.a) In a virtual environment (**recommended**) - from the root of the project, run:

```
./create-env.sh
```

This will automatically install required modules in `_private/jupman_env` using `python3` system binary.

If you want to use a particular python binary (note it must already be on your system), run i.e.:

```
./create-env.sh python3.7
```

Afterwards, to activate the environment run:

- In Windows:

```
_private\jupman_env\bin\activate
```

- in Linux/Mac:

```
source activate
```

to deactivate (from anywhere):

```
deactivate
```

²³ <https://github.com/DavidLeoni/jupman/blob/master/.github/workflows/main.yml>

²⁴ <https://pages.github.com/>

²⁵ <http://jupyter.org/install.html>

3.b) without a virtual environment (**not recommended**): From the root of the project, run:

```
python3 -m pip install --user -r requirements-build.txt
```

Warning: to have reproducible builds `requirements-build.txt` pinpoints a lot of dependencies, installing without virtual environment may mess up other python programs!

2.1.4 Optional - Running tests

To check everything is working, you may want to run the tests.

1. Install test dependencies:

```
python3 -m pip install --user -r _test/requirements-test.txt
```

2. Run the tests:

```
python3 -m pytest _test/*_test.py
```

2.1.5 Optional - Install Jupyter contrib extensions

For a better editing experience like having Table of contents and other things, do the following:

1. install the [Jupyter contrib extensions](#)²⁶ package:

If you have Anaconda:

```
conda install -c conda-forge jupyter_contrib_nbextensions
```

If you don't have Anaconda:

```
python3 -m pip install --user jupyter_contrib_nbextensions
```

2. Install in Jupyter:

```
jupyter contrib nbextension install --user
```

3. Enable extension:

For being able to view table of contents while editing notebooks, install `toc2` extension:

```
jupyter nbextension enable toc2/main
```

For tocs to appear when in a document you will need to press a list button at the right-end of the toolbar.

(since Jupman 0.8 custom injected tocs are disabled by default)

4. For a nice GUI to install extensions, install the [Jupyter Nbextensions configurator](#)²⁷:

If you have Anaconda:

From Anaconda Prompt:

```
conda install -c conda-forge jupyter_nbextensions_configurator
```

If you don't have Anaconda:

²⁶ https://github.com/ipython-contrib/jupyter_contrib_nbextensions

²⁷ https://github.com/Jupyter-contrib/jupyter_nbextensions_configurator

```
python3 -m pip install --user jupyter_nbextensions_configurator
```

After installing, enable it:

```
jupyter nbextensions_configurator enable --user
```

and then start Jupyter, in file browser look for a Nbextensions tab

2.2 Configure

1. Edit `conf.py`²⁸ as needed, which is the configuration file for Sphinx. In particular, you **MUST** edit the sections marked with **TODO**
2. Try launching build:

```
python3 build.py
```

For more info, see [related section](#)

3. If everything works fine on your computer, push changes back to Github
4. Go back to ReadTheDocs and try to run a build. Hopefully your project will become available on something like *my-project.readthedocs.org*
5. If you want to grade exams, see [Exams management](#) page.

You should now be ready to create your notebooks by launching from the project root:

```
jupyter notebook
```

1. If you wish your notebooks to appear in the generated manual, you have to add them in the `toc.rst` file.

NOTE: the page `toc-page.rst`²⁹, which is set to be the `master_doc` of Sphinx, will just load the actual Table of Contents which is in `toc.rst`³⁰. It looks a bit convoluted because when it comes to indexes Sphinx is not much reliable, see [this issue](#)³¹. We strongly advise *not* to change these settings !

2. edit the home, which is in the `index.ipynb`³² file

2.3 Building the manual

For a quick build that only produces html:

```
python3 build.py -q
```

Site will be created in `_build/` folder.

For help:

```
python3 build.py -h
```

²⁸ <https://github.com/DavidLeoni/jupman/blob/master/conf.py>

²⁹ <https://github.com/DavidLeoni/jupman/blob/master/toc-page.rst>

³⁰ <https://github.com/DavidLeoni/jupman/blob/master/toc.rst>

³¹ <https://github.com/DavidLeoni/jupman/issues/11>

³² <https://github.com/DavidLeoni/jupman/blob/master/index.ipynb>

To build everything (html + pdf + epub), go to the console and from the root directory run:

```
python3 build.py
```

NOTE: to generate PDFs you will need to install Latex environment

2.4 Publish

Just push to master and Github Actions / ReadTheDocs will do the rest, for example, for jupman is available at addresses:

- <https://jupman.readthedocs.io/en/latest/>
- <https://davidleoni.github.io/jupman/en/latest/>

IMPORTANT: ReadTheDocs WILL ***NOT*** execute Jupyter notebooks because of [this bug](#)³³

2.5 Further steps

See *Editing worksheets*, *Customize* and if needed *Exams management* pages

³³ <https://github.com/DavidLeoni/softpython/issues/2>

EDITING WORKSHEETS

Here we give an overview of how to edit worksheets. More info can be found in [Jupman tests notebook](#)

3.1 Common files

There are a bunch of files common to all worksheets and possibly website

You do not need to change them (except maybe `my_lib.py`)

File	Description	Jupyter	Website
<code>jupman.py</code> ³⁴	utilities for worksheets	X	
<code>my_lib.py</code> ³⁵	custom utilities for worksheets (you can change the name)	X	
<code>_static/js/jupman.js</code> ³⁶	Javascript code	X	X
<code>_static/css/jupman.css</code> ³⁷	CSS	X	
<code>_static/css/jupman-web.css</code> ³⁸	CSS		X

3.2 Running Jupyter

First of all, run Jupyter from the root directory:

```
jupyter notebook
```

3.3 Source code for chapters

Put chapters one per folder, in the root. Any folder which doesn't start with underscore `_` or `exam/` will be considered a chapter.

During build, each chapter gets automatically zipped and zip goes to `_static/generated`. So for example, `python-example/` produces a zip called `_static/generated/python-example.zip`, which will have these contents:

³⁴ <https://github.com/DavidLeoni/jupman/blob/master/jupman.py>

³⁵ <https://github.com/DavidLeoni/jupman/blob/master/jupman.py>

³⁶ https://github.com/DavidLeoni/jupman/blob/master/_static/js/jupman.js

³⁷ https://github.com/DavidLeoni/jupman/blob/master/_static/css/jupman.css

³⁸ https://github.com/DavidLeoni/jupman/blob/master/_static/css/jupman-web.css

```
python-example
  _static
    js
      jupman.js
      toc.js
    css
      jupman.css
    img
      cc-by.png
python-example.ipynb
lab.py
lab_test.py
lab_sol.py
jupman.py
my_lib.py
```

The zip folder structure will be a merge of chapter files and files shared by all chapters which are specified in `exercises_common_files` variable in `conf.py`. Since the root in the zip becomes the chapter itself, jupman will process `.py` and `.ipynb` files for fixing eventual relative imports. Markdown and HTML links in ipynb will also be adjusted.

Exercise files can be automatically generated from solutions, as we will see next.

3.4 Exercise types

There can be three kinds of exercises: exercises in Python files, exercises in Jupyter files and mixed jupyter and Python exercises.

You can automatically generate an exercise from a solution file by stripping text marked with special tags. You can inspect generated files in `_build/jupman/` directory

On the website, students will be able to see solutions by clicking on appropriate buttons.

In the zips to download, two versions of files will be provided, one without solution and one with solutions (in exam modality of course no solution will be shipped)

3.4.1 Exercises in Python files

See *`python-example/python-example.ipynb`*

In this type of exercises, typically you have a Jupyter file (like `python-example.ipynb`) that describes the exercise and then the actual exercises are in Python files.

If there is a solution file `FILE_sol.py` ending in `_sol.py` but no corresponding exercise file `FILE.py` without the `_sol`:

then Jupman will try to generate `FILE.py` one from `FILE_sol.py`. To do so, it will look for tags to strip inside the solution file.

If there is already an exercise file like this:

- `python_intro.py`
- `python_intro_sol.py`

Jupman will just copy the existing file.

3.4.2 Exercises in Jupyter files

See example: *jupyter-example/jupyter-example-sol.ipynb*

This type of exercises stay in a Jupyter notebook itself.

If there is a notebook ending in `-sol.ipynb`, the following applies (**WARNING**: for `ipynb` files we use dash `-`, *not* the underscore `_`):

- the notebook must contain tags to strip
- exercises derived will have 'EXERCISES' appended to the title (the word can be customized in `conf.py` - you might need to translate it)

3.4.3 Mixed exercises in Jupyter and Python files

See *jup-and-py-example/jup-and-py-example-sol.ipynb*

3.4.4 Challenges

This is an experimental feature, current implementation is subject to change.

Challenges are solutions which remain unpublished and from which exercises are generated **in the same original older** where the solution resides (not only in the zip!). Challenge files can be both Jupyter notebooks or Python files, ending in `-chal-sol.ipynb` or `_chal_sol.py`.

The idea is that challenges solutions are gitignored, and exercises are manually generated by calling `jupman.generate_exercise()` inside a Jupyter notebook like this:

```
#jupman-purge
import sys; sys.path.append('../'); from conf import jm;
jm.generate_exercise('great_chal_sol.py')
#/jupman-purge
```

It is a bit laborious but the idea is that typically you will also want to run and see tests results in Jupyter notebook so you can do it in the same final cell, which you will also probably want to set in cell metadata `"nbsphinx": "hidden"`

- the solution notebook must contain tags to strip and have SOLUTIONS at the end of the title (the word can be customized in `conf.py` - you might need to translate it)

3.5 Solution tags

Presence of these tags marks a cell as a solution.

Start tags begin with a `#` while end tags begin with a `#\`

3.5.1 `jupman-raise`

Replaces code inside with an Exception (text is customizable in `conf.py`). Be careful to position the comment exactly with the indentation you want the raise to appear. For example:

```
def add(x, y):  
    #jupman-raise  
    return x + y  
    #/jupman-raise
```

becomes

```
def add(x, y):  
    raise Exception('TODO IMPLEMENT ME !')
```

3.5.2 `jupman-strip`

Just strips code inside exercises

```
def f(x):  
    print(x)  
  
#jupman-strip  
def help_func(x, y):  
    return x - y  
#/jupman-strip  
  
def g(y):  
    return y
```

becomes

```
def f(x):  
    print(x)  
  
def g(y):  
    return y
```

3.5.3 `write here`

This special tag for python code erases whatever is found afterwards the `# write here` line

- you can put how many spaces you want in the comment
- phrase can be customized in `conf.py`

```
w = 5  
  
# write here fast please  
  
x = 5 + w  
y = 2 + x
```

becomes

```
w = 5

# write here fast please
```

3.5.4 SOLUTION

In a code cell, if you put `# SOLUTION` at the beginning the whole cell content gets deleted (`# SOLUTION` string included).

- Word can be customized in `conf.py`

```
# SOLUTION

def f():
    print('hello')
```

becomes nothing:

```
[ ]:
```

3.5.5 QUESTION - ANSWER

In a markdown cell, everything in a cell with `**ANSWER**`: inside will be stripped.

- Markdown can be customized in `conf.py`

QUESTION: Describe why iPhone n+1 is better than iPhone n

ANSWER: it costs more

Becomes:

QUESTION: Describe why iPhone n+1 is better than iPhone n

```
[ ]:
```

3.6 Directive tags

Some tags change the preprocessor behaviour. They are applied before solution tags.

3.6.1 jupman-purge

Eliminate content both from exercises AND solutions. Can be helpful when you have code which creates expected output, like images or python data - the idea is to completely remove code so so students don't accidentally copy-paste it or uncomment it.

- `jupman-purge-input`: purges only cell source
- `jupman-purge-output`: purges only cell output
- `jupman-purge-io`: purges both input and output

`jupman-purge` purges only a span:

```
x=5
#jupman-purge
plt.savefig('expected_image.png')
jupman.save_py('expected_output_db.py', ['big', 'data', 'structure']*1000)
#/jupman-purge
x=6
```

becomes

```
x=5
x=6
```

3.6.2 jupman-preprocess

By default only notebooks solutions (ending in `-sol.ipynb`) are preprocessed before html conversion begins. If you want to force preprocessing on a particular non-solution notebook, add this in the first cell:

```
#jupman-preprocess
```

3.7 Utilities and custom js and css

If you need custom js and/or css in a notebook, you can inject it by running `jupman.init()` in the first cell

NOTE: it is not really mandatory, it's mostly intended to tweak notebooks downloaded locally. It should be avoided for notebooks meant for students, as it is more likely it will mess their configurations - also, they might copy the notebooks without knowing they contain the custom js and use weird extensions which could generate conflicts (such as double toc)

For notebooks in the root folder:

```
import jupman
jupman.init()
```

Worksheets in subfolders can use `sys.path` to locate the module

```
import sys
sys.path.append('../')
import jupman
jupman.init()
```

If you think it looks ugly, see [this issue](https://github.com/DavidLeoni/jupman/issues/12)³⁹ for why we don't use alternatives such as modules and relative imports.

Show table of contents: Since 0.8, toc is disabled. If you want it, try to *install toc2 extension*, otherwise you can still enable jupman toc with `jupman_init(toc=True)`. Running it will create the sidebar even when editing in Jupyter. If you want to refresh the sidebar, just run again the cell. It is not recommended, though, especially in notebooks meant to be shipped to students (see considerations above).

³⁹ <https://github.com/DavidLeoni/jupman/issues/12>

3.8 Hiding cells

To hide cells (like for example the `import jupman` code), click `View->Cell toolbar -> Edit metadata` and add `"nbsphinx": "hidden"` to the JSON (see also original [NBSphinx docs](#)⁴⁰ and [Togglable cells in Jupman tests](#)).

NOTE: As of NBSphinx 2.17, it is not possible to hide only cell text but not the output.

3.8.1 Implications of hiding ‘import jupman’

Only in the HTML version, hiding the `import jupman` code, will also prevent `jupman.py` to embed inside the page the Javascript file `jupman.js`: this is perfectly fine as it is fetched separately thanks to the `app.add_javascript('js/jupman.js')` command in `conf.py`

3.9 Launch unit tests

Inside worksheets you can run `unittest` tests.

To run all the tests of a test class, write like this

```
jupman.run(NameOfTheTestClass)
```

To run a single method, write like this:

```
jupman.run(NameOfTheTestClass.nameOfTheMethod)
```

3.10 Python Tutor

Among the various ways to embed Python Tutor, we decided to implement a special `jupman.pytut()` method. First you need to import the `jupman` module:

```
[1]: import sys
     sys.path.append('../')
     import jupman
```

Then you can put a call to `jupman.pytut()` at the end of a cell, and the cell code will magically appear in python tutor in the output (except the call to `pytut()` of course). To see Python Tutor you don't need to be online

```
[2]: x = [5,8,4]
     y= {3:9}
     z = [x]

     jupman.pytut()
```

```
[2]: <IPython.core.display.HTML object>
```

Beware of variables which were initialized in previous cells, they won't be available in Python Tutor and you will get an error:

⁴⁰ <https://nbsphinx.readthedocs.io/en/0.2.14/hidden-cells.html#Hidden-Cells>

```
[3]: w = 8
```

```
[4]: x = w + 5
      jupman.pytut()

Traceback (most recent call last):
  File "../jupman.py", line 2434, in _runscript
    self.run(script_str, user_globals, user_globals)
  File "/usr/lib/python3.7/bdb.py", line 578, in run
    exec(cmd, globals, locals)
  File "<string>", line 2, in <module>
NameError: name 'w' is not defined
```

```
[4]: <IPython.core.display.HTML object>
```

3.11 Pandas

Correctly rendering pandas in PDFs is not so easy (see [issue⁴¹](#)), so far we created this little function which sometimes is handy:

```
[5]: import pandas as pd

lista = [['Rosanna', 'Gippalanda', 26, 100, 500, 300, 600, 600, 100, 300, 600, 300,
↪200, 400, 200, 300, 400, 500],
        ['Matilda', 'Zampola', 10, 500, 200, 300, 500, 400, 300, 200, 500, 300,
↪200, 400, 200, 300, 400, 500],
        ['Mario', 'Cipolli', 25, 300, 500, 100, 500, 300, 500, 100, 500, 300,
↪200, 400, 200, 300, 400, 500],
        ['Ugo', 'Sgarapirri', 30, 100, 400, 200, 500, 300, 200, 600, 300, 300,
↪200, 400, 200, 300, 400, 500]
      ]

df = pd.DataFrame(lista, columns = ['Name', 'Surname', 'Age', *['Par'+str(i) for i in
↪range(1,16)]])
df # web
```

```
[5]:
```

	Name	Surname	Age	Par1	Par2	Par3	Par4	Par5	Par6	Par7	Par8	\
0	Rosanna	Gippalanda	26	100	500	300	600	600	100	300	600	
1	Matilda	Zampola	10	500	200	300	500	400	300	200	500	
2	Mario	Cipolli	25	300	500	100	500	300	500	100	500	
3	Ugo	Sgarapirri	30	100	400	200	500	300	200	600	300	

	Par9	Par10	Par11	Par12	Par13	Par14	Par15
0	300	200	400	200	300	400	500
1	300	200	400	200	300	400	500
2	300	200	400	200	300	400	500
3	300	200	400	200	300	400	500

```
[6]: import jupman
      jupman.draw_df(df) # image for pdf
```

⁴¹ <https://github.com/DavidLeoni/jupman/issues/69>

	Name	Surname	Age	Par1	Par2	Par3	Par4	Par5	Par6	Par7	Par8	Par9	Par10	Par11	Par12	Par13	Par14	Par15
0	Rosanna	Gippalanda	26	100	500	300	600	600	100	300	600	300	200	400	200	300	400	500
1	Matilda	Zampola	10	500	200	300	500	400	300	200	500	300	200	400	200	300	400	500
2	Mario	Cipolli	25	300	500	100	500	300	500	100	500	300	200	400	200	300	400	500
3	Ugo	Sgarapirri	30	100	400	200	500	300	200	600	300	300	200	400	200	300	400	500

3.12 Showing function help

Python help is already quite good, but adds two useless extra lines and only works as a print, so we defined `jupman.get_doc`:

```
[7]: print(jupman.get_doc(jupman.get_doc))
```

```
def get_doc(fun):
    """ Returns the help of a function formatted in a faithful manner

    @since 3.3
    """
```

```
[ ]:
```


CUSTOMIZE

4.1 Change website theme

If you want to change site colors and other changes, copy/edit `_static/css/jupman-web.css`⁴² and set it in `conf/html_css_files`:

```
html_css_files = [  
    'css/jupman.css',      # shared among jupyter and website  
    'css/jupman-web.css', # only on website  
    #'css/softpython-theme.css', # uncomment to activate  
    #'css/scifi-theme.css',  
]
```

4.2 Fonts

Fonts are a bit of a complex topic

TODO this part is just a collection of personal notes

- The missing guide to font formats⁴³
- <https://docs.readthedocs.io/en/latest/guides/adding-custom-css.html>
- RTD Code font issue on github⁴⁴

Tools:

Comprehensive article: <https://www.useragentman.com/blog/2011/02/20/converting-font-face-fonts-quickly-in-any-os/>
and <https://www.useragentman.com/blog/the-css3-font-converter/>

<https://github.com/zoltan-dulac/css3FontConverter>

woff2

<https://github.com/google/woff2>

sfnt2woff

```
sudo apt-get install libbrotli-dev  
sfnt2woff SomeFont.otf
```

mkeot

⁴² https://github.com/DavidLeoni/jupman/blob/master/_static/css/jupman-web.css

⁴³ <https://creativemarket.com/blog/the-missing-guide-to-font-formats>

⁴⁴ https://github.com/readthedocs/sphinx_rtd_theme/issues/524

```
sudo apt-get install eot-utils
mkeot SomeFont.otf > SomeFont.eot
```

or <https://github.com/wget/ttf2eot>

FontForge (GUI and scriptable)

```
sudo apt-get install fontforge
```

4.3 font sizes

<https://www.24a11y.com/2019/pixels-vs-relative-units-in-css-why-its-still-a-big-deal/>

<https://chiamakaikanyi.dev/sizing-in-css-px-vs-em-vs-rem/>

4.4 Warning about old versions

ReadTheDocs has a mechanism⁴⁵ to warn the user if he's looking at an old version of the site, but we found it doesn't work much for course-based documentation. So for versioning we think it's better to adopt a mixed git branch / tags development model, and we added a template warning to show in old branches. To enable it in an old branch, just rename `_templates/breadcrumbs.html.bak` into `_templates/breadcrumbs.html` and edit as needed.

4.5 Fix nbsphinx to create rst files

Sometimes nbsphinx does not report properly RST conversion errors (see bug⁴⁶). As a hacky workaround, you might take the `nbsphinx.py` from `~/local/lib/python3.5/site-packages/`, make a copy of it in your project home and patch it like this⁴⁷. When you call sphinx, it will generate RST files in `_build/jupman-rst/`.

Of course, things can be cleaner using a virtual env with `venv`⁴⁸

4.6 Git performance notes

Current suggested setup for hosting on Github is creating branch `gh-pages` and using Github Actions to populate it with html, zips, pdf and epub files. While keeping all that stuff versioned may seem pretty inefficient, apparently git is pretty good⁴⁹ at compressing binary files

The size of `.git` repo for a 1000 pdf page project SoftPython with 300 commits and 100 MB of code is:

```
.git: 183 MB
```

By truncating `gh-pages` to last commit and garbage collecting, we get:

```
.git: 139 MB
```

⁴⁵ <https://docs.readthedocs.io/en/latest/versions.html>

⁴⁶ <https://github.com/DavidLeoni/jupman/issues/9>

⁴⁷ <https://github.com/DavidLeoni/jupman/commit/0f332629ce4e2b0186c954c55aea7fa67992ace9#diff-bd3d9c4d2e80ed83fd2443d1301aa65bR649>

⁴⁸ <https://docs.python.org/3/library/venv.html>

⁴⁹ <https://stackoverflow.com/a/48305739>

If we completely remove gh-pages branch, we get:

```
.git: 68.7 MB
```

So gh-pages size is:

- one commit: 70.3 MB
- 300 commits: 114.3 MB

which is not even double than source code git size.

If the repo gets really huge, in order to to shrink it some git knowledge is required.

If the repo is served from another server and you want to truncate that server git repo:

On that server console:

1. first make sure you are on gh-pages branch:

```
git checkout gh-pages
```

2. truncates previous commits:

```
git fetch --depth=1 origin gh-pages
```

3. removes various links around which may still point to old commits:

```
git reflog expire --expire-unreachable=now --all
```

4. actually deletes from disk old commits:

```
git gc --aggressive --prune=all
```

Note the result of truncation cannot be pushed back to origin as git would complain it is a *shallow* branch.

[]:

EXAMS MANAGEMENT

Jupman comes with a script to manage exams called `exam.py`, which allows to manage the full cycle of an exam.

5.1 What is an exam

Exam text is represented as Jupyter notebooks, which are taken from `_templates/exam/solutions/exam-yyyy-mm-dd.ipynb`

Exercises for students: they are supposed to be the exam notebook itself and / or plain python files (or the notebook itself) plus unittests and relative solutions.

Marks spreadsheet: By default there is also an LibreOffice spreadsheet to give marks, in case you need it.

When you initialize an exam with the `init` command, for example for date `2000-12-31`, all the presets in `_templates/exam/` are copied to `private/2000-12-31/` and `private/2000-12-31/solutions`. Presets can be changed at will to suit your needs. When packaging, student zip is assembled in `private/2000-12-31/student-zip`

System is flexible enough so you can privately work on next exams in `private/` folder and still being able to publish modifications to main website. After an exam, you can copy the private exam to the public folders in `past-exams/`.

5.2 Exam commands

To see the help:

```
python3 exam.py -h
```

To see help for a particular subcommand, like i.e. `init`, type the subcommand followed by `-h`:

```
python3 exam.py init -h
```

Running commands should be quite self-explanatory.

NOTE: as of today (Dec 2019) software may contain bugs, but at least we check for major misuses (like trying to overwrite existing exams).

In the file `create-exam-example.sh` there is a typical run of the script, which creates the example exam for date `2000-12-31`. Notice it might ask you to delete the existing `2000-12-31` exam, if it does just follow the instructions. Here's the output:

```

> ./create-exam-example.sh
python3 exam.py init 2000-12-31
  Detected release from git: 3.2.0-3-g30a995c
No GOOGLE_ANALYTICS environment variable was found, skipping it

  You can now edit Python solutions, tests, exercises and exam notebook here  :

      _private/2000-12-31/solutions

DONE.

python3 exam.py package 2000-12-31
  Detected release from git: 3.2.0-3-g30a995c
No GOOGLE_ANALYTICS environment variable was found, skipping it
  Cleaning _private/2000-12-31/server/jupman  ...
  Copying exercises to _private/2000-12-31/student-zip/jupman-2000-12-31-FIRSTNAME-
↪LASTNAME-ID/
  Copying code
    from _private/2000-12-31/solutions
    to   _private/2000-12-31/student-zip/jupman-2000-12-31-FIRSTNAME-LASTNAME-ID/
  Writing (patched) _private/2000-12-31/student-zip/jupman-2000-12-31-FIRSTNAME-
↪LASTNAME-ID/exam-2000-12-31.ipynb
  Generating _private/2000-12-31/student-zip/jupman-2000-12-31-FIRSTNAME-LASTNAME-
↪ID/trees.py
  Writing _private/2000-12-31/student-zip/jupman-2000-12-31-FIRSTNAME-LASTNAME-ID/
↪example.txt
  Generating _private/2000-12-31/student-zip/jupman-2000-12-31-FIRSTNAME-LASTNAME-
↪ID/lists.py
  Writing (patched) _private/2000-12-31/student-zip/jupman-2000-12-31-FIRSTNAME-
↪LASTNAME-ID/trees_test.py
  Writing (patched) _private/2000-12-31/student-zip/jupman-2000-12-31-FIRSTNAME-
↪LASTNAME-ID/lists_test.py
  Creating dir _private/2000-12-31/student-zip/jupman-2000-12-31-FIRSTNAME-LASTNAME-
↪ID/img
  Writing _private/2000-12-31/student-zip/jupman-2000-12-31-FIRSTNAME-LASTNAME-ID/
↪img/mountains.jpg
  Building pdf ..
  Creating student exercises zip: _private/2000-12-31/server/jupman-2000-12-31-exam.
↪zip
  Writing jupman.py
  Writing my_lib.py
  Writing _static/img/cc-by.png
  Writing _static/js/jupman.js
  Writing _static/css/jupman.css
  Writing _static/js/toc.js
  Writing _static/js/pytutor-embed.bundle.min.js
  Wrote _private/2000-12-31/server/jupman-2000-12-31-exam.zip

DONE.

----- Simulating some shipped exams...
mkdir -p _private/2000-12-31/shipped/john-doe-112233
cp _templates/exam/solutions/lists_sol.py _templates/exam/solutions/lists_test.py _
↪templates/exam/solutions/trees_sol.py _templates/exam/solutions/trees_test.py _
↪private/2000-12-31/shipped/john-doe-112233
mkdir -p _private/2000-12-31/shipped/jane-doe-445566

```

(continues on next page)

(continued from previous page)

```

cp _templates/exam/solutions/lists_sol.py _templates/exam/solutions/lists_test.py _
↪templates/exam/solutions/trees_sol.py _templates/exam/solutions/trees_test.py _
↪private/2000-12-31/shipped/jane-doe-445566
----- Done with shipped exams simulation, time to grade ...

python3 exam.py grade 2000-12-31
  Detected release from git: 3.2.0-3-g30a995c
No GOOGLE_ANALYTICS environment variable was found, skipping it
  Copying Python files to execute and eventually grade in _private/2000-12-31/graded/
↪john-doe-112233/graded
  Copying original shipped files (don't touch them!) in _private/2000-12-31/graded/
↪john-doe-112233/shipped
  Copying Python files to execute and eventually grade in _private/2000-12-31/graded/
↪jane-doe-445566/graded
  Copying original shipped files (don't touch them!) in _private/2000-12-31/graded/
↪jane-doe-445566/shipped

  DONE.

python3 exam.py zip-grades 2000-12-31
  Detected release from git: 3.2.0-3-g30a995c
No GOOGLE_ANALYTICS environment variable was found, skipping it

  You can now find zips to send to students in _private/2000-12-31/graded

  DONE.

python3 exam.py publish 2000-12-31
  Detected release from git: 3.2.0-3-g30a995c
No GOOGLE_ANALYTICS environment variable was found, skipping it
  Copying solutions to exams/2000-12-31/solutions
  Copying exam PDF text

  Exam Python files copied.

  You can now manually build and run the following git instructions to publish the_
↪exam.
  ./build.py
  git status # just to check everything is ok
  git add .
  git commit -m 'published 2000-12-31 exam'
  git push

  DONE.

  Finished example exam run !!

```

[]:

CHAPTER EXAMPLES

6.1 Python example

6.1.1 Download exercises zip

Browse files online⁵⁰

Example of notebook for exercises in Python files

6.1.2 What to do

- unzip exercises in a folder, you should get something like this:

```
python-example
python-example.ipynb
lab1.py
lab1_test.py
lab1_sol.py
lab2.py
lab2_test.py
lab2_sol.py
jupman.py
my_lib.py
```

- open the editor of your choice (for example Visual Studio Code, Spyder or PyCharme), you will edit the files `lab1.py` and `lab2.py`
- Go on reading this notebook, and follow instructions inside.

Let's begin

You are going to program a simulator of bouncing clowns. To do so, we are going to load this module:

```
[2]: import local
```

```
[3]: local.gimme(5)
```

```
It was a 5 indeed
```

⁵⁰ <https://github.com/DavidLeoni/jupman/tree/master/python-example>

Download test data

Local file:

- `example.txt`
- `example.csv`

6.1.3 Global image



6.1.4 Local exercise image



6.1.5 Python tutor

```
[4]: x = [1,2,3]
     y = 6

     jupman.pytut()

[4]: <IPython.core.display.HTML object>

[5]: y = [1,2,3]

     jupman.pytut()

[5]: <IPython.core.display.HTML object>
```

Start editing `lab1.py` in text editor

```
[6]: from lab1_sol import *
```

6.1.6 add

Implement add function:

```
[7]: add(3,5)
```

```
[7]: 8
```

6.1.7 sub

Implement sub function

```
[8]: sub(7,4)
```

```
[8]: 3
```

```
[ ]:
```

6.2 Jupyter example

6.2.1 Download exercises zip

Browse files online⁵¹

Example of notebook for exercises in Jupyter files.

For python files based example and more, see *Python example*

6.2.2 What to do

- unzip exercises in a folder, you should get something like this:

```
jupyter-example
  jupyter-example.ipynb
  jupyter-example-sol.ipynb
  jupman.py
  my_lib.py
```

WARNING: to correctly visualize the notebook, it MUST be in an unzipped folder !

- open Jupyter Notebook from that folder. Two things should open, first a console and then browser. The browser should show a file list: navigate the list and open the notebook `jupyter-example/jupyter-example.ipynb`
- Go on reading that notebook, and follow instructions inside.

⁵¹ <https://github.com/DavidLeoni/jupman/tree/master/jupyter-example>

Shortcut keys:

- to execute Python code inside a Jupyter cell, press Control + Enter
- to execute Python code inside a Jupyter cell AND select next cell, press Shift + Enter
- to execute Python code inside a Jupyter cell AND a create a new cell afterwards, press Alt + Enter
- If the notebooks look stuck, try to select Kernel -> Restart

```
[2]: # REMEMBER TO IMPORT jupman !  
# This cell needs to be executed only once, you can usually find it at the beginning  
# of the worksheets  
  
import jupman
```

```
[3]: x = [1,2,3]  
y = x  
jupman.pytut()
```

```
[3]: <IPython.core.display.HTML object>
```

```
[4]: y = [1,2,3]  
w = y[0]  
jupman.pytut()
```

```
[4]: <IPython.core.display.HTML object>
```

6.2.3 Exercise 1

Implement `inc` function:

```
<a class="jupman-sol jupman-sol-toggler" onclick="jupman.toggleSolution(this);" data-jupman-show="Show solution"  
data-jupman-hide="Hide">Show solution</a><div class="jupman-sol jupman-sol-code" style="display:none">
```

```
[5]:  
  
def helper(x):  
    return x + 1  
  
def inc(x):  
  
    return helper(x)
```

```
</div>
```

```
[5]:  
  
def inc(x):  
    raise Exception('TODO IMPLEMENT ME !')
```

6.2.4 Exercise 2

Implement `upper` function

```
<a class="jupman-sol jupman-sol-toggler" onclick="jupman.toggleSolution(this);" data-jupman-show="Show solution" data-jupman-hide="Hide">Show solution</a><div class="jupman-sol jupman-sol-code" style="display:none">
```

```
[6]: def helper2(x):
      return x.upper()

      def upper(x):

          return helper2(x)
```

```
</div>
```

```
[6]: def upper(x):
      raise Exception('TODO IMPLEMENT ME !')
```

Exercise 3

Note everything *after* the ‘write here’ comment will be discarded. Note you can put how many spaces you want in the comment

```
<a class="jupman-sol jupman-sol-toggler" onclick="jupman.toggleSolution(this);" data-jupman-show="Show solution" data-jupman-hide="Hide">Show solution</a><div class="jupman-sol jupman-sol-code" style="display:none">
```

```
[7]: w = 5

      # write here

      x = 5 + 6
      y = 6.4
      z = x / y
```

```
</div>
```

```
[7]: w = 5

      # write here
```

Exercise 4

Shows how to completely remove the content of a solution cell (including the solution comment)

EXERCISE: write a function that prints 'hello'

```
<a class="jupman-sol jupman-sol-toggler" onclick="jupman.toggleSolution(this);" data-jupman-show="Show solution" data-jupman-hide="Hide">Show solution</a><div class="jupman-sol jupman-sol-code" style="display:none">
```

```
[8]: # SOLUTION

def f():
    print('hello')
```

```
</div>
```

```
[8]:
```

Exercise 5

Shows the QUESTION / ANSWER feature. All content in 'ANSWER:' cell will be stripped

QUESTION: Describe why iPhone n + 1 is better than iPhone n

```
<a class="jupman-sol jupman-sol-toggler" onclick="jupman.toggleSolution(this);" data-jupman-show="Show answer" data-jupman-hide="Hide">Show answer</a><div class="jupman-sol jupman-sol-question" style="display:none">
```

ANSWER: it costs more

```
</div>
```

6.2.5 Conclusion

bla bla

Relative image test, Markdown format:



Relative image test, HTML img tag:



Relative link test, Markdown format:

Back to index

Relative link test, HTML a tag:

Back to index

```
[ ]:
```

6.3 Jupyter and Python example

6.3.1 Download exercises zip

Browse files online⁵²

Most complex example of a notebook with exercises both in Jupyter and Python files, and ‘advanced’ features

6.3.2 What to do

- unzip exercises in a folder, you should get something like this:

```
jup-and-py-example
jup-and-py-example.ipynb
jup-and-py-example_sol.ipynb
lab.py
lab_test.py
lab_sol.py
```

- open the editor of your choice (for example Visual Studio Code, Spyder or PyCharme), and edit `lab.py` file
- Go on reading this notebook, and follow instructions inside.

Let's begin

You are going to program a simulator of bouncing clowns. To do so, we are going to load this module:

```
[2]: import local
```

```
[3]: local.gimme(5)
```

```
It was a 5 indeed
```

Download test data

Local file:

- `example.txt`
- `example.csv`

6.3.3 Global image



⁵² <https://github.com/DavidLeoni/jupman/tree/master/jup-and-py-example>

6.3.4 Local exercise image



6.3.5 Python tutor

```
[4]: x = 5
      y = 6
      z = x + y

      jupman.pytut()

[4]: <IPython.core.display.HTML object>
```

6.3.6 Exercise in Jupyter

Implement this function:

`Show solution<div class="jupman-sol jupman-sol-code" style="display:none">`

```
[5]: def hello(s):
      return ['hello', s]*1000

      hello_db = hello("Guybrush")

      hello_db[:10]

[5]: ['hello',
      'Guybrush',
      'hello',
      'Guybrush',
      'hello',
```

(continues on next page)

(continued from previous page)

```
'Guybrush',
'hello',
'Guybrush',
'hello',
'Guybrush']
```

</div>

```
[5]: def hello(s):
      raise Exception('TODO IMPLEMENT ME !')

hello_db = hello("Guybrush")

hello_db[:10]
```

```
[5]: ['hello',
      'Guybrush',
      'hello',
      'Guybrush',
      'hello',
      'Guybrush',
      'hello',
      'Guybrush',
      'hello',
      'Guybrush']
```

Full expected output is in file `expected_output_db.py`, if you can't manage to solve the exercise, as a last resort you can type: `from expected_hello_db import *` (DO NOT copy-paste file content, it would probably mess Jupyter up)

```
[6]: from expected_hello_db import *
expected_hello_db[:10]
```

```
[6]: ['hello',
      'Guybrush',
      'hello',
      'Guybrush',
      'hello',
      'Guybrush',
      'hello',
      'Guybrush',
      'hello',
      'Guybrush']
```

Other example:

```
[7]: hello_db2 = hello("Threepwood")

hello_db2[:10]
```

```
[7]: ['hello',
      'Threepwood',
      'hello',
      'Threepwood',
      'hello',
      'Threepwood',
      'hello',
      'Threepwood',
```

(continues on next page)

(continued from previous page)

```
'hello',  
'Threepwood']
```

6.3.7 Exercise using previous output

Write some code which says hello 3 times using previous function

```
[8]: print(hello('Guybrush')[:6])  
['hello', 'Guybrush', 'hello', 'Guybrush', 'hello', 'Guybrush']
```

6.3.8 Question in Jupyter

QUESTION: Why learn coding?

```
<a class="jupman-sol jupman-sol-toggler" onclick="jupman.toggleSolution(this);" data-jupman-show="Show answer"  
data-jupman-hide="Hide">Show answer</a><div class="jupman-sol jupman-sol-question" style="display:none">
```

ANSWER: So they pay me more

```
x + 1
```

Some other comment

```
Some nasty formatting  
even more formatting
```

```
</div>
```

6.3.9 Exercise in Python

Start editing `lab.py` in text editor

```
[9]: from lab_sol import *
```

6.3.10 add

Implement add function:

```
[10]: add(3,5)  
[10]: 8
```

6.3.11 sub

Implement sub function

```
[11]: sub(7,4)
```

```
[11]: 3
```

6.3.12 Fine grained purging

This cell input will be completely removed

```
[13]:
```

```
print("This cell output will be completely removed")
```

```
[ ]:
```

6.4 Big sub chapter 1

6.4.1 Big docs example 1

reasonable paragraph

Bla bla

reasonable sub paragraph

Bla bla

Reasonable subsub paragraph

Bla bla

reasonable paragraph

Bla bla

reasonable sub paragraph

Bla bla

Reasonable subsub paragraph

Bla bla

paragraph with long title

Bla bla

sub paragraph with long title

Bla bla

paragraph with long title

sub paragraph with long title

subsub paragraph with long title

paragraph with long title

sub paragraph with long title

paragraph with extra super long title

sub paragraph with extra super long title

sub sub paragraph with extra super long title

paragraph with extra super long title

sub paragraph with extra super long title

paragraph with extra super long title

sub paragraph with extra super long title

paragraph with extra super long title

sub paragraph with extra super long title

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.4.2 Big docs example 2

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.4.3 Big docs example 3

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.4.4 Big docs example 4

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.4.5 Big docs example 5

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.4.6 Big docs example 6

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.4.7 Big docs example 1

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.4.8 Big docs example 9

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.4.9 Big docs example 1

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.4.10 Big docs example 10

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.5 Big sub chapter 2

6.5.1 Big docs example 1

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.5.2 Big docs example 2

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.5.3 Big docs example 3

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.5.4 Big docs example 4

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.5.5 Big docs example 5

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.5.6 Big docs example 6

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.5.7 Big docs example 1

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.5.8 Big docs example 9

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph


paragraph

sub paragraph

paragraph

sub paragraph

[]:



6.5.9 Big docs example 1

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.5.10 Big docs example 10

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

reasonable paragraph

reasonable sub paragraph

reasonable paragraph

reasonable sub paragraph

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with long text

sub paragraph with long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph with extra super long text

sub paragraph with extra super long text

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

paragraph

sub paragraph

[]:

6.6 Example Challenge

6.6.1 Download exercises zip

Browse files online⁵³

This notebook has no solution!

We published solution on Github⁵⁴ only for example purposes, but normally all other files ending in `-chal-sol` or `_chal_sol` will be gitignored

```
[3]: from example_chal_sol import f
      f(3)
```

```
[3]: 3
```

```
[4]: def wow(x):
      raise Exception('TODO IMPLEMENT ME !')
```

[]:

⁵³ <https://github.com/DavidLeoni/jupman/tree/master/challenge-example>

⁵⁴ <https://github.com/DavidLeoni/jupman/blob/master/challenge-example/example-chal-sol.ipynb>

TEMPLATES

7.1 Changelog

Jupman Jupyter Manager

jupman.softpython.org⁵⁵

7.2 June 4th 2022 - 3.5

- generated html can be really used offline #96, also fixes wrong math symbols with local build #3
- automated testing on github actions #99
- virtual env install, pinpointed build dependencies #92
- fixed text overflow on smartphones #94, fixed softpython theme flag
- github actions: always reset html output #98

7.2.1 April 28th 2022 - 3.4

- fixed softpython theme font size #92
- restructured manual

7.2.2 February 25th 2022 - 3.3

Implemented:

- jupman-preprocess #64
- big docs support #77
- Challenges support (suboptimal but usable) #56
- jupman-purge #59
- jupman.draw_text for #66
- jupman.save_py function
- jupman.get_doc as nice way to print function documentation #68

⁵⁵ <https://jupman.softpython.org>

- `jupman.draw_text` to show some ASCII characters in local build #66
- `jupman.mem_limit` for Linux #62
- Home link should point to `index.html` #71
- optional parameter `conf` to `jmt.init`
- deterministic zip #60 (requires python 3.7)

Fixed:

- Notebook validation failed: Non-unique cell id error #78
- exam pdf build breaks when using images #61

Defined:

- how to use custom anchors #80
- how to have single pages like References at menu bottom #70

7.2.3 October 17th 2020 - 3.2

- added optional build on Github Actions
- solutions are finally hidden on the website, with a click-to-show button!
- introduced generic `jupman-toggable` and specific `jupman-sol` CSS classes
- improved menu navigation
- added `softpython` theme
- images are now shown centered in HTML
- moved to `jupman.softpython.org`
- fixed `write here` tag not preserving the line
- deprecated `jupman_tools.ignore_spaces` in favor of `tag_regex`
- updated `nbsphinx` to 0.7.1
- updated `sphinx_rtd_theme` to 0.4.3
- updated `sphinx` to 2.3.1
- updated `pygments` to 2.7.1

7.2.4 January 16th 2020 - 3.1

- removed `jupman.init` root parameter
- bugfixes
- upgraded `nbsphinx` from 0.3.4 to 0.5.0
- upgraded `sphinx_rtd_theme` from 0.2.5b1 to 0.4.3
- upgraded `sphinx` from 1.7.6 to 2.3.1
- upgraded `recommonmark` from 0.4.0 to 0.6.0

7.2.5 December 29th 2019 - 3.0

- much simplified folder structure
 - [Issue 33](#)⁵⁶
- removed solutions from header requirement
 - [Issue 32](#)⁵⁷
- introduced tests (pytest, hypothesis)
- removed old_news in favor of changelog.md
- Latex:
 - much better PDF cover
 - using xelatex
 - set up unicode mappings
- several fixes

7.2.6 September 24th 2018 - 2.0

- now using index.ipynb as home. Hurray !

7.2.7 September 19th 2018 - 1.0

- fixed build.py
- added html templates examples
- cleaned toc (was showing too much when loading)

7.2.8 August 26th 2018 - 0.9

- implemented generation of exercises from solutions [[Issue 14](#)(<https://github.com/DavidLeoni/jupman/issues/14>)
- reverted to old jupman.init() code [Issue 12](#)⁵⁸

7.2.9 August 12th 2018 - 0.8

- Prepended all functions in jupman.py with jupman_
- replaced index with proper homepage. see [Issue 11](#)⁵⁹
 - from now on you need home.ipynb file, because replacing index.rst is a nightmare!
 - new index.rst is just a placeholder which simply redirects to home.html. Do not modify it.
 - put the toctree in toc.rst

⁵⁶ <https://github.com/DavidLeoni/jupman/issues/33>

⁵⁷ <https://github.com/DavidLeoni/jupman/issues/32>

⁵⁸ <https://github.com/DavidLeoni/jupman/issues/12>

⁵⁹ <https://github.com/DavidLeoni/jupman/issues/11>

- exercises ipynb can now stay in exercises/ folder; when exercises are zipped, jupman automatically adds to the zip the required site files. see [Issue 12](#)⁶⁰
- Tried %run at beginning of notebooks, without much satisfaction (see discussion in [Issue 12](#)⁶¹):
- disabled toc by default in html files. To enable it, in python use %run -i ../../jupman --toc
- renamed past-exams directory from 'past-exams' to 'exams'
- created info, error, warn, fatal functions to conf.py
- introduced new variable exercise_common_files in conf.py for common files to be zipped
- added pages exam-project, markdown, project-ideas,
- added cc-by.png
- renamed changelog.txt to changelog.md
- now using templates with curly brackets in templating, like _JM_{some_property}
- jupman.js : now when manually saving html in Jupyter, resulting html correctly hides cells
- Fixes <https://github.com/DavidLeoni/jupman/issues/2> : now toc is present in local build for pdfs

7.2.10 August 3rd 2018 - 0.7

- added jupman.py pytut() for displaying Python tutor in the cells
- added jupman.py toc=False option to jupman.py init to disable toc
- removed jupman.pyuseless networkx import from
- fixed usage indentation
- added changelog.txt

7.3 Past Exams

[]:

7.4 Exam project

For general (credits, attendance), see course description at section Evaluation and exams

Delivery times

Ideas for possible projects: [See here](#)

Last update: TODO

In short:

⁶⁰ <https://github.com/DavidLeoni/jupman/issues/12>

⁶¹ <https://github.com/DavidLeoni/jupman/issues/12>

7.4.1 What to do

First of all: send by email to TODO@TODO.COM a brief description of the project, to decide what to do. I will create a Google doc to keep track of progresses and / or problems found.

Once the project is defined, go on like this:

1 - Download [zip with template](#) (view online files [TODO](#)⁶²)

After unzipped, you will find a folder named NAME-SURNAME-ID, with these files inside:

```
- NAME-SURNAME-ID
  - project.ipynb
  - markdown.ipynb
  - requirements.txt
  - img
    - example.png
```

2 - Rename the folder NAME-SURNAME-ID with your data

3 - run Jupyter from the folder you just renamed

4 - edit file `project.ipynb`, **closely following the indications** *in the following technical requirements*

5 - Once done, send project by email to TODO@TODO.COM

7.4.2 Technical requirements

Write in *Markdown*

Python code

`requirements.txt` file

Graphical interfaces

Be careful to

7.5 Project ideas

7.5.1 TODO

Last update: TODO

⁶² <https://www.GITHUB.TODO>

7.5.2 Introduction

[]:

7.6 Jupman Project

PUT:

TITLE

NAME - ID

DATAE

7.6.1 Introduction

Bla bla

7.6.2 Data sources

Bla bla

7.6.3 Data cleaning and integration

Bla bla

7.6.4 Analysis

Bla bla

7.6.5 Problems found

Bla bla

7.6.6 Conclusioni

Bla bla

[]:

7.7 Markdown

Briefly explain why markdown is so great ..

[]:

8.1 Tests

Tests and cornercases.

The page Title has one sharp, the Sections always have two sharps.

8.1.1 Section 1

bla bla

8.1.2 Section 2

Subsections always have three sharps

Subsection 1

bla bla

Subsection 2

bla bla

8.1.3 Quotes

I'm quoted with **greater than** symbol on multiple lines Am I readable?

```
I'm quoted with **spaces**  
on multiple lines  
Am I readable?
```

8.1.4 Download links

Files manually put in `_static`:

- Download [trial.odt](#)
- Download [trial.pdf](#)

Files in arbitrary folder position:

- Download requirements.txt

NOTE: download links are messy, see [issue 8](#)⁶³

8.1.5 Links to HTML

- Link to [trial.html](#)

8.1.6 Info/Warning Boxes

Until there is an info/warning extension for Markdown/CommonMark, such boxes can be created by using HTML elements like this:

Note: This is an info, mixed bold!

Note: This is a warn, mixed bold!

Note: This is a long info, plain title

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrum exercitationem ullam corporis suscipit laboriosam, nisi ut aliquid ex ea commodi consequatur.

This is a long warn, plain title!

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrum exercitationem ullam corporis suscipit laboriosam, nisi ut aliquid ex ea commodi consequatur.

Note: This is a long info, bold title

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrum exercitationem ullam corporis suscipit laboriosam, nisi ut aliquid ex ea commodi consequatur.

⁶³ <https://github.com/DavidLeoni/jupman/issues/8>

This is a long warn, plain title!

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrum exercitationem ullam corporis suscipit laboriosam, nisi ut aliquid ex ea commodi consequatur.

For this to work reliably, you should obey the following guidelines:

- The class attribute has to be either "alert alert-info" or "alert alert-warning", other values will not be converted correctly.
- No further attributes are allowed.
- For compatibility with CommonMark, you should add an empty line between the start tag and the beginning of the content.

8.1.7 Math

For math stuff, see [npshpinx docs](#)⁶⁴

Here we put just some equation to show it behaves fine in Jupman

This is infinity: ∞

8.1.8 Unicode

Unicode characters should display an HTML, but with latex you might have problems, and need to manually map characters in conf.py

You should see a star in a black circle: \otimes

You should see a check: \checkmark

table characters: $\mid \vdash \perp \text{---}$

8.1.9 Image

SVG Images

SVG images work in notebook, but here it is commented since it breaks Latex, see [issue](#)⁶⁵

```
! [An image] (../img/cc-by.svg)
```

This one also doesn't work (and shows ugly code in the notebook anyway)

```
from IPython.display import SVG
SVG(filename='../img/cc-by.svg')
```

⁶⁴ <https://nbsphinx.readthedocs.io/en/0.2.14/markdown-cells.html#Equations>

⁶⁵ <https://github.com/DavidLeoni/jupman/issues/1>

PNG Images



Inline images - pure markdown

```
Bla ![A PNG image md](../_static/img/notebook_icon.png) bli blo
```



Bla

bli blo

Inline images - markdown and img

```
bla  bli blo
```



bla

bli blo

Img class

If we pass a class, it will to be present in the website:

```

```



This should be inline

8.1.10 Expressions list

Highlighting **does** work both in Jupyter and Sphinx

Three quotes, multiple lines - Careful: put **exactly 4 spaces** indentation

```
1. [2, 3, 1] != "[2, 3, 1]"
```

```
2. [4, 8, 12] == [2*2, "4*2", 6*2]
```

```
3. [][:] == []
```

Three quotes, multiple lines, more compact - works in Jupyter, **doesn't** in Sphinx

```
1. python [2, 3, 1] != "[2, 3, 1]"
```

```
2. python [4, 8, 12] == [2*2, "4*2", 6*2]
```

```
3. python [][:] == []
```

Highlighting **doesn't** work in Jupyter neither in Sphinx:

Three quotes, single line

```
1. python [2, 3, 1] != ["2", 3, 1]
```

```
2. python [4, 8, 12] == [2*2, "4*2", 6*2]
```

```
3. python [][:] == "[]"
```

Single quote, single line

```
1. python [2, 3, 1] != ["2", 3, 1]
```

```
2. python [4, 8, 12] == [2*2, "4*2", 6*2]
```

```
3. python [][:] == "[]"
```

8.1.11 Toggable cells

There are various ways to have toggable cells.

Show/hide exercises (PREFERRED)

If you need clickable show/hide buttons for exercise solutions, see here: [Editing - Exercise types](#)⁶⁶. It manages comprehensively use cases for display in website, student zips, exams, etc

If you have other needs, we report here some test we made, but keep in mind this sort of hacks tend to change behaviour with different versions of jupyter.

Toggling with Javascript

- Works in Markdown
- Works while in Jupyter
- Works in HTML
- Does not show in Latex (which might be a good point, if you intend to put somehow solutions at the end of the document)
- NOTE: after creating the text to see the results you have to run the initial cell with `jupman.init` (as for the toc)
- NOTE: you can't use Markdown block code since of Sept 2017 doesn't show well in HTML output

HTML details in Markdown, code tag

- Works while in Jupyter
- Doesn't work in HTML output
- as of Sept Oct 2017, not yet supported in Microsoft browsers

[Click here to see the code](#)

```
question = raw_input("What?")
answers = random.randint(1,8)
if question == "":
    sys.exit()
```

HTML details in Markdown, Markdown mixed code

- Works while in Jupyter
- Doesn't work in HTML output
- as of Sept Oct 2017, not yet supported in Microsoft browsers

[Click here to see the code](#)

```
question = raw_input("What?")
answers = random.randint(1,8)
if question == "":
    sys.exit()
```

⁶⁶ <https://jupman.softpython.org/en/latest/manual/editing.html#Exercise-types>

HTML details in HTML, raw NBConvert Format

- Doesn't work in Jupyter
- Works in HTML output
 - NOTE: as of Sept Oct 2017, not yet supported in Microsoft browsers
- Doesn't show at all in PDF output

Some other Markdown cell afterwards

8.1.12 Files in templates

Since Dec 2019 they are not accessible see [issue 10](#)⁶⁷, but it is not a great problem, you can always put a link to Github, see for example [exam-yyyy-mm-dd.ipynb](#)⁶⁸

8.1.13 Stripping answers

For stripping answers examples, see [jupyter-example/jupyter-example-sol](#). For explanation, see [editing](#)

8.1.14 Formatting problems

Characters per line

Python standard for code has limit to 79, many styles have 80 (see [Wikipedia](#)⁶⁹). We can keep 80 like this, which should **not** display a scrollbar:

Plain:

```
-----
```

As python markup:

```
-----
```

This should **not** display a scrollbar:

```
[2]: '-'*78
```

```
[2]: '-----'
```

This should **not** display a scrollbar:

```
[3]: print('-'*80)
```

```
-----
```

On website this **may** display a scroll bar, because it will actually print ' ' apexes plus the dashes

```
[4]: '-'*80
```

⁶⁷ <https://github.com/DavidLeoni/jupman/issues/10>

⁶⁸ https://github.com/DavidLeoni/jupman/tree/master/_templates/exam/exam-yyyy-mm-dd.ipynb

⁶⁹ https://en.wikipedia.org/wiki/Characters_per_line

```
[4]: '-----'
```

Note errors hold 75 dashes:

Plain:

```
ZeroDivisionError                                Traceback (most recent call last)
<ipython-input-15-9e1622b385b6> in <module>()
----> 1 1/0

ZeroDivisionError: division by zero
```

As python markup:

```
ZeroDivisionError                                Traceback (most recent call last)
<ipython-input-15-9e1622b385b6> in <module>()
----> 1 1/0

ZeroDivisionError: division by zero
```

```
[5]: len('-----')
```

```
[5]: 75
```

Very large input

In Jupyter: default behaviour, show scrollbar

On the website: default behaviour, show scrollbar

[illegible]

(continued from previous page)

Very long HTML (and long code line)

Should expand in vertical as much as it wants.

```
[7]: %%HTML

<iframe width="100%" height="1300px" frameborder="0" src="https://umap.openstreetmap.
↪fr/en/map/mia-mappa-agritur_182055?scaleControl=false&miniMap=false&
↪scrollWheelZoom=false&zoomControl=true&allowEdit=false&moreControl=true&
↪searchControl=null&tilelayersControl=null&embedControl=null&datalayersControl=true&
↪onLoadPanel=undefined&captionBar=false#11/46.0966/11.4024"></iframe><p><a href=
↪"http://umap.openstreetmap.fr/en/map/mia-mappa-agritur_182055">See full screen</a></
↪p>

<IPython.core.display.HTML object>
```

Very long output

In Jupyter: by clicking, you can collapse

On the website: a scrollbar should appear

```
[8]: for x in range(150):
      print('long output ...', x)

long output ... 0
long output ... 1
long output ... 2
long output ... 3
long output ... 4
long output ... 5
long output ... 6
long output ... 7
long output ... 8
long output ... 9
long output ... 10
long output ... 11
long output ... 12
long output ... 13
long output ... 14
long output ... 15
long output ... 16
long output ... 17
long output ... 18
long output ... 19
long output ... 20
long output ... 21
long output ... 22
long output ... 23
long output ... 24
long output ... 25
long output ... 26
```

(continues on next page)

(continued from previous page)

```
long output ... 27
long output ... 28
long output ... 29
long output ... 30
long output ... 31
long output ... 32
long output ... 33
long output ... 34
long output ... 35
long output ... 36
long output ... 37
long output ... 38
long output ... 39
long output ... 40
long output ... 41
long output ... 42
long output ... 43
long output ... 44
long output ... 45
long output ... 46
long output ... 47
long output ... 48
long output ... 49
long output ... 50
long output ... 51
long output ... 52
long output ... 53
long output ... 54
long output ... 55
long output ... 56
long output ... 57
long output ... 58
long output ... 59
long output ... 60
long output ... 61
long output ... 62
long output ... 63
long output ... 64
long output ... 65
long output ... 66
long output ... 67
long output ... 68
long output ... 69
long output ... 70
long output ... 71
long output ... 72
long output ... 73
long output ... 74
long output ... 75
long output ... 76
long output ... 77
long output ... 78
long output ... 79
long output ... 80
long output ... 81
long output ... 82
long output ... 83
```

(continues on next page)

(continued from previous page)

long output ... 84
long output ... 85
long output ... 86
long output ... 87
long output ... 88
long output ... 89
long output ... 90
long output ... 91
long output ... 92
long output ... 93
long output ... 94
long output ... 95
long output ... 96
long output ... 97
long output ... 98
long output ... 99
long output ... 100
long output ... 101
long output ... 102
long output ... 103
long output ... 104
long output ... 105
long output ... 106
long output ... 107
long output ... 108
long output ... 109
long output ... 110
long output ... 111
long output ... 112
long output ... 113
long output ... 114
long output ... 115
long output ... 116
long output ... 117
long output ... 118
long output ... 119
long output ... 120
long output ... 121
long output ... 122
long output ... 123
long output ... 124
long output ... 125
long output ... 126
long output ... 127
long output ... 128
long output ... 129
long output ... 130
long output ... 131
long output ... 132
long output ... 133
long output ... 134
long output ... 135
long output ... 136
long output ... 137
long output ... 138
long output ... 139
long output ... 140

(continues on next page)

(continued from previous page)

```
long output ... 141
long output ... 142
long output ... 143
long output ... 144
long output ... 145
long output ... 146
long output ... 147
long output ... 148
long output ... 149
```

8.1.15 Python tutor tests

See *Pytutor* page

8.2 Python tutor tests

There are various ways to embed Python tutor, first we put the recommended one.

RECOMMENDED: You can put a call to `jupman.pytut()` at the end of a cell, and the cell code will magically appear in python tutor in the output (except the call to `pytut()` of course). Does not need internet connection.

```
[1]: import sys
     sys.path.append('../')
     import jupman

[2]: x = [5,8,4,10,30,20,40,50,60,70,20,30]
     y= {3:9}
     z = [x]

     jupman.pytut()

[2]: <IPython.core.display.HTML object>
```

8.2.1 scope

BEWARE of variables which were initialized in previous cells, they WILL NOT be available in Python Tutor:

```
[3]: w = 8

[4]: x = w + 5
     jupman.pytut()

Traceback (most recent call last):
  File "../jupman.py", line 2434, in _runscript
    self.run(script_str, user_globals, user_globals)
  File "/usr/lib/python3.7/bdb.py", line 578, in run
    exec(cmd, globals, locals)
  File "<string>", line 2, in <module>
NameError: name 'w' is not defined

[4]: <IPython.core.display.HTML object>
```

8.2.2 window overflow

When too much right space is taken, it might be difficult to scroll:

```
[5]: x = [3,2,5,2,42,34,2,4,34,2,3,4,23,4,23,4,2,34,23,4,23,4,23,4,234,34,23,4,23,4,23,4,2]
      jupman.pytut()
```

```
[5]: <IPython.core.display.HTML object>
```

```
[6]: x = w + 5
      jupman.pytut()

Traceback (most recent call last):
  File "../jupman.py", line 2434, in _runscript
    self.run(script_str, user_globals, user_globals)
  File "/usr/lib/python3.7/bdb.py", line 578, in run
    exec(cmd, globals, locals)
  File "<string>", line 2, in <module>
NameError: name 'w' is not defined
```

```
[6]: <IPython.core.display.HTML object>
```

8.2.3 pytut execution

Some cells might execute in Jupyter but not so well in Python Tutor, due to [its inherent limitations](#)⁷⁰:

```
[7]: x = 0
      for i in range(10000):
          x += 1
      print(x)
      jupman.pytut()
```

```
10000
```

```
[7]: <IPython.core.display.HTML object>
```

8.2.4 infinite loops

Since execution occurs first in Jupyter and then in Python tutor, if you have an infinite loop no Python Tutor instance will be spawned:

```
while True:
    pass

jupman.pytut()
```

⁷⁰ <https://github.com/pgbovine/OnlinePythonTutor/blob/master/unsupported-features.md>

8.2.5 resizable

Long vertical and horizontal expansion should work:

```
[8]: x = {0:'a'}
      for i in range(1,30):
          x[i] = x[i-1]+str(i*10000)
      jupman.pytut()

[8]: <IPython.core.display.HTML object>
```

8.2.6 cross arrows

With multiple visualizations, arrows shouldn't cross from one to the other even if underlying script is loaded multiple times (relates to visualizerIdOverride)

```
[9]: x = [1,2,3]

      jupman.pytut()

[9]: <IPython.core.display.HTML object>
```

8.2.7 print output

With only one line of print, Print output panel shouldn't be too short:

```
[10]: print("hello")

      jupman.pytut()

      hello

[10]: <IPython.core.display.HTML object>

[11]: y = [1,2,3,4]

      jupman.pytut()

[11]: <IPython.core.display.HTML object>
```

8.2.8 Alignment test 1

Test for <https://github.com/DavidLeoni/jupman/issues/105>

Before fixing red arrow was badly misaligned and went way past the function call.

```
[12]: def f(mat, i):
      """ Do something"""

      row = []
      row.append(mat[i ])
      return row
```

(continues on next page)

(continued from previous page)

```
f([[2,3,4]], 0)
jupman.pytut()
```

```
[12]: <IPython.core.display.HTML object>
```

8.2.9 Alignment test 2

Check the arrow stays on right line even in long code.

```
[13]: def f(mat, i):
        """ Do something else"""

        row = []
        row.append(mat[i])
        return row

m = [
    ['a', 'b'],
    ['c', 'd'],
    ['a', 'e'],
]

#row = f(m, 0)

x = 3
if x == x:
    m = [
        [1, 2, 3],
        [4, 3]
    ]
    print("zim")

y = 1
if y == y:
    m = [
        [1, 2, 3],
        [4, 3]
    ]
    print("zam")

jupman.pytut()
```

```
zim
zam
```

```
[13]: <IPython.core.display.HTML object>
```

8.2.10 Alternative: HTML magics

Another option is to directly paste Python Tutor iframe in the cells, and use Jupyter `%%HTML` magics command.

HTML should be available both in notebook and website - of course, requires an internet connection.

Beware: you need the HTTPS !

```
[14]: %%HTML

<iframe width="800" height="300" frameborder="0"
      src="https://pythontutor.com/iframe-embed.html#code=x+%3D+5%0Ay+%3D+10%0Az+
      ↪+%3D+x+%2B+y&cumulative=false&py=2&curInstr=3">
</iframe>

<IPython.core.display.HTML object>
```

8.2.11 Alternative: NBTutor

To show Python Tutor in notebooks, there is already a jupyter extension called [NBTutor](#)⁷¹, afterwards you can use magic `%%nbtutor` to show the interpreter.

Unfortunately, it doesn't show in the generated HTML :-/

```
[15]: %reload_ext nbtutor
```

```
[16]: %%nbtutor

for x in range(1,4):
    print("ciao")
x=5
y=7
x +y
```

```
ciao
ciao
ciao
```

```
[16]: 12
```

```
[ ]:
```

⁷¹ <https://github.com/lgpage/nbtutor>

REFERENCES

Shows how to put a single page at the bottom of the sidebar, visible without being inside a section. [See this issue](#)⁷²

⁷² <https://github.com/DavidLeoni/jupman/issues/70>