

LSEG Quantitative Analytics

Database Schema for Data Explorers

Version 1.0.4



LSEG DATA &
ANALYTICS

Contents

1 Introduction.....	3
In This Document.....	3
Intended Readership.....	3
Table Name Conventions.....	3
Mapping Information	3
Pervasive and Oracle.....	4
Zero Values and Nulls.....	4
Service and Support	4
Feedback	5
Your Personal Information	5
2 Data Explorers Schema	6
DXLAMData: North American Security-Lending Data Items	6
DXLApData: Asian Security-Lending Data Items.....	6
DXLAusData: Australian Security-Lending Data Items	6
DXLCode: Numeric Codes.....	7
DXLDesc: Character Code Descriptions	7
DXLDivReqData: Stock-Lending Information for Dividend Levels.....	7
DXLEuData: European Security-Lending Data Items	8
DXLItem: Item and Stock-Lending Variable Information	8
DXLJpData: Japanese Security-Lending Data Items	9
DXLLicMrktID: Code Mapping Information.....	9
DXLMktSummData: Country-Level Proprietary Indicators	9
DXLOthData: Additional Security-Lending Data Items	10
DXLSecInfo: Security Information	11
DXLSecItem: Restricted Identifiers for Securities	11
DXLSecSummData: Instrument-Level Proprietary Indicators	12
DXLSectSummData: Sector-Level Proprietary Indicators	12

1 Introduction

In This Document

This document provides schema information about the **Data Explorers** tables in Quantitative Analytics.

NOTE

For information about the other Quantitative Analytics tables, refer to the other Database Schema documents posted on the [Quantitative Analytics](#) product page on [MyAccount](#).

The documentation for each table includes these main elements:

- **Vendor Database or License Name** – This element provides the vendor database or license name. Vendor databases generally correspond to vendor licensing options.
- **Table Name: Table Title** – This element provides the table name and title, followed by a description of the table contents.
- **Update Cycle** – This element indicates the frequency of updates from the data vendor. (For specific information about when this update is posted for your use, refer to your update logs. The update log schema description is available in the Database Schema for Quantitative Analytics Core Tables document.)
- **Adjusted** – This element indicates whether the data is stored adjusted, unadjusted, or if adjustment is not applicable (N/A).
- **Indexes, Index Fields** – This element lists the table's index(es) (for example, pkey_CSGCAD) and the index fields. The primary index contains a "pkey_" or "PK_" prefix. Clustered indexes are noted.
- **Field, Type, Nullable, Definition** – This element describes the table's fields, including field names, data types, and whether each field is nullable. The data types in Snowflake have equivalents available. For example, an *int* in SQL Server is a *number* in Snowflake.

Intended Readership

This document is intended for Quantitative Analytics clients licensed to use **Data Explorers** data through LSEG. Note that the tables described in this document may be covered by several licenses; your access to the data in these tables is dependent on the licenses you have. Readers should have basic knowledge of Microsoft SQL Server 2016.

Table Name Conventions

In Quantitative Analytics, database tables are grouped by name. Generally, the first few letters of the table name refer to the data vendor or licensing group. For example, all tables beginning with **DXL*** are the Data Explorers data tables.

Mapping Information

When mapping Data Explorers content, use the VenType and VenCode values shown in the following table.

For more information about mapping or for other vendors' VenType and VenCode values, refer to the [Database Schema for Quantitative Analytics Core Tables](#) document, available on the [Quantitative Analytics](#) product page on [MyAccount](#).

Security VenType Mapping for the SecMapX and GSecMapX Tables

Vendor	SecMapX/GSecMapX VenType	Vendor Table(s)	Vencode = [field]
Data Explorers	40	DXLSecInfo, DXLLicMrktId	Code

Pervasive and Oracle

This document is specific to Microsoft SQL Server 2016. If you are accessing the data directly through the Pervasive database, you may encounter slight differences in index names and data types. Please note that references to Pervasive and Actian are synonymous.

If you are accessing the data through Oracle, note that field names that correspond to Oracle reserved words are appended with an underscore. For example, field names “Number”, “Synonym”, and “UID” become “Number_”, “Synonym_”, and “UID_” in Oracle.

Zero Values and Nulls

Null values are usually recorded as “NULL”. Occasionally, a table may contain a value of “-99999” or “-9999”; in these cases, there is no recorded data for that period. (It is null.) If the table contains a “0” value, the data was reported as having a “0” value.

Service and Support

[MyAccount](#) is the LSEG portal that provides a single access point for timesaving support services, along with billing, user management, and information.

Statement of Service

The [Quantitative Analytics Service Description](#) is available on the [Quantitative Analytics](#) product page at [MyAccount](#).

Subscribe to Support Channels

You are encouraged to [subscribe](#) to the following support channels to keep informed of changes to products and data, and to be notified of any service issues or change. Please see the *Alerts and Notifications* section in the *Quantitative Analytics Service Description* available on the [Quantitative Analytics](#) product page at MyAccount for detailed instructions.

- **Change Notifications**
 - **Product Change Notifications (PCNs)** detail new, enhanced, or changed functionality, which may require your action, in products that you use.
 - **Data Notifications (DNs)** alert you to upcoming changes to real-time and historical data across all asset classes that are relevant to you.
 - **RIC Change Events** inform you of planned changes to RICs. RIC is the market level identifier key unique to LSEG used to identify securities.
- **Service Alerts**

Alert you about planned maintenance and unplanned service issues affecting your products and services, and be notified via SMS or email.

Documentation

You can access product documentation on the [Quantitative Analytics](#) product page at [MyAccount](#).

Get Support

For support using Quantitative Analytics, please use one of the following methods:

Online

Access [Get Support](#) either via the blue [Get Support](#) button at the top right of each page or by selecting *Get Support* located under *Help and Support* on the left navigation pane at [MyAccount](#).

From the *Get Support* page, choose *Get Product and Content Support* and then select the appropriate category from the next page. Complete the request making sure to include the following:

- Under Product, select Quantitative Analytics from the dropdown list.
- In the **How can we help you?** text box, include the following information:
 - Content set name (i.e. Worldscope)

- Date applicable to a content inquiry
- Table names and relevant fields
- Security code (i.e. QA-ID, PermID, Sedol, InfoCode, etc.)
- Script used to generate the output
- Any other supporting detail

Telephone

Region	Telephone	Options
AMERS	+01 866 427 8390	Option 1 – Product Support Option 2 – Technical Support
EMEA	+44 203 341 1036	
APAC	+65 6403 7436	

Feedback

We invite your comments, corrections, and suggestions about this document: access the [Feedback](#) option under [Get Support](#) at [MyAccount](#). Your feedback helps us continue to improve our user assistance.

Your Personal Information

LSEG is committed to the responsible handling and protection of personal information. We invite you to review our [Privacy and Cookie Statement](#), which describes how we collect, use, disclose, transfer, and store personal information when needed to provide our services and for our operational and business purposes.

2 Data Explorers Schema

DXLAmData: North American Security-Lending Data Items

This table contains security-lending data items for North American instruments. All monetary items are in U.S. dollars.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
PK_DXLAmData (Clustered)	Code, Item, Date_

Field	Type	Nullable	Description
Code	int	N	Code is the unique number provided by DXL that identifies each quote.
Item	tinyint	N	Item is the item number generated by the Quantitative Data Warehouse (QDW).
Date_	int	N	Date_ is the date the data was made available to the public, in the format YYYYMMDD.
Value_	float	N	Value_ indicates the value of the associated item.

DXLApData: Asian Security-Lending Data Items

This table contains security-lending data items for Asian instruments. All monetary items are in U.S. dollars.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
PK_DXLApData (Clustered)	Code, Item, Date_

Field	Type	Nullable	Description
Code	int	N	Code is the unique number provided by DXL that identifies each quote.
Item	tinyint	N	Item is the item number generated by the Quantitative Data Warehouse (QDW).
Date_	int	N	Date_ is the date the data was made available to the public, in the format YYYYMMDD.
Value_	float	N	Value_ indicates the value of the associated item.

DXLAusData: Australian Security-Lending Data Items

This table contains security-lending data items for Australian instruments. All monetary items are in Australian dollars.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
PK_DXLAusData (Clustered)	Code, Item, Date_

Field	Type	Nullable	Description
Code	int	N	Code is the unique number provided by DXL that identifies each quote.
Item	tinyint	N	Item is the item number generated by the Quantitative Data Warehouse (QDW).
Date_	int	N	Date_ is the date the data was made available to the public, in the format YYYYMMDD.
Value_	float	N	Value_ indicates the value of the associated item.

DXLCode: Numeric Codes

This table contains descriptions of DXL numeric codes.

Update Cycle: Daily

Adjusted: No

Indexes		Index Fields	
PK_DXLCode (Clustered)		Type_, Code	

Field	Type	Nullable	Description
Type_	int	N	Type_ is a numeric code for a type of data.
Code	int	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(50)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

DXLDesc: Character Code Descriptions

This table contains descriptions of DXL character codes.

Update Cycle: Daily

Adjusted: No

Indexes		Index Fields	
PK_DXLDesc (Clustered)		Type_, Code	

Field	Type	Nullable	Description
Type_	int	N	Type_ is a numeric code for a type of data.
Code	varchar(120)	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(50)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

DXLDivReqData: Stock-Lending Information for Dividend Levels

This table contains stock-lending information for each reported dividend level.

Update Cycle: Daily

Adjusted: No

Indexes		Index Fields	
PK_DXLDivReqData (Clustered)		Code, DvdReqd, Date_	

Field	Type	Nullable	Description
Code	int	N	Code is the unique number provided by DXL that identifies each quote.
DvdReqd	int	N	DvdReqd is the proportion of a dividend payment beneficial owners are entitled to, if their shares are on loan over a dividend record date.
Date_	int	N	Date_ is the date the data was made available to the public, in the format YYYYMMDD.
ISO3CurCode	char(3)	N	ISO3CurCode is the ISO 3 currency code of the money items for the record. DXLDivReqData.ISO3CurCode cross-references with DXLDesc .Code where Type_ = 1.
TotDemVal	float	Y	TotDemVal is the total value of borrowed or loaned securities.
TotDemQty	bigint	Y	TotDemQty is the total quantity of borrowed or loaned securities.
BOInvVal	float	Y	BOInvVal is the value of current inventory available from beneficial owners, in millions. This value is implied.

Field	Type	Nullable	Description
BOInvQty	bigint	Y	BOInvQty is the quantity of current inventory available from beneficial owners. This value is implied.
ImpliedUtility	float	Y	ImpliedUtility is the value of assets on loan from beneficial owners (Beneficial Owner Value on Loan) divided by the total lendable assets (Beneficial Owner Inventory Value), expressed as a percentage. This value is implied.
ImpliedTenure	smallint	Y	ImpliedTenure is the weighted average number of days from the start date to present for all open transactions.
OpenLoanTrans	smallint	Y	OpenLoanTrans is the total number of open transactions from the beneficial owner's side only. Custodians typically report a separate transaction for every underlying beneficial owner or fund from whom the loan is taken.
LicFlag	int	N	LicFlag is the licensing flag. DXLDivReqData.LicFlag cross-references with DXLCode .Code where Type_ = 8.

DXLEuData: European Security-Lending Data Items

This table contains security-lending data items for European instruments. All monetary items are in Euros.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
PK_DXLEuData (Clustered)	Code, Item, Date_

Field	Type	Nullable	Description
Code	int	N	Code is the unique number provided by DXL that identifies each quote.
Item	tinyint	N	Item is the item number generated by the Quantitative Data Warehouse (QDW).
Date_	int	N	Date_ is the date the data was made available to the public, in the format YYYYMMDD.
Value_	float	N	Value_ indicates the value of the associated item.

DXLItem: Item and Stock-Lending Variable Information

This table contains stock-lending variables calculated at an aggregate level for all instruments. This table stores the items available, their description, and the tables in which the values are stored.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
PK_DXLItem (Clustered)	Item

Field	Type	Nullable	Description
Item	tinyint	N	Item is the item number generated by the Quantitative Data Warehouse (QDW).
Mnemonic	varchar(40)	Y	Mnemonic is the mnemonic of the feed file column name for the item in question.
Description	varchar(250)	Y	Description is the description of the item.
DataType	varchar(10)	Y	DataType is the datatype of the item. Valid values are int and float.

DXLJpData: Japanese Security-Lending Data Items

This table contains security-lending data items for Japanese instruments. All monetary items are in Japanese Yen.

Update Cycle: Daily

Adjusted: No

Indexes		Index Fields	
PK_DXLJpData (Clustered)		Code, Item, Date_	
Field	Type	Nullable	Description
Code	int	N	Code is the unique number provided by DXL that identifies each quote.
Item	tinyint	N	Item is the item number generated by the Quantitative Data Warehouse (QDW).
Date_	int	N	Date_ is the date the data was made available to the public, in the format YYYYMMDD.
Value_	float	N	Value_ indicates the value of the associated item.

DXLLicMrktID: Code Mapping Information

This table maps Codes to the corresponding CUSIP, SEDOL, and ISIN identifiers. This table also stores the history of changes in other attributes like the exchange name and the security name.

Update Cycle: Daily

Adjusted: No

Indexes		Index Fields	
PK_DXLLicMrktID (Clustered)		Code, Item, StartDate	
Field	Type	Nullable	Description
Code	int	N	Code is the unique number provided by DXL that identifies each quote.
Item	tinyint	N	Item is the item number corresponding to the type of identifier captured.
StartDate	int	N	StartDate is the start date for the value.
EndDate	int	Y	EndDate is the end date for the value.
Value_	varchar(100)	Y	Value_ is the identifier value. The nine-character CUSIP value is truncated to eight characters, with the ninth check digit removed. The seven-character SEDOL value is truncated to six characters, with the seventh check digit removed.
Licflag	int	N	Licflag is the licensing flag for CUSIP or SEDOL entitlement. If the ISIN is generated from the SEDOL (the first seven of the last eight characters of the ISIN is equal to the SEDOL), it will have the SEDOL entitlement key. If the ISIN is generated from the CUSIP (the first nine of the last ten characters of the ISIN is equal to the CUSIP), it will have the CUSIP entitlement key. All other security items will not be restricted and will have the entitlement key for 'Others'.

DXLMktSummData: Country-Level Proprietary Indicators

This table reports a set of proprietary indicators developed by Data Explorers, aggregated at a country level.

Update Cycle: Daily

Adjusted: No

Indexes		Index Fields	
PK_DXLMktSummData (Clustered)		MarketCode, AssetClassCode, Date_	
Field	Type	Nullable	Description
MarketCode	tinyint	N	MarketCode is the country or region of trade. DXLMktSummData.MarketCode cross-references with DXLCode .Code where Type_ = 3.

Field	Type	Nullable	Description
AssetClassCode	tinyint	N	AssetClassCode is the type of security being aggregated. DXLMktSummData.AssetClassCode cross-references with DXLCode .Code where Type_ = 4.
Date_	int	N	Date_ is the date the data was made available to the public, in the format YYYYMMDD.
DNSIndicator	float	Y	DNSIndicator is the DNS (Data Explorers Negative Sentiment) indicator. It is based on the normalized sum of the moving average of utilization and the change in utilization. This indicator is based on a relative scale (normalized) from 0 to 100. A relatively high DNS generally reflects negative sentiment (an increasing amount of shorts relative to longs), while a low number shows relatively less negative sentiment.
DIPSIndicator	float	Y	DIPSIndicator is the DIPS (Data Explorers Increasing Price Squeeze) indicator. It compares security-lending data (change in inventory quantity and loans) to cash market data (average trade volume and close price) to determine the risk of a rapid increase in price (price squeeze). DIPSIndicator gives a higher score to stocks that have a high level of utilization, a high loan position relative to cash market volume, a high proportion of shares outstanding on loan, a recent sharp declines in stock price, and a falling inventory that is available to borrow. The indicator is based on a relative scale from 0 to 100.
DIMVIndicator	float	Y	DIMVIndicator is the DIMV (Data Explorers Increasing Market Volatility) indicator. It combines the DNS and DIPS indicators. If only one of these indicators has a high value, or if the combination of the two results in a high value, then there is a higher risk of stock price volatility. The indicator is based on a relative scale from 0 to 100.
DPSIndicator	float	Y	DPSIndicator is the DPS (Data Explorers Positive Sentiment) indicator. It is based on the average loan quantity (shorts) relative to the average inventory quantity (longs) for the security, with a higher score for stocks that have had little or no shorting activity over the previous 12 months. This indicator is based on a relative scale (normalized) from 0 to 100. A relatively high DPS generally reflects positive sentiment (relatively more longs than shorts), while a relatively low number shows negative sentiment.
DSS	float	Y	DSS is the DSS (Data Explorers Short Score) indicator. It converts the Percent of the Shares Outstanding on Loan of a company (a measure of short interest) to a score between zero and five. A high score means that a large amount of the company's share base is out on loan to cover short sales. Generally, a score of four or five is considered very high.
LicFlag	int	N	LicFlag is the licensing flag. DXLMktSummData.LicFlag cross-references with DXLCode .Code where Type_ = 8.

DXLOthData: Additional Security-Lending Data Items

This table contains security-lending data items for instruments with an unclear origin or for instruments that are equity-like but not equities. All monetary items are in U.S. dollars.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
PK_DXLOthData (Clustered)	Code, Item, Date_

Field	Type	Nullable	Description
Code	int	N	Code is the unique number provided by DXL that identifies each quote.
Item	tinyint	N	Item is the item number generated by the Quantitative Data Warehouse (QDW).
Date_	int	N	Date_ is the date the data was made available to the public, in the format YYYYMMDD.
Value_	float	N	Value_ indicates the value of the associated item.

DXLSecInfo: Security Information

This table contains securities covered by the stock-lending data provided by DXL over time. This table only contains the latest attributes of the security.

Update Cycle: Daily

Adjusted: No

Indexes		Index Fields	
PK_DXLSecInfo (Clustered)		Code	

Field	Type	Nullable	Description
Code	int	N	Code is the unique number provided by DXL that identifies each quote.
SecName	varchar(150)	Y	SecName is the name of the security.
ExchName	varchar(150)	Y	ExchName is the name of the exchange. Note: This field has been discontinued and contains a Null Value.
Ticker	varchar(20)	Y	Ticker is a symbol used to identify the company listed on the stock exchanges. Note: This field has been discontinued and contains a Null Value.
Quick	varchar(10)	Y	Quick is the QUICK value for Japanese securities.
DataRegionCode	tinyint	N	DataRegionCode identifies the data region to which the security belongs. It is also used for entitlement. DataRegionCode is derived from the file name and can be one of the following valid values: – 1 = All regions – 2 = Asia (excluding Japan) – 3 = Australasia – 4 = Europe – 5 = Japan – 6 = North America – 7 = Others DXLSecInfo.DataRegionCode cross-references with DXLCode.Code where Type_ = 1.
MarketCode	tinyint	N	MarketCode indicates the market in which the security trades. DXLSecInfo.MarketCode cross-references with DXLCode.Code where Type_ = 3.
AssetClassCode	tinyint	N	AssetClassCode indicates the type of security. DXLSecInfo.AssetClassCode cross-references with DXLCode.Code where Type_ = 4.

DXLSecItem: Restricted Identifiers for Securities

This table contains restricted identifiers for securities.

Update Cycle: Daily

Adjusted: No

Indexes		Index Fields	
PK_DXLSecItem (Clustered)		Item	

Field	Type	Nullable	Description
Item	tinyint	N	Item is the item number generated by the Quantitative Data Warehouse (QDW).
Mnemonic	varchar(20)	N	Mnemonic is the mnemonic of the identifier.
Description	varchar(150)	Y	Description is the description of the identifier.

DXLSecSummData: Instrument-Level Proprietary Indicators

This table reports a set of proprietary indicators developed by Data Explorers that you can use as signals to identify return opportunities and risk information at an instrument level.

Update Cycle: Daily

Adjusted: No

Indexes		Index Fields	
PK_DXLInstrSummData (Clustered)		Code, Date_	

Field	Type	Nullable	Description
Code	int	N	Code is the unique number provided by DXL that identifies each quote.
Date_	int	N	Date_ is the date the data was made available to the public, in the format YYYYMMDD.
DNSIndicator	float	Y	DNSIndicator is the DNS (Data Explorers Negative Sentiment) indicator. It is based on the normalized sum of the moving average of utilization and the change in utilization. This indicator is based on a relative scale (normalized) from 0 to 100. A relatively high DNS generally reflects negative sentiment (an increasing amount of shorts relative to longs), while a low number shows relatively less negative sentiment.
DIPSIndicator	float	Y	DIPSIndicator is the DIPS (Data Explorers Increasing Price Squeeze) indicator. It compares security-lending data (change in inventory quantity and loans) to cash market data (average trade volume and close price) to determine the risk of a rapid increase in price (price squeeze). DIPSIndicator gives a higher score to stocks that have a high level of utilization, a high loan position relative to cash market volume, a high proportion of shares outstanding on loan, a recent sharp declines in stock price, and a falling inventory that is available to borrow. The indicator is based on a relative scale from 0 to 100.
DIMVIndicator	float	Y	DIMVIndicator is the DIMV (Data Explorers Increasing Market Volatility) indicator. It combines the DNS and DIPS indicators. If only one of these indicators has a high value, or if the combination of the two results in a high value, then there is a higher risk of stock price volatility. The indicator is based on a relative scale from 0 to 100.
DPSIndicator	float	Y	DPSIndicator is the DPS (Data Explorers Positive Sentiment) indicator. It is based on the average loan quantity (shorts) relative to the average inventory quantity (longs) for the security, with a higher score for stocks that have had little or no shorting activity over the previous 12 months. This indicator is based on a relative scale (normalized) from 0 to 100. A relatively high DPS generally reflects positive sentiment (relatively more longs than shorts), while a relatively low number shows negative sentiment.
DSS	float	Y	DSS is the DSS (Data Explorers Short Score) indicator. It converts the Percent of the Shares Outstanding on Loan of a company (a measure of short interest) to a score between zero and five. A high score means that a large amount of the company's share base is out on loan to cover short sales. Generally, a score of four or five is considered very high.
LicFlag	int	N	LicFlag is the licensing flag. DXLSecSummData.LicFlag cross-references with DXLCode .Code where Type_ = 8.

DXLSectSummData: Sector-Level Proprietary Indicators

This table reports a set of proprietary indicators developed by Data Explorers, aggregated at a sector level for different markets.

Update Cycle: Daily

Adjusted: No

Indexes		Index Fields	
PK_DXLSectSummData (Clustered)		SectorCode, DataRegionCode, Date_	

Field	Type	Nullable	Description
SectorCode	tinyint	N	SectorCode is the sector code. DXLSectSummData.SectorCode cross-references with DXLCode .Code where Type_ = 5.

Field	Type	Nullable	Description
DataRegionCode	tinyint	N	DataRegionCode identifies the data region to which the security belongs. It is also used for entitlement. DXLSectSummData.DataRegionCode cross-references with DXLCode .Code where Type_ = 1. DataRegionCode is derived from the file name. This populates the code corresponding to the following valid values: – North America – Europe – Asia (excluding Japan) – Australasia – Japan – Others
Date_	int	N	Date_ is the date the data was made available to the public, in the format YYYYMMDD.
DNSIndicator	float	Y	DNSIndicator is the DNS (Data Explorers Negative Sentiment) indicator. It is based on the normalized sum of the moving average of utilization and the change in utilization. This indicator is based on a relative scale (normalized) from 0 to 100. A relatively high DNS generally reflects negative sentiment (an increasing amount of shorts relative to longs), while a low number shows relatively less negative sentiment.
DIPSIndicator	float	Y	DIPSIndicator is the DIPS (Data Explorers Increasing Price Squeeze) indicator. It compares security-lending data (change in inventory quantity and loans) to cash market data (average trade volume and close price) to determine the risk of a rapid increase in price (price squeeze). DIPSIndicator gives a higher score to stocks that have a high level of utilization, a high loan position relative to cash market volume, a high proportion of shares outstanding on loan, a recent sharp declines in stock price, and a falling inventory that is available to borrow. The indicator is based on a relative scale from 0 to 100.
DIMVIndicator	float	Y	DIMVIndicator is the DIMV (Data Explorers Increasing Market Volatility) indicator. It combines the DNS and DIPS indicators. If only one of these indicators has a high value, or if the combination of the two results in a high value, then there is a higher risk of stock price volatility. The indicator is based on a relative scale from 0 to 100.
DPSIndicator	float	Y	DPSIndicator is the DPS (Data Explorers Positive Sentiment) indicator. It is based on the average loan quantity (shorts) relative to the average inventory quantity (longs) for the security, with a higher score for stocks that have had little or no shorting activity over the previous 12 months. This indicator is based on a relative scale (normalized) from 0 to 100. A relatively high DPS generally reflects positive sentiment (relatively more longs than shorts), while a relatively low number shows negative sentiment.
DSS	float	Y	DSS is the DSS (Data Explorers Short Score) indicator. It converts the Percent of the Shares Outstanding on Loan of a company (a measure of short interest) to a score between zero and five. A high score means that a large amount of the company's share base is out on loan to cover short sales. Generally, a score of four or five is considered very high.
LicFlag	int	N	LicFlag is the licensing flag. DXLSectSummData.LicFlag cross-references with DXLCode .Code where Type_ = 8.

Copyright © 2024 London Stock Exchange Group plc and its group of companies (LSEG) and/or its affiliates. All rights reserved. The LSEG content received through this service is the intellectual property of LSEG or its third party suppliers. Republication or redistribution of content provided by LSEG is expressly prohibited without the prior written consent of LSEG, except where permitted by the terms of the relevant LSEG service agreement. Neither LSEG nor its third party suppliers shall be liable for any errors, omissions or delays in content, or for any actions taken in reliance thereon. LSEG and its logo are trademarks of LSEG.

For more information visit us at www.lseg.com