

LSEG Quantitative Analytics

Database Schema for Deals M&A

Version 1.0.8



Contents

1 Introduction.....	4
In This Document.....	4
Intended Readership.....	4
Table Name Conventions	4
Mapping Information	4
Pervasive and Oracle.....	5
Zero Values and Nulls.....	5
Service and Support	5
Feedback	6
Your Personal Information	6
2. Deals M&A.....	7
Schema Diagram	7
DLAcctInfo: Auditor and Accountant Information	8
DLAdvisor: Advisor Information.....	8
DLAdvisorsFee: Advisor Fee Information	9
DLAdvSubRole: Advisor Sub Role Information	9
DLCode: Integer Coded Values	10
DLConsidDesc: Consideration Textual Value	10
DLDealDesc: Deal Textual Description	11
DLDesc: Type-Code Mapping.....	11
DLFinAdvInfo: Financial Advisor Information	11
DLFinStruct: Deal Financial Structure.....	12
DLFloatData: Float Data Items.....	12
DLIntData: Integer Data Items	13
DLItem: Item Constituent Information	13
DLLegAdvInfo: Legal Advisor Information.....	14
DLOrgChg: Entity-related Information for Organizations.....	14
DLOrgInfo: Organization Entity-related Information	16
DLPriPlyrs: Primary Players Information.....	16
DLRelDeal: Related Deals Information	17
DLTransInfo: Deal-specific Transaction Information	18
DLVarcharData: Varchar Data Items	19
DLOAPermInfo.....	19
3. Deals Equity/IPO	21
Schema Diagram	21

DLEqTransInfo..... 22

DLEqTransdata..... 23

DLEqItem 24

DLEqInstrInfo 24

DLPermInfo..... 25

1 Introduction

In This Document

This document provides schema information about the **Deals Mergers and Acquisitions (Deals M&A)** tables in Quantitative Analytics.

NOTE

For information about the other Quantitative Analytics tables, refer to the other Database Schema documents posted on the [Quantitative Analytics](#) product page on [MyAccount](#).

The documentation for each table includes these main elements:

- **Vendor Database or License Name** – This element provides the vendor database or license name. Vendor databases generally correspond to vendor licensing options.
- **Table Name: Table Title** – This element provides the table name and title, followed by a description of the table contents.
- **Update Cycle** – This element indicates the frequency of updates from the data vendor. (For specific information about when this update is posted for your use, refer to your update logs. The update log schema description is available in the Database Schema for Quantitative Analytics Core Tables document.)
- **Adjusted** – This element indicates whether the data is stored adjusted, unadjusted, or if adjustment is not applicable (N/A).
- **Indexes, Index Fields** – This element lists the table's index(es) (for example, pkey_CSGCAD) and the index fields. The primary index contains a "pkey_" or "PK_" prefix. Clustered indexes are noted.
- **Field, Type, Nullable, Definition** – This element describes the table's fields, including field names, data types, and whether each field is nullable. The data types in Snowflake have equivalents available. For example, an *int* in SQL Server is a *number* in Snowflake.

Intended Readership

This document is intended for Quantitative Analytics clients licensed to use **Deals M&A** data through LSEG. Note that the tables described in this document may be covered by several licenses; your access to the data in these tables is dependent on the licenses you have. Readers should have basic knowledge of Microsoft SQL Server 2016.

Table Name Conventions

In Quantitative Analytics, database tables are grouped by name. Generally, the first few letters of the table name refer to the data vendor or licensing group. For example, all tables beginning with **DL*** are the Deals M&A data tables.

Mapping Information

When mapping Data Explorers content, use the VenType and VenCode values shown in the following table.

For more information about mapping or for other vendors' VenType and VenCode values, refer to the [Database Schema for Quantitative Analytics Core Tables](#) document, available on the [Quantitative Analytics](#) product page on MyAccount.

Security VenType Mapping for the SecMapX and GSecMapX Tables

Vendor	SecMapX/GSecMapX VenType	Vendor Table(s)	Vencode = [field]
Deals M&A	37	DLOrgInfo	OrgId

Pervasive and Oracle

This document is specific to Microsoft SQL Server 2016. If you are accessing the data directly through the Pervasive database, you may encounter slight differences in index names and data types. Please note that references to Pervasive and Actian are synonymous.

If you are accessing the data through Oracle, note that field names that correspond to Oracle reserved words are appended with an underscore. For example, field names "Number", "Synonym", and "UID" become "Number_", "Synonym_", and "UID_" in Oracle.

Zero Values and Nulls

Null values are usually recorded as "NULL". Occasionally, a table may contain a value of "-99999" or "-9999"; in these cases, there is no recorded data for that period. (It is null.) If the table contains a "0" value, the data was reported as having a "0" value.

Service and Support

[MyAccount](#) is the LSEG portal that provides a single access point for timesaving support services, along with billing, user management, and information.

Statement of Service

The [Quantitative Analytics Service Description](#) is available on the [Quantitative Analytics](#) product page at MyAccount.

Subscribe to Support Channels

You are encouraged to [subscribe](#) to the following support channels to keep informed of changes to products and data, and to be notified of any service issues or change. Please see the *Alerts and Notifications* section in the *Quantitative Analytics Service Description* available on the [Quantitative Analytics](#) product page at MyAccount for detailed instructions.

- **Change Notifications**
 - **Product Change Notifications (PCNs)** detail new, enhanced, or changed functionality, which may require your action, in products that you use.
 - **Data Notifications (DNs)** alert you to upcoming changes to real-time and historical data across all asset classes that are relevant to you.
 - **RIC Change Events** inform you of planned changes to RICs. RIC is the market level identifier key unique to LSEG used to identify securities.
- **Service Alerts**

Alert you about planned maintenance and unplanned service issues affecting your products and services, and be notified via SMS or email.

Documentation

You can access product documentation on the [Quantitative Analytics](#) product page at MyAccount.

Get Support

For support using Quantitative Analytics, please use one of the following methods:

Online

Access [Get Support](#) either via the blue [Get Support](#) button at the top right of each page or by selecting *Get Support* located under *Help and Support* on the left navigation pane at MyAccount.

From the *Get Support* page, choose *Get Product and Content Support* and then select the appropriate category from the next page. Complete the request making sure to include the following:

- Under Product, select Quantitative Analytics from the dropdown list.
- In the **How can we help you?** text box, include the following information:
 - Content set name (i.e. Worldscope)

- Date applicable to a content inquiry
- Table names and relevant fields
- Security code (i.e. QA-ID, PermID, Sedol, InfoCode, etc.)
- Script used to generate the output
- Any other supporting detail

Telephone

Region	Telephone	Options
AMERS	+01 866 427 8390	Option 1 – Product Support Option 2 – Technical Support
EMEA	+44 203 341 1036	
APAC	+65 6403 7436	

Feedback

We invite your comments, corrections, and suggestions about this document: access the [Feedback](#) option under [Get Support](#) at MyAccount. Your feedback helps us continue to improve our user assistance.

Your Personal Information

LSEG is committed to the responsible handling and protection of personal information. We invite you to review our [Privacy Statement](#), which describes how we collect, use, disclose, transfer, and store personal information when needed to provide our services and for our operational and business purposes.

Schema Diagram

DIOAPermInfo	
TransactionId	bigint
SeqNum	smallint
TargetPermID	bigint
AcqPermID	bigint
TIPPermID	bigint
AIPermID	bigint
TUPPermID	bigint
AUPPermID	bigint
INVPermID	bigint
INVUPPermID	bigint
SELLUPPermID	bigint
SIPPermID	bigint
SELLPermID	bigint
LicFlag	int

DIOrgInfo	
OrgId	int
CIDGEN	bigint
Cusip	varchar(10)
UPCusip	varchar(10)
IPCusip	varchar(10)
UPCIDgen	bigint
IPCidgen	bigint
TickSym	varchar(10)
Sedol	varchar(10)
PermId	varchar(10)
FullName	varchar(100)

DIAdvisorsFee	
TransactionId	bigint
PrimRoleCode	tinyint
AdvOrgCIDGEN	bigint
AdvRoleCode	tinyint
FeesCode	tinyint
Value	float
UpdateDate	int
AnnDate	int
LicFlag	int

DIAdvSubRole	
PrimOrgCIDGEN	bigint
AdvOrgCIDGEN	bigint
TransactionId	bigint
AdvSubRoleCode	tinyint
PrimRoleCode	tinyint
AdvRoleCode	tinyint
SeqNum	smallint
UpdateDate	int
AnnDate	int
LicFlag	int

DIOrigChg	
OrgId	int
CIDGEN	bigint
Cusip	varchar(10)
UPCusip	varchar(10)
IPCusip	varchar(10)
UPCIDgen	bigint
IPCidgen	bigint
PrimSicCode	varchar(4)
MachnCode	varchar(10)
MidnCode	varchar(10)
FullName	varchar(100)
NatCode	varchar(10)
ExchCode	varchar(10)
TickSym	varchar(10)
PrimNatRegCode	varchar(10)
Sedol	varchar(10)
PubStaCode	char(1)
PrimNAICCode	varchar(10)
State	char(2)
PermId	varchar(10)
Cusip	char(1)
Duns	varchar(15)
Zip	varchar(15)
Cnrits	varchar(15)
FoundedDate	int
GenDate	int
Division	char(1)
Velcp	int
Teim	int
UpdateDate	int
PublMidCode	char(1)
CountryOfIncorp	char(2)
CreateDate	int
TKOUpdateDate	int
BusDesc	varchar(8000)

DIPriPlyrs	
OrgId	int
CIDGEN	bigint
AssetClassCode	tinyint
TransactionId	bigint
PrimRoleCode	tinyint
SeqNum	smallint
UpdateDate	int
AnnDate	int
EffDate	int
WithdrawDate	int
RankDate	int
LicFlag	int

DIAdvisor	
PrimOrgCIDGEN	bigint
AdvOrgCIDGEN	bigint
AssetClassCode	tinyint
TransactionId	bigint
PrimRoleCode	tinyint
AdvRoleCode	tinyint
UpdateDate	int
AnnDate	int
EffDate	int
WithdrawDate	int
RankDate	int
LicFlag	int

DITransInfo	
AssetClassCode	tinyint
TransactionId	bigint
CurrCode	varchar(5)
DealActCode	char(1)
SubStatusCode	varchar(3)
StatusCode	varchar(3)
IntlReceptCode	char(1)
OutcomeCode	char(1)
MATypeCode	char(2)
VCTypeCode	int
DealTypeCode	varchar(3)
TransformCode	varchar(3)
NumBd	int
NumInv	int
UpdateDate	int
AnnDate	int
EffDate	int
WithdrawDate	int
RankDate	int
LicFlag	int

DIDealDesc	
TransactionId	bigint
UpdateDate	int
AnnDate	int
LicFlag	int
DealDesc	varchar(8000)

DIIntData	
TransactionId	bigint
SeqNum	smallint
Item	smallint
Value	float
UpdateDate	int
AnnDate	int
LicFlag	int

DIFloatData	
TransactionId	bigint
SeqNum	smallint
Item	smallint
Value	float
UpdateDate	int
AnnDate	int
LicFlag	int

DIItem	
Item	smallint
Mnemonic	varchar(30)
Description	varchar(80)
Data Type	varchar(10)
Data Tables	varchar(15)
CodeNum	tinyint
DescNum	tinyint

DIFinAdvInfo	
FinAdvId	int
LwyrCode	varchar(10)
Law	

DLAcctInfo: Auditor and Accountant Information

This table contains information for the list of auditors and accountants involved in various deals.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pk_DLAInfo	AcctId

Field	Type	Nullable	Description
AcctId	int	N	AcctId is a unique identifier for an auditor
AcctCode	varchar(10)	Y	AcctCode is a unique identifier for an auditor in the Deals database.
Accountant	varchar(20)	Y	Accountant is the name of the auditor.
AcctLongName	varchar(50)	Y	AcctLongName is the full name of the auditor.
AcctParent	varchar(20)	Y	AcctParent is the name of the auditor's parent.
Cusip	varchar(10)	Y	Cusip is the CUSIP of the auditor; it is self-assigned, if not already assigned by the SEC.

DLAdvisor: Advisor Information

This table contains information for the advisors in a deal.

Update Cycle: Daily **Adjusted:** N/A

Indexes	Index Fields
PK_DLAdvisor	PrimOrgCIDGen, AdvOrgCIDGen, AssetClassCode, TransactionId, PrimRoleCode, AdvRoleCode

Field	Type	Nullable	Description
PrimOrgCIDGen	bigint	N	PrimOrgCIDGen is the CIDGEN of the primary player of a deal.
AdvOrgCIDGen	bigint	N	AdvOrgCIDGen is the CIDGEN of the auxiliary players of the deal.
AssetClassCode	tinyint	N	AssetClassCode is an integer code that identifies the asset class. DLAdvisor.AssetClassCode cross-references with DLCode.Code where Type_ = 1.
TransactionId	bigint	N	TransactionId is the identifier for a Deals transaction.
PrimRoleCode	tinyint	N	PrimRoleCode is the primary role played by the players in the deal. These roles include the acquirer, target, investor, and seller. DLAdvisor.PrimRoleCode cross-references with DLCode.Code where Type_ = 2.
AdvRoleCode	tinyint	N	AdvRoleCode is the auxiliary role played by the players in the deal. These roles include the advisor, manger, and accountant. DLAdvisor.AdvRoleCode cross-references with DLCode.Code where Type_ = 3.
UpdateDate	int	Y	UpdateDate is the date of the last significant revision.
AnnDate	int	Y	AnnDate is the date on which the deal was announced.
EffDate	int	Y	EffDate is the date on which the deal became effective.
WithdrawDate	int	Y	WithdrawDate is the date on which the deal was withdrawn.
RankDate	int	Y	RankDate is the date on which rank was allocated.
LicFlag	int	N	LicFlag is a bit value that represents the license for this table. DLAdvisor.LicFlag cross-references with DLCode.Code where Type_ = 15.

DLAdvisorsFee: Advisor Fee Information

This table contains information for advisor fees in a deal.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
PK_DLAdvisorsFee	TransactionId, PrimRoleCode, AdvOrgCIDGen, AdvRoleCode, FeesCode

Field	Type	Nullable	Description
TransactionId	bigint	N	TransactionId is the identifier for a Deals transaction.
PrimRoleCode	tinyint	N	PrimRoleCode is the primary role played by the players in the deal corresponding to which the advisor is associated. DLAdvisorsFee.PrimRoleCode cross-references with DLCode.Code where Type_ = 2.
AdvOrgCIDGen	bigint	N	AdvOrgCIDGen is the CIDGEN of the auxiliary players of the deal.
AdvRoleCode	tinyint	N	AdvRoleCode is the auxiliary role played by the players in the deal. These roles include the advisor, manger, and accountant. DLAdvisorsFee.AdvRoleCode cross-references with DLCode.Code where Type_ = 3.
FeesCode	tinyint	N	FeesCode is the fees code. DLAdvisorsFee.FeesCode cross-references with DLCode.Code where Type_ = 14.
Value_	float	Y	Value_ is the value corresponding to the item number.
UpdateDate	int	Y	UpdateDate is the date of the last significant revision.
AnnDate	int	Y	AnnDate is the date on which the deal was announced.
LicFlag	int	N	LicFlag is a bit value that represents the license for this table. DLAdvisorsFee.LicFlag cross-references with DLCode.Code where Type_ = 15.

DLAdvSubRole: Advisor Sub Role Information

This table contains the sub role corresponding to the primary role played by an advisor.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
PK_DLAdvSubRole	PrimOrgCIDGen, AdvOrgCIDGen, TransactionId, AdvSubRoleCode , PrimRoleCode, AdvRoleCode, SeqNum

Field	Type	Nullable	Description
PrimOrgCIDGen	bigint	N	PriOrgCIDGEN is the CIDGEN of the primary player of a deal.
AdvOrgCIDGen	bigint	N	AdvOrgCIDGEN is the CIDGEN of the auxiliary players of the deal.
TransactionId	bigint	N	TransactionId is the identifier for a Deals transaction.
AdvSubRoleCode	tinyint	N	AdvSubRoleCode is the target legal advisor assignments code. DLAdvSubRole.AdvSubRoleCode cross-references with DLCode.Code where Type_ = 13.
PrimRoleCode	tinyint	N	PrimRoleCode is the primary role played by the players in the deal. These roles include the acquirer, target, investor, and seller.

Field	Type	Nullable	Description
			DlAdvSubRole.PrimRoleCode cross-references with DLCode.Code where Type_ = 2.
AdvRoleCode	tinyint	N	AdvRoleCode is the auxiliary role played by the players in the deal. These roles include the advisor, manger, and accountant. DlAdvSubRole.AdvRoleCode cross-references with DLCode.Code where Type_ = 3.
SeqNum	smallint	N	Internally derived incremental sequence number for every value instance for a given item.
UpdateDate	int	Y	UpdateDate is the date of the last significant revision.
AnnDate	int	Y	AnnDate is the date on which the deal was announced.
LicFlag	int	N	LicFlag is a bit value that represents the license for this table. DlAdvSubRole.LicFlag cross-references with DLCode.Code where Type_ = 15.

DLCode: Integer Coded Values

This table contains integer coded values.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pk_DLCode	Type_, Code

Field	Type	Nullable	Description
Type_	int	N	Type_ is a numeric code for a type of data.
Code	int	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(100)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

DLConsidDesc: Consideration Textual Value

This table contains the textual value of the consideration offered or sought in a deal.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pk_DLConsidDesc	TransactionId

Field	Type	Nullable	Description
TransactionId	bigint	N	TransactionId is the identifier for a Deals transaction.
UpdateDate	int	Y	UpdateDate is the date of last significant revision.
AnnDate	int	Y	AnnDate is the date on which the deal was announced.
LicFlag	int	N	LicFlag is a bit value that represents the license for this table. DLConsidDesc.LicFlag cross-references with DLCode.Code where Type_ = 15.
ConsidOffSought	varchar(max)	Y	ConsidOffSought is the description of the consideration offered or sought.

DLDealDesc: Deal Textual Description

This table contains the textual description of a deal.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pk_DLDealDesc		TransactionId	

Field	Type	Nullable	Description
TransactionId	bigint	N	TransactionId is the identifier for a Deals transaction.
UpdateDate	int	Y	UpdateDate is the date of last significant revision.
AnnDate	int	Y	AnnDate is the date on which the deal was announced.
LicFlag	int	N	LicFlag is a bit value that represents the license for this table. DLDealDesc.LicFlag cross-references with DLCode.Code where Type_ = 15.
DealDesc	varchar(max)	Y	DealDesc is the textual description of a deal.

DLDesc: Type-Code Mapping

This table maps codes to descriptions.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pk_DLDesc		Type_, Code	

Field	Type	Nullable	Description
Type_	int	N	Type_ is a numeric code for a type of data.
Code	varchar(20)	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(100)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

DLFinAdvInfo: Financial Advisor Information

This table contains information for the list of banks and other financial advisors involved in various deals.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pk_DLFinAdvInfo		FinAdvId	

Field	Type	Nullable	Description
FinAdvId	int	N	FinAdvId is a unique numeric identifier for a financial advisor in the Deals database.
MgrCode	varchar(20)	Y	MgrCode is the identifier for a financial advisor in the Deals database.
MgrLongName	varchar(60)	Y	MgrLongName is the full name of the legal advisor.
Cusip	varchar(10)	Y	Cusip is the CUSIP of the legal advisor. It is self-assigned, if not already assigned by the SEC.
NatCode	char(2)	Y	NatCode is the code identifying the nation of the advisor.

Field	Type	Nullable	Description
			DLEFinAdvInfo.NatCode cross-references with DLDesc .Code where Type_ = 14.
StateCode	char(2)	Y	StateCode is the code identifying the state of the advisor.
MgrParentCode	varchar(20)	Y	MgrParentCode is the identifier for the parent of a financial advisor in the Deals database.

DLFinStruct: Deal Financial Structure

This table contains the financial structure of a deal.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pk_DLFinStruct	TransactionId

Field	Type	Nullable	Description
TransactionId	bigint	N	TransactionId is the identifier for a Deals transaction.
PctShrSought	float	Y	PctShrSought is the percentage of the shares sought.
PctShrOwn	float	Y	PctShrOwn is the percentage of the shares owned.
PctShrAcq	float	Y	PctShrAcq is the percentage of the shares acquired.
ComShrHelAcq6prioAnn	float	Y	ComShrHelAcq6prioAnn is the common shares held by the acquirer six months prior to the AnnDate.
ComShrIssued	float	Y	ComShrIssued is the common shares issued by the acquirer.
NumConsidSought	bigint	Y	NumConsidSought is the number of consideration types sought.
Convertibles	float	Y	Convertibles is the number of convertible securities that are convertible into common stock.
SrcDealValue	varchar(50)	Y	SrcDealValue is the source code used for deal valuation.
UpdateDate	int	Y	UpdateDate is the date of last significant revision.
AnnDate	int	Y	AnnDate is the date on which the deal was announced.
LicFlag	int	N	LicFlag is a bit value that represents the license for this table.

DLFloatData: Float Data Items

This table contains data items for float data types.

Update Cycle: Daily **Adjusted:** N/A

Indexes	Index Fields
pk_DLFloatData	TransactionId, SeqNum, Item

Field	Type	Nullable	Description
TransactionId	bigint	N	TransactionId is the identifier for a Deals transaction.
SeqNum	smallint	N	SeqNum is a unique integer code that enforces the primary key constraint for this table. It is defined in Quantitative Data Warehouse (QDW) and is not received from the feed files.
Item	smallint	N	Item is the item number.
Value_	float	Y	Value_ is the value corresponding to the item number.
UpdateDate	int	Y	UpdateDate is the date of the last significant revision.
AnnDate	int	Y	AnnDate is the date on which the deal was announced.
LicFlag	int	N	LicFlag is a bit value that represents the license for this table.

DLIntData: Integer Data Items

This table contains data items for integer data types.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pk_DLIntData	TransactionId, SeqNum, Item

Field	Type	Nullable	Description
TransactionId	bigint	N	TransactionId is the identifier for a Deals transaction.
SeqNum	smallint	N	SeqNum is a unique integer code that enforces the primary key constraint for this table. It is defined in Quantitative Data Warehouse (QDW) and is not received from the feed files.
Item	smallint	N	Item is the item number.
Value_	int	Y	Value_ is the value corresponding to the item number.
UpdateDate	int	Y	UpdateDate is the date of the last significant revision.
AnnDate	int	Y	AnnDate is the date on which the deal was announced.
LicFlag	int	N	LicFlag is a bit value that represents the license for this table.

DLItem: Item Constituent Information

This table contains information for the constituents of the Deals data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pk_DLItem	Item

Field	Type	Nullable	Description
Item	smallint	N	Item is a unique integer code that identifies a fundamental data item. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor. The vendor provides the fundamental data items as columns in the feed files.
Mnemonic	varchar(30)	Y	Mnemonic is the data code for the data items.
Description	varchar(80)	Y	Description is the description corresponding to the data item.
DataType	varchar(10)	Y	DataType is the data type corresponding to the data item.
DataTables	varchar(15)	Y	DataTables is the data tables to which each data item is ingested.
CodeNumb	tinyint	Y	CodeNumb is the code value of the code in the DLCode table, if applicable.
DescNumb	tinyint	Y	DescNumb is the code value of the code in the DLDesc table, if applicable.

DLLegAdvInfo: Legal Advisor Information

This table contains information for the list of lawyers and legal advisors involved in various deals.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pk_DLLegAdvInfo	LegAdvId

Field	Type	Nullable	Description
LegAdvId	int	N	LegAdvId is the unique identifier for a legal advisor.
LwyrCode	varchar(10)	Y	LwyrCode is the unique identifier for a lawyer in the Deals database.
Lawyer	varchar(20)	Y	Lawyer is the name of the legal advisor.
LwyrLongName	varchar(60)	Y	LwyrLongName is the full name of the legal advisor.
LwyrParent	varchar(20)	Y	LwyrParent is the name of the legal advisor's parent.
Cusip	varchar(10)	Y	Cusip is the CUSIP of the legal advisor. It is self-assigned, if not already assigned by the SEC.

DLOrgChg: Entity-related Information for Organizations

This table contains entity-related information for organizations involved in a deal.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
PK_DLOrgChg	OrgId, CIDGen

Field	Type	Nullable	Description
OrgId	int	N	OrgId is the unique identifier for a company. It constitutes the CID of the CIDGEN.
CIDGen	bigint	N	CIDGen is a unique identifier for a company, at a point in time for a particular deal.
Cusip	varchar(10)	Y	Cusip is the 6-digit CUSIP.
UPCusip	varchar(10)	Y	UPCusip is the ultimate parent 6-digit CUSIP.
IPCusip	varchar(10)	Y	IPCusip is the immediate parent 6-digit CUSIP.
UPCIDGen	bigint	Y	UPCIDGen is the ultimate parent CIDGEN.
IPCIDGen	bigint	Y	IPCIDGen is the immediate parent CIDGEN.
PrimSICCode	varchar(4)	Y	PrimSICCode is the primary SIC code. DLOrgChg.PrimSICCode cross-references with DLDesc.Code where Type_ = 27.
MacIndCode	varchar(10)	Y	MacIndCode is the macro industry code. DLOrgChg.MacIndCode cross-references with DLDesc.Code where Type_ = 24.
MidIndCode	varchar(10)	Y	MidIndCode is the mid industry code. DLOrgChg.MidIndCode cross-references with DLDesc.Code where Type_ = 25.
FullName	varchar(100)	Y	FullName is the entity name.
NatCode	varchar(10)	Y	NatCode is the nation code.

Field	Type	Nullable	Description
			DLOrgChg.NatCode cross-references with DLDesc .Code where Type_ = 14.
ExchCode	varchar(10)	Y	ExchCode is the stock exchange code. DLOrgChg.ExchCode cross-references with DLDesc .Code where Type_ = 6.
TickSym	varchar(10)	Y	TickSym is the ticker symbol.
PrimNatRegCode	varchar(10)	Y	PrimNatRegCode is the primary nation region code. DLOrgChg.PrimNatRegCode cross-references with DLDesc .Code where Type_ = 13.
Sedol	varchar(10)	Y	Sedol is the SEDOL.
PubStatCode	char(1)	Y	PubStatCode is the public status code. DLOrgChg.PubStatCode cross-references with DLDesc .Code where Type_ = 18.
PrimNAICCode	varchar(10)	Y	PrimNAICCode is the primary NAIC code. DLOrgChg.PrimNAICCode cross-references with DLDesc .Code where Type_ = 12.
State	char(2)	Y	State indicates the U.S. state or territory or the Canadian province of a company's address.
PermlId	varchar(10)	Y	PermlId is the permanent ID.
Cusipe	char(1)	Y	Cusipe is the CUSIP.
Duns	varchar(15)	Y	Duns is the Data Universal Numbering System (DUNS).
Zip	varchar(15)	Y	Zip is the postal code or zip code of the company's corporate headquarters or home office.
Cinits	varchar(15)	Y	Cinits is the Cinits.
FoundedDate	int	Y	FoundedDate is the date a company was founded.
GenDate	int	Y	GenDate is the CIDGEN-generated date.
Division	char(1)	Y	Division is the division indicator.
Veicp	int	Y	Veicp is the VEICP.
Tcim	int	Y	Tcim is the TCIM.
UpdateDate	int	Y	UpdateDate is the date of the last significant revision.
PubMidCode	char(1)	Y	PubMidCode is the public mid code. DLOrgChg.PubMidCode cross-references with DLDesc .Code where Type_ = 17.
CountryOfIncorp	char(2)	Y	CountryOfIncorp is the country of incorporation code.
CreateDate	int	Y	CreateDate is the date created stamp (YYYYMMDD).
TKOUpdateDate	int	Y	TKOUpdateDate is the TKO update stamp (YYYYMMDDHH).
BusDesc	varchar(max)	Y	BusDesc is the business short description.

DLOrgInfo: Organization Entity-related Information

This table contains the latest entity-related information for organizations involved in a deal from a concordance perspective.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
PK_DLOrgInfo	OrgId

Field	Type	Nullable	Description
OrgId	int	N	OrgId is the unique identifier for a company. It constitutes the CID of the CIDGEN.
CIDGen	bigint	N	CIDGen is a unique identifier for a company, at a point in time for a particular deal.
Cusip	varchar(10)	Y	Cusip is the 6-digit CUSIP.
UPCusip	varchar(10)	Y	UPCusip is the ultimate parent 6-digit CUSIP.
IPCusip	varchar(10)	Y	IPCusip is the immediate parent 6-digit CUSIP.
UPCIDGen	bigint	Y	UPCIDGen is the ultimate parent CIDGEN.
IPCIDGen	bigint	Y	IPCIDGen is the immediate parent CIDGEN.
TickSym	varchar(10)	Y	TickSym is the ticker symbol.
Sedol	varchar(10)	Y	Sedol is the SEDOL.
PermlId	varchar(10)	Y	PermlId is the permanent ID.
FullName	varchar(100)	Y	FullName is the entity name.

DLPriPlyrs: Primary Players Information

This table captures the basic information for the primary players of a deal. The primary players for a deal are the acquirer, target, investor, and seller.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
PK_DLPriPlyrs	OrgID, CIDGen, AssetClassCode, TransactionId, PrimRoleCode, SeqNum

Field	Type	Nullable	Description
OrgID	int	N	OrgID is a unique identifier for a company. It constitutes the CID of the CIDGEN.
CIDGen	bigint	N	CIDGen is a unique identifier for a company, at a point in time for a particular deal.
AssetClassCode	tinyint	N	AssetClassCode is an integer code that identifies an asset class. DLPriPlyrs.AssetClassCode cross-references with DLCode.Code where Type_ = 1.
TransactionId	bigint	N	TransactionId is the identifier for a Deals transaction.
PrimRoleCode	tinyint	N	PrimRoleCode is the primary role played by the players in the deal. These roles include the acquirer, target, investor, and seller. DLPriPlyrs.PrimRoleCode cross-references with DLCode.Code where Type_ = 2.
SeqNum	smallint	N	Internally derived incremental sequence number for every value instance for a given item.

Field	Type	Nullable	Description
UpdateDate	int	Y	UpdateDate is the date of the last significant revision.
AnnDate	int	Y	AnnDate is the date on which the deal was announced.
EffDate	int	Y	EffDate is the date on which the deal became effective.
WithdrawDate	int	Y	WithdrawDate is the date on which the deal was withdrawn.
RankDate	int	Y	RankDate is the date on which rank was allocated.
LicFlag	int	N	LicFlag is a bit value that represents the license for this table. DLPriPlyrs.LicFlag cross-references with DLCode .Code where Type_ = 15.

DLRelDeal: Related Deals Information

This table contains related deals information pertaining to the transaction.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pk_DLRelDeal	TransactionId, RelDealNum, SeqNum

Field	Type	Nullable	Description
TransactionId	bigint	N	TransactionId is the identifier for a Deals transaction.
RelDealNum	bigint	N	RelDealNum is the related SDC deal number.
SeqNum	smallint	N	Internally derived incremental sequence number for every value instance for a given item.
RelDealFormCode	varchar(3)	Y	RelDealFormCode is the related deal form code. DLRelDeal.RelDealFormCode cross-references with DLDesc .Code where Type_ = 9.
RelDealAnnDate	int	Y	RelDealAnnDate is the related date on which the deal was announced.
RelDealStatCode	varchar(3)	Y	RelDealStatCode is the related deal status code. DLRelDeal.RelDealStatCode cross-references with DLDesc .Code where Type_ = 22.
UpdateDate	int	Y	UpdateDate is the date of the last significant revision.
AnnDate	int	Y	AnnDate is the date on which the deal was announced.
IsDeleted	tinyint	N	IsDeleted is the flag indicating if the related deal is a deleted deal.
LicFlag	int	N	LicFlag is a bit value that represents the license for this table. DLRelDeal.LicFlag cross-references with DLCode .Code where Type_ = 15.

DLTransInfo: Deal-specific Transaction Information

This table contains deal-specific transaction information.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pk_DLTransInfo		AssetClassCode, TransactionId	

Field	Type	Nullable	Description
AssetClassCode	tinyint	N	AssetClassCode is an integer code that identifies an asset class. It is defined in Quantitative Data Warehouse (QDW) and is not received from feed files. DLTransInfo.AssetClassCode cross-references with DLCode .Code where Type_ = 1.
TransactionId	bigint	N	TransactionId is the identifier for a Deals transaction.
CurrCode	varchar(5)	Y	CurrCode is the currency in which a Deals transaction was recorded. DLTransInfo.CurrCode cross-references with DLDesc .Code where Type_ = 5.
DealAttCode	char(1)	Y	DealAttCode is the Deals attitude code. DLTransInfo.DealAttCode cross-references with DLDesc .Code where Type_ = 2.
SubStatusCode	varchar(3)	Y	SubStatusCode is the Deals status. DLTransInfo.SubStatusCode cross-references with DLDesc .Code where Type_ = 22.
StatusCode	varchar(3)	Y	StatusCode is the Deals status rollup code. DLTransInfo.StatusCode cross-references with DLDesc .Code where Type_ = 23.
InitReceptCode	char(1)	Y	InitReceptCode is the initial reception code. DLTransInfo.InitReceptCode cross-references with DLDesc .Code where Type_ = 10.
OutcomeCode	char(1)	Y	OutcomeCode is the outcome code. DLTransInfo.OutcomeCode cross-references with DLDesc .Code where Type_ = 16.
MATypeCode	char(2)	Y	MATypeCode is the M&A type code. DLTransInfo.MATypeCode cross-references with DLDesc .Code where Type_ = 11.
VCTypeCode	int	Y	VCTypeCode is the venture type code. DLTransInfo.VCTypeCode cross-references with DLCode .Code where Type_ = 7.
DealTypeCode	varchar(3)	Y	DealTypeCode is the Deals type code. DLTransInfo.DealTypeCode cross-references with DLDesc .Code where Type_ = 26.
TransformCode	varchar(3)	Y	TransformCode is the form of the transaction. DLTransInfo.TransformCode cross-references with DLDesc .Code where Type_ = 9.

Field	Type	Nullable	Description
NumBid	int	Y	NumBid is the number of bidders.
NumInv	int	Y	NumInv is the number of investors.
UpdateDate	int	Y	UpdateDate is the date of the last significant revision.
AnnDate	int	Y	AnnDate is the date on which the deal was announced.
EffDate	int	Y	EffDate is the date on which the deal became effective.
WithdrawDate	int	Y	WithdrawDate is the date on which the deal was withdrawn.
RankDate	int	Y	RankDate is the date on which rank was allocated.
LicFlag	int	N	LicFlag is a bit value that represents the license for this table. DLTransInfo.LicFlag cross-references with DLCode .Code where Type_ = 15.

DLVarcharData: Varchar Data Items

This table contains data items for varchar data types.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pk_DLVarcharData	TransactionId, SeqNum, Item

Field	Type	Nullable	Description
TransactionId	bigint	N	TransactionId is the identifier for a Deals transaction.
SeqNum	smallint	N	SeqNum is a unique integer code that enforces the primary key constraint for this table. It is defined in Quantitative Data Warehouse (QDW) and is not received from the feed files.
Item	smallint	N	Item is the item number.
Value_	varchar(100)	Y	Value_ is the value corresponding to the item number.
UpdateDate	int	Y	UpdateDate is the date of the last significant revision.
AnnDate	int	Y	AnnDate is the date on which the deal was announced.
LicFlag	int	N	LicFlag is a bit value that represents the license for this table. DLVarcharData.LicFlag cross-references with DLCode .Code where Type_ = 15.

DLOAPermInfo

This table contains the org-level strategic LSEG identifiers (PermIDs) for mapping and reference purposes.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pk_DLOAPermInfo	TransactionId, SeqNum


Field	Type	Nullable	Description
TransactionId	bigint	N	SDC Deal Number
SeqNum	smallint	N	Sequence Number
TargetPermID	bigint	Y	Target OA PermID
AcqPermID	bigint	Y	Acquiror OA PermID
TIPPermID	bigint	Y	Target Immediate Parent PermID

Field	Type	Nullable	Description
AIPPermID	bigint	Y	Acquiror Immediate Parent PermID
TUPPermID	bigint	Y	Target Ultimate Parent PermID
AUPPermID	bigint	Y	Acquiror Ultimate Parent PermID
INVIPPermID	bigint	Y	Investor Immediate Parent PermID
INVUPPermID	bigint	Y	Investor Ultimate Parent PermID
INVPermID	bigint	Y	Investor OA PermID
SELLUPPermID	bigint	Y	Seller Ultimate Parent PermID
SIPPermID	bigint	Y	Seller Immediate Parent PermID
SELLPermID	bigint	Y	Seller OA PermID
LicFlag	int	N	LicFlag is a bit value that represents the license for this table. DLAdvisor.LicFlag cross-references with DLCode.Code where Type_ = 15.

3. Deals Equity/IPO

Schema Diagram

The following diagram illustrates the Deals M&A schema.



DLEqTransInfo

This table contains Equity transaction attributes that are available on a per deal basis. It will only include publicly disclosed information.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pk_DLEqTransInfo	TransactionId, SeqNum

Field	Type	Nullable	Description
TransactionId	bigint	N	This is a unique deal number that is assigned to each deal.
SeqNum	smallint	N	Internally derived incremental sequence number for every value instance for a given item.
TransDate	datetime	Y	Issue Date.
TransTypeCode	smallint	Y	This item denotes the underlying source which the issue is tied to. Cross references the following tables: DLCode where Type_ = 26 DLDesc where Type_ = 26
FilingDate	datetime	Y	The first date in which a company files a registration statement with the Securities and Exchange Commission (SEC).
ShareTypeCode	smallint	Y	Primary, Secondary or Combined. Cross references the DLCode table where Type_ = 17.
IssuerName	varchar(50)	Y	Short name of issuer (30 characters wide).
IssueTypeCode	smallint	Y	Short description of type of security being offered. Cross references the DLCode table where Type_ = 18.
ProceedsOverSold	float	Y	Proceeds Amount including Overallotment Sold - in this Mkt (\$ mil.).
BookProceeds	float	Y	Proceeds Amount per Book Runner This Market (US \$ mil.).
TotProceedsOverSold	float	Y	Proceeds Amount including Overallotment Sold - sum of all Mkts (\$ mil.).
ExpOfferDate	datetime	Y	Expected Offer date.
TotOverallAmt	float	Y	Overallotment Amount Option - sum of all Mkts (\$ mil.).
SellShrHolderFlg	tinyint	Y	A flag indicating that the selling shareholder has been disclosed for the offering. Cross references the DLCode table where Type_ = 19.
TransStatusCode	tinyint	Y	Indicates the status of an offering (e.g. Live, announced). Cross references the DLCode table where Type_ = 20.
PublicStatusCode	tinyint	Y	Issue's public status at time of offer (e.g. Private). Cross references the DLCode table where Type_ = 29.
LaunchDate	datetime	Y	This is the date on which the registration of the offering was filed.
TradeDate	datetime	Y	Date on which the security first trades.
PaymDate	datetime	Y	Date that the syndicate members pay the lead manager for the bond/equity.
MkrtAreaCode	smallint	Y	Code for the general market area into which the transaction is issued. Cross references the DLCode table where Type_ = 21.
InvTypeCode	smallint	Y	The type of investors the offering is being made available to. Cross references the DLCode table where Type_ = 22.
AmendDate	datetime	Y	Amended Filing Date.
FilePrcHigh	float	Y	Highest price, in the original filing price range, at which the issuer expects securities to be offered.
FilePrcLow	float	Y	Lowest price, in the original filing price range, at which the issuer expects securities to be offered.
BearerOrRegis	tinyint	Y	Bearer/Registered. Cross references the DLCode table where Type_ = 30.

Field	Type	Nullable	Description
SyndTypeCode	smallint	Y	Type which describes the syndicate. Cross references the DLCode table where Type_ = 31.
RankEligibleFlg	tinyint	Y	Rank Eligible Flag. Cross references the DLCode table where Type_ = 32.
AuditorCode	smallint	Y	Issuer's Auditor Short Name. Cross references the DLCode table where Type_ = 25.
PutDate	datetime	Y	First date on which the holder has the right to put the security to the issuer, if applicable.
OfferPrc	float	Y	Price per share or bond at which the security is offered to the public.
ConvPremium	float	Y	Conversion Premium (%).
ExchRatio	float	Y	Exchange Conversion Ratio.
ConvRatio	float	Y	Conversion Ratio.
DomNationCode	smallint	Y	Rank Domicile Nation for all equity and syndicated loans transactions is defined as the Issuer/Borrower's nation of headquarters. Cross references the following tables: DLCode where Type_ = 16 DLDesc where Type_ = 14
IssuerMacroIndCode	smallint	Y	Issuer/Borrower Macro Industry (Code). Cross references the following tables: DLCode where Type_ = 24 DLDesc where Type_ = 24.
LockupProvCode	tinyint	Y	Lock up Provision. Cross references the DLCode table where Type_ = 27.
IPOListExchCode	smallint	Y	Exchange Listing of IPO. Cross references the DLCode table where Type_ = 28.
TotSharesFiled	bigint	Y	Sum of all Mkts: Number of global shares filed at original filing.
TotPriSharesPct	float	Y	Sum of all Mkts: global primary shares filed at original filing as a percentage of total global shares filed.
LicFlag	tinyint	N	LicFlag is the license flag based on Issue Type. Cross references the DLCode table where Type_ = 15.

DLEqTransdata

This table contains Equity transaction attributes that have 1:M values against a TransactionId.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pk_DLEqTransdata	TransactionId, SeqNum, Item

Field	Type	Nullable	Description
TransactionId	bigint	N	This is a unique deal number that is assigned to each deal.
SeqNum	smallint	N	Internally derived incremental sequence number for every value instance for a given item.
Item	smallint	N	Item is a unique integer code that identifies an item. It joins to the DLEqItem table.
Value_	varchar(100)	Y	Value_ is the value that corresponds to the item.
LicFlag	tinyint	N	LicFlag is the license flag based on Issue Type.

DLEqItem

This table contains item codes assigned to each individual attribute in the DLEqTransData table.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pk_DLEqItem	Item

Field	Type	Nullable	Description
Item	smallint	N	Item is a unique integer code that identifies an item. It joins to DLEqTransData table.
Mnemonic	varchar(100)	Y	Mnemonic is a single-word, alphanumeric coded name for the item.
Description	varchar(500)	Y	Desc_ is a short description of the item.
DataType	varchar(10)	Y	Data type of the underlying Item value_.
DataTables	varchar(20)	Y	Numeric code for the Table that corresponding Item joins to.
CodeNumb	tinyint	Y	Corresponding Type_ code in the DLCode table.
DescNumb	tinyint	Y	Corresponding Type_ code in the DLCode table.

DLEqInstrInfo

This table contains the security-level identifiers like CUSIP, SEDOL, and ISIN for mapping and reference purpose.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pk_DLEqInstrInfo	TransactionId

Field	Type	Nullable	Description
TransactionId	bigint	N	This is a unique deal number that is assigned to each deal.
Cusip	varchar(10)	Y	CUSIP.
CurrCode	varchar(5)	Y	Currency of Issue (Code).
Cusip9	varchar(9)	Y	9-digit CUSIP.
ISIN	varchar(12)	Y	International Security Identification Number (ISIN).
UPSedol	varchar(10)	Y	Issuer/Borrower Ultimate Parent's SEDOL.
Sedol	varchar(10)	Y	Issuer/Borrower Sedol.
UPCusip	varchar(10)	Y	Issuer Ultimate Parent's 6-digit CUSIP.
Ticker	varchar(10)	Y	Issuer Ticker Symbol at Offering.
SIC	varchar(10)	Y	Issuer Primary SIC (Code).
ExchCode	varchar(10)	Y	Primary stock exchange where Issuer's common stock trades.
LicFlag	tinyint	N	LicFlag is the license flag based on Issue Type.

DLPermInfo

This table contains the org-level strategic LSEG identifiers (PermIDs) for mapping and reference purposes.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pk_DLPermInfo	TransactionId, SeqNum

Field	Type	Nullable	Description
TransactionId	bigint	N	This is a unique deal number that is assigned to each deal
SeqNum	smallint	N	Internally derived incremental sequence number for every value instance for a given item.
IIPPermID	bigint	Y	Issuer/Borrower Immediate Parent OA PermID
IUPPermID	bigint	Y	Issuer/Borrower Ultimate Parent OA PermID
IPermID	bigint	Y	Issuer/Borrower OA PermID
SPINPermID	bigint	Y	Spinoff Company OA PermID
SSHPermID	bigint	Y	Selling Shareholder OA PermID
LicFlag	tinyint	N	LicFlag is the license flag based on Issue Type.

Copyright © 2025 London Stock Exchange Group plc and its group of companies (LSEG) and/or its affiliates. All rights reserved. The LSEG content received through this service is the intellectual property of LSEG or its third party suppliers. Republication or redistribution of content provided by LSEG is expressly prohibited without the prior written consent of LSEG, except where permitted by the terms of the relevant LSEG service agreement. Neither LSEG nor its third party suppliers shall be liable for any errors, omissions or delays in content, or for any actions taken in reliance thereon. LSEG and its logo are trademarks of LSEG.

For more information visit us at www.lseg.com



LSEG DATA &
ANALYTICS