

LSEG Quantitative Analytics

Database Schema for EU Taxonomy

Version 1.1



Contents

1 Introduction.....	3
In This Document.....	3
Intended Readership.....	3
Table Name Conventions	3
Pervasive and Oracle.....	3
Zero Values and Nulls.....	3
Service and Support	4
Feedback	5
Your Personal Information	5
2. EU Taxonomy Data.....	6
EUTOrgClassDet	6
EUTSegClassDet.....	6
EUTObjClassDet.....	7
EUTObjClassAct	8
EUTObjClassTSC	9
EUTObjClassTSCMSr	9
EUTPassSSG	10
EUTGblAct.....	11
EUTGblActNACE	12
EUTGblActScrCrt.....	12
EUTGblActScrCrtMSr	13
EUTGblGrRevBO.....	13
EUTSegRevBD	14
EUTGblFinSeg.....	15
EUTGblFinSegHrch	18
EUTGblFinSegStmt	19
EUTGblFinSegVal.....	23
EUTCode	26
EUTDesc.....	27
EUTItem.....	27

1 Introduction

In This Document

This document provides schema information about the **EU Taxonomy** tables in Quantitative Analytics.

NOTE

For information about the other Quantitative Analytics tables, refer to the other Database Schema documents posted on the [Quantitative Analytics](#) product page on [MyAccount](#).

The documentation for each table includes these main elements:

- **Vendor Database or License Name** – This element provides the vendor database or license name. Vendor databases generally correspond to vendor licensing options.
- **Table Name: Table Title** – This element provides the table name and title, followed by a description of the table contents.
- **Update Cycle** – This element indicates the frequency of updates from the data vendor. (For specific information about when this update is posted for your use, refer to your update logs. The update log schema description is available in the Database Schema for Quantitative Analytics Core Tables document.)
- **Adjusted** – This element indicates whether the data is stored adjusted, unadjusted, or if adjustment is not applicable (N/A).
- **Indexes, Index Fields** – This element lists the table's index(es) (for example, `pkey_CSGCAD`) and the index fields. The primary index contains a "pkey_" or "PK_" prefix. Clustered indexes are noted.
Note: Indexes are not applicable for Snowflake.
- **Field, Type, Nullable, Definition** – This element describes the table's fields, including field names, data types, and whether each field is nullable. The data types in Snowflake have equivalents available. For example, an *int* in SQL Server is a *number* in Snowflake.

Intended Readership

This document is intended for Quantitative Analytics clients licensed to use **EU Taxonomy** data through LSEG. Note that the tables described in this document may be covered by several licenses; your access to the data in these tables is dependent on the licenses you have. Readers should have basic knowledge of Microsoft SQL Server 2016.

Table Name Conventions

In Quantitative Analytics, database tables are grouped by name. Generally, the first few letters of the table name refer to the data vendor or licensing group. For example, all tables beginning with **EU*** are the EU Taxonomy data tables.

Pervasive and Oracle

This document is specific to Microsoft SQL Server 2016. If you are accessing the data directly through the Pervasive database, you may encounter slight differences in index names and data types. Please note that references to Pervasive and Actian are synonymous.

If you are accessing the data through Oracle, note that field names that correspond to Oracle reserved words are appended with an underscore. For example, field names "Number", "Synonym", and "UID" become "Number_", "Synonym_", and "UID_" in Oracle.

Zero Values and Nulls

Null values are usually recorded as "NULL". Occasionally, a table may contain a value of "-99999" or "-9999"; in these cases, there is no recorded data for that period. (It is null.) If the table contains a "0" value, the data was reported as having a "0" value.

Service and Support

[MyAccount](#) is the LSEG portal that provides a single access point for timesaving support services, along with billing, user management, and information.

Statement of Service

The [Quantitative Analytics Service Description](#) is available on the [Quantitative Analytics](#) product page at MyAccount.

Subscribe to Support Channels

You are encouraged to [subscribe](#) to the following support channels to keep informed of changes to products and data, and to be notified of any service issues or change. Please see the *Alerts and Notifications* section in the *Quantitative Analytics Service Description* available on the [Quantitative Analytics](#) product page at MyAccount for detailed instructions.

- **Change Notifications**
 - **Product Change Notifications (PCNs)** detail new, enhanced, or changed functionality, which may require your action, in products that you use.
 - **Data Notifications (DNs)** alert you to upcoming changes to real-time and historical data across all asset classes that are relevant to you.
 - **RIC Change Events** inform you of planned changes to RICs. RIC is the market level identifier key unique to LSEG used to identify securities.
- **Service Alerts**
Alert you about planned maintenance and unplanned service issues affecting your products and services, and be notified via SMS or email.

Documentation

You can access product documentation on the [Quantitative Analytics](#) product page at MyAccount.

Get Support

For support using Quantitative Analytics, please use one of the following methods:

Online

Access [Get Support](#) either via the blue [Get Support](#) button at the top right of each page or by selecting *Get Support* located under *Help and Support* on the left navigation pane at MyAccount.

From the *Get Support* page, choose *Get Product and Content Support* and then select the appropriate category from the next page. Complete the request making sure to include the following:

- Under Product, select Quantitative Analytics from the dropdown list.
- In the **How can we help you?** text box, include the following information:
 - Content set name (i.e. Worldscope)
 - Date applicable to a content inquiry
 - Table names and relevant fields
 - Security code (i.e. QA-ID, PermID, Sedol, InfoCode, etc.)
 - Script used to generate the output
 - Any other supporting detail

Telephone

Region	Telephone	Options
AMERS	+01 866 427 8390	Option 1 – Product Support Option 2 – Technical Support
EMEA	+44 203 341 1036	
APAC	+65 6403 7436	

Feedback

We invite your comments, corrections, and suggestions about this document: access the [Feedback](#) option under [Get Support](#) at MyAccount. Your feedback helps us continue to improve our user assistance.

Your Personal Information

LSEG is committed to the responsible handling and protection of personal information. We invite you to review our [Privacy and Cookie Statement](#), which describes how we collect, use, disclose, transfer, and store personal information when needed to provide our services and for our operational and business purposes.

2. EU Taxonomy Data

EUTOrgClassDet

This table provides the organization's reported financial information for a given financial period. Out of those figures, eligible and aligned amounts are determined based on specific criteria searched for – first within the Green Revenue data, and subsequently through the Fundamental data.

Update Cycle: Monthly

Adjusted: N/A

Indexes		Index Fields	
pkey_EUTOrgClassDet (Clustered)		OrgPermID, FY, IsRepOrDer, Item	

Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (Perm ID) for an organisation (also known as Organisation Perm ID).
FY	int	No	A reporting period, fiscal year of the organization.
IsRepOrDer	boolean	No	A reporting style (As Reported or Derived).
Item	smallint	No	An item code to uniquely identify each EU Taxonomy organization classification metric.
AlignedFlg	char(1)	Yes	Specifies whether for the given segment all technical screening criteria has been passed.
AsRepFlg	char(1)	Yes	Flag to distinguish between EU Taxonomy reported data and estimated data.
CurrID	int	Yes	An identifier or code that is used to specify the currency in which the company has reported revenues.
ISOCurrCode	char(3)	Yes	ISO code of the currency in which the company has reported revenues.
PerID	int	Yes	Financial Period means a financial year or any other period in respect of which measures are calculated by the relevant company.
GRSrcFlg	char(1)	Yes	The Green Revenue Sourced Flag defines if the company has reported green revenue information.
MSSComment	varchar(2000)	Yes	Reason for failed minimum social safeguard test.
MSSPassFlg	char(1)	Yes	Minimum social safeguard test indicates that the company has been evaluated and passed with the social sustainability criteria set forth in the EU Taxonomy.
Value_	float	Yes	Value corresponding to the Item.

EUTSegClassDet

This table provide the total amounts reported by the organization broken down by segments, and the total eligible amounts stored for reporting purposes.

Update Cycle: Monthly

Adjusted: N/A

Indexes		Index Fields	
pkey_EUTSegClassDet (Clustered)		OrgPermID, FY, IsRepOrDer, Item, EUTSegCode	

Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (Perm ID) for an organisation (also known as Organisation Perm ID).

Field	Type	Nullable	Description
FY	int	No	A reporting period, fiscal year of the organization.
IsRepOrDer	boolean	No	A reporting style (As Reported or Derived).
Item	smallint	No	An item code to uniquely identify each EU Taxonomy segment classification metric.
EUTSegCode	int	No	Business segments that are classified according to GRCS (Green Revenue Classification System) and TRBC (The Refinitiv Business Classification). Refer to the links below for more information on GRCS and TRBC: – Green Revenues Data Model – TRBC Business Classification Methodology
AlignedFlg	char(1)	Yes	Specifies whether for the given segment all technical screening criteria has been passed.
Comment	varchar(2000)	Yes	Reason for failed segment classification test.
EligFlg	char(1)	Yes	This flag defines if the segment is eligible as per EU Taxonomy.
SrcSegID	varchar(50)	Yes	System utilized identifier to allow simpler joining back to the source of the data; either Green Revenue or Fundamentals.
TestedCount	int	Yes	Summarization of the number of EU Taxonomy objectives tested against.
FndBreakdownID	varchar(100)	Yes	Reported Revenues from Financial Statement Line Items, broken down by the specified ranking and weight, at the Segment level.
GRBreakdownID	varchar(100)	Yes	Reported amounts inputted from the Green Revenue system by company and financial period.
Value_	float	Yes	Value corresponding to the Item.

EUTObjClassDet

This table has each organization's reported data tested against the EU Taxonomy technical screening criteria, either for substantial contributions or "do no significant harm" criteria as per business segment code. Along with the Green Revenue/Fundamentals segment IDs and indication for six environmental objectives.

Update Cycle: Monthly

Adjusted: N/A

Indexes		Index Fields	
pkey_EUTObjClassDet (Clustered)		OrgPermID, FY, IsRepOrDer, Item, ObjTypeCode, SegCode	
Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (Perm ID) for an organisation (also known as Organisation Perm ID).
FY	int	No	A reporting period, fiscal year of the organization.
IsRepOrDer	boolean	No	A reporting style (As Reported or Derived).
Item	smallint	No	An item code to uniquely identify each EU Taxonomy objective classification metric.
ObjTypeCode	int	No	This code comprises of six environmental objectives as defined in EU taxonomy: 1) Climate change mitigation 2) Climate change adaptation 3) The sustainable use and protection of water and marine resources 4) The transition to a circular economy 5) Pollution prevention and control 6) The protection and restoration of biodiversity and ecosystems"
SegCode	int	No	Business segments that are classified according to GRCS (Green Revenue Classification System) and TRBC (The Refinitiv Business Classification). Refer to the links below for more information on GRCS and TRBC:

Field	Type	Nullable	Description
			– Green Revenues Data Model – TRBC Business Classification Methodology
DNSHPassFlg	char(1)	Yes	Flag indicating whether every DNSH criteria tested for the given objective was passed.
FndRevBDId	varchar(100)	Yes	Reported revenues from financial statement line items, broken down by the specified ranking and weight, at the segment level.
GeRevBDId	varchar(100)	Yes	Reported amounts sourced from the Green Revenue system by company and financial period.
ObjClassID	varchar(100)	Yes	An identifier used to classify the six environmental objectives.
ResultFlg	char(1)	Yes	Flag indicating whether every DNSH and substantial contribution criteria tested for the given objective was passed.
SrcSegID	varchar(50)	Yes	System utilized identifier to allow simpler joining back to the source of the data, either Green Revenue or Fundamentals.
SubsContPassFlg	char(1)	Yes	Flag indicating whether every Substantial Contribution that the Activity was tested against passed.
TotalActCrtCount	int	Yes	Summarization of the number of Technical Screening Criteria tested against.
Comment	varchar(2000)	Yes	Reason for failed activity classification test.
Value_	float	Yes	Value corresponding to the Item.

EUTObjClassAct

This table has each organization's reported data tested against the EU Taxonomy technical screening criteria, either for substantial contributions or "do no significant harm" criteria. And the summarization of the numbers of these criteria.

Update Cycle: Monthly

Adjusted: N/A

Indexes		Index Fields	
pkey_EUTObjClassAct (Clustered)		OrgPermID, FY, IsRepOrDer, EUTActID, Item, SrcSegID	
Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (Perm ID) for an organisation (also known as Organisation Perm ID).
FY	int	No	A reporting period, fiscal year of the organization.
IsRepOrDer	boolean	No	A reporting style (As Reported or Derived).
EUTActID	int		Identifier of sustainable activities which meet the specifications set out by the European Commission in order to provide companies with a standardized sustainable finance reporting mechanism.
Item	smallint	No	An item code to uniquely identify each EU Taxonomy objective classification metric.
SrcSegID	int	No	System utilized identifier to allow simpler joining back to the source of the data, either Green Revenue or Fundamentals.
DNSHPassFlg	char(1)	Yes	Flag indicating whether every DNSH criteria tested for the given objective was passed.
SubsContPassFlg	char(1)	Yes	Flag indicating whether every Substantial Contribution that the activity was tested against passed.
TotalDNSHTstCount	int	Yes	Summarization of the number of DNSHs tested against.
TotSubsConttstCount	int	Yes	Summarization of the number of Substantial Contributions tested against.
TSCComment	varchar(2000)	Yes	Reason for failed segment classification test.
Value_	float	Yes	Value corresponding to the Item.

EUTObjClassTSC

This table has each organization's reported data tested against the EU Taxonomy technical screening criteria, either for substantial contributions or "do no significant harm" criteria. Aligned amounts are stored for reporting purposes and to show whether all technical screening criteria were passed.

Update Cycle: Monthly

Adjusted: N/A

Indexes		Index Fields	
pkey_EUTObjClassAct (Clustered)		OrgPermID, FY, IsRepOrDer, EUTActID, EUTActTSCID, SrcSegID	

Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (Perm ID) for an organisation (also known as Organisation Perm ID).
FY	int	No	A reporting period, fiscal year of the organization.
IsRepOrDer	boolean	No	A reporting style (As Reported or Derived).
EUTActID	int	No	Identifier of sustainable activities which meet the specifications set out by the European Commission, in order to provide companies with a standardized sustainable finance reporting mechanism.
EUTActTSCID	int	No	Object ID in Technical Screening to uniquely identify a technical screening criteria.
SrcSegID	smallint	No	System utilized identifier to allow simpler joining back to the source of the data, either Green Revenue or Fundamentals.
CrtPassFlg	char(1)	Yes	Technical screening criteria passed flag.
TSCID	varchar(50)	Yes	Technical Screening Criteria specifies, for a given activity, thresholds which must be met based on certain measures reported. Technical Screening Criteria can be either Substantial Contribution, Do No Significant Harm Criteria, or Minimum Social Safeguard.
CrtDesc	varchar(1000)	Yes	In the cases where the Technical Screening Criteria(TSC) is a Substantial Contribution type, specifies whether it is a quantitative TSC.
QuantFlg	char(1)	Yes	Describes the type of Technical Screening Criteria. Available values are: Substantial Contribution, DNSH (Do No Significant Harm), Minimum Social Safeguard.
TSCTypeCode	varchar(20)	Yes	Measuring unit used in the Technical Screening Criteria. Examples: tCO2e per ton3tCO2e/tH2
TSCUnitMsrCode	varchar(200)	Yes	Text specifying the arithmetic operator to compare ESG measure against the threshold. For example: equals to, greater than, or lesser than etc.
ThCmpOpText	varchar(2000)	Yes	In substantial contributions, if the criteria is quantitative, the value being tested against is stored.
ThValue	float	Yes	Environmental, social and governance measures that are used for Technical screening criteria testing. Example: TR.CementCO2Emission
TotESGMsrTstCount	int	Yes	Number of data measures tested for Technical Screening Classifications.

EUTObjClassTSCMSr

This table has each organization's reported data tested against the EU Taxonomy technical screening criteria and their mapping to one or more ESG measures along with the pass flag and score.

Update Cycle: Monthly

Adjusted: N/A

Indexes	Index Fields
pkey_EUTObjClassTSCMSr (Clustered)	OrgPermID, FY, IsRepOrDer, EUTActID, EUTActTSCID, MsrGrpNo, SrcSegID

Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (Perm ID) for an organisation (also known as Organisation Perm ID).
FY	int	No	A reporting period, fiscal year of the organization.
IsRepOrDer	boolean	No	A reporting style (As Reported or Derived).
EUTActID	int	No	Identifier of sustainable activities which meet the specifications set out by the European Commission in order to provide companies with a standardized sustainable finance reporting mechanism.
EUTActTSCID	int	No	Object ID in Technical Screening uniquely identify a technical screening criteria
MsrGrpNo	smallint	No	Each Technical Screening Criteria must be mapped to one or more ESG measures. If a TSC has multiple ESG measures, the measures will be grouped as follows: 1). If all the ESG indicators, for a particular TSC, must all pass, then all ESG measures must be grouped under the same group number. 2). If at least one ESG indicator, for a particular TSC, must pass, then each ESG measure will be grouped under a different group number.
SrcSegID	smallint	No	System utilized identifier to allow simpler joining back to the source of the data, either Green Revenue or Fundamentals.
MsrPassFlg	char(1)	Yes	Data measure that has passed the Technical Screening Classifications test.
SrcRepValue	float	Yes	Documents or website where the data is reported by the company. Example: Annual report, company website, CSR Report, etc.
TstESGMsrCode	varchar(100)	Yes	Environmental, social and governance measures that are tested for Technical Screening Classifications.
Comment	varchar(2000)	Yes	Reason for a failed segment classification test.

EUTPassSSG

This table provides Minimum Social Safeguards, which have been achieved for the given Fiscal Period, for each reporting organization.

Update Cycle: Monthly

Adjusted: N/A

Indexes		Index Fields	
pkey_EUTPassSSG (Clustered)		OrgPermID, FY, IsRepOrDer, TSCId	

Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (Perm ID) for an organisation (also known as Organisation Perm ID).
FY	int	No	A reporting period, fiscal year of the organization.
IsRepOrDer	boolean	No	A reporting style (As Reported or Derived).
TSCId	int	No	Technical Screening Criteria specifies, for a given activity, thresholds which must be met based on certain measures reported. Technical Screening Criteria can be either Substantial Contribution, Do No Significant Harm Criteria, or Minimum Social Safeguard.
Comment	varchar(2000)	Yes	Reason for a failed social safeguard test.
PassedFlg	char(1)	Yes	Minimum social safeguard test indicates that the company has been evaluated and passed with the social sustainability criteria set forth in the EU Taxonomy.
CritDesc	varchar(1000)	Yes	Describes the Technical Screening Criteria requirement.
QuantFlg	char(1)	Yes	In the cases where the Technical Screening Criteria (TSC) is the Substantial Contribution type, specifies whether it is quantitative TSC.

Field	Type	Nullable	Description
TSCTypeCode	varchar(50)	Yes	Describes the type of Technical Screening Criteria. Available values are: Substantial Contribution, DNSH (Do No Significant Harm), Minimum Social Safeguard
TSCUnitCode	varchar(200)	Yes	Measuring unit used in Technical Screening Criteria. Examples: tCO2e per ton3tCO2e/tH2
ThCompOpText	varchar(200)	Yes	Text specifying the arithmetic operator to compare an ESG measure against the threshold. For example: equals to, greater than, or lesser than, etc.

EUTGblAct

This table contains a list of sustainable activities which meet the specifications set out by the European Commission to provide companies with a standardized sustainable finance reporting mechanism.

Update Cycle: Monthly

Adjusted: N/A

Indexes	Index Fields
pkey_EUTGblAct (Clustered)	EUTActID

Field	Type	Nullable	Description
EUTActID	varchar(100)	No	Environmental, social and governance measures that are used for Technical screening criteria testing. Example: TR.CementCO2Emission
ActName	varchar(500)	Yes	Activity name refers to the specific names given to the different environmentally sustainable economic activities, or taxonomy activities, defined by the EU Taxonomy regulation. Example: Afforestation, rehabilitation and restoration of forests, including reforestation and natural forest regeneration after an extreme event.
ActNo	varchar(200)	Yes	Activity number is a numerical code used to identify and distinguish between different taxonomy activities. Example: CM-1.1 Afforestation, Climate Mitigation.
ActContType	varchar(200)	Yes	Category code is to distinguish the contribution type of activities as enabling or transitional. The terms "enabling" and "transitional" refer to different types of economic activities based on their contribution to environmental objectives. Enabling activities are those that provide goods, services, or technologies that help other economic activities to reduce their environmental impact. These activities are important for promoting the transition to a more sustainable economy by creating new markets and business models that support environmental objectives. For example, an enabling activity could be the production of renewable energy equipment, which helps enable the transition to a low-carbon energy system. Transitional activities, on the other hand, are those that directly contribute to environmental objectives by reducing greenhouse gas emissions or other environmental impacts. These activities are necessary for achieving the EU's climate and environmental objectives, such as the goal of net-zero greenhouse gas emissions by 2050. Examples of transitional activities include the development and deployment of renewable energy technologies, energy-efficient buildings, and sustainable transport systems."
ObjType	varchar(200)	Yes	Comprises of six environmental objectives as defined in the EU taxonomy: 1) Climate change mitigation. 2) Climate change adaptation. 3) The sustainable use and protection of water and marine resources. 4) The transition to a circular economy. 5) Pollution prevention and control.

Field	Type	Nullable	Description
			6) The protection and restoration of biodiversity and ecosystems.
Sector	varchar(200)	Yes	Mapping between the EU taxonomy activities against NACE classification. Refer to the label NacelD for NACE description.

EUTGbIActNACE

This table contains a mapping of sustainable activities, which meet the specifications set out by the European Commission to NACE (a classification system developed by the European Union).

Update Cycle: Monthly

Adjusted: N/A

Indexes	Index Fields
pkey_EUTGbIActNACE (Clustered)	EUTActID, NacelD

Field	Type	Nullable	Description
EUTActID	varchar(100)	No	Environmental, social and governance measures that are used for the technical screening criteria testing. Example: TR.CementCO2Emission
NacelD	varchar(100)	No	NacelD is a code used to identify and categorize economic activities in the European Union. NACE stands for Nomenclature of Economic Activities and is a classification system developed by the European Union to identify the main economic activities of companies operating within the EU.

EUTGbIActScrCrt

This table contains a mapping of sustainable activities and Technical Screening Criteria that specify, for a given activity, thresholds which must be met based on certain measures reported.

Update Cycle: Monthly

Adjusted: N/A

Indexes	Index Fields
pkey_EUTGbIActScrCrt (Clustered)	EUTActID, EUTCrtID

Field	Type	Nullable	Description
EUTActID	varchar(100)	No	Environmental, social and governance measures that are used for the Technical Screening criteria testing. Example: TR.CementCO2Emission
EUTCrtID	varchar(100)	No	Object Id in the screening criteria (Technical Screening Criteria) to uniquely identify a technical screening criteria.
CritDesc	varchar(2000)	Yes	Describes the Technical Screening Criteria requirement.
QuantFlg	char(1)	Yes	In the cases where the Technical Screening Criteria (TSC) is a Substantial Contribution type, specifies whether it is quantitative TSC.
TSCTypeCode	varchar(50)	Yes	Code type of the Technical Screening Criteria. Available values are: SC (Substantial Contribution), DNSH (Do No Significant Harm), MSS (Minimum Social Safeguard)
TSCUnitCode	varchar(200)	Yes	Measuring unit used in the Technical Screening Criteria. Example: tCO2e per ton3tCO2e/tH2
ThCompOpText	varchar(200)	Yes	Text specifying the arithmetic operator to compare an ESG measure against the threshold. Example: equals to, greater than or lesser than etc.
ThValue	float	Yes	In substantial contributions, if the criteria is quantitative, the value being tested against is stored.

EUTGbIActScrCrtMsr

This table contains the environmental, social and governance measures that are used for the Technical Screening Criteria testing. For example: TR.CementCO2Emission.

Update Cycle: Monthly

Adjusted: N/A

Indexes		Index Fields	
pkey_EUTGbIActScrCrtMsr (Clustered)		EUTActID, EUTCrtID, ESGMeasureNo	
Field	Type	Nullable	Description
EUTActID	varchar(100)	No	Environmental, social and governance measures that are used for the Technical Screening Criteria testing. Example: TR.CementCO2Emission
EUTCrtID	varchar(100)	No	Object Id in the screening criteria (Technical Screening Criteria) to uniquely identify a technical screening criteria.
ESGMeasureNo	smallint	No	Incremental sequence number for each ESG Measure Code.
ESGMeasure	varchar(100)	Yes	Environmental, social and governance measures that are used for Technical screening criteria testing. Example: TR.CementCO2Emission

EUTGbIGrRevBO

This table provides reported or estimated revenues from the micro-sector classified by the Green Revenue Classification System (GRCS).

Update Cycle: Monthly

Adjusted: N/A

Indexes		Index Fields	
pkey_EUTGbIGrRevBO (Clustered)		OrgPermID, FY, SegCode, SegID	
Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (Perm ID) for an organisation (also known as Organisation Perm ID).
FY	int	No	A reporting period fiscal year of the organization.
SegCode	int	No	Business segments that are classified according to GRCS (Green Revenue Classification System) and TRBC (The Refinitiv Business Classification).
SegID	int	No	Segment ID is a unique identifier assigned to all segment divisions disclosed by the company. Each segment division name is unique across segment type codes. For example: Business, Geographic, Customer and Product type, except for Eliminations, Corporate and Other which are generic segments. Each segment name is assigned with a numerical value or Segment ID in a chronological order across segment types to avoid duplicate names. For example: Segment ID- 1, Segment Name- Industrial material, Segment Type Code-Business. Segment ID- 2, Segment Name - Japan, Segment Type Code-Geographic.
PerID	int	Yes	Financial Period means a financial year or any other period in respect of which measures are calculated by the relevant company.
RevWtCurrlD	int	Yes	An identifier or code that is used to specify the currency in which the revenue for the company is reported.
RevWtISOCurrCode	char(3)	Yes	ISO code of the currency in which company has reported revenues.

Field	Type	Nullable	Description
RevWtVal	float	Yes	The weight applied to a segment revenue.
SrcSegID	varchar(20)	Yes	System utilized identifier to allow simpler joining back to the source of the data, either Green Revenue or Fundamentals.
WtSegRevAmt	float	Yes	Weighted segment revenue classified under TRBC classification system.

EUTSegRevBD

This table provides reported or estimated revenues from the organization's TRBC sector.

Update Cycle: Monthly

Adjusted: N/A

Indexes	Index Fields
pkey_EUTSegRevBD (Clustered)	OrgPermID, FY, SegCode, SegID

Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (Perm ID) for an organisation (also known as Organisation Perm ID).
FY	int	No	A reporting period fiscal year of the organization.
SegCode	bigint	No	Business segments that are classified according to GRCS (Green Revenue Classification System) and TRBC (The Refinitiv Business Classification).
SegID	int	No	Segment ID is a unique identifier assigned to all segment divisions disclosed by the company. Each segment division name is unique across segment type codes. For example: Business, Geographic, Customer and Product type, except for Eliminations, Corporate and Other which are generic segments. Each segment name is assigned with a numerical value or Segment ID in a chronological order across segment types to avoid duplicate names. For example: Segment ID- 1, Segment Name- Industrial material, Segment Type Code-Business. Segment ID- 2, Segment Name - Japan, Segment Type Code-Geographic.
PerID	int	Yes	Financial Period means a financial year or any other period in respect of which measures are calculated by the relevant company.
FndRankCode	int	Yes	Rank is associated with the business segment section and each segment division is assigned a business classification code based on TRBC classification system.
RevWtCurriD	int	Yes	An identifier or code that is used to specify the currency in which the revenue for the company is reported.
RevWtISOCurrCode	char(3)	Yes	ISO code of the currency in which the company has reported revenues.
RevWtVal	float	Yes	The weight applied to the segment revenue.
SrcSegID	varchar(20)	Yes	System utilized identifier to allow simpler joining back to the source of the data, either Green Revenue or Fundamentals.
WtSegRevAmt	float	Yes	Weighted segment revenue classified under TRBC classification system.

EUTGbIFinSeg

This table contains the information about financial segments for an organization.

Update Cycle: Monthly

Adjusted: N/A

Indexes		Index Fields	
pkey_EUTGbIFinSeg (Clustered)		OrgPermID, SegID	

Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (Perm ID) for an organisation (also known as Organisation Perm ID).
SegID	int	No	Segment ID is a unique identifier assigned to all segment divisions disclosed by the company. Each segment division name is unique across segment type codes. For example: Business, Geographic, Customer and Product type, except for Eliminations, Corporate and Other which are generic segments. Each segment name is assigned with a numerical value or Segment ID in a chronological order across segment types to avoid duplicate names. For example: Segment ID- 1, Segment Name- Industrial material, Segment Type Code-Business. Segment ID- 2, Segment Name - Japan, Segment Type Code-Geographic.
CorpFlg	char(1)	Yes	Corporate Flag reflects 1 if the segment division comprises of unallocated items or corporate assets primarily related to the company headquarters and head office expenses. Corporate items comprise certain central activities and costs that are not directly related to the activities of the operating segments. Corporate segment consists of financing costs, working capital balances and cost allocated to common support functions which are not directly accountable to operating segments. Corporate Flag is available for both Business and Geographic segment. Calculation of segment ratios generally exclude Corporate Flag = 1 and NAICS code will not be assigned.
ElimFlg	char(1)	Yes	Elimination Flag reflects as 1 if the segment relates to intersegment sales. Intersegment sales represents sales between the segments. Companies disclose Total Sales, Intersegment sales and Net sales for each of its business segment. Net sales represent the Net external sales after deducting intersegment sales. Elimination Flag is applicable for both Business and Geographic segment and is common or generic data disclosed by companies in its segment note. Calculation of segment ratios generally exclude Elimination Flag= 1 and NAICS codes will not be assigned. In the below example, Intersegment sales are considered as Elimination Flag = 1 Take-away-food - 1,000 Intersegment Sales - (500) Net External Sales - 500 Restaurant - 2,000 Intersegment Sales -(300) Net External Sales - 1,700 Total Sales - 3,000 Intersegment Sales - (800), Net External Sales - 2,200 Elimination Flag =1
InactReasCode	char(3)	Yes	Inactivation Reason Code is associated with the segment divisions and an appropriate Reason Code is tagged when a segment becomes inactive.

Field	Type	Nullable	Description
			Inactivation Reason Code is available for Business, Geographic, Customer and Product segment types. A segment can become inactive due to various reasons. Below is the list of codes available under Inactivation Reason Code and an appropriate code is tagged to provide more clarity on the segment inactivation reason. – Inactivation Reason Code: BUC, Description: Business Consolidation; – Inactivation Reason Code: BUD, Description: Business Diversification; – Inactivation Reason Code: CAP, Description: Change In Accounting Policies; – Inactivation Reason Code: COG, Description: Change Of GAAP; – Inactivation Reason Code: GRE, Description: Geographical Relocation.
InactReasDesc	varchar(500)	Yes	Inactive Reason Other Description is a free text column where elaborate details are added when a segment division becomes inactive. When a segment is inactive, an appropriate reason code is tagged under the Segment Inactivation Reason Code type. There are default reasons available, but if an elaborate text needs to be provided, the same is added under the Inactive Reason Other Description text column. Inactive Reason Other Description text column is available for Business, Geographic, Customer and Product segment types. Segment Inactivation Reason Code list includes: Business Diversification, Sale of Subsidiary, Business Consolidation, Change in GAAP, Change in accounting, Others and Unknown.
DescLangID	int	Yes	Inactive Reason Other Description Language ID is associated with the segment division and displays the language in which the Inactive Reason Other Description, a free text column, displays the content. Generally, the free text is in the English language and the Inactive Reason Other Description Language ID will reflect the numerical value ranging from 0. Examples of the Inactive Reason Other Description Language ID and respective language names: – Inactive Reason Other Description Language ID: 0, Language Name: English; – Inactive Reason Other Description Language ID: 505002, Language Name: Africans.
NameLangID	int	Yes	Name Language ID is a numerical identified assigned to each language available globally. Name Language ID helps to identify the language used in the collection of as-reported descriptions or any free text. The list includes English and local languages. The below examples provide the Name Language ID and its respective language name: Name Language ID: 505084, Language Name: French; Name Language ID: 505096, Language Name: German.
OpSegFlg	char(1)	Yes	Operating Segment Flag is assigned to the business segment section. The flag reflects 1 if the business segment is reportable or operating segment of the company disclosed based on geographic locations. As per IFRS 8 – Operating Segment accounting standard effective post 1 January 2009, companies had an option to disclose operating segment using the geographical concept, hence Operating Segment Flag = 1 indicates that the company reported business segment based on regions or a combination of both. But IFRS 8 was superseded by IFRS 15-Revenue from Contract with Customers, effective 1 January 2018, where companies disclosed

Field	Type	Nullable	Description
			granular segment data. Hence Operating Segment Flag has been discontinued post 2018. Operating Segment Flag was used when business segment was represented based on geographic location of the company, as disclosed in the example below, this data was collected under Business section. Segment note: Management has determined the operating segments based on the reports reviewed by the chief operating decision maker. Reports reviewed consider the business primarily from a geographical perspective. The following reportable segments have been identified: The Americas, Australia, and New Zealand, Digital International. These geographic segment details are collected under Business section.
OtherFlg	char(1)	Yes	Other Flag reflects 1 if the segment division comprises of miscellaneous or a combination of items aggregated in a single segment. Other segment includes an aggregate of items with nominal or insignificant activities clubbed in the operating segment. The flag is available for Business, Geographic, Product and Customer segment. Calculation of segment ratios generally exclude Other segment and NAICS codes will not be assigned. Other segment is considered as generic segment if the company is silent or indicates that it consists of common income and expenses, as referred in the example below. Segment note: Operating segments reported consists of water business comprising regulated water and wastewater treatment; non-household water relates to retail market and other segment include company financing arrangement and taxation. Water and Non-household segment are considered as operating segment, while Other is flagged a 1 since it is miscellaneous.
SegName	varchar(500)	Yes	Segment Name is a textual column to capture the as-reported segment name disclosed by the company. In few exceptional cases the segment names may be different from the as-reported description to provide more meaningful names, as in case of abbreviations. Each segment description should be unique across segment type codes i.e. Business, Geographic, Customer and Product type, except for Eliminations, Corporate and Other which are generic segments. Each segment name is assigned with a numerical value known as the Segment ID in a chronological order across segment type to avoid duplicate names. Segment Name is limited to 128 characters. Free Text is applicable for Business, Customer and Product segment type, but Geographic segment has a default list of all country and region names. We also have an option to overwrite the description example United States to U.S. Examples: - Segment Name: Industrial material, Segment ID: 1, Segment Type Code-Business; - Segment Name: Shoes, Segment ID: 2, Segment Type Code: Business.
SegTypeCode	char(1)	Yes	Segment Type is associated with the segment divisions collected and it is classified under 4 segment types. Segment Type code denotes B-Business, G-Geographic, P-Product and C-Customer segment.
SingleSegFlg	char(1)	Yes	Single Segment Flag is associated with Business and Geographic segments where the company operates – only one segment. Single Business segment denotes the company explicitly operates in a single business activity and single Geographic segment operates in domestic country. Single Segment Flag is marked 1 for single segment and key financial data is displayed of the whole consolidated company.
ValidFromPerEndDt	smalldatetime	Yes	Valid From Period End Date is associated to each segment division. Each segment is recorded with a create date and an end date. Valid

Field	Type	Nullable	Description
			From Period End Date represents the create date or the period end date when the segment is activated. New segment divisions are created when a company discloses multiple data from single segment, new business acquisitions, expansion of business, business diversification or other. Valid From Period End Date is applicable to Business, Geographic, Customer and Product sections and the date format is MM/DD/YYYY.
ValidToPerEndDt	smalldatetime	Yes	Valid To Period End Date is associated to each segment division. Each segment is recorded with a create date and an end date. Valid To Period End Date represents the end date or the period end date when the segment is inactivated. There are multiple reasons a segment can become inactive, such as business diversification, sale of subsidiary, business consolidation, change in GAAP or other. The inactive data is generally updated with the date of the last period end date which discloses the details about the termination of the specific segment. Valid To Period End Date is applicable to Business, Geographic, Customer and Product sections and the date format is MM/DD/YYYY.

EUTGbIFinSegHrch

This table contains the information about financial segments and industry for an organization.

Update Cycle: Monthly

Adjusted: N/A

Indexes	Index Fields
pkey_EUTGbIFinSegHrch (Clustered)	OrgPermID, SegID, HrchCode

Field	Type	Nullable	Description
OrgPermID	bigint	No	Object ID in Financial segment uniquely identifies a segment reported by the reporting organization.
SegID	int	No	Segment ID is a unique identifier assigned to all segment divisions disclosed by the company. Each segment division name is unique across segment type codes. For example: Business, Geographic, Customer and Product type, except for Eliminations, Corporate and Other which are generic segments. Each segment name is assigned with a numerical value or Segment ID in a chronological order across segment types to avoid duplicate names. For example: Segment ID- 1, Segment Name- Industrial material, Segment Type Code-Business. Segment ID- 2, Segment Name - Japan, Segment Type Code-Geographic.
HrchCode	bigint	No	Hierarchical Code is associated with the business segment section and each segment division is assigned a business classification code based on the North American Industry Classification System (NAICS) schema. Hierarchical Codes are NAICS codes based on the 2007 schema. Examples of Hierarchical Codes or NAICS codes along with their descriptions: - Industry Name: Hierarchical Code: 518112, Industry Name: Web Search Portals; - Hierarchical Code: 518111, Industry Name: Internet Service Providers.
IndID	bigint	Yes	Industry ID is a permanent identifier assigned to the industrial classification of a segment.

Field	Type	Nullable	Description
			Each Industry ID is assigned a 10-digit numerical value, and these values are associated with the industry name which are the industrial classification names related to TRBC. For example: Industry ID: 4294961875, Industry Name: Casino Hotels.
IndName	varchar(500)	Yes	English name of the industry.
IndSchemeID	int	Yes	Industry Scheme ID highlights whether a particular Industry ID pertains to a NAICS or TRBC code. For example, Industry Schema ID 515003 refers to NAICS and 515000 refers to TRBC.
Rank	smallint	Yes	Rank is associated with the Business segment section and each segment division is assigned a business classification code based on the North American Industry Classification System (NAICS) schema. Each segment division has a maximum limit of 4 NAICS assigned based on the business activity of the division. The 4 NAICS are ranked based on the volume of activity, where 0 is the primary activity followed by the rest. The below example illustrates a segment division assigned with 4 NAICS based on the business activity, and each NAICS is ranked based on the volume of activity. Segment Name: Risk Management and Shared Services, NAICS: 522320, Industry Name: Financial Transactions Processing, Reserve and Clearinghouse Activities, Rank- 0; Segment Name: Risk Management and Shared Services, NAICS: 523920, Industry Name: Portfolio Management, Rank- 1; Segment Name: Risk Management and Shared Services, NAICS: 523930, Industry Name: Investment Advice, Rank- 2.

EUTGbIFinSegStmnt

This table provides statement and source data reported by the company.

Update Cycle: Monthly

Adjusted: N/A

Indexes		Index Fields	
pk_eutGbIFinSegStmnt (Clustered)		FndID, PerID, SrcID, StdCurrID, StmtCurrID, StmtTypeCode	

Field	Type	Nullable	Description
FndID	bigint	No	Fundamental ID is a permanent identifier (Perm ID) assigned to the sub-group of an organization which is grouped based on the consolidation, parent, and GAAP basis. An organization is further grouped based on the set of comparable financial data under an umbrella known as Fundamental ID. Fundamental ID is categorized for specific GAAP information, consolidated and Parent data. Each Fundamental ID is assigned with a 12-digit numerical identifier. In the below illustration, an organization is sub-grouped under Fundamental ID 1 and 2, which represents Austria (AUG) GAAP and IFRS (IAS) GAAP respectively, both are collected on a consolidation basis. OrgID: 10011, Fundamental ID: 192730230004, Fundamental ID: 1, GAAP Code: AUG, Consolidation Basis ID: 1; OrgID: 10011, Fundamental ID: 192730230005, Fundamental ID: 2, GAAP Code: IAS, Consolidation Basis ID: 1.
PerID	int	No	Period ID is associated with the period end date used to report the financial data of the business at the end of the financial period for annual and interims. Period end date differs for each company, however most of the financial periods are based on the tax period of the country in order easily track corporate tax filing. Interim periods have their statement

Field	Type	Nullable	Description
			date with the end date of each quarter and semi-annual with end date half yearly. Period ID is a unique identifier assigned to each period end date for a particular company. In the below illustration, Period ID is assigned to each period end date for a company and each period is of specific period length and units. Periodicity Code denotes A-Annual and Q- Quarter. PeriodID-33, PeriodEndDate- 3/31/2000, PeriodLength- 12, PeriodLengthUnitCode- M, PeriodicityCode- A; PeriodID- 34, PeriodEndDate- 3/31/2001, PeriodLength- 12, PeriodLengthUnitCode- M, PeriodicityCode- A.
SrcID	int	No	Source ID is associated with the source or filing document used to collect financial data for a particular period end. Data is collected from multiple source documents such as press, final, amendments for a particular period. Each document is assigned with a Source ID, which is a unique chronological numerical value for each company. Each document is assigned a Document Control Number (DCN) and records the filing date and time when the document is filed. Press documents are marked as 1 under Contains Preliminary Data. Statement date is the period end date of the quarters or annual reports. Examples: – Source ID: 88, Filing Date Time: 4/29/2020 20:28, DCN: 20830709, Statement Date: 3/31/2020, Contains Preliminary Data: 0; – Source ID: 89, Filing Date Time: 4/29/2020 20:05, DCN: br00448955, Statement Date: 3/31/2020, Contains Preliminary Data: 1.
StdCurrID	int	No	Standardized Currency ID is the currency used for standardization of financials on product views. In majority of the cases the standardized replicates the as-reported currency disclosed by the company. But there are few rare cases where they differ as in the below scenarios: where the local currency relates to a country with a hyperinflationary economy and historical values rapidly become meaningless. In this case the standardized currency would be set as the global substitute currency used within that country. European Union countries officially switched Euro, but if few companies continue to disclose in the local or heritage currency the same will be converted to Euro on product to help comparability. When a country switches to new currency, historic data will be converted to reflect the global standardized currency of the country. When a company reports its financial data in more than one currency; for example, the main financials of the company are in USD, but few key operating metrics data is reported in Euro, standardization converts the minor data and displays based on the global currency assigned for the company. The Standardized Currency ID reflects in 3 alphabets based on the International Organization for Standardization (ISO) guidelines. Example: EUR- Euro, USD- US Dollar.
StmntCurrID	int	No	Standard Currency ID is the unique permanent identifier assigned to each currency name of a country. It is a 6-digit numerical value assigned to each currency. The below example denotes the Standard Currency ID along with the corresponding Currency Code ISO which is the 3-alphabet code as defined by the International Standardization Organization (ISO) guidelines. Standard Currency ID has the Currency Name which are the global currency names. – Currency Code ISO: AUD, Standard Currency ID: 500117, Currency Name: Australian Dollar;

Field	Type	Nullable	Description
			– Currency Code ISO: EUR, Standard Currency ID: 500111, Currency Name: Euro.
StmtTypeCode	smallint	No	Statement Type Code is associated with the collection of financial information. Financial data is categorized into multiple statements based on the common accounting disclosures. Data is collected under the main statements such as Income statement (INC), Balance sheet (BAL), Cash flow (CAS) and additional statements such as Business Segment (BUS), Geographic Segment (GEO). The below examples indicate the different types of Statement Type Code with the respective statement descriptions available. Statement Type Code: BAL, Statement Description: Balance Sheet, BUS: Business Segment, CAS: Statement of Cash Flows, CUS: Major Customers, FTN: Footnotes, GEO: Geographic Segment, INC: Income Statement, OPM: Operating Metrics, PEN: Pension Information, PSH: Per Share, SHE: Shareholders Equity, PRS: Product Segment.
CmlTypeCode	char(1)	Yes	Cumulative Type Code is associated with the financial data collected for a particular period and appropriate code is assigned based on the periodic data collected. Interim reports disclose quarterly and half-yearly information for a semi-annual period. For a quarterly report 3 months data and for semi-annual 6 months data is marked as D -Discrete type. Discrete type is applicable for income statement and cash flow statements. Interim reports also disclose both quarterly and year-to-date (YTD) information. For a quarterly report 3, 6, 9 and 12 months year to date or cumulative data is marked as Y-Year to Date. Year-to-date information is applicable for income statement and cash flow statements. Cumulative Type Code consists of 4 codes: B - Both, implies that the period is first quarter of the fiscal year which is both Discrete and Year to date, D - Discrete, implies the quarterly 3 months info or 6 months for semi-annual, Y - Year to Date, implies quarterly cumulative data for 6, 9 and 12 months and N - Not Applicable, applicable for balance sheet statement as it is assessed as on the period end date. The below example illustrates the Cumulative Type Code used for interim periods based on the period length and interim period. – Period End Date - 6/30/2020, Period Length - 3, Period Length Unit Code - M, Periodicity Code -Q, Interim period- 1, Cumulative Type Code - B; – Period End Date - 9/30/2020, Period Length - 6, Period Length Unit Code - M, Periodicity Code - Q, Interim period- 2, Cumulative Type Code - Y; – Period End Date - 9/30/2020, Period Length - 3, Period Length Unit Code - M, Periodicity Code - Q, Interim period- 2, Cumulative Type Code – D; – Period End Date - 9/30/2020, Period Length - 0, Period Length Unit Code - M, Periodicity Code - Q, Interim period- 2, Cumulative Type Code - N.
PerEndDt	smalldatetime	Yes	Period End Date is the end date of the financial period that a company selects to close the financial accounts of its business. The statement date differs for each company, however most of the financial periods are based on the tax period of the country in order easily track corporate tax filing. Period End Date is applicable to both annual and interim reports. Interim periods have their period end date with the end date of each quarter and for semi-annual with end date half yearly. Period End Date is correlated with the period length, duration units, periodicity code and cumulative type code for a meaningful analysis. Cumulative Type Code consists of 4 codes: B-Both, implies that the

Field	Type	Nullable	Description
			period is first quarter of the fiscal year which is both discrete and year-to-date; D-Discrete, implies the quarterly 3 months info or 6 months for semi-annual; Y- Year-to-Date, implies quarterly cumulative data for 6, 9 and 12 months and N - Not Applicable, applicable for balance sheet statement as it is assessed as on the period end date. The below example illustrates the Period End Date in MM/DD/YYYY format, with the annual/interim period length in units- Month. The Periodicity Code denotes A - Annual, Q - Quarter and S - Semi-annual. Period End Date - 12/31/2020, Period Length - 12, Period Duration Units - Months, Periodicity Code - A, Cumulative Type Code - N; Period End Date - 3/31/2021, Period Length - 6, Period Duration Units - Months, Periodicity Code - Q, Cumulative Type Code- Y; Period End Date - 3/31/2021, Period Length - 3, Period Duration Units - Months, Periodicity Code - Q, Cumulative Type Code - D.
PerType	varchar(10)	Yes	Period Type is associated with the financial data collected for a particular period and is assigned based on the frequency of data collected. The common frequency of interim data is either quarterly or semi-annual pattern, and the annual period filed every year. The below examples provide the details of the Period Type Code available with respective descriptions. Period Type Code - A, Periodicity Description- Annual. Similarly, M - Monthly, Q - Quarterly, S - Semi-Annual and T - Triannual.
SrcTypeCode	varchar(50)	Yes	Source Type Code is associated with the source or filing document used to collect financial data for a particular period end. Data is collected from multiple source documents such as press, final, amendments for a particular period. Companies listed on the stock exchange file their reports as per the regulatory guidelines of the Government. These source documents are assigned with specific Source Type Code with a maximum limit of 10 characters to indicate the country and the filing type. Example: Source Type Code - AUSARS, Source Type Description - AUS ARS (Australia annual report).
TPSrcCode	varchar(50)	Yes	Third Party Source Type Code indicates that the data is been sourced from third party vendors. Below is the list of codes with respective descriptions of the third-party sources from where the information is collected. – Third Party Source Type Code - DnB, Third Party Source Description - Dun and Bradstreet; – Third Party Source Type Code - SS, Third Party Source Description - Self Source; – Third Party Source Type Code - ST, Third Party Source Description- Sinotrust; – Third Party Source Type Code - TK, Third Party Source Description - Toyo Keizai; – Third Party Source Type Code - HHT, Third Party Source Description - Hitachi High-Tech; – Third Party Source Type Code - WB, Third Party Source Description - Worldbase - DnB.

EUTGbIFinSegVal

This table provides segment-wise revenue reported by the company.

Update Cycle: Monthly

Adjusted: N/A

Indexes		Index Fields	
pkey_EUTGbIFinSegVal (Clustered)		FndID, PerID, SrcID, StdCurrID, StmtCurrID, StmtTypeCode, LinItemID	

Field	Type	Nullable	Description
FndID	bigint	No	Fundamental ID is a permanent identifier (Perm ID) assigned to the sub-group of an organization which is grouped based on the consolidation, parent, and GAAP basis. An organization is further grouped based on the set of comparable financial data under an umbrella known as Fundamental ID. Fundamental ID is categorized for specific GAAP information, consolidated and Parent data. Each Fundamental ID is assigned with a 12-digit numerical identifier. In the below illustration, an organization is sub-grouped under Fundamental ID 1 and 2, which represents Austria (AUG) GAAP and IFRS (IAS) GAAP respectively, both are collected on a consolidation basis. OrgID: 10011, Fundamental ID: 192730230004, Fundamental ID: 1, GAAP Code: AUG, Consolidation Basis ID: 1; OrgID: 10011, Fundamental ID: 192730230005, Fundamental ID: 2, GAAP Code: IAS, Consolidation Basis ID: 1.
PerID	int	No	Period ID is associated with the period end date used to report the financial data of the business at the end of the financial period for annual and interims. Period end date differs for each company, however most of the financial periods are based on the tax period of the country in order easily track corporate tax filing. Interim periods have their statement date with the end date of each quarter and semi-annual with end date half yearly. Period ID is a unique identifier assigned to each period end date for a particular company. In the below illustration, Period ID is assigned to each period end date for a company and each period is of specific period length and units. Periodicity Code denotes A-Annual and Q- Quarter. PeriodID-33, PeriodEndDate- 3/31/2000, PeriodLength- 12, PeriodLengthUnitCode- M, PeriodicityCode- A; PeriodID- 34, PeriodEndDate- 3/31/2001, PeriodLength- 12, PeriodLengthUnitCode- M, PeriodicityCode- A.
SrcID	int	No	Source ID is associated with the source or filing document used to collect financial data for a particular period end. Data is collected from multiple source documents such as press, final, amendments for a particular period. Each document is assigned with a Source ID, which is a unique chronological numerical value for each company. Each document is assigned a Document Control Number (DCN) and records the filing date and time when the document is filed. Press documents are marked as 1 under Contains Preliminary Data. Statement date is the period end date of the quarters or annual reports. Examples: - Source ID: 88, Filing Date Time: 4/29/2020 20:28, DCN: 20830709, Statement Date: 3/31/2020, Contains Preliminary Data: 0; - Source ID: 89, Filing Date Time: 4/29/2020 20:05, DCN: br00448955, Statement Date: 3/31/2020, Contains Preliminary Data: 1.

Field	Type	Nullable	Description
StdCurrID	int	No	Standardized Currency ID is the currency used for standardization of financials on product views. In majority of the cases the standardized replicates the as-reported currency disclosed by the company. But there are few rare cases where they differ as in the below scenarios: where the local currency relates to a country with a hyperinflationary economy and historical values rapidly become meaningless. In this case the standardized currency would be set as the global substitute currency used within that country. European Union countries officially switched Euro, but if few companies continue to disclose in the local or heritage currency the same will be converted to Euro on product to help comparability. When a country switches to new currency, historic data will be converted to reflect the global standardized currency of the country. When a company reports its financial data in more than one currency; for example, the main financials of the company are in USD, but few key operating metrics data is reported in Euro, standardization converts the minor data and displays based on the global currency assigned for the company. The Standardized Currency ID reflects in 3 alphabets based on the International Organization for Standardization (ISO) guidelines. Example: EUR- Euro, USD- US Dollar.
StmntCurrID	int	No	Standard Currency ID is the unique permanent identifier assigned to each currency name of a country. It is a 6-digit numerical value assigned to each currency. The below example denotes the Standard Currency ID along with the corresponding Currency Code ISO which is the 3-alphabet code as defined by the International Standardization Organization (ISO) guidelines. Standard Currency ID has the Currency Name which are the global currency names. – Currency Code ISO: AUD, Standard Currency ID: 500117, Currency Name: Australian Dollar; – Currency Code ISO: EUR, Standard Currency ID: 500111, Currency Name: Euro.
StmntTypeCode	smallint	No	Statement Type Code is associated with the collection of financial information. Financial data is categorized into multiple statements based on the common accounting disclosures. Data is collected under the main statements such as Income statement (INC), Balance sheet (BAL), Cash flow (CAS) and additional statements such as Business Segment (BUS), Geographic Segment (GEO). The below examples indicate the different types of Statement Type Code with the respective statement descriptions available. Statement Type Code: BAL, Statement Description: Balance Sheet, BUS: Business Segment, CAS: Statement of Cash Flows, CUS: Major Customers, FTN: Footnotes, GEO: Geographic Segment, INC: Income Statement, OPM: Operating Metrics, PEN: Pension Information, PSH: Per Share, SHE: Shareholders Equity, PRS: Product Segment.
LineItemID	int	No	Line Item ID is associated with the financial data items collected for each company, where each data item is assigned with a numerical value in chronological order based on the sequence of the as-reported items. The Line Item ID helps to display the items in the as-reported sequence disclosed by the company. The below example illustrates the Line Item ID with the numerical value assigned to each data item under the Line Item Name and is applicable to all the statement sections available in the Statement Type Code. Examples: – Org ID - 27602, Line Item ID - 1, Statement Type Code - BAL, Line Item Name - Cash and cash equivalents;

Field	Type	Nullable	Description
			– Org ID - 27602, Line Item ID - 2, Statement Type Code - BAL, Line Item Name- Short-term investments.
CreditFlg	char(1)	Yes	Credit Flag is associated with the sign or polarity of the amount or value collected for the financial information. Each data item has default polarity based on the nature of the data items. Generally, items related to income/gain are assigned positive, and expense/loss are assigned negative. Credit Flag reflects 1 if the default polarity of the data item is positive and 0 if negative. In the below illustration, the financial data items represented by the Financial Concept Code and description are marked with 1 if defaulted as positive and 0 if negative: Financial Concept Code - ACAE, Financial Concept Description - Cash and Cash Equivalents, Credit Flag- 1.
CurrID	int	Yes	Currency ID is the currency used for standardization of financials on product views. In majority of the cases the standardized replicates the as-reported currency disclosed by the company. But there are few rare cases where they differ as in the below scenarios: where the local currency relates to a country with a hyperinflationary economy and historical values rapidly become meaningless. In this case the standardized currency would be set as the global substitute currency used within that country. European Union countries officially switched Euro, but if few companies continue to disclose in the local or heritage currency the same will be converted to Euro on product to help comparability. When a country switches to new currency, historic data will be converted to reflect the global standardized currency of the country. When a company reports its financial data in more than one currency; for example, the main financials of the company are in USD, but few key operating metrics data is reported in Euro. Standardization converts the minor data and displays based on the global currency assigned for the company. Currency ID reflects in 3 alphabets based on the International Organization for Standardization (ISO) guidelines EUR, USD, JPY.
EstFlg	char(1)	Yes	Estimated Flag is associated with the financial data items calculated using the standardized data and is marked 1 if one of the inputs is an estimated value. Estimated Flag indicates the estimated attribute of the analytical value, the flag is marked 1 if one of the inputs used in the calculation of the analytics comes directly or indirectly from an estimated data. It is marked 0 if the input is an as-reported value.
InstKey	varchar(50)	Yes	Instance Key is associated with the financial data values derived or calculated by the system using the as-reported content. Analytical data value may be derived either through summation, deduction, multiplication, or division using as-reported values to provide meaningful ratios, and each value is assigned an Instance Key. Each analytical value is assigned with a unique identifier known as Instance Key. The below example illustrates the Instance Key assigned to each analytic value: Organization ID - 4295856044, Period ID - 1, Analytic Concept Code - SCAES, Code description - Cash and Short-Term Investments - Total per Share, Analytic Value - 1.054038005, Instance Key - 6516460032.
SegID	int	Yes	Segment ID is a unique identifier assigned to all segment divisions disclosed by the company. Each segment division name is unique across segment type codes. For example: Business, Geographic, Customer and Product type, except for Eliminations, Corporate and Other which are generic segments. Each segment name is assigned with a numerical value or Segment ID in a chronological order across segment types to avoid duplicate names. For example:

Field	Type	Nullable	Description
			Segment ID- 1, Segment Name- Industrial material, Segment Type Code-Business. Segment ID- 2, Segment Name - Japan, Segment Type Code-Geographic.
SegLineItemID	int	Yes	Segment Line Item ID is associated with the segment display on the standardized layer and is applicable to Business, Geographic, Customer and Product sections. Each segment division is assigned with the numerical value in a chronological order to display the data in an order consistent across all companies. Segment Line Item ID helps to display the items in an orderly manner across all company to ease comparison.
StdFinConCode	varchar(50)	Yes	Financial Concept Code is associated with the collection of each financial data item on the product and each code is unique assigned to each accounting concept. Financial Concept Codes are chart of accounts with the list of common accounting concepts available in the taxonomy. There are two layers of Financial Concept Code displayed; one is the as-reported layer, and another is standardized layer. Standardized Financial Concept Code is generally the aggregate of the as-reported codes based on the nature of items. Standardization helps comparability across all markets and GAAP reporting. In the below illustration, the Standardized Financial Concept Code SINY-Inventories Total is the aggregate of all the granular components such as raw material, finished goods, tools and fixtures, work-in-progress, and others: Financial Concept Code - SINY, Financial Concept Code Description - Inventories Total.
StdVal	float	Yes	Standardized Value is associated with the amount of each financial data item calculated with the aggregation of the as-reported items. Standardization helps comparability across all markets and GAAP reporting. Standardized Value is an aggregate of the components, calculated based on the nature of item irrespective of the reporting pattern.
TotalFlg	char(1)	Yes	Total Flag is associated with the segments applicable to Business, Geographic, Customer and Product sections. The as-reported segment values are aggregated to provide comparable data across all companies. For example, a banking company may disclose components of revenues such as interest income, investment income, realized gain/loss on investments and dividend income in its business segment note. The aggregate of revenue is calculated, and the total value is derived. Total Flag is marked as 1 when the value is an aggregate based on the as-reported components.

EUTCode

This table contains descriptions for integer codes.

Update Cycle: Monthly

Adjusted: N/A

Indexes		Index Fields	
pkey_EUTCode (Clustered)		Type_, Code_	
Field	Type	Nullable	Description
Type_	int	No	Enlists the types of codified data items.
Code_	bigint	No	Code represents the Value_ data item from any EU Taxonomy data.
Desc_	varchar(500)	Yes	Contains the coded data item description.

EUTDesc

This table contains descriptions for the character codes.

Update Cycle: Monthly

Adjusted: N/A

Indexes	Index Fields
pkey_EUTDesc (Clustered)	Type_, Code_

Field	Type	Nullable	Description
Type_	int	No	Enlists the types of codified data items.
Code_	bigint	No	Code represents the Value_ data item from any EU Taxonomy data.
Desc_	varchar(500)	Yes	Contains the coded data item description.

EUTItem

This table contains the reported financial items and their meta data.

Update Cycle: Monthly

Adjusted: N/A

Indexes	Index Fields
pkey_EUTItem (Clustered)	Item

Field	Type	Nullable	Description
Item	int	No	An item code to uniquely identify each EU Taxonomy item that is a part of the feed.
Title	varchar(100)	Yes	Description pertaining to the Item.
Desc_	varchar(500)	Yes	Detailed description pertaining to the Item.
DataType	varchar(50)	Yes	The data type of the corresponding EU Taxonomy item. Corresponding type code is in the EUTCode table.
TableName	varchar(50)	Yes	The data table in which the value pertaining to the item resides. Corresponding type code in the EUTCode table.

Copyright © 2025 London Stock Exchange Group plc and its group of companies (LSEG) and/or its affiliates. All rights reserved. The LSEG content received through this service is the intellectual property of LSEG or its third party suppliers. Republication or redistribution of content provided by LSEG is expressly prohibited without the prior written consent of LSEG, except where permitted by the terms of the relevant LSEG service agreement. Neither LSEG nor its third party suppliers shall be liable for any errors, omissions or delays in content, or for any actions taken in reliance thereon. LSEG and its logo are trademarks of LSEG.

For more information visit us at www.lseg.com



LSEG DATA &
ANALYTICS