

LSEG Quantitative Analytics

Database Schema for Fixed Income EJV Data

Version 1.0.8



Contents

1 Introduction.....	3
In This Document.....	3
Intended Readership.....	3
Table Name Conventions	3
Mapping Information	3
Pervasive and Oracle.....	4
Zero Values and Nulls.....	4
Service and Support	4
Feedback	5
Your Personal Information	5
2. Fixed Income EJVS Schema Overview and Usage Notes	6
Pricing End-of-Day (VPD)	6
End-of-Day (EOD) Pricing.....	6
3. Fixed Income Mapping.....	7
FISecCspChgX: Fixed Income Security Master CUSIP Changes.....	8
FISecIsinChgX: Fixed Income Security Master ISIN Changes.....	8
FISecMapX: Fixed Income Security Map.....	9
FISecMstrX: Fixed Income Security Master	9
FISecSdlChgX: Fixed Income Security Master Primary SEDOL Change History	10
4. Fixed Income EJVS Terms & Conditions Database Schema	11
FIEJV Common Tables	11
FIEJV Call Tables	36
FIEJV Convertibles Tables.....	39
FIEJV EMU Tables	46
FIEJV Exotics Tables	48
FIEJV Extendible Tables.....	55
FIEJV Issue Ratings Tables.....	57
FIEJV Issuer Ratings Tables.....	59
FIEJV Medium-Term Notes Tables.....	61
FIEJV Put Tables	63
FIEJV Range Tables.....	64
FIEJV Sink Fund Tables	66
5. Fixed Income EJVS Pricing Database Schema	68

1 Introduction

In This Document

This document provides schema information about the **Fixed Income (FI) Electronic Joint Venture (EJV)** data tables in Quantitative Analytics.

NOTE

For information about the other Quantitative Analytics tables, refer to the other Database Schema documents posted on the [Quantitative Analytics](#) product page on [MyAccount](#).

The documentation for each table includes these main elements:

- **Vendor Database or License Name** – This element provides the vendor database or license name. Vendor databases generally correspond to vendor licensing options.
- **Table Name: Table Title** – This element provides the table name and title, followed by a description of the table contents.
- **Update Cycle** – This element indicates the frequency of updates from the data vendor. (For specific information about when this update is posted for your use, refer to your update logs. The update log schema description is available in the Database Schema for Quantitative Analytics Core Tables document.)
- **Indexes, Index Fields** – This element lists the table's index(es) (for example, pkey_CSGCAD) and the index fields. The primary index contains a "pkey_" or "PK_" prefix. Clustered indexes are noted.
- **Field, Type, Nullable, Definition** – This element describes the table's fields, including field names, data types, and whether each field is nullable. The data types in Snowflake have equivalents available. For example, an *int* in SQL Server is a *number* in Snowflake.

Intended Readership

This document is intended for Quantitative Analytics clients licensed to use **Fixed Income EJV** data through LSEG. Note that the tables described in this document may be covered by several licenses; your access to the data in these tables is dependent on the licenses you have. Readers should have basic knowledge of Microsoft SQL Server 2016.

Table Name Conventions

In Quantitative Analytics, database tables are grouped by name. Generally, the first few letters of the table name refer to the data vendor or licensing group. For example, all tables that begin with **FIEJV*** are **Fixed Income EJV** data tables.

Mapping Information

When mapping Fixed Income EJV content, use the VenType and VenCode values shown in the following table. (For more information about mapping or for other vendors' VenType and VenCode values, refer to the Database Schema for LSEG Quantitative Analytics Core Tables document, available on the Quantitative Analytics product page on MyAccount).

Security VenType Mapping for FISecMapX Table

Vendor	FISecMapX VenType	Vendor Table(s)	Vencode = [field]
Fixed Income EJV	45	FIEJVSecInfo	

Pervasive and Oracle

This document is specific to Microsoft SQL Server 2016. If you are accessing the data directly through the Pervasive database, you may encounter slight differences in index names and data types. Please note that references to Pervasive and Actian are synonymous.

If you are accessing the data through Oracle, note that field names that correspond to Oracle reserved words are appended with an underscore. For example, field names “Number”, “Synonym”, and “UID” become “Number_”, “Synonym_”, and “UID_” in Oracle.

Zero Values and Nulls

Null values are usually recorded as “NULL”. Occasionally, a table may contain a value of “-99999” or “-9999”; in these cases, there is no recorded data for that period. (It is null.) If the table contains a “0” value, the data was reported as having a “0” value.

Service and Support

[MyAccount](#) is the LSEG portal that provides a single access point for timesaving support services, along with billing, user management, and information.

Statement of Service

The [Quantitative Analytics Service Description](#) is available on the [Quantitative Analytics](#) product page at MyAccount.

Subscribe to Support Channels

You are encouraged to [subscribe](#) to the following support channels to keep informed of changes to products and data, and to be notified of any service issues or change. Please see the *Alerts and Notifications* section in the *Quantitative Analytics Service Description* available on the [Quantitative Analytics](#) product page at MyAccount for detailed instructions.

- **Change Notifications**
 - **Product Change Notifications (PCNs)** detail new, enhanced, or changed functionality, which may require your action, in products that you use.
 - **Data Notifications (DNs)** alert you to upcoming changes to real-time and historical data across all asset classes that are relevant to you.
 - **RIC Change Events** inform you of planned changes to RICs. RIC is the market level identifier key unique to LSEG used to identify securities.
- **Service Alerts**
Alert you about planned maintenance and unplanned service issues affecting your products and services, and be notified via SMS or email.

Documentation

You can access product documentation on the [Quantitative Analytics](#) product page at MyAccount.

Get Support

For support using Quantitative Analytics, please use one of the following methods:

Online

Access [Get Support](#) either via the blue [Get Support](#) button at the top right of each page or by selecting *Get Support* located under *Help and Support* on the left navigation pane at MyAccount.

From the *Get Support* page, choose *Get Product and Content Support* and then select the appropriate category from the next page. Complete the request making sure to include the following:

- Under Product, select Quantitative Analytics from the dropdown list.
- In the **How can we help you?** text box, include the following information:
 - Content set name (i.e. Worldscope)

- Date applicable to a content inquiry
- Table names and relevant fields
- Security code (i.e. QA-ID, PermID, Sedol, InfoCode, etc.)
- Script used to generate the output
- Any other supporting detail

Telephone

Region	Telephone	Options
AMERS	+01 866 427 8390	Option 1 – Product Support Option 2 – Technical Support
EMEA	+44 203 341 1036	
APAC	+65 6403 7436	

Feedback

We invite your comments, corrections, and suggestions about this document: access the [Feedback](#) option under [Get Support](#) at MyAccount. Your feedback helps us continue to improve our user assistance.

Your Personal Information

LSEG is committed to the responsible handling and protection of personal information. We invite you to review our [Privacy Statement](#), which describes how we collect, use, disclose, transfer, and store personal information when needed to provide our services and for our operational and business purposes.

2. Fixed Income EJV Schema Overview and Usage Notes

Pricing End-of-Day (VPD)

We provide end-of-day pricing information, including trade date, pricing source, price, yield, and pricing method. This is a value-added service defined as the 'best' collected or calculated price to derive bond yields. End-of-day pricing combines LSEG evaluated pricing, and LSEG composite pricing with the corresponding native and ISMA/Corp yields according to the hierarchy described in the section End-of-Day (EOD) Pricing. End-of-day pricing forms the basis for Price History.

End-of-Day (EOD) Pricing


This pricing is a value-added service defined as the 'best' collected or calculated price to derive bond yields. This pricing combines LSEG evaluated pricing, LSEG composite pricing, and ISMA with the corresponding native and ISMA/Corp yields according to the hierarchy described below.

The pricing hierarchy and a brief description of each source is listed below:

- LSEG Evaluated Pricing: The LSEG Evaluated Pricing Service teams' knowledge, experience, and access to local primary markets ensures high-quality valuations that are widely sourced, consistent, and reflect current trader methodologies. They apply many different quality checks and process updates and new issues 24/7. Coverage highlights include pricing for 1.1 million fixed income securities worldwide.
- LSEG Composite Pricing: For a given instrument, LSEG derives a composite price from snaps of market closing prices from a diverse group of Brokers, Dealers, and Exchanges.
- ISMA Pricing: The International Securities Market Association (ISMA) is the organization and trade association for the international securities market. It is well-known as one of the premier third-party providers of European terms and conditions and pricing data.

3. Fixed Income Mapping


The tables in this section enable fixed income security concordance. The following diagram shows the fixed income concordance tables and their relationship with Prclss, Prclsr, and FIEJVSecInfo. For Prclss and Prclsr table details, refer to the Database Schema for LSEG Quantitative Analytics Core Tables document.



The following diagram shows how FISecMapX and FISecMstrX connect to SecMstrX and GSecMstrX. For SecMstrX and GSecMstrX table details, refer to the Database Schema for LSEG Quantitative Analytics Core Tables document.

NOTE

Disregard the representation of the fields in this diagram, as they are not fully represented.



FISecCspChgX: Fixed Income Security Master CUSIP Changes

Use this table to retrieve the CUSIP history of a fixed income security (global and domestic).

Update Cycle: Daily

Adjusted: Yes

Indexes	Index Fields
pkey_FISecCspChgX (Clustered)	Type_, SecCode, StartDate

Field	Type	Nullable	Description
SecCode	int	N	SecCode links across the FISec* concordance tables. It also cross-references with Prc.PrcIss.Code for a given type. Type_ = 21 is used for FI EJV securities in PrcIss maps. (Prc.PrcIss is documented in the Database Schema for LSEG Quantitative Analytics Core Tables document.)
Type_	smallint	N	(Reserved for future development.)
StartDate	datetime	N	StartDate is the first date issuer information is valid.
Cusip	varchar(8)	Y	The CUSIP for the period specified in StartDate and EndDate.
EndDate	datetime	Y	EndDate is the last date issuer information is valid.

FISecIsinChgX: Fixed Income Security Master ISIN Changes

Use this table to retrieve the ISIN history of a fixed income security (global and domestic).

Update Cycle: Daily

Adjusted: Yes

Indexes	Index Fields
pkey_FISecIsinChgX (Clustered)	Type_, SecCode, StartDate

Field	Type	Nullable	Description
SecCode	int	N	SecCode links across the FISec* concordance tables. It also cross-references with Prc.PrcLss.Code for a given type. Type_ = 21 is used for FI EJV securities in PrcLss maps. (Prc.PrcLss is documented in the Database Schema for LSEG Quantitative Analytics Core Tables document.)
Type_	smallint	N	(Reserved for future development.)
StartDate	datetime	N	StartDate is the first date issuer information is valid.
EndDate	datetime	Y	EndDate is the last date issuer information is valid.
Isin	varchar(12)	Y	The ISIN for the period specified in StartDate and EndDate.

FISecMapX: Fixed Income Security Map

This table provides mapping to vendor codes including ranking and time series.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_FISecMapX (Clustered)	Type_, SecCode, VenType, Rank

Field	Type	Nullable	Description
SecCode	int	N	SecCode links across the FISec* concordance tables. It also cross-references with Prc.PrcLss.Code for a given type. Type_ = 21 is used for FI EJV securities in PrcLss maps. (Prc.PrcLss is documented in the Database Schema for LSEG Quantitative Analytics Core Tables document.)
Type_	smallint	N	(Reserved for future development.)
VenType	smallint	N	VenType is a unique type code for each vendor. VenType is defined in SecVenType. FI EJV Ventype = 45.
VenCode	int	Y	VenCode is the corresponding vendor's unique code. For FI EJV, VenCode cross references with FIEJVSecInfo.InstrCode.
Rank	smallint	N	Rank is the issue rank for issuers with multiple issues. Note: Ranking is determined upon initial load, and will not necessarily change in response to new issues or volume/status changes.
Exchange	smallint	Y	Exchange identifies whether the VenCode applies to EJV (EJV = 20).
StartDate	datetime	Y	StartDate is the first date issuer information is valid.
EndDate	datetime	Y	EndDate is the last date issuer information is valid.

FISecMstrX: Fixed Income Security Master

This table returns the master fixed income security record (global and domestic) from the ID, CUSIP, SEDOL, or ISIN. It also provides the vendors for each security.

Update Cycle: Daily

Adjusted: Yes

Indexes	Index Fields
pkey_FISecMstrX (Clustered)	SecCode, Type_

Field	Type	Nullable	Description
SecCode	int	N	SecCode links across the FISec* concordance tables. It also cross-references with Prc.PrcLss.Code for a given type. Type_ = 21 is used for FI EJV securities in PrcLss maps. (Prc.PrcLss is documented in the Database Schema for LSEG Quantitative Analytics Core Tables document.)
Id	varchar(30)	Y	Id is the unique LSEG Quantitative Analytics Fixed Income identifier. FI QAID begins with the '#' symbol and is derived as follows: #+5-digit(alphanumeric company name)+6-digit Hex sequence number.

Field	Type	Nullable	Description
			For example, Microsoft Corporation Public Limited, #MICOP000001, Microsoft, #MICRO000001 BIG, #BIGXX000001
Type_	smallint	N	(Reserved for future development.)
IdBase	varchar(5)	Y	IdBase is the 5-digit (alphanumeric company name) Base from the ID column.
IdSeq	int	Y	IdSeq is the sequence number from the ID column.
Cusip	varchar(8)	Y	Cusip is the security CUSIP number.
PrevCusip	varchar(8)	Y	PrevCusip is the CUSIP before the most recent CUSIP change. This field is reserved for future use.
Sedol	varchar(6)	Y	Sedol is the primary security SEDOL. It corresponds to the security where Rank = 1 in SecMapX.
PrevSedol	varchar(6)	Y	PrevSedol is the SEDOL before the most recent SEDOL change. This field is reserved for future use.
Sedol2	varchar(6)	Y	Sedol2 is the secondary security's SEDOL (for dually listed securities). It corresponds to the security where Rank = 2 in SecMapX. This field is reserved for future use. (SecMapX is documented in the Database Schema for LSEG Quantitative Analytics Core Tables document.)
PrevSedol2	varchar(6)	Y	PrevSedol2 is the secondary security's SEDOL before the most recent SEDOL change. It corresponds to the security where Rank = 2 in SecMapX. This field is reserved for future use. (SecMapX is documented in the Database Schema for LSEG Quantitative Analytics Core Tables document.)
Isin	varchar(12)	Y	Isin is the security ISIN number.
Name	varchar(60)	Y	Name is the name of the security.
Country	varchar(3)	Y	Country is the ISO3 code for the country of incorporation.
Vendors1	bigint	Y	Vendors1 indicates the vendor the security is mapped to.
Vendors2	bigint	Y	(Reserved for future development.)
Vendors3	bigint	Y	(Reserved for future development.)
Vendors4	bigint	Y	(Reserved for future development.)

FISecSdlChgX: Fixed Income Security Master Primary SEDOL Change History

This table provides SEDOL change history for fixed income master securities (global and domestic).

Update Cycle: Daily **Adjusted:** Yes

Indexes	Index Fields
pkey_FISecSdlChgX (Clustered)	Type_, SecCode, StartDate

Field	Type	Nullable	Description
SecCode	int	N	SecCode links across the FISec* concordance tables. It also cross-references with Prc.PrcLss.Code for a given type. Type_ = 21 is used for FI EJV securities in PrcLss maps. (Prc.PrcLss is documented in the Database Schema for LSEG Quantitative Analytics Core Tables document.)
Type_	smallint	N	(Reserved for future development.)
StartDate	datetime	N	StartDate is the first date issuer information is valid.
Sedol	varchar(6)	Y	The SEDOL for the period specified in StartDate and EndDate
EndDate	datetime	Y	EndDate is the last date issuer information is valid.

4. Fixed Income EJV Terms & Conditions Database Schema

This chapter provides schema information for the Fixed Income EJV Terms & Conditions (T&C) tables.

FIEJV Common Tables

The diagram on the following page shows the relationships between the FIEJV Common tables.



FIEJVCap: Capitalization Schedule Information

This table contains capitalization schedule information.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVCap (Clustered)		InstrCode, CapDate	

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
CapDate	datetime	N	CapDate is the date on which the capitalization rate becomes effective.
CapPct	float	Y	CapPct is the percentage rate to be capitalized.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVCode: Numeric Codes

This table contains descriptions of Fixed Income EJV numeric codes.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVCode (Clustered)		Type_, Code	

Field	Type	Nullable	Description
Type_	int	N	Type_ is a numeric code for a type of data.
Code	int	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(120)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

FIEJVCpn: Asset Interest Cash Flow Information

This table contains the data elements necessary for determining the interest cash flows for an asset.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVCpn (Clustered)		InstrCode, CpnLegNum, Item	

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in QUANTITATIVE DATA WAREHOUSE (QDW) and is not received from the vendor.
CpnLegNum	tinyint	N	A particular instrument can have multiple coupons. CpnLegNum helps capture this detail, which is derived from the XML feed structure.
Item	int	N	Item is a code representing the respective item. See the FIEJVItem table (Item) for a complete list of codes.
Value_	varchar(30)	Y	Value_ is the value for the respective item.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVCpnFltRate: Asset Coupon Rates

This table maintains the current and historical coupon rates for those assets that have coupons. There will be future entries for those assets that have a known coupon in the future (for example, a callable strip asset). Assets may have more than one entry in this table for past rate changes.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVCpnFltRate (Clustered)		InstrCode, EffDate	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in QUANTITATIVE DATA WAREHOUSE (QDW) and is not received from the vendor.
EffDate	datetime	N	EffDate is the date on which interest begins accruing at a specified rate.
CpnRate	float	Y	CpnRate is the coupon rate associated with each corresponding date.
NonAnnCpnRate	float	Y	NonAnnCpnRate is the non-annual coupon rate. This is used primarily for Italian bonds.
RstDate	datetime	Y	RstDate is the date for which the value was calculated.
CpnRateSrcCode	varchar(3)	Y	CpnRateSrcCode is a code specifying the source of the rate. Floating rate notes are programmatically calculated and are indicated by 'PGM'. FIEJVCpnFltRate.CpnRateSrcCode joins with FIEJVDesc .Code where Type_ = 71.
UnadjRstDate	datetime	Y	UnadjRstDate is the reset date for the new rate, unadjusted by any holiday schedules or business rules.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVCpnHdr: Instrument Coupon Terms

This table contains the coupon terms for an instrument.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVCpnHdr (Clustered)		InstrCode	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
CpnSubTypeCode	varchar(4)	Y	CpnSubTypeCode is a code representing the type of coupon payment applicable to the security. FIEJVCpnHdr.CpnSubTypeCode joins with FIEJVDesc .Code where Type_ = 22.
FrstCpnDate	datetime	Y	FrstCpnDate is the date on which the first coupon payment is made.
LastCpnDate	datetime	Y	LastCpnDate is the last possible reset date for floating rate bonds.
RecDateDays	int	Y	RecDateDays is an integer used in conjunction with the record date code. For example, if the record_dt_cd is a "...calendar day of month" value and the record date is on the 30th calendar day of the month, 30 would show in this field. If the record_dt_cd is a "...calendar day(s) prior" value, then it is an offset from the pay date. For example, 15 means "15 calendar days prior to the pay date."
StripCpnFl	tinyint	Y	StripCpnFl is a 1/0 flag indicating whether the coupon payments may be "stripped" from the offered security. Stripping is the process of

Field	Type	Nullable	Description
			separating a bond into its principal component and interest components. These components are then sold separately.
CurrCpnRate	float	Y	CurrCpnRate is the effective interest rate for the security, expressed as an annual percentage of face value. For preferred stocks, the rate is expressed as a percent of the liquidation preference.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVCurve: Curve Information

This table contains curve information that shows the relationship between the interest rate and the time to maturity of the debt for a given borrower in a given currency.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVCurve (Clustered)	Curvelid

Field	Type	Nullable	Description
Curvelid	int	N	Curvelid is a unique EJV system-generated identifier indicating the curve for the benchmark.
AnltyYldCurveFl	tinyint	Y	AnltyYldCurveFl is a 1/0 flag indicating whether the analytic yield curve was created by LSEG Evaluated Pricing Service.
ISOCTryCode	char(2)	Y	ISOCTryCode is a code representing the domicile of the issuer for the bonds that make up the curve. FIEJVCurve.ISOCTryCode joins with FIEJVDesc .Code where Type_ = 12.
PriCtryFl	tinyint	Y	PriCtryFl is a 1/0 flag indicating whether the curve is the primary curve for the country specified by ISOCTryCode.
CompFreqCode	int	Y	CompFreqCode is a code representing the frequency used for analytic calculations across the curve. FIEJVCurve.CompFreqCode joins with FIEJVCode .Code where Type_ = 4.
CpnTypeCode	varchar(4)	Y	CpnTypeCode is a code representing the interest payment type applicable to the majority of the bonds for the curve. FIEJVCurve.CpnTypeCode joins with FIEJVDesc .Code where Type_ = 21.
ISOCurCode	char(3)	Y	ISOCurCode is a code representing the currency for the bonds that make up the curve. FIEJVCurve.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
PriCurFl	tinyint	Y	PriCurFl is a 1/0 flag indicating whether the curve is the primary curve for the currency specified by ISOCurCode.
YldCurveCode	char(2)	Y	YldCurveCode is a code representing the curve classification. FIEJVCurve.YldCurveCode joins with FIEJVDesc .Code where Type_ = 24.
YldCurveSubCode	varchar(4)	Y	YldCurveSubCode is a code used in conjunction with curve_cd to further classify, in terms of market sector, the type of underlying instruments that produce the curve. FIEJVCurve.YldCurveSubCode joins with FIEJVDesc .Code where Type_ = 25.
YldCurveIndCode	varchar(8)	Y	YldCurveIndCode is a code identifying the industry of the issuer. FIEJVCurve.YldCurveIndCode joins with FIEJVDesc .Code where Type_ = 38.
LongName	varchar(255)	Y	LongName is the long name for the curve.
ShortName	varchar(20)	Y	ShortName is the short name for the curve.

Field	Type	Nullable	Description
TermCalCode	char(1)	Y	TermCalCode is a code indicating whether analytic calculations use actual terms (A) or nominal terms (N) across the curve. FIEJVCurve.TermCalCode joins with FIEJVDesc .Code where Type_ = 70.
VenCurveld	bigint	Y	VenCurveld is the Curve ID received in the feed.
IsDeleted	tinyint	N	IsDeleted is a (1/0) flag indicating whether the curve has been deleted.
DelDate	datetime	Y	DelDate is the date the curve was deleted (feed date).
DelTime	datetime	Y	DelTime is the time the curve was deleted (feed time).

FIEJVCurveBenchmark: Benchmark Curve Information

This table contains curve/point information, allowing for multiple yield curves per country.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVCurveBenchmark (Clustered)	Curveld, PointID, InstrCode, StartDate

Field	Type	Nullable	Description
Curveld	int	N	Curveld is a unique EJV system-generated identifier indicating the curve for the benchmark.
PointID	int	N	PointID is a unique EJV system-generated identifier indicating the point for the benchmark.
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
StartDate	datetime	N	StartDate is the date on which the asset became a benchmark security.
CurrentFI	tinyint	Y	CurrentFI is a 1/0 flag indicating whether the security is currently a benchmark.
EndDate	datetime	Y	EndDate is the date on which the asset is no longer considered a benchmark security. If superseded by another security, the "end date" is set to the calendar day before the "begin date" of the successor record.
ClrngRefCode	char(3)	Y	ClrngRefCode is a code representing the clearing reference. FIEJVCurveBenchmark.ClrngRefCode joins with FIEJVDesc .Code where Type_ = 77.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVCurvePoint: Curve Point Information

This table contains information about the different points on the curve and the calculation method used for calculating the benchmark curve.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVCurvePoint (Clustered)	Curveld, PointID

Field	Type	Nullable	Description
Curveld	int	N	Curveld is a unique EJV system-generated identifier indicating the curve for the benchmark.

Field	Type	Nullable	Description
PointID	int	N	PointID is a unique integer code that identifies a point on a particular curve. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor. ShortName is used as a logical key to generate a unique PointID within each curve.
LongName	varchar(255)	Y	LongName is the long name for the point.
NomTermToMat	float	Y	NomTermToMat is the nominal term to maturity used for analytics display (and calculations if the curve's term_calc_cd = nominal) for the record.
QuoteTypeCode	char(1)	Y	QuoteTypeCode is a code for the quote type. FIEJVCurvePoint.QuoteTypeCode joins with FIEJVDesc .Code where Type_ = 50.
ShortName	varchar(20)	Y	ShortName is the short name for the point.

FIEJVDebtFactor: TIPS Support

This table provides support for Treasury Inflation Protected Securities (TIPS).

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVDebtFactor (Clustered)	InstrCode, DebtFactorDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
DebtFactorDate	datetime	N	DebtFactorDate is the date on which the factor in the schedule becomes effective.
DebtFactor	float	Y	DebtFactor is the portion of principal currently outstanding expressed as a decimal; calculated by using the current amount outstanding divided by original issue amount. This field is used in conjunction with index linked securities.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVDenHdr: Security Denominations

This table contains a listing of the tradeable amounts for a security (denominations).

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVDenHdr (Clustered)	InstrCode, ISOCurCode, SeqNum

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
ISOCurCode	int	N	ISOCurCode is the currency in which the various amounts are mentioned. FIEJVDenHdr.ISOCurCode joins with FIEJVCode .Code where Type_ = 21.
SeqNum	tinyint	N	A particular instrument is denominated in various currencies in various denominations. SeqNum helps capture the different denominations.
DenAmt	float	Y	DenAmt is the schedule of amounts in which the security may be purchased, expressed in face value (for example, 1,000, 10,000, 100,000).

Field	Type	Nullable	Description
MinDenAtIssFI	tinyint	Y	MinDenAtIssFI is a 1/0 flag indicating whether a particular currency/amount is the minimum denomination at issuance.
MinDenFI	tinyint	Y	MinDenFI is a 1/0 flag indicating the minimum denomination in which the asset can be sold.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVDesc: Character Code Descriptions

This table contains descriptions of FIEJV character codes.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVDesc (Clustered)		Type_, Code	
Field	Type	Nullable	Description
Type_	int	N	Type_ is a numeric code for a type of data.
Code	varchar(50)	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(120)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

FIEJVExDivSched: Ex-Dividend Schedule

This table contains a schedule of ex-dividend dates for assets with the ex-dividend calendar code of “as scheduled”.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVExDivSched (Clustered)		InstrCode, ExDivDate	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
ExDivDate	datetime	N	ExDivDate is the date that determines whether the next coupon payment is made to the previous or new owner of the bond (based on who owns the bond at the start of the ex-dividend period).
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVFngHdr: Fungible Security Information

This table contains the instrument codes that identify fungible issues and exchange offers.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVFngHdr (Clustered)		InstrCode, Item, GemInstrID	

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
Item	int	N	Item is an item code that identifies if the security is fungible or has already been funged. Fungible securities can be combined or exchanged into another security with the same terms. See the FIEJVItem table (Item) for a complete list of codes.
GemInstrID	bigint	N	GemInstrID is the GEM Instrument ID for the respective item.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVFormula: Formula String

This table contains the formula string associated with a formula ID.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVFormula (Clustered)	FmlID

Field	Type	Nullable	Description
FmlID	int	N	FmlID is a unique formula ID generated by Quantitative Data Warehouse (QDW).
Formula	varchar(max)	Y	Formula specifies the entire formula. It is calculated by combining the various components of a formula.

FIEJVFormulaHdr: FRN Formula Components

This table contains the formula components for FRNs in postfix order.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVFormulaHdr (Clustered)	FmlID, PayFmlSeqNum

Field	Type	Nullable	Description
FmlID	int	N	FmlID is a unique formula ID generated by Quantitative Data Warehouse (QDW).
PayFmlSeqNum	int	N	PayFmlSeqNum is the sequence number of the component.
PayFmlFuncArg	int	Y	PayFmlFuncArg is the number of arguments for the function.
PayFmlFuncCode	varchar(10)	Y	PayFmlFuncCode is a code representing the functions that are legal in formulas. FIEJVFormulaHdr.PayFmlFuncCode joins with FIEJVDesc .Code where Type_ = 32.
IdxLkbckNum	int	Y	IdxLkbckNum is a code representing the lookbacks used in formulas.
IdxLkbckTypeCode	char(1)	Y	IdxLkbckTypeCode is a description of index_lb_num. FIEJVFormulaHdr.IdxLkbckTypeCode joins with FIEJVDesc .Code where Type_ = 40.
PayFmlIdxName	varchar(20)	Y	PayFmlIdxName is the short name of the index.
PayFmlNumVal	float	Y	PayFmlNumVal is the numeric constant.
PayFmlOperator	varchar(2)	Y	PayFmlOperator is the operator values. For example: +-/^(<> != <=>=
PayFmlStrg	varchar(512)	Y	PayFmlStrg is the string constant.
PayFmlTypeCode	varchar(3)	Y	PayFmlTypeCode is a code representing the types of formula components.

Field	Type	Nullable	Description
			FIEJVFormulaHdr.PayFmlTypeCode joins with FIEJVDesc .Code where Type_ = 13.

FIEJVGEMPermIDMap: GEM Perm ID Mapping

This table maps the GEM Perm ID with the NAIC code, Clearing code, SIC Code, ISO Country code, Market Exchange code, and the MIC code.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVGEMPermIDMap (Clustered)	GEMPermID, SeqNum

Field	Type	Nullable	Description
GEMPermID	bigint	N	GEMPermID links the various securities and their issuer organizations.
SeqNum	tinyint	N	For a particular security, there might be more than one description for the same identifier type. SeqNum helps capture the various values.
SrcType	int	N	SrcType is a code representing the identifier type code. See the FIEJVCode table (GEM Perm ID Source Code) for a complete list of codes.
SrcID	varchar(10)	N	SrcID is the source ID for the respective identifier code.
SrcDesc	varchar(255)	Y	SrcDesc is the source ID description for the respective source ID.

FIEJVGovAuc: Government Treasury Securities Information

This table contains information on securities issued by a government treasury.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVGovAuc (Clustered)	InstrCode, IssDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
IssDate	datetime	N	IssDate is the date on which the security was issued via an auction process. It is used for Treasury securities.
AnnDate	datetime	Y	AnnDate is the date on which information was announced pertaining to an upcoming auction of Treasury securities.
DutchAuctionFl	tinyint	Y	DutchAuctionFl is a 1/0 flag indicating whether this bond was "Dutch" auctioned.
SettDate	datetime	Y	SettDate is the date on which the issuer receives payment for the new issue or tap.
WhenIssdTypeCode	char(3)	Y	WhenIssdTypeCode is a code that specifies the type of when-issued security. FIEJVGovAuc.WhenIssdTypeCode joins with FIEJVDesc .Code where Type_ = 79.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVGovAucFData: Government Security Float Data

This table contains information on securities issued by a government treasury (float data items).

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVGovAucFData (Clustered)		InstrCode, Item, IssDate	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
Item	int	N	Item is a code representing the respective item. See the FIEJVItem table (Item) for a complete list of codes.
IssDate	datetime	N	IssDate is the date on which the security was issued via an auction process. Used for Treasury securities.
Value_	float	Y	Value_ is the value for the respective item.
ISOCurCode	char(3)	Y	ISOCurCode is the currency in which the various amounts are mentioned. FIEJVGovAucFData.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVItem: Data Item Information

This table contains descriptive information about data items, coded to an integer that is further referenced in the Data tables.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVItem (Clustered)		Item	
Field	Type	Nullable	Description
Item	int	N	Item is a unique integer code that identifies an item.
Mnemonic	varchar(50)	N	Mnemonic is a single-word, alphanumeric coded name for the item. This code name is as received in the feed file.
Desc_	varchar(255)	Y	Desc_ is a short description for the mnemonic. For some items, an additional description is provided in Supplemental Item Descriptions below.
DataType	varchar(20)	Y	DataType is the data type for the item such as percentage, money, text, Boolean, numeric, date/time (not the SQL data type).
TableName	varchar(20)	Y	TableName is the name of the data table in which the item is contained.

Supplemental Item Descriptions

The following table provides additional descriptions for some items in the [FIEJVItem](#) table.

Item	Mnemonic	Description
3	EJVPPartyId	Internal identifier used to identify organizations.
4	OrganizationFixedIncomeSymbol	Internal symbol used to uniquely identify each organization. A subsidiary of a parent entity has its own symbol.
5	RdcOrgId	Internal identifier used to identify organizations.
6	EJVPPartySymbol	Internal symbol used to identify organizations at a corporate family level (subsidiaries share the same symbol).
13	BridgeSymbol	Internal symbol used to uniquely identify securities based on symbol, coupon, and maturity.

FIEJVMiscCInfo: Miscellaneous Security Char/Varchar Data

This table contains miscellaneous information on securities (char and varchar data items).

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVMiscCInfo (Clustered)		InstrCode, Item	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
Item	int	N	Item is a code representing the respective item. See the FIEJVItem table (Item) for a complete list of codes.
Value_	varchar(10)	Y	Value_ is the value for the respective item.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVMiscDInfo: Miscellaneous Security Date Data

This table contains miscellaneous information on securities (Date data items).

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVMiscDInfo (Clustered)		InstrCode, Item	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
Item	int	N	Item is a code representing the respective item. See the FIEJVItem table (Item) for a complete list of codes.
Value_	int	Y	Value_ is the value for the respective item.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVMiscFInfo: Miscellaneous Security Float Data

This table contains miscellaneous information on securities (float data items).

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVMiscFInfo (Clustered)		InstrCode, Item	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
Item	int	N	Item is a code representing the respective item. See the FIEJVItem table (Item) for a complete list of codes.
Value_	float	Y	Value_ is the value for the respective item.
ISOCurCode	char(3)	Y	ISOCurCode is the currency in which the various amounts are given. FIEJVMiscFInfo.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.

Field	Type	Nullable	Description
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVOrgDesc: Asset Issuer Business Description

This table contains the business description for the issuer of the asset.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVOrgDesc (Clustered)	OrgCode

Field	Type	Nullable	Description
OrgCode	int	N	OrgCode is a unique integer code that identifies an organization. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
OrgDesc	varchar(max)	Y	OrgDesc is a brief description of the organization's business and operations.

FIEJVOrgIdent: Organization Third Party Identifiers

This table contains a listing of third-party identifiers particular to an organization such as CUSIP and ISIN.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVOrgIdent (Clustered)	OrgCode, Item, SeqNum

Field	Type	Nullable	Description
OrgCode	int	N	OrgCode is a unique integer code that identifies an organization. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
Item	int	N	Item is a code representing the identifier type code. See the FIEJVItem table (Item) for a complete list of codes.
SeqNum	tinyint	N	For a particular organization, there might be more than one value for the same identifier type. SeqNum helps capture the various values.
Value_	varchar(30)	Y	Value_ is the value for that respective identifier.
StartDate	datetime	Y	StartDate is the date the respective identifier value has changed for a particular organization.
EndDate	datetime	Y	EndDate is populated when the identifier value for an organization changes.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVOrgIndHdr: Organization Industry Sector Details

This table contains industry sector details for a particular organization such as NAIC code and SIC code.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVOrgIndHdr (Clustered)	OrgCode, Item, Value_

Field	Type	Nullable	Description
OrgCode	int	N	OrgCode is a unique integer code that identifies an organization. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
Item	int	N	Item is an item identifying the NAIC code or the SIC code column. The Item number is populated from the FIEJVItem table.
Value_	int	N	Value_ is the corresponding value for the respective item (NAIC/SIC). FIEJVOrgIndHdr.Value_ joins with FIEJVDesc .Code where Type_ = 87 for NAIC codes.
IsPrimary	tinyint	Y	IsPrimary is a 1/0 flag indicating the primary NAIC/SIC code of the organization (IsPrimaryNAICSectorOf / IsPrimarySICSectorOf).

FIEJVOrgInfo: Asset Issuer Information

This table contains the basic information for the issuer of the asset.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVOrgInfo (Clustered)	OrgCode

Field	Type	Nullable	Description
OrgCode	int	N	OrgCode is a unique integer code that identifies an organization. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
AddTypeCode	char(3)	Y	AddTypeCode is set to 'HEA'.
AddLine1	varchar(255)	Y	AddLine1 is the current address of the organization's principal executive offices.
City	varchar(60)	Y	City is the current city of the organization's principal executive offices.
Region	varchar(80)	Y	Region is the current state, province, or region of the organization's principal executive offices.
PostCode	varchar(10)	Y	PostCode is the current post code of the organization's principal executive offices.
ISOtryCode	char(2)	Y	ISOtryCode is a code representing the current country of the organization's principal executive offices. FIEJVOrgInfo.ISOtryCode joins with FIEJVDesc .Code where Type_ = 12.
PhoneNum	varchar(20)	Y	PhoneNum is the current telephone number, including area code, of the organization's principal executive offices.
URL	varchar(100)	Y	URL is the Internet address for the party.
OrgIncorpYr	int	Y	OrgIncorpYr is the year in which the company received its state charter allowing it to operate as a corporation. If the year of incorporation is not disclosed, or if the company is not a corporation, then this is the year in which the company was formed.
PubPriFI	tinyint	Y	PubPriFI is a 1/0 flag indicating whether the registrant is privately owned.
OrgActiveFI	tinyint	Y	OrgActiveFI indicates whether a GovCorp party still exists as a company. 1 = Active, 2 = Inactive.
FiscalYrEnd	varchar(6)	Y	FiscalYrEnd is the date that marks the end of a company's annual accounting period, when the books are closed and profit or loss is determined.
OrgTypeCode	varchar(5)	Y	In Quantitative Data Warehouse (QDW), this value is populated directly from SDI. In SDI the logic is as follows: If party.indu_sector_cd = 'SPRA', the OrgTypeCode is 'SUPN'. Else, if party.sovr_class_cd = 'GOVT', 'MUNI', 'PROV', or 'TREA', the OrgTypeCode is 'GVT'. Else, if party.sovr_class_cd = 'AGNC', the OrgTypeCode is 'GVTOC'.

Field	Type	Nullable	Description
			Else, if party.sovr_class_cd = 'CTLB', the OrgTypeCode is 'QGVTA'. Otherwise, the OrgTypeCode is 'COM'. FIEJVOrgInfo.OrgTypeCode joins with FIEJVDesc .Code where Type_ = 30.
OrgSubTypeCode	varchar(5)	Y	If party.sovr_class_cd = 'CTLB', the OrgSubTypeCode is 'CBNK'. Else, if party.sovr_class_cd = 'MUNI', the OrgSubTypeCode is 'LGVT'. Else, if party.sovr_class_cd = 'PROV', the OrgSubTypeCode is 'SPGVT'. Otherwise, OrgSubTypeCode is NULL. FIEJVOrgInfo.OrgSubTypeCode joins with FIEJVDesc .Code where Type_ = 67.
AcctOrgID	bigint	Y	AcctOrgID is the identifier for the current accountant representing the organization.
InclISOCTryCode	char(2)	Y	InclISOCTryCode is the country in which the organization received its charter allowing it to operate as a corporation. If the country of incorporation is not disclosed, or if the company is not a corporation, then this is the country in which the company was formed. FIEJVOrgInfo.InclISOCTryCode joins with FIEJVDesc .Code where Type_ = 12.
CurlImmParOrgID	bigint	Y	An immediate parent is a company that owns or controls the issuer through the ownership of greater than 50% of the voting stock.
CurUltParOrgID	bigint	Y	An ultimate parent is a company that owns or controls the immediate parent through the ownership of greater than 50% of the voting stock.
GemOrgID	bigint	Y	GemOrgID is a unique GEM Perm ID attributed to an organization.
IsDeleted	tinyint	N	IsDeleted is a 1/0 flag indicating if the organization has been deleted.
DelDate	datetime	Y	DelDate is the date the organization was deleted (feed date).
DelTime	datetime	Y	DelTime is the time the organization was deleted (feed time).

FIEJVOrgName: Asset Issuer Name

This table contains the different names for the issuer of the asset.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVOrgName (Clustered)	OrgCode, OrgNameTypeCode, NameStartDate

Field	Type	Nullable	Description
OrgCode	int	N	OrgCode is a unique integer code that identifies an organization. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
OrgNameTypeCode	int	N	OrgNameTypeCode is a code representing the organization name type code (legal, alias, etc.). FIEJVOrgName.OrgNameTypeCode joins with FIEJVCode .Code where Type_ = 13.
NameStartDate	datetime	N	NameStartDate is the date when the current name became effective.
OrgName	varchar(255)	Y	OrgName is the current organization name related to the organization name type code. See the FIEJVCode table (Organization Name Type Code) for a complete list of codes.
NameEndDate	datetime	Y	NameEndDate is populated when the OrgName (for a particular OrgNameTypeCode) for an organization changes. The NameEndDate is the NameEffDate for the change for that security minus one day.

FIEJVPayInKind: Pay-in-Kind Security Information

This table contains information specific to pay-in-kind (PIK) securities.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVPayInKind (Clustered)		InstrCode, EffDate	

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
EffDate	datetime	N	EffDate is the date on which interest begins to accrue at the cash or PIK rate.
CashRate	float	Y	CashRate is the rate of interest that accrues when interest is payable in cash. Usually, the cash rate is the same as the coupon rate on the security.
TypeCode	int	Y	TypeCode is a code representing the type of security to be distributed to holders in lieu of cash interest payments. FIEJVPayInKind.TypeCode joins with FIEJVCCode .Code where Type_ = 20.
PIKRate	float	Y	PIKRate is the rate of interest accruing when interest is payable in additional securities. Usually, the PIK rate is the same as the coupon rate on the security.
PIKIssCode	number (38,0)	Y	An identifier assigned to the security that is used for the payment of interest/dividends in kind, in lieu of cash. A value may only be updated when PIKRate is greater than 0.
IntPayDate	datetime	Y	IntPayDate is the first date on which payment of interest may be made in securities instead of, or in addition to, cash.
FrstCashPayDate	datetime	Y	FrstCashPayDate is the first date on which payment of interest may be made in cash instead of, or in addition to, additional securities.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVPayInPart: Pay-in-Part Security Information

This table contains information on securities that can be issued in parts.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVPayInPart (Clustered)		InstrCode, EffDate	

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
EffDate	datetime	N	EffDate is the date on which partial payment is due. This date pertains to securities where the original issue amount can be purchased in parts.
PIPPct	float	Y	PIPPct is the percentage of the total issue amount due on the pay date. This percentage pertains to securities for which the original issue amount can be purchased in parts.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVPrfrdStk: Preferred Stock Information

This table contains information pertaining specifically to preferred stock issues.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVPrfrdStk (Clustered)		InstrCode	

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
AnnDiv	float	Y	AnnDiv is the last regular annual dividend paid to the stockholder by the company (expressed in currency of issue).
AuthorizedShares	int	Y	AuthorizedShares is the maximum number of shares of a class or type of security which may be issued by the registrant, as authorized by the articles of incorporation of the registrant.
InsIssueDiv	float	Y	InsIssueDiv is the initial rate at which earnings are distributed to holders of the offered security.
LiqValue	float	Y	LiqValue is the total amount that a stockholder is entitled to receive from the distribution of assets in the event of liquidation.
ShrParValue	float	Y	ShrParValue is the face value of a security.
ISOCurCode	char(3)	Y	ISOCurCode is the currency in which the amounts are given. FIEJVPrfrdStk.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
PrfrdStkDFlag	int	N	PrfrdStkDFlag is a codified value for the attributes for a security. See the FIEJVCode table (PreferredStkDFlag) for a complete list of codes.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVPrincipalHdr: Asset Principal Cash Flow Data

This table contains the data elements necessary for determining the principal cash flows of an asset.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVPrincipalHdr (Clustered)		InstrCode, Item, EffDate	

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
Item	int	N	Item is a code representing the respective item. See the FIEJVItem table (Item) for a complete list of codes.
EffDate	datetime	N	EffDate is the date for which the principal terms for this leg number are in effect.
Value_	varchar(30)	Y	Value_ is the value for the respective item.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVRdmpRpt: Market Report Data

This table contains market report data.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVRdmpRpt (Clustered)		InstrCode, SeqNum	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
SeqNum	tinyint	N	For a particular security, there might be more than one report. SeqNum helps capture the various values. The logical keys for the generation of SeqNum are TypeCode, redemptionDate, OfferComplDate, and OffrExpDate.
TypeCode	varchar(3)	Y	TypeCode is a code representing the type of market report. FIEJVRdmpRpt.TypeCode joins with FIEJVDesc .Code where Type_ = 42.
RedemDate	datetime	Y	RedemDate is the date listed in the source document and/or news wires notifying the end of a specific redemption. This date is usually fixed.
OfferComplDate	datetime	Y	OfferComplDate is the date on which the corporate action (exchange, tender, etc.) takes place.
OffrExpDate	datetime	Y	OffrExpDate is the date listed in the source document and/or news wires notifying the end of a specific corporate action. However, this date may be extended due to lack of participation.
OffrEffDate	datetime	Y	OffrEffDate is the beginning date of a corporate action. Normally the date of the document or news wire that announces the action.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVRdmpRptFData: Market Report Float Data

This table contains float data type market report data items.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVRdmpRptFData (Clustered)		InstrCode, SeqNum, Item	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
SeqNum	tinyint	N	For a particular security, there might be more than one report. SeqNum helps capture the various values. The logical keys for generation of SeqNum are TypeCode, redemptionDate, OfferComplDate, and OffrExpDate.
Item	int	N	Item is a code representing the respective item. See the FIEJVItem table (Item) for a complete list of codes.
Value_	float	Y	Value_ is the value for the respective item.
ISOCurCode	char(3)	Y	ISOCurCode is the currency in which the amounts are given. FIEJVRdmpRptFData.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVSecAdminHdr: Security Issue Organizations

This table identifies the various organizations (for example, commission agent and deal manager) that have been involved with the issue of the security.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVSecAdminHdr (Clustered)		InstrCode, Item, GemOrgID	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
Item	int	N	Item is a code relating to the various agents associated with a bond issue. See the FIEJVItem table (Item) for a complete list of codes.
GemOrgID	bigint	N	GemOrgID is the Organization ID for the respective agent code.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVSecAmt: Outstanding Values

This table contains historical and current amount outstanding values.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVSecAmt (Clustered)		InstrCode, Item, AmtDate	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
Item	int	N	Item is a code representing the respective amount outstanding item. See the FIEJVItem table (Item) for a complete list of codes.
AmtDate	datetime	N	AmtDate is a schedule of the history of all obtainable dates of changed amounts outstanding.
value_	varchar(30)	Y	value_ is the value for the respective item.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVSecCalendar: Instrument Cut-Off Date Calendar

This table contains the information related to the calendar applicable for cut-off date for an instrument.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVSecCalendar (Clustered)		InstrCode	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
DomSettCalCode	char(3)	Y	DomSettCalCode is a code indicating the calendar used to determine settle date.

Field	Type	Nullable	Description
			FIEJVSecCalendar.DomSettCalCode joins with FIEJVDesc .Code where Type_ = 26.
DomSettDays	int	Y	DomSettDays is the number of business days after the completion of a trade during which the security is settled by the holder's domestic clearing house.
ExDivDays	int	Y	ExDivDays is an integer used in conjunction with the ex-dividend calendar code. For example, if the exdiv_cal_cd is a "...calendar day of month" value and the ex-dividend date is on the 30th calendar day of the month, 30 would show in this field. If the exdiv_cal_cd is a "...calendar day(s) prior" value, then it is an offset from the pay date. For example, 15 means "15 calendar days prior to the pay date."
SettHldConvCode	varchar(4)	Y	SettHldConvCode is a code representing the holiday calendar convention used to calculate the domestic settlement date when the dom_settle_cal_cd = 'BDY' (Business Days). FIEJVSecCalendar.SettHldConvCode joins with FIEJVDesc .Code where Type_ = 35.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVSecGuaUnd: Security Guarantor and Underwriter Organizations

This table identifies the various guarantor and underwriter organizations which have been involved with the issue of the security.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVSecGuaUnd (Clustered)	InstrCode, GemOrgID, Item, StartDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
GemOrgID	bigint	N	GemOrgID is the Organization ID for the respective agent code.
Item	int	N	Item is a code relating to the various agents associated with a bond issue. See the FIEJVItem table (Item) for a complete list of codes.
StartDate	datetime	N	StartDate is the date from which the respective organization has the undersigned relationship (as defined by item) with the security.
EndDate	datetime	Y	EndDate is the date on which the undersigned relationship (as defined by item) between the organization and the security ends.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVSecIdent: Issue Third Party Identifiers

This table contains a listing of third-party identifiers particular to an issue such as CUSIP and ISIN.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVSecIdent (Clustered)	InstrCode, Item, SeqNum

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.

Field	Type	Nullable	Description
Item	int	N	Item is a code representing the identifier type code. See the FIEJVItem table (Item) for a complete list of codes.
SeqNum	tinyint	N	For a particular security, there might be more than one value for the same identifier type. SeqNum helps capture the various values.
Value_	varchar(30)	Y	Value_ is the value for that respective identifier.
StartDate	datetime	Y	StartDate is the date the respective identifier value has changed for a particular security.
EndDate	datetime	Y	EndDate is populated when the identifier value for a security changes.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVSecInfo: Security Static Values

This table contains the static values for a particular security.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVSecInfo (Clustered)	InstrCode

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor. GEMInstrId is the logical key used to generate InstrCode.
OffgMktCode	varchar(4)	Y	OffgMktCode is a code representing the subclassification of the asset within the security type code. FIEJVSecInfo.OffgMktCode joins with FIEJVDesc .Code where Type_ = 6.
DebtISOCurCode	char(3)	Y	DebtISOCurCode is a code representing the primary currency of the issue. FIEJVSecInfo.DebtISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
IssTypeCode	varchar(10)	Y	IssTypeCode is a code classifying the security. FIEJVSecInfo.IssTypeCode joins with FIEJVDesc .Code where Type_ = 29.
MoodysSnrtyCode	varchar(3)	Y	MoodysSnrtyCode is a code representing the Moody's debt class. FIEJVSecInfo.MoodysSnrtyCode joins with FIEJVDesc .Code where Type_ = 41.
TraceEligCode	char(1)	Y	TraceEligCode is a code indicating the TRACE eligibility of a security. FIEJVSecInfo.TraceEligCode joins with FIEJVDesc .Code where Type_ = 72.
DebtFngStaCode	int	Y	DebtFngStaCode is a code representing the status of the document. FIEJVSecInfo.DebtFngStaCode joins with FIEJVCode .Code where Type_ = 11.
DebtIssTypeCode	varchar(8)	Y	DebtIssTypeCode is a code for the description of the security itself. For example, bond, note, bill, debenture, preferred stock, warrant, or commercial paper. FIEJVSecInfo.DebtIssTypeCode joins with FIEJVDesc .Code where Type_ = 39.
ProTypeCode	varchar(8)	Y	ProTypeCode is a code for the description of the program for issuance of the security. For example, Brady, Medium Term Note, OPF Jumbo, or Schiffspandbriefe. FIEJVSecInfo.ProTypeCode joins with FIEJVDesc .Code where Type_ = 51.
PhyFormCode	char(3)	Y	PhyFormCode is a code representing the form in which the security can be traded in the secondary market.

Field	Type	Nullable	Description
			FIEJVSecInfo.PhyFormCode joins with FIEJVDesc .Code where Type_ = 27.
DebtSrcCode	varchar(3)	Y	DebtSrcCode is a code indicating the source from which the terms of the security originated. FIEJVSecInfo.DebtSrcCode joins with FIEJVDesc .Code where Type_ = 71.
WithHldgTaxRate	float	Y	WithHldgTaxRate is the tax deducted at source on interest or dividends to be paid by the investor. It is most often given for international government issues.
NtvYldTypeCode	char(2)	Y	NtvYldTypeCode is a code indicating which formula, including day count and compounding conventions, to be used for price/yield calculations. FIEJVSecInfo.NtvYldTypeCode joins with FIEJVDesc .Code where Type_ = 80.
StdYldTypeCode	char(2)	Y	StdYldTypeCode is a code indicating the equivalent yield type to be used for comparison of yields across security types. FIEJVSecInfo.StdYldTypeCode joins with FIEJVDesc .Code where Type_ = 80.
IssrGEMOrgId	bigint	Y	IssrGEMOrgId is the issuer level identifier that can be referenced to GEMOrgId in FIEJVOrgInfo table.
IssName	varchar(40)	Y	IssName is the abbreviated form of the full security name.
IssNameTypeCode	char(3)	Y	IssNameTypeCode is set to 'LNG'. This value is populated directly from the feed file.
IssNameLangCode	char(2)	Y	IssNameLangCode is set to 'en'. This value is populated directly from the feed file.
IssClassTypeCode	char(2)	Y	IssClassTypeCode is set to 'FI'. This value is populated directly from the feed file.
IssSovTypeCode	varchar(4)	Y	This value is populated directly from the feed file. SDI logic for this column is as follows: If asset.sovr_class_cd is 'AGNC', IssSovTypeCode is 'AGCY'. If asset.sovr_class_cd is 'MUNI', IssSovTypeCode is 'MUN'. If asset.sovr_class_cd is 'CTLB', 'GOVT', 'PROV', or 'TREA', IssSovTypeCode is 'GVSV'. If either asset.convertible_fl = 'y' or orig_iss_info.instrument_type_cd is 'PFDSTK' or 'TRPFDSEC', IssSovTypeCode is 'PFDC'. Otherwise, default to 'CORP'.
IssSubTypeCode	char(3)	Y	IssSubTypeCode is set to 'UNK'. This value is populated directly from the feed file.
IssSeries	varchar(20)	Y	IssSeries is the series number (for example, 1998-F). This field may also be used for hybrid securities such as MIPPS.
MatDate	datetime	Y	MatDate is the date on which the principal amount of the security becomes due and payable, as stated in the terms of the security.
IssStatusCode	varchar(5)	Y	IssStatusCode is a code representing the status of the security. FIEJVSecInfo.IssStatusCode joins with FIEJVDesc .Code where Type_ = 5.
IssStatusEffDate	datetime	Y	IssStatusEffDate is the date for which the status code is effective.
GEMInstrID	bigint	Y	GEMInstrID is a unique GEM Perm ID attributed to a security.
EJVAssetID	varchar(20)	Y	EJVAssetID is a unique EJV Asset identifier for an instrument.
InitAccDate	datetime	Y	InitAccDate is the date from which interest on the bond begins accruing.
CurrCpnRate	float	Y	CurrCpnRate is the effective interest rate for the security, expressed as an annual percentage of face value. For preferred stocks, the rate is expressed as a percent of the liquidation preference.
ProsDflag	int	N	ProsDflag is the codified value for the prospectus related attributes for a security. See the FIEJVCode table (ProspectusDFlag) for a complete list of codes.

Field	Type	Nullable	Description
SecInfoDFlag	int	N	SecInfoDFlag is the codified value for the attributes for a security. See the FIEJVCode table (SecInfoDFlag) for a complete list of codes.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.
IsDeleted	tinyint	N	IsDeleted is a 1/0 flag indicating if the instrument has been deleted.
DelDate	datetime	Y	DelDate is the date the instrument was deleted (feed date).
DelTime	datetime	Y	DelTime is the time the instrument was deleted (feed time).

FIEJVSecIssInfo: Security Original Issue Information

This table contains information associated with the original issue of the security.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVSecIssInfo (Clustered)	InstrCode

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
EuroCenBnkCode	char(1)	Y	EuroCenBnkCode is a code representing eligibility for Eurosystem monetary policy operations. Eligible assets belong to one of two categories: tier one consists of marketable debt instruments fulfilling uniform euro area-wide eligibility criteria specified by the European Central Bank (ECB); tier two consists of additional assets, marketable and non-marketable, which are of particular importance to national financial markets and banking systems and for which eligibility criteria is established by the national central banks, subject to the minimum eligibility criteria established by the ECB. FIEJVSecIssInfo.EuroCenBnkCode joins with FIEJVDesc .Code where Type_ = 81.
IssYTM	float	Y	IssYTM is the calculation that determines rate of the return an investor will receive if a long-term, interest-bearing investment is held to its maturity date. The calculation formula includes purchase price, redemption value, time to maturity, coupon yield, and the time between interest payments. For floating rate securities, the initial coupon rate is used in the calculation.
OverallotDays	int	Y	If there is an over-allotment option granted to the underwriters to purchase additional securities, OverallotDays is the number of days in which the option is effective.
PrcQuoteConvtCode	varchar(3)	Y	PrcQuoteConvtCode is a code representing the numeric format in which prices are quoted. FIEJVSecIssInfo.PrcQuoteConvtCode joins with FIEJVDesc .Code where Type_ = 53.
PrcQuoteRndCode	varchar(2)	Y	PrcQuoteRndCode is a code representing the rounding factor or number of decimals retained when calculating a price given a yield. FIEJVSecIssInfo.PrcQuoteRndCode joins with FIEJVDesc .Code where Type_ = 62.
SeasngDate	datetime	Y	SeasngDate is the first day that a non-U.S. domestic bond is considered seasoned for trading by U.S. investors.
DebtInsOffrCode	int	Y	DebtInsOffrCode is a code representing the nature of the registration. FIEJVSecIssInfo.DebtInsOffrCode joins with FIEJVCode .Code where Type_ = 9.
SnrtyCode	varchar(8)	Y	SnrtyCode is a code representing the debt seniority type. FIEJVSecIssInfo.SnrtyCode joins with FIEJVDesc .Code where Type_ = 64.

Field	Type	Nullable	Description
PurAmtToPub	float	Y	PurAmtToPub is the price at which the public may purchase the offered security from the underwriters.
ValuationDateCode	char(2)	Y	ValuationDateCode is a code representing the values that describe market rules for the setting of a valuation date, usually with respect to a trade or settlement date. FIEJVSecIssInfo.ValuationDateCode joins with FIEJVDesc .Code where Type_ = 76.
IniPhyFormCode	char(3)	Y	IniPhyFormCode is a code representing the form in which the security is originally issued. FIEJVSecIssInfo.IniPhyFormCode joins with FIEJVDesc .Code where Type_ = 27.
BnhmrkAtIssGemId	number (38,0)	Y	Contains the asset_id of the benchmark against which the bond was priced at issuance.
AvgLifeAtOffr	float	Y	AvgLifeAtOffr is the average number of years the principal of the offered security will be outstanding.
ISOCurCode	char(3)	Y	ISOCurCode is the currency in which the principal is paid. FIEJVSecIssInfo.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
DelyDate	datetime	Y	DelyDate is the date on which the securities are delivered by the registrant for payment from the underwriter(s). It is also known as the settlement date.
IssPrc	float	Y	IssPrc is the price at which the public may purchase the offered security from the underwriters. This price is expressed as a percentage of par.
AmtIssd	float	Y	AmtIssd is the total amount, exclusive of interest or premium, due to the holder at maturity. This value is inscribed on the certificate or instrument.
IssPriISOtryCode	char(2)	Y	IssPriISOtryCode is the primary country where the security was issued (IssuedInPrimary). FIEJVSecIssInfo.IssPriISOtryCode joins with FIEJVDesc .Code where Type_ = 12.
IssDFlag	int	N	IssDFlag is the codified value for the attributes for a security. See the FIEJVCode table (OrigIssDFlag) for a complete list of codes.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVSecListingHdr: Instrument Countries and Exchanges

This table contains details of the countries and the exchanges on which an instrument is listed and traded.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVSecListingHdr (Clustered)	InstrCode, Item, SeqNum

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
Item	int	N	Item is an item identifying IssISOtrycode, ExchCode, or the MIC code column. The Item number is populated from the FIEJVItem table.
SeqNum	tinyint	N	For a particular instrument, there might be more than one value for the same item. SeqNum helps capture the various values.
Value_	varchar(4)	Y	Value_ is the corresponding value for the respective item. Relationship types are "IssuedIn" and "IsTradedOn".

Field	Type	Nullable	Description
IsPrimary	tinyint	Y	IsPrimary is a 1/0 flag indicating the primary IsslSOCtryCode or the Official place of Listing for the associates MIC code of the instrument (IsIssuedInPrimary / IsOfficialPlaceOfListingOf).
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVSecNotes: Conditional Terms

This table contains information on any conditional terms extracted from the prospectus.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVSecNotes (Clustered)	InstrCode, NoteTypeCode, EffDate, EffTime
FIEJVSecNotes_1	InstrCode, EffDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
NoteTypeCode	int	N	NoteTypeCode is a code representing the subject of the note record. FIEJVSecNotes.NoteTypeCode joins with FIEJVCode .Code where Type_ = 19. To get descriptions for the field values, cross-reference with FIEJVDesc .Code where Type_ = 43.
EffDate	datetime	N	EffDate is the effective date of the note.
EffTime	int	N	EffTime is the effective datetime of the note.
Note	varchar(512)	Y	The Note and LargeNote fields provide descriptive information for inquiry or display regarding terms and conditions not captured in collection items.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.
LargeNote	varchar(max)	Y	The Note and LargeNote fields provide descriptive information for inquiry or display regarding terms and conditions not captured in collection items.

FIEJVSrcDoc: Security Documentation Sources

This table contains all the related sources of documentation used to model the security.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVSrcDoc (Clustered)	InstrCode, EffDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
EffDate	datetime	N	EffDate is the date of the source document used to collect information on the offered security.
DocSrcTypeCode	varchar(3)	Y	DocSrcTypeCode is a code representing the source used to collect information on the security. FIEJVSrcDoc.DocSrcTypeCode joins with FIEJVDesc .Code where Type_ = 69.

Field	Type	Nullable	Description
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVUnderwriters: Underwriters

This table contains a listing of all underwriters. Historical issues may not be complete, but for new issues established by LSEG, this view is maintained.

Update Cycle: Daily, Monday – Friday


Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVUnderwriters (Clustered)	InstrCode, UndwrtOrgCode, RankingCode, EffDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
UndwrtOrgCode	int	N	UndwrtOrgCode is a unique LSEG system-generated identifier for an underwriter.
RankingCode	tinyint	N	RankingCode is a code representing the ranking of the underwriter. FIEJVUnderwriters.RankingCode joins with FIEJVCode .Code where Type_ = 6.
EffDate	datetime	N	EffDate is the date assigned when new underwriters are added to the list.
Allotment	float	Y	Allotment is the total amount that each corresponding underwriter has agreed to purchase pursuant to the offering.
ShrAllot	int	Y	ShrAllot displays the total shares that each corresponding underwriter has agreed to purchase pursuant to the offering.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJV Call Tables

The following diagram shows the relationship between the FIEJV Call tables.



FIEJVCall: Call Term Redemption Schedule

This table contains the redemption schedule for the corresponding call terms.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVCall (Clustered)	InstrCode, CallSetTypeCode, StartDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
CallSetTypeCode	int	N	CallSetTypeCode is a code that represents the type of call schedule: 1 = CSH (Cash) 2 = ECB (Equity Clawback Call) 3 = MKW (Make Whole Call) 4 = SPC (Special Call) 5 = REC (Regulatory Call) FIEJVCall.CallSetTypeCode joins with FIEJVCode .Code where Type_ = 25. To get descriptions for the field values, cross-reference with FIEJVDesc .Code where Type_ = 10.
StartDate	datetime	N	StartDate is the first date on which the offered security may be redeemed for a given period at an indicated price.
EndDate	datetime	Y	EndDate is the last date on which the offered security may be redeemed for a given period at an indicated price.
CallPrc	float	Y	CallPrc is the price at which the offered security may be redeemed for a given period. CallPrc is expressed as a percentage of the principal amount.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVCallHdr: Redemption Schedule Provisions

This table contains all the redemption provisions associated with the redemption schedule.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A


Indexes	Index Fields
pkey_FIEJVCallHdr (Clustered)	InstrCode, CallSetTypeCode

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
CallSetTypeCode	int	N	CallSetTypeCode is a code that represents the type of call schedule: 1 = CSH (Cash) 2 = ECB (Equity Clawback Call) 3 = MKW (Make Whole Call) 4 = SPC (Special Call) 5 = REC (Regulatory Call) FIEJVCallHdr.CallSetTypeCode joins with FIEJVCode .Code where Type_ = 25. To get descriptions for the field values, cross-reference with FIEJVDesc .Code where Type_ = 10.

Field	Type	Nullable	Description
MkWhlSpd	float	Y	MkWhlSpd is the basis point spread over Treasury pertaining to make whole calls.
MaxNtc	int	Y	MaxNtc is the maximum number of days marking the issuer's notification that the bonds will be called.
MinNtc	int	Y	MinNtc is the minimum number of days marking the issuer's notification that the bonds will be called.
FreqCode	int	Y	FreqCode is the code that represents the frequency of the periods in which redemption is scheduled to occur per year. FIEJVCallHdr.FreqCode joins with FIEJVCode .Code where Type_ = 4.
MetCode	varchar(3)	Y	MetCode is the code that indicates whether the company must redeem all or none of the securities in order for redemption to occur. FIEJVCallHdr.MetCode joins with FIEJVDesc .Code where Type_ = 3.
OptCode	varchar(3)	Y	OptCode is the code that indicates whether the bond is subject to redemption only on certain dates. FIEJVCallHdr.OptCode joins with FIEJVDesc .Code where Type_ = 9.
NtcUtsCode	char(3)	Y	NtcUtsCode is the code that specifies the units in which beginning call notification period and ending call notification period are expressed (business days or calendar days). FIEJVCallHdr.NtcUtsCode joins with FIEJVDesc .Code where Type_ = 26.
FinalCallPrc	float	Y	FinalCallPrc is the price at which the bond is called. It is expressed as a percentage of the principal amount.
MkWhlIdx	varchar(30)	Y	MkWhlIdx is the short name of the current treasury that the make whole premium uses in its calculation.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJV Convertibles Tables

The following diagram shows the relationships between the FIEJV Convertibles tables.



FIEJVCv: Convertible Bond Terms

This table contains the terms of the convertible bond at issue. The data in this view typically does not change over the duration of the convertible period (from the effective date through the end date). However, a new leg can be created if necessary. This table contains data only for CvTypeCode = 'EI'.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVCv (Clustered)	InstrCode, LegNum, StartDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
LegNum	tinyint	N	LegNum identifies the segment for which a specific set of convertible terms are contained. A new leg number is added each time the key convertible terms of the security change. This is generated within Quantitative Data Warehouse (QDW) based on the feed file structure.
StartDate	datetime	N	StartDate is the date that corresponds with the effective conversion rate.
EndDate	datetime	Y	EndDate is the date the conversion rights expire.

Field	Type	Nullable	Description
CvTypeCode	char(2)	Y	CvTypeCode is a code representing the convertible type. FIEJVCv.CvTypeCode joins with FIEJVDesc .Code where Type_ = 19.
DilProCode	char(1)	Y	DilProCode is a code representing the type of dilution protection. FIEJVCv.DilProCode joins with FIEJVDesc .Code where Type_ = 28.
Optcode	char(3)	Y	Optcode is a code indicating the exercise style of the conversion option. FIEJVCv.OptCode joins with FIEJVDesc .Code where Type_ = 9.
FracCode	char(1)	Y	FracCode is a code representing the treatment of fractions. FIEJVCv.FracCode joins with FIEJVCCode .Code where Type_ = 3.
AccIntCode	char(3)	Y	AccIntCode is a code indicating how remaining accrued interest is handled if conversion takes place between interest payment dates. FIEJVCv.AccIntCode joins with FIEJVDesc .Code where Type_ = 15.
NtcDayTypeCode	varchar(3)	Y	NtcDayTypeCode is a code indicating whether business or calendar days are used to represent the notice period. FIEJVCv.NtcDayTypeCode joins with FIEJVDesc .Code where Type_ = 26.
NtcDays	int	Y	NtcDays is the number of days notice given prior to the conversion.
FreqCode	int	Y	FreqCode is a code indicating the time period during which the conversion may occur. FIEJVCv.FreqCode joins with FIEJVCCode .Code where Type_ = 4.
CvOptCode	char(3)	Y	CvOptCode is a code indicating who has the option to convert. FIEJVCv.CvOptCode joins with FIEJVDesc .Code where Type_ = 16.
CvPremPct	float	Y	CvPremPct is the percent premium to the convertible debt at issue.
SettCode	char(1)	Y	SettCode is a code indicating how the underlying record is settled at conversion. FIEJVCv.SettCode joins with FIEJVDesc .Code where Type_ = 65.
SettDayTypeCode	varchar(3)	Y	SettDayTypeCode is a code indicating whether business or calendar days are used to represent the settlement period. FIEJVCv.SettDayTypeCode joins with FIEJVDesc .Code where Type_ = 26.
SettDays	int	Y	SettDays is the number of days representing settlement from delivery of the debt instrument to the receipt of the underlying asset.
StkBuybackCode	char(1)	Y	StkBuybackCode is a code indicating the type of protection available to either the issuer or investor if the stock is bought back. FIEJVCv.StkBuybackCode joins with FIEJVDesc .Code where Type_ = 17.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVCvHrdl: Redemption/Conversion Conditions

This table contains the conditions under which the issuer can force redemption and/or the holder can convert the notes.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVCvHrdl (Clustered)	InstrCode, LegNum, StartDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
LegNum	tinyint	N	LegNum identifies the segment for which a specific set of convertible terms are contained. A new leg number is added each time the key convertible terms of the security change. This is generated within Quantitative Data Warehouse (QDW) based on the feed file structure.
StartDate	datetime	N	StartDate is the start date from which the redemption price applies as part of the call hurdle.
MetCode	char(1)	Y	MetCode is a code representing the method used to select a called bond, in the event of a partial redemption. FIEJVCvHrdl.MetCode joins with FIEJVDesc .Code where Type_ = 3.
ISOCurCode	char(3)	Y	ISOCurCode is a code representing the currency in which the bond is redeemed. FIEJVCvHrdl.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
HrdlNtcDaysCode	char(3)	Y	HrdlNtcDaysCode is a code representing (along with hurdle day value) the maximum amount of time after crossing a hurdle before the issuer must declare redemption. FIEJVCvHrdl.HrdlNtcDaysCode joins with FIEJVDesc .Code where Type_ = 26.
HrdlNtcDays	int	Y	HrdlNtcDays is the maximum period after the last day that the hurdle duration condition has been met, before the issuer has to give notice of redemption.
DurDaysCode	char(3)	Y	DurDaysCode is a code representing the period during which conditions for the hurdle apply. FIEJVCvHrdl.DurDaysCode joins with FIEJVDesc .Code where Type_ = 26.
DurDays	int	Y	DurDays is the time elapsed, measured in business or calendar days, in which the asset must exceed the hurdle value in order to trigger the hurdle.
EndDate	datetime	Y	EndDate is the end date from which the redemption price applies as part of the call hurdle.
NtcDaysCode	char(3)	Y	NtcDaysCode is a code representing the period of notice between the issuer's declaration of redemption and the actual redemption. See the FIEJVDesc table (Day Type Code) for a complete list of codes.
NtcDays	int	Y	NtcDays is the number of days notice the issuer is required to give in the event that the hurdle is exceeded, and the issuer elects to call the bond.
PrcCode	char(1)	Y	PrcCode is a code indicating what price should be used for the call hurdle. FIEJVCvHrdl.PrcCode joins with FIEJVDesc .Code where Type_ = 49.
RedemCode	char(1)	Y	RedemCode is a code indicating how the bond is called. FIEJVExtcHrdl.RedemCode joins with FIEJVDesc .Code where Type_ = 58.
RedemPrc	float	Y	RedemPrc is the price at which the bond will be redeemed.
HrdlPrcTypeCode	char(1)	Y	HrdlPrcTypeCode is a code representing how the hurdle value is expressed. FIEJVCvHrdl.HrdlPrcTypeCode joins with FIEJVDesc .Code where Type_ = 37.
HrdlPrc	float	Y	HrdlPrc is the underlying asset price value at or above which the issuer has a call option right.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVCvRfx: Convertible Bond Refix Data

This table contains data values related to a possible refix of the conversion price and ratio of a convertible bond. When a refix actually occurs, a row will be added with the new values. Usually a refix option is triggered if the share price crosses either a Refix Hurdle Lower or Refix Hurdle Upper amount.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVCvRfx (Clustered)		InstrCode, LegNum, EffDate	

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
LegNum	tinyint	N	LegNum identifies the segment for which a specific set of convertible terms are contained. A new leg number is added each time the key convertible terms of the security change. This is generated within Quantitative Data Warehouse (QDW) based on the feed file structure.
EffDate	datetime	N	EffDate is the date for which the refixed conversion price becomes effective.
CapPrcPct	float	Y	CapPrcPct is the maximum to which the conversion price can be refixed. This value is expressed as a percentage of the prevailing conversion price.
DaysCode	char(3)	Y	DaysCode is a code indicating whether refix conditions run on business or calendar days. FIEJVCvRfx.DaysCode joins with FIEJVDesc .Code where Type_ = 26.
DaysValue	int	Y	DaysValue is the number of days for which the refix conditions must be met prior to the setting date.
FlrPrcPct	float	Y	FlrPrcPct is the minimum to which the conversion price can be refixed. This value is expressed as a percentage of the prevailing conversion price.
RfxHrdlPrcLow	float	Y	RfxHrdlPrcLow is the lower reset limit, and minimum amount by which the new price must be less than the existing or refix_ref_px (refix reference price) in order to trigger the refix. This value is expressed as a price (for example, EUR 1).
RfxHrdlPrcHigh	float	Y	RfxHrdlPrcHigh is the upper reset limit, and maximum amount by which the new price must be more than the existing or refix_ref_px (refix reference price) in order to trigger the refix. This value is expressed as a price (for example, EUR 1).
Premium	float	Y	Premium defines whether the refixed conversion price will be at any premium to the average stock price over which the refixed conversion price is fixed. The refix premium is usually zero, but sometimes it is the same as the original premium at issue.
RfxRefPrc	float	Y	RfxRefPrc is the price that is used to determine whether the underlying asset price has shifted enough to warrant a change in the conversion price. A large enough change in the underlying asset price from the reference price triggers a change in the conversion price.
SetDate	datetime	Y	SetDate is the date on which the conversion refix terms are set.
RfxTypeCode	char(1)	Y	RfxTypeCode is a code representing the refix type. FIEJVCvRfx.RfxTypeCode joins with FIEJVDesc .Code where Type_ = 60.
ISOCurCode	char(3)	Y	ISOCurCode is the currency in which the various amounts are mentioned. FIEJVCvRfx.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVCvTerms: Convertible Bond Variables

This table contains data for variables such as prices, dates, rates, and price ratio that typically can change due to business events, such as refixes. This view can be treated as both a schedule and a history of changes in convertible terms.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVCvTerms (Clustered)		InstrCode, LegNum, EffDate	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
LegNum	tinyint	N	LegNum identifies the segment for which a specific set of convertible terms are contained. A new leg number is added each time the key convertible terms of the security change. This is generated within Quantitative Data Warehouse (QDW) based on the feed file structure.
EffDate	datetime	N	EffDate is the date on which the event occurred.
ParValue	float	Y	ParValue is a unit of reference for the conversion ratio. It is normally the minimum denomination of the bond.
CvPrc	float	Y	CvPrc is the price paid per share to acquire the underlying common stock.
CvRatio	float	Y	CvRatio is the amount of the underlying asset that the bondholder will receive per par amount at conversion. The formula is: Conversion Ratio = Par Amount/Conversion Price.
EventCode	char(3)	Y	EventCode is a code representing categories of events that may affect the terms and conditions of a convertible security. FIEJVCvTerms.EventCode joins with FIEJVDesc .Code where Type_ = 14.
FXRate	float	Y	FXRate is the rate of exchange between the underlying asset and the bond in the manner indicated by the codes in the Forex Rate Code field.
FXRateTypeCode	char(1)	Y	FXRateTypeCode is the description of for_exch_rate. FIEJVCvTerms.FXRateTypeCode joins with FIEJVDesc .Code where Type_ = 31.
ISOCurCode	char(3)	Y	ISOCurCode is the currency in which the various amounts are mentioned. FIEJVCvTerms.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVCvTermsExt: Additional Convertible Bond Variables

This table contains data for variables such as prices, dates, rates, and price ratio that typically can change due to business events, such as refixes. This view can be treated as both a schedule and a history of changes in convertible terms. (This table is separate from [FIEJVCvTerms](#) because the fields below have a high percentage of Nulls.)

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVCvTermsExt (Clustered)		InstrCode, LegNum, EffDate	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.

Field	Type	Nullable	Description
LegNum	tinyint	N	LegNum identifies the segment for which a specific set of convertible terms are contained. A new leg number is added each time the key convertible terms of the security change. This is generated within Quantitative Data Warehouse (QDW) based on the feed file structure.
EffDate	datetime	N	EffDate is the date on which the event occurred.
CashPayAmt	float	Y	CashPayAmt is the amount the bondholder would receive from the issuer upon conversion. This field is populated if the bond is convertible into cash only.
ISOCurCode	char(3)	Y	ISOCurCode is the currency in which the various amounts are mentioned. FIEJVCvTermsExt.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
PrcFml	varchar(255)	Y	PrcFml is the formula used to calculate the conversion price.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVCvUndly: Underlying Asset Implementation Details

This table contains information about how a particular underlying asset is implemented for a convertible security. A knock-in level is a price at which another condition comes into effect, if a given level is reached or breached during the life of a bond. If the knock-in level is not breached during the life of a bond, redemption is at par.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVCvUndly (Clustered)	InstrCode, LegNum, UndlyLegNum, EffDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
LegNum	tinyint	N	LegNum identifies the segment for which a specific set of convertible terms are contained. A new leg number is added each time the key convertible terms of the security change. This is generated within Quantitative Data Warehouse (QDW) based on the feed file structure.
UndlyLegNum	tinyint	N	UndlyLegNum is a unique Quantitative Data Warehouse (QDW) generated identifier for an underlying asset. This number is generated based on the feed file structure.
EffDate	datetime	N	EffDate is the effective date for the terms of the underlying asset associated with the convertible bond.
UndlyInsUnitCode	char(3)	Y	UndlyInsUnitCode is a code representing the unit code of the underlying asset. FIEJVCvUndly.UndlyInsUnitCode joins with FIEJVDesc .Code where Type_ = 20.
BasketWgtVal	float	Y	BasketWgtVal is an initial basket value represented by each asset in the basket.
IsrChsnDlvryFl	tinyint	Y	IsrChsnDlvryFl is a 1/0 flag indicating whether the issuer or holder chooses the underlying asset when there are multiple underlying assets (1=issuer, 0=holder).
ISOCurCode	char(3)	Y	ISOCurCode is a code indicating the currency in which the holder of the underlying bond is paid at settlement. FIEJVCvUndly.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
UndlyRICCode	varchar(22)	Y	The RIC (Identification Code) of the underlying asset.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVCvUndlyExt: Additional Underlying Asset Details

This table contains information about how a particular underlying asset is implemented for a convertible security. A knock-in level is a price for which another condition comes into effect, if a given level is reached or breached during the life of a bond. If the knock-in level is not breached during the life of a bond, redemption is at par. (This table is separate from [FIEJVCvUndly](#) because the fields below have a high percentage of Nulls.)

Update Cycle: Daily, Monday – Friday

Adjusted: N/A


Indexes		Index Fields	
pkey_FIEJVCvUndlyExt (Clustered)		InstrCode, LegNum, UndlyLegNum, EffDate	

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
LegNum	tinyint	N	LegNum identifies the segment for which a specific set of convertible terms are contained. A new leg number is added each time the key convertible terms of the security change. This is generated within Quantitative Data Warehouse (QDW) based on the feed file structure.
UndlyLegNum	tinyint	N	UndlyLegNum is a unique Quantitative Data Warehouse (QDW) generated identifier for an underlying asset. This number is generated based on the feed file structure.
EffDate	datetime	N	EffDate is the effective date for the terms of the underlying asset associated with the convertible bond.
BasketWgtCode	char(3)	Y	BasketWgtCode is a code indicating the type of data in basket_weight_val. FIEJVCvUndlyExt.BasketWgtCode joins with FIEJVDesc .Code where Type_ = 20.
KnknStartDate	datetime	Y	KnknStartDate is the first date on which the knock-in level becomes effective.
KnknEndDate	datetime	Y	KnknEndDate is the last date on which the knock-in level is effective.
KnknPrc	float	Y	KnknPrc is populated if the knock-in level is given in an amount (as opposed to a percentage).
PrcISOCurCode	char(3)	Y	PrcISOCurCode is the currency in which the knock-in price is given. FIEJVCvUndlyExt.PrcISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
KnknRefPrc	float	Y	KnknRefPrc is the current share price shown in the Terms and Conditions section of a prospectus for a knock-in convertible/exchangeable security, when issued.
RefPrcISOCurCode	char(3)	Y	RefPrcISOCurCode is the currency in which the knock-in reference price is given. FIEJVCvUndlyExt.RefPrcISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
KnknTypeCode	char(1)	Y	KnknTypeCode is a code representing the knock-in type code. FIEJVCvUndlyExt.KnknTypeCode joins with FIEJVDesc .Code where Type_ = 18.
CvPrcMin	float	Y	The price and ratio range fields are populated when the conversion price and ratio are variable. CvPrcMin describes the minimum threshold of the range (price) when the conversion terms are variable. The lower threshold of the price range determines the conversion ratio (ratio_range_upper).
CvPrcMax	float	Y	The price and ratio range fields are populated when the conversion price and ratio are variable. CvPrcMax describes the maximum threshold of the range (price) when the conversion terms are variable. The upper threshold of the price range determines the conversion ratio (ratio_range_lower).
CvRatioMin	float	Y	The price and ratio range fields are populated when the conversion price and ratio are variable. CvRatioMin describes the minimum

Field	Type	Nullable	Description
			threshold of the range (ratio) when the conversion terms are variable. The minimum amount of shares is determined by px_range_upper.
CvRatioMax	float	Y	The price and ratio range fields are populated when the conversion price and ratio are variable. CvRatioMax describes the maximum threshold of the range (ratio) when the conversion terms are variable. The maximum amount of shares is determined by px_range_lower.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJV EMU Tables

The following diagram shows the FIEJV EMU tables.



FIEJVEmuHarm: Bond EMU Harmonization Status

This table contains the EMU harmonization status of a bond (for example, when the EMU member conventions were adopted).

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVEmuHarm (Clustered)	InstrCode

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
DCBChgDate	datetime	Y	DCBChgDate is the date the day count of a bond changed to harmonize with EMU conventions.
HolCalChgDate	datetime	Y	HolCalChgDate is the date the settlement holidays of a bond changed to harmonize with EMU conventions.
QuoteChgDate	datetime	Y	QuoteChgDate is the date the quotation rules of a bond changed to harmonize with EMU conventions.
SettChgDate	datetime	Y	SettChgDate is the date the settlement rule of a bond changed to harmonize with EMU conventions.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVEmuRedenom: EMU Bond Redenomination Information

This table contains information regarding the redenomination of EMU bonds, such as when and by what means the EMU conventions were adopted.

Update Cycle: Daily, Monday – Friday


Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVEmuRedenom (Clustered)		InstrCode	

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
RedenomMetcode	char(1)	Y	RedenomMetcode is a code representing the conversion method for the issue. FIEJVEmuRedenom.RedenomMetcode joins with FIEJVCode .Code where Type_ = 7.
GovISOCTryCode	char(2)	Y	The Governing Law of a bond determines the basis for redenomination. A bond is redenominated depending on the Governing Law of the bond, not the currency in which the bond is denominated. If the Governing Law of a bond is from an 'out' country and the currency is from an 'in' country, the redenomination conventions default to the currency in which the bond is denominated. FIEJVEmuRedenom.GovISOCTryCode joins with FIEJVDesc .Code where Type_ = 12.
MinNtcDays	int	Y	MinNtcDays is the minimum number of days notice prior to redenomination from NCU into the EURO on or after January 01, 1999.
OddLotCode	char(2)	Y	OddLotCode identifies the method used for the calculation of extraordinary principal repayments ('odd lots') associated with EMU Redenomination. FIEJVEmuRedenom.OddLotCode joins with FIEJVDesc .Code where Type_ = 44.
ReconCode	char(2)	Y	ReconCode is a code representing the method used to reconcile the total issue to the sum of individual issues. FIEJVEmuRedenom.ReconCode joins with FIEJVDesc .Code where Type_ = 57.
EffDate	datetime	Y	EffDate is the date on which the redenomination was performed and became effective. Prior to redenomination, this field is NULL. The planned future redenomination date can be found in the redenom_target_dt field.
StatusCode	char(1)	Y	StatusCode is a code representing the status of the EMU redenomination. FIEJVEmuRedenom.StatusCode joins with FIEJVDesc .Code where Type_ = 59.
EJVRedenomDate	datetime	Y	EJVRedenomDate is the date the bond is scheduled to be redenominated. Generally, the target date is the same as the effective date. However, this is not the case if the bond was redenominated before LSEG had knowledge of the redenomination.
RenomCode	char(1)	Y	RenomCode is a code representing the method used to renormalize the converted bond par value. FIEJVEmuRedenom.RenomCode joins with FIEJVDesc .Code where Type_ = 61.
RndgCode	char(1)	Y	RndgCode is a code representing the method used to round the calculated Euro amount after conversion. FIEJVEmuRedenom.RndgCode joins with FIEJVCode .Code where Type_ = 8.
PriorGemInstrID	bigint	Y	PriorGemInstrID is the previous instrument code that the instrument was exchanged for (WasExchangedFor).
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJV Exotics Tables

The following diagram shows the relationships between the FIEJV Exotics tables.



FIEJVExtc: Exotic Bond Terms

This table contains the terms of the exotic bond at issue. The data in this view typically does not change over the duration of the bond period (from the effective date through the end date). However, a new leg can be created if necessary.

Exotic bonds contain the following types of bonds:

- Convertible into a Currency
- Convertible into an Index
- Convertible into a Basket
- Convertible into a Money Market Rate
- Convertible into a Spread
- Convertible into a Swap
- Complex Convertible
- Convertible into a Debt of the Issuer
- Exchangeable into a Debt of a Different (Other) Issuer
- Exchangeable into an Equity of a Different (Other) Issuer
- Flip-flop Bond (Convertible Between Bonds of the Same Issuer)

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVExtc (Clustered)		InstrCode, LegNum, StartDate	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.

Field	Type	Nullable	Description
LegNum	tinyint	N	LegNum identifies the segment for which a specific set of convertible terms are contained. A new leg number is added each time the key convertible terms of the security change. This is generated within Quantitative Data Warehouse (QDW) based on the feed file structure.
StartDate	datetime	N	StartDate is the date that corresponds with the effective conversion rate.
EndDate	datetime	Y	EndDate is the date the conversion rights expire.
ExtcTypeCode	char(2)	Y	ExtcTypeCode is a code representing the convertible type. FIEJVExtc.ExtcTypeCode joins with FIEJVDesc .Code where Type_ = 19.
DilProCode	char(1)	Y	DilProCode is a code representing the type of dilution protection. FIEJVExtc.DilProCode joins with FIEJVDesc .Code where Type_ = 28.
Optcode	char(3)	Y	Optcode is a code indicating the exercise style of the conversion option. FIEJVExtc.Optcode joins with FIEJVDesc .Code where Type_ = 9.
FracCode	char(1)	Y	FracCode is a code representing the treatment of fractions. FIEJVExtc.FracCode joins with FIEJVCode .Code where Type_ = 3.
AccIntCode	char(3)	Y	AccIntCode is a code indicating how remaining accrued interest is handled if conversion takes place between interest payment dates. FIEJVExtc.AccIntCode joins with FIEJVDesc .Code where Type_ = 15.
NtcDayTypeCode	varchar(3)	Y	NtcDayTypeCode is a code indicating whether business or calendar days are used to represent the notice period. FIEJVExtc.NtcDayTypeCode joins with FIEJVDesc .Code where Type_ = 26.
NtcDays	int	Y	NtcDays is the number of days notice given prior to the conversion.
FreqCode	int	Y	FreqCode is a code indicating the time period during which the conversion may occur. FIEJVExtc.FreqCode joins with FIEJVCode .Code where Type_ = 4.
ExtcOptCode	char(3)	Y	ExtcOptCode is a code indicating who has the option to convert. FIEJVExtc.ExtcOptCode joins with FIEJVDesc .Code where Type_ = 16.
ExtcPremPct	float	Y	ExtcPremPct is the percent premium to the convertible debt at issue.
SettCode	char(1)	Y	SettCode is a code indicating how the underlying record is settled at conversion. FIEJVExtc.SettCode joins with FIEJVDesc .Code where Type_ = 65.
SettDayTypeCode	varchar(3)	Y	SettDayTypeCode is a code indicating whether business or calendar days are used to represent the settlement period. FIEJVExtc.SettDayTypeCode joins with FIEJVDesc .Code where Type_ = 26.
SettDays	int	Y	SettDays is the number of days representing settlement from delivery of the debt instrument to the receipt of the underlying asset.
StkBuybackCode	char(1)	Y	StkBuybackCode is a code indicating the type of protection available to either the issuer or investor if the stock is bought back. FIEJVExtc.StkBuybackCode joins with FIEJVDesc .Code where Type_ = 17.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVExtcHrdl: Exotic Redemption/Conversion Conditions

This table contains the conditions under which the issuer can force redemption and/or the holder can convert the notes.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVExtcHrdl (Clustered)		InstrCode, LegNum, StartDate	

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
LegNum	tinyint	N	LegNum identifies the segment for which a specific set of convertible terms are contained. A new leg number is added each time the key convertible terms of the security change. This is generated within Quantitative Data Warehouse (QDW) based on the feed file structure.
StartDate	datetime	N	The start date from which the redemption price applies as part of the call hurdle.
MetCode	char(1)	Y	MetCode is a code representing the method used to select a called bond in the event of a partial redemption. FIEJVExtcHrdl.MetCode joins with FIEJVDesc .Code where Type_ = 3.
ISOCurCode	char(3)	Y	ISOCurCode is a code representing the currency in which the bond is redeemed. FIEJVExtcHrdl.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
HrdlNtcDaysCode	varchar(3)	Y	HrdlNtcDaysCode is a code representing (along with hurdle day value) the maximum amount of time after crossing a hurdle before the issuer must declare redemption. FIEJVExtcHrdl.HrdlNtcDaysCode joins with FIEJVDesc .Code where Type_ = 26.
HrdlNtcDays	int	Y	HrdlNtcDays is the maximum period after the last day that the hurdle duration condition has been met before the issuer has to give notice of redemption.
DurDaysCode	char(3)	Y	DurDaysCode is a code representing the period during which conditions for the hurdle apply. FIEJVExtcHrdl.DurDaysCode joins with FIEJVDesc .Code where Type_ = 26.
DurDays	int	Y	DurDays is the time elapsed, measured in business or calendar days, in which the asset must exceed the hurdle value in order to trigger the hurdle.
EndDate	datetime	Y	EndDate is the end date from which the redemption price applies as part of the call hurdle.
NtcDaysCode	char(3)	Y	NtcDaysCode is a code representing the period of notice between the issuer's declaration of redemption and the actual redemption. FIEJVExtcHrdl.NtcDaysCode joins with FIEJVDesc .Code where Type_ = 26.
NtcDays	int	Y	NtcDays is the number of days notice the issuer is required to give in the event that the hurdle is exceeded, and the issuer elects to call the bond.
PrcCode	char(1)	Y	PrcCode is a code indicating what price should be used for the call hurdle. FIEJVExtcHrdl.PrcCode joins with FIEJVDesc .Code where Type_ = 49.
RedemCode	char(1)	Y	RedemCode is a code indicating how the bond is called. FIEJVExtcHrdl.RedemCode joins with FIEJVDesc .Code where Type_ = 58.
RedemPrc	float	Y	RedemPrc is the price at which the bond will be redeemed.
HrdlPrcTypeCode	char(1)	Y	HrdlPrcTypeCode is a code representing how the hurdle value is expressed. FIEJVExtcHrdl.HrdlPrcTypeCode joins with FIEJVDesc .Code where Type_ = 37.

Field	Type	Nullable	Description
HrdlPrc	float	Y	HrdlPrc is the underlying asset price value at or above which the issuer has a call option right.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVExtcRfx: Exotic Bond Refix Data

This table contains data values related to a possible refix of the conversion price and ratio of an exotic bond. When a refix actually occurs, a row will be added with the new values. Usually a refix option will be triggered if the share price crosses either a Refix Hurdle Lower or Refix Hurdle Upper amount.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVExtcRfx (Clustered)	InstrCode, LegNum, EffDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
LegNum	tinyint	N	LegNum identifies the segment for which a specific set of convertible terms are contained. A new leg number is added each time the key convertible terms of the security change. This is generated within Quantitative Data Warehouse (QDW) based on the feed file structure.
EffDate	datetime	N	EffDate is the date for which the refixed conversion price becomes effective.
CapPrcPct	float	Y	CapPrcPct is the maximum to which the conversion price can be refixed. Expressed as a percentage of the prevailing conversion price.
DaysCode	char(3)	Y	DaysCode is a code indicating whether refix condition runs on business or calendar days. FIEJVExtcRfx.DaysCode joins with FIEJVDesc .Code where Type_ = 26.
DaysValue	int	Y	DaysValue is the number of days for which the refix conditions must be met prior to the setting date.
FlrPrcPct	float	Y	FlrPrcPct is the minimum to which the conversion price can be refixed. This value is expressed as a percentage of the prevailing conversion price.
RfxHrdlPrcLow	float	Y	RfxHrdlPrcLow is the lower reset limit and minimum amount by which the new price must be less than the existing or refix_ref_px (refix reference price) in order to trigger the refix. This value is expressed as a price (for example, EUR 1).
RfxHrdlPrcHigh	float	Y	RfxHrdlPrcHigh is the upper reset limit and maximum amount by which the new price must be more than the existing or refix_ref_px (refix reference price) in order to trigger the refix. This value is expressed as a price (for example, EUR 1).
Premium	float	Y	Premium defines whether the refixed conversion price will be at any premium to the average stock price over which the refixed conversion price is fixed. The refix premium is usually zero, but sometimes it is the same as the original premium at issue.
RfxRefPrc	float	Y	RfxRefPrc is the price that is used to determine whether the underlying asset price has shifted enough to warrant a change in the conversion price. A large enough change in the underlying asset price from the reference price triggers a change in the conversion price.
SetDate	datetime	Y	SetDate is the date on which the conversion refix terms are set.
RfxTypeCode	char(1)	Y	RfxTypeCode is a code representing the refix type. FIEJVExtcRfx.RfxTypeCode joins with FIEJVDesc .Code where Type_ = 60.
ISOCurCode	char(3)	Y	ISOCurCode is the currency in which the various amounts are mentioned.

Field	Type	Nullable	Description
			FIEJVExtcRfx.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVExtcTerms: Exotic Bond Variables

This table contains data for variables such as prices, dates, rates, and price ratio that typically can change due to business events, such as refixes. This view can be treated as both a schedule and a history of changes in bond terms.

Exotic bonds contain the following types of bonds:

- Convertible into a Currency
- Convertible into an Index
- Convertible into a Basket
- Convertible into a Money Market Rate
- Convertible into a Spread
- Convertible into a Swap
- Complex Convertible
- Convertible into a Debt of the Issuer
- Exchangeable into a Debt of a Different (Other) Issuer
- Exchangeable into an Equity of a Different (Other) Issuer
- Flip-flop Bond (Convertible Between Bonds of the Same Issuer)

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVExtcTerms (Clustered)	InstrCode, LegNum, EffDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
LegNum	tinyint	N	LegNum identifies the segment for which a specific set of convertible terms are contained. A new leg number is added each time the key convertible terms of the security change. This is generated within Quantitative Data Warehouse (QDW) based on the feed file structure.
EffDate	datetime	N	EffDate is the date on which the event occurred.
ParValue	float	Y	ParValue is the unit of reference for the conversion ratio. It is normally the minimum denomination of the bond.
ExtcPrc	float	Y	ExtcPrc is the price paid per share to acquire the underlying common stock.
ExtcRatio	float	Y	ExtcRatio is the amount of the underlying asset that the bondholder will receive per par amount at conversion. The formula is: Conversion Ratio = Par Amount/Conversion Price.
EventCode	char(3)	Y	EventCode is a code representing categories of events that may effect the terms and conditions of a convertible security. FIEJVExtcTerms.EventCode joins with FIEJVDesc .Code where Type_ = 14.
FXRATE	float	Y	FXRATE is the rate of exchange between the underlying asset and the bond in the manner indicated by the codes in the Forex Rate Code field.
FXRateTypeCode	char(1)	Y	FXRateTypeCode is the description of for_exch_rate. FIEJVExtcTerms.FXRateTypeCode joins with FIEJVDesc .Code where Type_ = 31.
ISOCurCode	char(3)	Y	ISOCurCode is the currency in which the various amounts are mentioned. FIEJVExtcTerms.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.

Field	Type	Nullable	Description
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVExtcTermsExt: Additional Exotic Bond Variables

This table contains data for variables such as prices, dates, rates, and price ratio that typically can change due to business events, such as reflexes. This view can be treated as both a schedule and a history of changes in bond terms. (This table is separate from [FIEJVExtcTerms](#) because the fields below have a high percentage of Nulls.)

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVExtcTermsExt (Clustered)	InstrCode, LegNum, EffDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
LegNum	tinyint	N	LegNum identifies the segment for which a specific set of convertible terms are contained. A new leg number is added each time the key convertible terms of the security change. This is generated within Quantitative Data Warehouse (QDW) based on the feed file structure.
EffDate	datetime	N	EffDate is the date on which the event occurred.
CashPayAmt	float	Y	CashPayAmt is the amount the bondholder would receive from the issuer upon conversion. This field is populated if the bond is convertible into cash only.
ISOCurCode	char(3)	Y	ISOCurCode is the currency in which the various amounts are mentioned. FIEJVExtcTermsExt.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
PrcFml	varchar(255)	Y	PrcFml is the formula used to calculate the conversion price.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVExtcUndly: Exotic Security Underlying Asset Details

This table contains information about how a particular underlying asset is implemented for an exotic security. A knock-in level is a price for which another condition comes into effect, if a given level is reached or breached during the life of a bond. If the knock-in level is not breached during the life of a bond, redemption is at par.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVExtcUndly (Clustered)	InstrCode, LegNum, UndlyLegNum, EffDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
LegNum	tinyint	N	LegNum identifies the segment for which a specific set of convertible terms are contained. A new leg number is added each time the key convertible terms of the security change. This is generated within Quantitative Data Warehouse (QDW) based on the feed file structure.
UndlyLegNum	tinyint	N	UndlyLegNum is a unique Quantitative Data Warehouse (QDW) generated identifier for an underlying asset. This number is generated based on the feed file structure.

Field	Type	Nullable	Description
EffDate	datetime	N	EffDate is the effective date for the terms of the underlying asset associated with the convertible bond.
UndlyInsUnitCode	char(3)	Y	UndlyInsUnitCode is a code representing the unit code of the underlying asset. FIEJVExtcUndly.UndlyInsUnitCode joins with FIEJVDesc .Code where Type_ = 20.
BasketWgtVal	float	Y	BasketWgtVal is the initial basket value represented by each asset in the basket.
IsrChsnDlvryFl	tinyint	Y	IsrChsnDlvryFl is a 1/0 flag indicating whether the issuer or holder chooses the underlying asset when there are multiple underlying assets (1=issuer, 0=holder).
ISOCurCode	char(3)	Y	ISOCurCode is a code indicating the currency in which the holder of the underlying bond is paid at settlement. FIEJVExtcUndly.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
UndlyRICCode	varchar(22)	Y	The RIC (Identification Code) of the underlying asset.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVExtcUndlyExt: Additional Exotic Security Underlying Asset Details

This table contains information about how a particular underlying asset is implemented for an exotic security. A knock-in level is a price for which another condition comes into effect, if a given level is reached or breached during the life of a bond. If the knock-in level is not breached during the life of a bond, redemption is at par. (This table is separate from FIEJVExtcUndly because the fields below have a high percentage of Nulls).

Update Cycle: Daily, Monday – Friday

Adjusted: N/A


Indexes	Index Fields
pkey_FIEJVExtcUndlyExt (Clustered)	InstrCode, LegNum, UndlyLegNum, EffDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
LegNum	tinyint	N	LegNum identifies the segment for which a specific set of convertible terms are contained. A new leg number is added each time the key convertible terms of the security change. This is generated within Quantitative Data Warehouse (QDW) based on the feed file structure.
UndlyLegNum	tinyint	N	UndlyLegNum is a unique Quantitative Data Warehouse (QDW) generated identifier for an underlying asset. This number is generated based on the feed file structure.
EffDate	datetime	N	EffDate is the effective date for the terms of the underlying asset associated with the convertible bond.
BasketWgtCode	char(3)	Y	BasketWgtCode is a code indicating the type of data in basket_weight_val. FIEJVExtcUndlyExt.BasketWgtCode joins with FIEJVDesc .Code where Type_ = 20.
KnknStartDate	datetime	Y	KnknStartDate is the first date on which the knock-in level becomes effective.
KnknEndDate	datetime	Y	KnknEndDate is the last date on which the knock-in level is effective.
KnknPrc	float	Y	KnknPrc is populated if the knock-in level is given in an amount (as opposed to a percentage).
PrcISOCurCode	char(3)	Y	PrcISOCurCode is the currency in which the Knock-in price is given. FIEJVExtcUndlyExt.PrcISOCurCode joins with FIEJVDesc .Code where Type_ = 23.

Field	Type	Nullable	Description
KnklnRefPrc	float	Y	KnklnRefPrc is the current share price shown in the Terms and Conditions section of a prospectus for a knock-in convertible/exchangeable security, when issued.
RefPrcISOCurCode	char(3)	Y	RefPrcISOCurCode is the currency in which the Knock-in reference price is given. FIEJVExtcUndlyExt.RefPrcISOCurCode joins with FIEJVDesc.Code where Type_ = 23.
KnklnTypeCode	char(1)	Y	KnklnTypeCode is a code representing the knock-in type code. FIEJVExtcUndlyExt.KnklnTypeCode joins with FIEJVDesc.Code where Type_ = 18.
ExtcPrcMin	float	Y	The price and ratio range fields are populated when the conversion price and ratio are variable. ExtcPrcMin describes the minimum threshold of the range (price) when the conversion terms are variable. The lower threshold of the price range determines the conversion ratio (ratio_range_upper).
ExtcPrcMax	float	Y	The price and ratio range fields are populated when the conversion price and ratio are variable. ExtcPrcMax describes the maximum threshold of the range (price) when the conversion terms are variable. The upper threshold of the price range determines the conversion ratio (ratio_range_lower).
ExtcRatioMin	float	Y	The price and ratio range fields are populated when the conversion price and ratio are variable. ExtcRatioMin describes the minimum threshold of the range (ratio) when the conversion terms are variable. The minimum amount of shares is determined by px_range_upper.
ExtcRatioMax	float	Y	The price and ratio range fields are populated when the conversion price and ratio are variable. ExtcRatioMax describes the maximum threshold of the range (ratio) when the conversion terms are variable. The maximum amount of shares is determined by px_range_lower.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJV Extendible Tables

The following diagram shows the relationship between the FIEJV Extendible tables.



FIEJVExtHdr: Bond Maturity Extension Terms

This table contains the terms and conditions by which the maturity of a bond may be extended by the issuer.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVExtHdr (Clustered)	InstrCode

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
MaxNtc	int	Y	MaxNtc is the beginning of the issuer's notification period, expressed as a number of period units prior to the call date.
MinNtc	int	Y	MinNtc is the end of the user's notification period, expressed as a number of period units prior to the call date.
EffDate	datetime	Y	EffDate is the date on which the extend provision becomes effective.
FreqCode	int	Y	FreqCode is a code representing the frequency of maturity date extensions. FIEJVExtHdr.FreqCode joins with FIEJVCode .Code where Type_ = 4.
HldrOptFI	tinyint	Y	HldrOptFI is a 1/0 flag indicating whether the holder of the security has the option to extend the term of the security.
NtcUtsCode	char(3)	Y	NtcUtsCode is a code specifying the units in which beginning notification period and ending notification period are expressed. FIEJVExtHdr.NtcUtsCode joins with FIEJVDesc .Code where Type_ = 26.
ExtnEndDate	datetime	Y	ExtnEndDate is the date on and after which the security cannot be extended.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVExtPrc: Bond Extension Schedule

This table contains the extend schedule corresponding to the extend terms.

Update Cycle: Daily, Monday – Friday


Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVExtPrc (Clustered)		InstrCode, EffDate	

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
EffDate	datetime	N	EffDate is the schedule of maturity date(s) for all extendible securities.
MatPrc	float	Y	MatPrc is the price at which the maturity date may be extended. Unless otherwise indicated, MatPrc defaults to 100.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJV Issue Ratings Tables

The following diagram shows the FIEJV Issue Ratings tables.



FIEJVIssRtnng: Ratings

This table contains current and historical ratings from various rating agencies.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVIssRtnng (Clustered)	InstrCode, RtnngAgcyCode, StartDate, StartTime

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
RtnngAgcyCode	int	N	RtnngAgcyCode is a code specifying the source of the rating. FIEJVIssRtnng.RtnngAgcyCode joins with FIEJVCode .Code where Type_ = 22.
StartDate	datetime	N	StartDate is the date corresponding to a given rating assigned to the security by a rating agency.
StartTime	int	N	StartTime is the time corresponding to a given rating assigned to the security by a rating agency.
RtnngDateAnnCode	int	Y	RtnngDateAnnCode is a code indicating if the date for a given rating was the date of the actual rating assignment, or the date of the source disclosing the rating. FIEJVIssRtnng.RtnngDateAnnCode joins with FIEJVCode .Code where Type_ = 10.
RatingCode	varchar(30)	Y	RatingCode is a code assigned by a rating agency indicating the investment quality of an offered security. FIEJVIssRtnng.RatingCode joins with FIEJVDesc .Code where Type_ = 55.
EndDate	datetime	Y	EndDate is populated when identifier value for a security changes. The EndDate is the StartDate for the change for that organization minus one second.
EndTime	int	Y	EndTime is populated when the identifier value for a security changes. The EndTime is the StartTime for the change for that organization minus one second.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVlssRtngOutlook: Rating Outlook Information

This table contains current and historical rating outlook information from various rating agencies.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVlssRtngOutlook (Clustered)		InstrCode, RtngAgcyCode, StartDate	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
RtngAgcyCode	int	N	RtngAgcyCode is a code representing the rating agency and code set used for outlook_cd. FIEJVlssRtngOutlook.RtngAgcyCode joins with FIEJVCode .Code where Type_ = 22.
StartDate	datetime	N	StartDate is the start date of the outlook time period for a security.
OutlookCode	varchar(15)	Y	OutlookCode is a code representing the outlook trend for a security. FIEJVlssRtngOutlook.OutlookCode joins with FIEJVDesc .Code where Type_ = 46.
EndDate	datetime	Y	EndDate is the end date of the outlook time period for a security.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVlssRtngWatch: Rating Watch Information

This table contains current and historical rating watch information.


Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVlssRtngWatch (Clustered)		InstrCode, RtngAgcyCode, StartDate	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
RtngAgcyCode	int	N	RtngAgcyCode is a code representing the rating services that are responsible for the evaluation of an issuer's short- or long-term debt rating. FIEJVlssRtngWatch.RtngAgcyCode joins with FIEJVCode .Code where Type_ = 22.
StartDate	datetime	N	StartDate is the first date on which an issuer is placed under a special credit evaluation by a given rating agency.
WatchCode	varchar(3)	Y	WatchCode is a code representing the potential credit implications of a particular rating as the result of a credit watch. FIEJVlssRtngWatch.WatchCode joins with FIEJVDesc .Code where Type_ = 78.
EndDate	datetime	Y	EndDate is the last date on which an issuer is under a special credit evaluation by a given rating agency.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJV Issuer Ratings Tables

The following diagram shows the FIEJV Issuer Ratings tables.



FIEJVIsrRtnng: Bond Issuer/Party Ratings

This table contains current and historical issuer/party ratings for a bond from various rating agencies.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVIsrRtnng (Clustered)	OrgCode, RtnngAgcyCode, IsrRtnngTypeCode, StartDate, StartTime

Field	Type	Nullable	Description
OrgCode	int	N	InstrCode is a unique integer code that identifies an organization. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
RtnngAgcyCode	int	N	RtnngAgcyCode is a code indicating the external source for the rating. FIEJVIsrRtnng.RtnngAgcyCode joins with FIEJVCode.Code where Type_ = 22.
IsrRtnngTypeCode	int	N	IsrRtnngTypeCode is a code indicating if the rating is for instruments issued in domestic or foreign currency. In the event that two or more external agencies categorize domestic and/or foreign debt differently, a pooled (combined minimum) rating is also stored. FIEJVIsrRtnng.IsrRtnngTypeCode joins with FIEJVCode.Code where Type_ = 23.
StartDate	datetime	N	StartDate is the start date for which the credit rating is in effect.
StartTime	int	N	StartTime is the start time for which the credit rating is in effect.
RatingCode	varchar(30)	Y	RatingCode is a credit rating assignment from an external source. FIEJVIsrRtnng.RatingCode joins with FIEJVDesc.Code where Type_ = 55.
EndDate	datetime	Y	EndDate is populated when the identifier value for a security changes. The EndDate is the StartDate for the change for that organization minus one second.
EndTime	int	Y	EndTime is populated when the identifier value for a security changes. The EndTime is the StartTime for the change for that organization minus one second.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVlsrRtnngOutlook: Issuer/Party Rating Outlook Information

This table contains current and historical issuer/party rating outlook information from various rating agencies.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVlsrRtnngOutlook (Clustered)		OrgCode, RtnngAgcyCode, StartDate	
Field	Type	Nullable	Description
OrgCode	int	N	OrgCode is a unique integer code that identifies an organization. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
RtnngAgcyCode	int	N	RtnngAgcyCode is a code representing the rating agency and code set used for outlook_cd. FIEJVlsrRtnngOutlook.RtnngAgcyCode joins with FIEJVCode .Code where Type_ = 22.
StartDate	datetime	N	StartDate is the start date of the outlook time period for a party.
OutlookCode	varchar(15)	Y	OutlookCode is a code representing the outlook trend for a party. FIEJVlsrRtnngOutlook.OutlookCode joins with FIEJVDesc .Code where Type_ = 46.
EndDate	datetime	Y	EndDate is the end date of the outlook time period for a party.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVlsrRtnngWatch: Issuer/Party Rating Watch Information

This table contains current and historical issuer/party rating watch information.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVlsrRtnngWatch (Clustered)		OrgCode, RtnngAgcyCode, StartDate	
Field	Type	Nullable	Description
OrgCode	int	N	OrgCode is a unique integer code that identifies an organization. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
RtnngAgcyCode	int	N	RtnngAgcyCode is a code representing the rating services that are responsible for the evaluation of an issuer's short- or long-term debt rating. FIEJVlsrRtnngWatch.RtnngAgcyCode joins with FIEJVCode .Code where Type_ = 22.
StartDate	datetime	N	StartDate is the first date on which an issuer is placed under a special credit evaluation by a given rating agency.
WatchCode	char(3)	Y	WatchCode is a code representing the potential credit implications of a particular rating as a result of the credit watch. FIEJVlsrRtnngWatch.WatchCode joins with FIEJVDesc .Code where Type_ = 78.
EndDate	datetime	Y	EndDate is the last date on which an issuer is placed under a special credit evaluation by a given rating agency.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJV Medium-Term Notes Tables

The following diagram shows the FIEJV MTN tables.

FIEJVMNTNHdr		
PK	InstrCode	int
	MatDateRngCode	int
	MaxFees	float
	MaxFeesPerSec	float
	MaxProceedsPerSec	float
	MaxTotProceeds	float
	MaxTotPrcToPub	float
	MinFees	float
	MinFeesPerSec	float
	MinProceedsPerSec	float
	MinTotProceeds	float
	MinTotPrcToPub	float
	PrcToPubPct	float
	TotProgAmt	float
	TotProgAmtSupp	float
	ISOCurCode	char(3)
	LicFlag	int

FIEJVMNTN		
PK	InstrCode	LONG
PK	SeqNum	SHORT
	PrcSuppNum	TEXT(20)
	PrcSuppDate	LONG
	AccrDate	LONG
	IssDate	LONG
	Proceeds	DOUBLE
	IssPrc	DOUBLE
	YTM	DOUBLE
	LicFlag	LONG

FIEJVMNTN: Medium-Term Note Issue Information

This table contains additional information from the pricing supplement particular to medium-term note issues.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVMNTN (Clustered)	InstrCode, SeqNum

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
SeqNum	tinyint	N	For a particular security, there might be more than one value for the same identifier type. SeqNum helps capture the various values. Logical keys for the generation of SeqNum are InstrCode and PrcSuppNum.
PrcSuppNum	varchar(20)	N	PrcSuppNum is the number or alpha of the pricing supplement.
PrcSuppDate	datetime	Y	PrcSuppDate is the date of the pricing supplement.
AccrDate	datetime	Y	AccrDate is the date from which interest begins accruing on the bond.
IssDate	datetime	Y	IssDate is the delivery date of each pricing supplement.
Proceeds	float	Y	Proceeds is the proceeds the registrant will receive from the offering after commissions are deducted.
IssPrc	float	Y	IssPrc is the price at which the public may purchase the offered security from the underwriters (expressed as a percentage of par).
YTM	float	Y	The calculation that determines the rate of the return an investor will receive if a long-term, interest-bearing investment is held to its maturity date.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVMNTNHdr: Medium-Term Note Shelf Information

This table contains information pertaining to the Shelf information for medium-term note issues.

Update Cycle: Daily, Monday – Friday


Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVMNTNHdr (Clustered)	InstrCode

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
MatDateRngCode	int	Y	MatDateRngCode is a code representing the time over which the principal amounts of securities are estimated to become due and payable, as disclosed on the front cover of the prospectus. FIEJVMTNHdr.MatDateRngCode joins with FIEJVCCode where Type_ = 5.
MaxFees	float	Y	MaxFees is the maximum amount permitted to be paid to any underwriters in the offering. This amount consists of selling concessions, management fees, and underwriting fees.
MaxFeesPerSec	float	Y	MaxFeesPerSec is the maximum amount permitted to be paid to any underwriters in the offering. This amount consists of selling concessions, management fees, and underwriting fees. Expressed as a percentage of par.
MaxProceedsPerSec	float	Y	MaxProceedsPerSec is the maximum amount that the registrant is permitted to receive from the offering after commissions are deducted. This amount is expressed as a percent of the principal amount.
MaxTotProceeds	float	Y	MaxTotProceeds is the maximum amount that the registrant is permitted to receive from the offering after commissions are deducted.
MaxTotPrcToPub	float	Y	MaxTotPrcToPub is the maximum total price at which the public may purchase the offered security from the underwriters.
MinFees	float	Y	MinFees is the minimum amount permitted to be paid to any underwriters in the offering. This amount consists of selling concessions, management fees, and underwriting fees.
MinFeesPerSec	float	Y	MinFeesPerSec is the minimum amount permitted to be paid to any underwriters in the offering. This amount consists of selling concessions, management fees, and underwriting fees. It is also expressed as a percentage of par.
MinProceedsPerSec	float	Y	MinProceedsPerSec is the minimum amount that the registrant is permitted to receive from the offering after commissions are deducted. This amount is expressed as a percent of the principal amount.
MinTotProceeds	float	Y	MinTotProceeds is the minimum amount that the registrant is permitted to receive from the offering after commissions are deducted.
MinTotPrcToPub	float	Y	MinTotPrcToPub is the minimum total price at which the public may purchase the offered security from the underwriters.
PrcToPubPct	float	Y	PrcToPubPct is the price at which the public may purchase the offered security from the underwriters. This amount is expressed as a percentage of par.
TotProgAmt	float	Y	TotProgAmt is the total principal amount of securities permitted to be issued under the shelf, as given on the front cover of the prospectus.
TotProgAmtSupp	float	Y	TotProgAmtSupp is the total principal amount of securities permitted to be issued under the shelf supplement, as given on the front cover of the prospectus.
ISOCurCode	char	Y	ISOCurCode is the currency in which the various amounts are given. FIEJVMTNHdr.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJV Put Tables

The following diagram shows the relationship between the FIEJV Put tables.



FIEJVPut: Put Schedule

This table contains the put schedule for the corresponding put terms.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVPut (Clustered)		InstrCode, PutSettTypeCode, StartDate	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and not received from the vendor.
PutSettTypeCode	int	N	PutSettTypeCode is a code representing the type of put option modeled: – 1 = CTS (Credit Sensitive) – 2 = MP (Mandatory Put) – 3 = REG (Regular) FIEJVPut.PutSettTypeCode joins with FIEJVCode.Code where Type_ = 26. To get descriptions for the field values, cross-reference with FIEJVDesc.Code where Type_ = 52.
StartDate	datetime	N	StartDate is the first date on which the offered security may be redeemed for a given period at an indicated price.
EndDate	datetime	Y	EndDate is the last date on which the offered security may be redeemed for a given period at an indicated price.
PutPrc	float	Y	PutPrc is the price at which the offered security may be redeemed for a given period. This value is expressed as a percentage of principal amount.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVPutHdr: Put Exercise Terms

This table contains the terms and conditions at which a put provision may be exercised at the option of the holder.

Update Cycle: Daily, Monday – Friday


Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVPutHdr (Clustered)		InstrCode, PutSettTypeCode	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.

Field	Type	Nullable	Description
PutSettTypeCode	int	N	PutSettTypeCode is a code representing the type of put option modeled: 1 = CTS (Credit Sensitive) 2 = MP (Mandatory Put) 3 = REG (Regular) FIEJVPutHdr.PutSettTypeCode joins with FIEJVCode .Code where Type_ = 26. To get descriptions for the field values, cross-reference with FIEJVDesc .Code where Type_ = 52.
ClnUpCallFI	tinyint	Y	ClnUpCallFI is a 1/0 flag indicating whether the existence of provisions that allow the issuer to call the security, if the amount outstanding of the security declines below a specified amount.
MaxNtc	int	Y	MaxNtc is the beginning of the issuer's notification period, expressed as a number of period units prior to the put date.
MinNtc	int	Y	MinNtc is the end of the user's notification period, expressed as a number of period units prior to the put date.
FreqCode	int	Y	FreqCode is a code representing the frequency of the periods per year in which puts are scheduled to occur. FIEJVPutHdr.FreqCode joins with FIEJVCode .Code where Type_ = 4.
MetCode	varchar(3)	Y	MetCode is a code representing the put method. FIEJVPutHdr.MetCode joins with FIEJVDesc .Code where Type_ = 3.
OptCode	varchar(3)	Y	OptCode is a code indicating whether the bond is subject to puts only on certain dates. FIEJVPutHdr.OptCode joins with FIEJVDesc .Code where Type_ = 9.
NtcUtsCode	char(3)	Y	NtcUtsCode is a code specifying the units in which the beginning put notification period and ending put notification period are expressed. FIEJVPutHdr.NtcUtsCode joins with FIEJVDesc .Code where Type_ = 26.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJV Range Tables

The following diagram shows the relationship between the FIEJV Range tables.



FIEJVRng: Floating Rate Bond Criteria

This table contains detailed criteria for floating rate bonds, where the coupon is determined based on the rate falling within a certain range. This table is only used for interest legs with coupon class range.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVRng (Clustered)		InstrCode, CpnLegNum, RngLegNum, EffDate	

Field	type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
CpnLegNum	tinyint	N	A particular instrument can have multiple coupons. CpnLegNum helps capture this detail. This is derived based on the XML feed structure.
RngLegNum	tinyint	N	RngLegNum is a number to differentiate between ranges on the same effective date.
EffDate	datetime	N	EffDate is the effective date for the range information.
CmplxRngFl	tinyint	Y	CmplxRngFl is a 1/0 flag marking the formula_(in out)_rng_id complex.
CpnHolCalCode	varchar(4)	Y	CpnHolCalCode is a code representing the underlying holiday calendar convention used in determining the condition coupon. This is used if the conditional coupon is based on an Index. FIEJVRng.CpnHolCalCode joins with FIEJVDesc .Code where Type_ = 35.
CpnInRng	float	Y	CpnInRng is a numerical value that describes the paid coupon, if the index is "in" range.
CpnOutOfRng	float	Y	CpnOutOfRng is a numerical value that describes the paid coupon, if the index is "out" of range.
RstCalCode	char(3)	Y	RstCalCode is a code representing the generic calendar position of the condition coupon reset. This is used if the conditional coupon is based on an Index. FIEJVRng.RstCalCode joins with FIEJVDesc .Code where Type_ = 8.
RstCalValue	int	Y	RstCalValue is a numerical value associated with conditional coupon reset calendar code. This is used if the conditional coupon is based on an index.
RstFreqCode	int	Y	RstFreqCode is a code representing the frequency of conditional coupon resets. This is used if the conditional coupon is based on an index. FIEJVRng.RstFreqCode joins with FIEJVCode .Code where Type_ = 4.
RstDRCCode	varchar(4)	Y	RstDRCCode is a code specifying the rule if reset of the condition coupon falls on a non-business day. This is used if the conditional coupon is based on an index. FIEJVRng.RstDRCCode joins with FIEJVDesc .Code where Type_ = 36.
LwrRngLmt	float	Y	LwrRngLmt is a numerical value describing the lower limit of the range.
LwrRngLmtCode	char(2)	Y	LwrRngLmtCode is a code qualifying the lower range criteria. This is used if the conditional coupon is based on an Index. FIEJVRng.LwrRngLmtCode joins with FIEJVDesc .Code where Type_ = 45.
UprRngLmt	float	Y	UprRngLmt is a numerical value indicating the upper limit of the range.
UprRngLmtCode	char(2)	Y	UprRngLmtCode is a code qualifying the upper range criteria. This is used if the conditional coupon is based on an Index. FIEJVRng.UprRngLmtCode joins with FIEJVDesc .Code where Type_ = 45.
RngInFmlID	int	Y	RngInFmlID is the RngInFormula ID and is populated from the FormulaInfo table, having the respective InstrCode and FormulaTypeCode as "Range In Formula".

Field	type	Nullable	Description
RngOutFmlID	int	Y	RngOutFmlID is the RngOutFormula ID and is populated from the FormulaInfo table, having the respective InstrCode and FormulaTypeCode as "Range Out Formula".
RngIdxFmlID	int	Y	RngIdxFmlID is populated from the FormulaInfo table, having the respective InstrCode and FormulaTypeCode as "Range Index Formula".
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVRngRate: Ranged Bond Rate Formula Values

This table contains in- and out-range formula values for use in calculating ranged bond rates.

Update Cycle: Daily, Monday – Friday


Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVRngRate (Clustered)	InstrCode, CpnLegNum, RngLegNum, RngTypeCode, EffDate, RstDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
CpnLegNum	tinyint	N	A particular instrument can have multiple coupons. CpnLegNum helps capture this detail. This is derived based on the XML feed structure.
RngLegNum	tinyint	N	RngLegNum is a number that differentiates between ranges on the same effective date.
RngTypeCode	int	N	RngTypeCode is a code indicating whether this value is in or out of range. FIEJVRngRate.RngTypeCode joins with FIEJVCCode . Code where Type_ = 2.
EffDate	datetime	N	EffDate is the effective date for the range information.
RstDate	datetime	N	RstDate is the date to which the value pertains.
ObsDate	datetime	Y	ObsDate is the date for which the value was calculated.
RngRate	float	Y	RngRate is the calculated value of the range.
UnadjRstDate	datetime	Y	UnadjRstDate is the reset date for the new rate, unadjusted by any holiday schedules or business rules.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJV Sink Fund Tables

The following diagram shows the relationship between the FIEJV Sink Fund tables.



FIEJVSink: Fund Schedule

This table contains the fund schedule for the corresponding fund terms.

Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVSink (Clustered)		InstrCode, SinkTypeCode, EffDate	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
SinkTypeCode	int	N	SinkTypeCode is a code representing the type of fund in effect. FIEJVSink.SinkTypeCode joins with FIEJVCode .Code where Type_ = 24. To get descriptions for the field values, cross-reference with FIEJVDesc .Code where Type_ = 33.
EffDate	datetime	N	If a sinking fund exists for the offered security, EffDate is the schedule of dates on which the sinking fund payments are made.
SinkAmt	float	Y	If a sinking fund exists for the offered security, SinkAmt is the schedule of sinking fund payments for each corresponding sinking fund date. The value is expressed in thousands when the fund_amt_unit_cd = F.
SinkPrc	float	Y	If a sinking fund exists for the offered security, SinkPrc is the schedule of prices corresponding to each sinking fund date and amount.
SinkAmtUnitCode	varchar(3)	Y	SinkAmtUnitCode is a code representing the units in which the fund amount in the fund schedule table is stated. FIEJVSink.SinkAmtUnitCode joins with FIEJVDesc .Code where Type_ = 4.
ISOCurCode	char(3)	Y	ISOCurCode is the currency in which the various amounts are mentioned. FIEJVSink.ISOCurCode joins with FIEJVDesc .Code where Type_ = 23.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

FIEJVSinkHdr: Redemption Funds Terms and Conditions

This table contains all the pertinent terms and conditions for all funds that lead to redemption. More than one fund may exist.


Update Cycle: Daily, Monday – Friday

Adjusted: N/A

Indexes		Index Fields	
pkey_FIEJVSinkHdr (Clustered)		InstrCode, SinkTypeCode, Item	
Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is a unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
SinkTypeCode	int	N	SinkTypeCode is a code representing the type of fund in effect. FIEJVSinkHdr.SinkTypeCode joins with FIEJVCode .Code where Type_ = 24. To get descriptions for the field values, cross-reference with FIEJVDesc .Code where Type_ = 33.
Item	int	N	Item is a code representing the respective sink item. See the FIEJVItem table (Item) for a complete list of codes.
Value_	varchar(30)	Y	Value_ is the value for the respective item.
LicFlag	int	Y	LicFlag is a license flag that identifies to which entitlement package each data row belongs.

5. Fixed Income EJV Pricing Database Schema

The following diagram shows the FIEJV Pricing tables.



FIEJVPrBnkrcpty: Bankruptcy Information

This table contains bankruptcy information for various organizations.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVPRCBnkrcpty (Clustered)	OrgCode, FileDate

Field	Type	Nullable	Description
OrgCode	int	N	OrgCode is a unique integer code that identifies an organization. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor.
FileDate	datetime	N	FileDate is the date on which the registrant filed bankruptcy.
BnkrcptyTypCode	varchar(3)	Y	BnkrcptyTypCode is the code indicating the type of bankruptcy the registrant has filed. FIEJVPrBnkrcpty.BnkrcptyTypCode joins with FIEJVPRCDesc .Code where Type_ = 2.
EmrgDate	datetime	Y	EmrgDate is the date on which the registrant emerges from bankruptcy.

FIEJVPrCCode: Numeric Codes

This table contains descriptions of FIEJV Pricing numeric codes.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVPRCCode (Clustered)	Type_, Code

Field	Type	Nullable	Description
Type_	int	N	Type_ is a numeric code for a type of data.
Code	int	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(120)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

FIEJVPrCDesc: Character Code Descriptions

This table contains descriptions of FIEJV Pricing character codes.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVPrCDesc (Clustered)	Type_, Code

Field	Type	Nullable	Description
Type_	int	N	Type_ is a numeric code for a type of data.
Code	varchar(20)	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(120)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

FIEJVPrCDly: Composite Pricing Information

This table contains composite pricing information for a particular security.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_FIEJVPrCDly (Clustered)	InstrCode, TradeDate

Field	Type	Nullable	Description
InstrCode	int	N	InstrCode is unique integer code that identifies an instrument. This integer code is defined in Quantitative Data Warehouse (QDW) and is not received from the vendor. GEMInstrId is the logical key used to generate InstrCode.
TradeDate	datetime	N	TradeDate is the date on which the contributor or exchange quoted the price of the security.
PrCsrcCode	varchar(3)	Y	PrCsrcCode is the code indicating the contributor or exchange that quotes the pricing value of the security. FIEJVPrCDly.PrCsrcCode joins with FIEJVDesc .Code where Type_ = 77. PrCsrcCode cross-references with FIEJVPrCDesc on FIEJVPrCDesc.Code = FIEJVPrCDly.PrCsrcCode where Type_ = 1.
Prc	float	Y	Prc is the price quoted for the security.
DebtIsoCurCode	char(3)	Y	DebtIsoCurCode is the code representing the primary currency of the issue. FIEJVPrCDly.DebtIsoCurCode joins with FIEJVDesc .Code where Type_ = 23.
PrcgMetCode	varchar(2)	Y	PrcgMetCode is the code indicating the ask and/or bid value for the security. FIEJVPrCDly.PrcgMetCode joins with FIEJVPrCDesc .Code where Type_ = 4.
MatCorpYld	float	Y	If price source equals the LSEG Composite, MatCorpYld represents the annual yield as defined by ISMA. Otherwise, MatCorpYld is the corporate bond equivalent cash-flow yield using the cash flow assumptions described as follows: the average life of the security, calculated with the cash-flow assumption that corporate and government securities trade to maturity.

Field	Type	Nullable	Description
WrstCorpYld	float	Y	If price source equals the LSEG Composite, WrstCorpYld represents the annual yield to worst defined by ISMA. Otherwise, WrstCorpYld is the corporate bond equivalent cash-flow yield using the cash-flow assumptions described as follows: the average life, computed using cash-flow assumptions that represent expected outcome. LSEG determines the worst sinking fund and call, and the best put.
MatStdYld	float	Y	MatStdYld is calculated using the native yield to maturity convention.
WrstStdYld	float	Y	WrstStdYld is calculated based on the native yield to worst formula, after taking all of the bond redemption features into account.
LicFlag	int	Y	LicFlag is a unique code representing the license flag values for various Price Source. See the FIEJVPRCCode table (License Flag) for complete list of codes.

FIEJVEvalPrc: Evaluated Pricing Information

This table contains evaluated pricing information for a particular security.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_ FIEJVEvalPrc (Clustered)	InstrCode, TradeDate

Field	Type	Nullable	Description
InstrCode	int	No	A unique integer code to identify an instrument. GEMInstrId is the logical key used to generate InstrCode.
TradeDt	datetime	No	Trade date used to price the security.
SettleDt	datetime	Yes	Date on which cash payments for purchases are due and for which accrued interest and price/yield relationships are computed.
Description	varchar(30)	Yes	A descriptive field including: ticker, coupon, maturity date, or other pertinent information that identifies the security.
BidPrc	float	Yes	The bid price assigned to the security by the LSEG Evaluations Desk.
BidYld	float	Yes	The bid yield assigned to the security by the LSEG Evaluations Desk.
BidAskSprd	float	Yes	The difference between the bid and ask prices for the security.
OfferPrc	float	Yes	The offer price assigned to the security by the LSEG Evaluations Desk.
OfferYld	float	Yes	The offer yield assigned to the security by the LSEG Evaluations Desk.
MeanPrc	float	Yes	The mean price assigned to the security by the LSEG Evaluations Desk.
MeanYld	float	Yes	The mean yield assigned to the security by the LSEG Evaluations Desk.
AccrInt	float	Yes	The amount of interest that the buyer owes the seller of the security on the settlement date.
BidCleanPrc	float	Yes	The bid price without accrued interest assigned to the security by LSEG Evaluations Desk.
BidDirtyPrc	float	Yes	The bid price with accrued interest assigned to the security by LSEG Evaluations Desk.
OfferCleanPrc	float	Yes	The offer price without accrued interest assigned to the security by LSEG Evaluations Desk.
OfferDirtyPrc	float	Yes	The offer price with accrued interest assigned to the security by LSEG Evaluations Desk.
MeanCleanPrc	float	Yes	The mean price without accrued interest assigned to the security by LSEG Evaluations Desk.
MeanDirty_Prc	float	Yes	The mean price with accrued interest assigned to the security by the LSEG Evaluations Desk.
BrkrQuotes	varchar(20)	Yes	Broker quotes observed by evaluator, one of three: None, Single or Multiple.
Comparable	char(1)	Yes	A y/n flag indicating if a comparable issue was observed.
ContribPrcAvl	int	Yes	Number of contributed prices available.

Field	Type	Nullable	Description
IssuerMove	char(1)	Yes	A y/n flag indicator where two or more bonds with the same issuer were changed at the same time.
TraceInd	char(1)	Yes	A y/n flag indicator of Direct Trace Trades for same issuer effective the current day.
TraceTrds	int	Yes	Assigned the number of active (non-cancelled), round-lot trades effective the current day (may contain numeric zero). Null if bond is not TRACE-eligible or TRACE RIC does not exist.
LicFlag	tinyint	Yes	Depending on the subscription level, this license flag will either indicate ISIN or CUSIP.

FIEJVEvalPrcDet: Evaluated Pricing Details

This table contains evaluated pricing details for a particular security.

Update Cycle: Daily **Adjusted:** N/A

Indexes		Index Fields	
pkey_ FIEJVEvalPrcDet (Clustered)		InstrCode, StartDt	

Field	Type	Nullable	Description
InstrCode	int	No	"A unique integer code to identify an instrument. GEMInstrId is the logical key used to generate InstrCode.
StartDt	datetime	No	Trade date used to price the security.
EndDt	datetime	Yes	StartDt - 1 (captures timeseries changes for any of the non-PK fields)
LocCode	char(1)	Yes	Code indicating location.
SegCode	char(1)	Yes	Code indicating security type.
InflationFlg	char(1)	Yes	A y/n flag indicating if the price includes an index adjustment.
CurrCode	char(3)	Yes	Code representing the primary currency of the issue.
EvalComm	varchar(500)	Yes	Notes and comments related to the recipe.
EvalName	varchar(100)	Yes	Identifier of source recipe owner.
EvalGrpPhone	varchar(15)	Yes	The evaluator's group phone number.
LicFlag	tinyint	Yes	Depending on the subscription level, this license flag will either indicate ISIN or CUSIP.

Copyright © 2024 London Stock Exchange Group plc and its group of companies (LSEG) and/or its affiliates. All rights reserved. The LSEG content received through this service is the intellectual property of LSEG or its third party suppliers. Republication or redistribution of content provided by LSEG is expressly prohibited without the prior written consent of LSEG, except where permitted by the terms of the relevant LSEG service agreement. Neither LSEG nor its third party suppliers shall be liable for any errors, omissions or delays in content, or for any actions taken in reliance thereon. LSEG and its logo are trademarks of LSEG.

For more information visit us at www.lseg.com



LSEG DATA &
ANALYTICS