

LSEG Quantitative Analytics

Database Schema for I/B/E/S Point in Time

Version 1.1



Contents

1 Introduction.....	3
In This Document.....	3
Intended Readership.....	3
Table Name Conventions	3
Pervasive and Oracle.....	3
Zero Values and Nulls.....	4
Service and Support	4
Feedback	5
Your Personal Information	5
2. Point in Time Data Tables.....	6
IBESPITAct.....	6
IBESPITAncl	6
IBESPITBrokerMap.....	7
IBESPITBroker.....	7
IBESPITCode.....	8
IBESPITDesc	8
IBESPITDetEst	8
IBESPITDetPtg	9
IBESPITDetRec	10
IBESPITExpRptDate.....	11
IBESPITInfo	11
IBESPITIssue.....	11
IBESPITPrice	12
IBESPITSumEst.....	13
IBESPITSumPtg	14
IBESPITSumRec	14

1 Introduction

In This Document

This document provides schema information about the **I/B/E/S Point in Time (PIT)** data tables in LSEG Quantitative Analytics.

NOTE

For information about the other Quantitative Analytics tables, refer to the other Database Schema documents posted on the [Quantitative Analytics](#) product page on [MyAccount](#).

The documentation for each table includes these main elements:

- **Vendor Database or License Name** – This element provides the vendor database or license name. Vendor databases generally correspond to vendor licensing options.
- **Table Name: Table Title** – This element provides the table name and title, followed by a description of the table contents.
- **Update Cycle** – This element indicates the frequency of updates from the data vendor. (For specific information about when this update is posted for your use, refer to your update logs. The update log schema description is available in the Database Schema for Quantitative Analytics Core Tables document.)
- **Adjusted** – This element indicates whether the data is stored adjusted, unadjusted, or if adjustment is not applicable (N/A).
- **Indexes, Index Fields** – This element lists the table's index(es) (for example, pkey_CSGCAD) and the index fields. The primary index contains a "pkey_" or "PK_" prefix. Clustered indexes are noted.
- **Field, Type, Nullable, Definition** – This element describes the table's fields, including field names, data types, and whether each field is nullable. The data types in Snowflake have equivalents available. For example, an *int* in SQL Server is a *number* in Snowflake.

Intended Readership

This document is intended for Quantitative Analytics clients licensed to use **I/B/E/S Point in Time** data through LSEG. Note that the tables described in this document may be covered by several licenses; your access to the data in these tables is dependent on the licenses you have. Readers should have basic knowledge of Microsoft SQL Server 2016.

Table Name Conventions

In Quantitative Analytics, database tables are grouped by name. Generally, the first few letters of the table name refer to the data vendor or licensing group. For example, tables that begin with **PIT*** are **I/B/E/S Point in Time** data tables.

Pervasive and Oracle

This document is specific to Microsoft SQL Server 2016.

If you are accessing the data directly through the Pervasive database, you may encounter slight differences in index names and data types. Please note that references to Pervasive and Actian are synonymous.

If you are accessing the data through Oracle, note that field names that correspond to Oracle reserved words are appended with an underscore. For example, field names "Number", "Synonym", and "UID" become "Number_", "Synonym_", and "UID_" in Oracle.

Zero Values and Nulls

Null values are usually recorded as "NULL". Occasionally, a table may contain a value of "-99999" or "-9999"; in these cases, there is no recorded data for that period. (It is null.) If the table contains a "0" value, the data was reported as having a "0" value.

Service and Support

[MyAccount](#) is the LSEG portal that provides a single access point for timesaving support services, along with billing, user management, and information.

Statement of Service

The [Quantitative Analytics Service Description](#) is available on the [Quantitative Analytics](#) product page at MyAccount.

Subscribe to Support Channels

You are encouraged to [subscribe](#) to the following support channels to keep informed of changes to products and data, and to be notified of any service issues or change. Please see the *Alerts and Notifications* section in the *Quantitative Analytics Service Description* available on the [Quantitative Analytics](#) product page at MyAccount for detailed instructions.

- **Change Notifications**
 - **Product Change Notifications (PCNs)** detail new, enhanced, or changed functionality, which may require your action, in products that you use.
 - **Data Notifications (DNs)** alert you to upcoming changes to real-time and historical data across all asset classes that are relevant to you.
 - **RIC Change Events** inform you of planned changes to RICs. RIC is the market level identifier key unique to LSEG used to identify securities.
- **Service Alerts**

Alert you about planned maintenance and unplanned service issues affecting your products and services, and be notified via SMS or email.

Documentation

You can access product documentation on the [Quantitative Analytics](#) product page at MyAccount.

Get Support

For support using Quantitative Analytics, please use one of the following methods:

Online

Access [Get Support](#) either via the blue [Get Support](#) button at the top right of each page or by selecting *Get Support* located under *Help and Support* on the left navigation pane at MyAccount.

From the *Get Support* page, choose *Get Product and Content Support* and then select the appropriate category from the next page. Complete the request making sure to include the following:

- Under Product, select Quantitative Analytics from the dropdown list.
- In the **How can we help you?** text box, include the following information:
 - Content set name (i.e. Worldscope)
 - Date applicable to a content inquiry
 - Table names and relevant fields
 - Security code (i.e. QA-ID, PermID, Sedol, InfoCode, etc.)
 - Script used to generate the output
 - Any other supporting detail

Telephone

Region	Telephone	Options
AMERS	+01 866 427 8390	Option 1 – Product Support Option 2 – Technical Support
EMEA	+44 203 341 1036	
APAC	+65 6403 7436	

Feedback

We invite your comments, corrections, and suggestions about this document: access the [Feedback](#) option under [Get Support](#) at MyAccount. Your feedback helps us continue to improve our user assistance.

Your Personal Information

LSEG is committed to the responsible handling and protection of personal information. We invite you to review our [Privacy Statement](#), which describes how we collect, use, disclose, transfer, and store personal information when needed to provide our services and for our operational and business purposes.

2. Point in Time Data Tables

These are the Actuals Detail tables:

IBESPITAct

This table contains actuals data.

Update Cycle: Weekly

Indexes		Index Fields	
pkey_IBESPITAct (clustered)		Code, ActType, Measure, PerType, PerEndDate, ActivationDate, PointDate	
Field	Type	Nullable	Description
Code	int	No	Code is the security code and is the primary link across I/B/E/S Point-In-Time.
ActType	tinyint	No	ActType identifies if an actuals is Reported or Restated. Cross-reference IBESPITCode where CodeType = 5.
Measure	smallint	No	The attribute or the financial statement item that the value is for. Cross-reference IBESPITCode where CodeType = 2.
PerType	tinyint	No	PerType is the code for the Periodicity. Cross-reference IBESPITCode where CodeType = 1.
PerEndDate	date	No	PerEndDate is the day the period ends.
ActivationDate	datetime	No	ActivationDate is the time the record was added to the I/B/E/S database of record.
PointDate	date	No	PointDate is the point in time date of the record.
Value	float	Yes	Value is the amount.
Currency	varchar(3)	Yes	Currency is the currency the broker submitted the value in.
AnnounceDate	date	Yes	AnnounceDate is the date the record was announced by the source.
AnnounceTime	time	Yes	AnnounceTime is the time the record was announced by the source on the AnnounceDate.
LicFlag	tinyint	No	LicFlag is the license flag.

IBESPITAncl

This table contains ancillary company data.

Update Cycle: Weekly

Indexes		Index Fields	
pkey_IBESPITAncl (clustered)		Code, PointDate	
Field	Type	Nullable	Description
Code	int	No	Code is the security code and is the primary link across I/B/E/S Point-In-Time.
PointDate	date	No	PointDate is the point in time date of the record.
Shares	float	Yes	Shares are the shares outstanding for the ticker.
ActEPS4QTR	float	Yes	ACTEPS4QTR is the sum of the last 4 quarterly EPS actual values.
Stability	float	Yes	Five-year earnings per share stability measures the consistency of earnings per share growth over the past five years. The lower the number, the more uniform growth has been. Combined with earnings growth data, the stability figure provides a multi-dimensional view of earnings growth over the past five years. Earnings stability is calculated as the mean absolute percentage

Field	Type	Nullable	Description
			difference between actual reported earnings per share and a five year historical EPS growth trend line, expressed as a percentage of trend line earnings per share.
Growth	float	Yes	The average annualized earnings per share growth for a company over the past five years. The average annualized growth in EPS for the past five years is calculated by measuring the slope of a least squares curve fit to the logarithm of the reported earnings (a log-linear curve) and is expressed as a percent. If quarterly data are available, the line is fit to the last 21 observations (minimum of 11 observations) of rolling four quarter EPS. The resultant slope is multiplied by four and exponentialized to obtain an annualized growth factor. If semi-annual data are available, the curve is fit to the last 11 (minimum of 6) observations of these semi-annual data. The resultant slope is multiplied by two and exponentialized to obtain an annualized growth factor. If only annual observations are available, the curve is fit to the last 6 annual (minimum of 3) observations (5 time periods) and the exponentiated slope is used to represent the growth factor. Zero and negative observations are excluded from the calculations.
Dividend	float	Yes	Dividend is the indicated annual dividend.
DivExDt	date	Yes	DivExDt is the Dividend ExDate for the last period included in the Dividend.
CumSplitFactor	float	Yes	CumSplitFactor is the cumulative split factor.
LicFlag	tinyint	No	LicFlag is the license flag.

IBESPITBrokerMap

This table contains broker mapping data.

Update Cycle: Weekly

Indexes	Index Fields
pkey_IBESPITBrokerMap (clustered)	BrokerCode

Field	Type	Nullable	Description
BrokerCode	int	No	BrokerCode is the code that identifies the broker.
BrokerID	varchar(8)	No	BrokerID is the I/B/E/S outorg_id.
BrokerName	varchar(40)	Yes	BrokerName is the name of the broker.
LicFlag	tinyint	No	LicFlag is the license flag.

IBESPITBroker

This table contains broker detail data.

Update Cycle: Weekly

Indexes	Index Fields
pkey_IBESPITBroker (clustered)	BrokerCode, PointDate

Field	Type	Nullable	Description
BrokerCode	int	No	BrokerCode is the code that identifies the broker.
PointDate	date	No	PointDate is the point in time date of the record.
EntryDate	date	Yes	EntryDate is the date the record was added to the database of record.
EntryTime	time	Yes	EntryTime is the time the record was added to the database of record on the EntryDate.

Field	Type	Nullable	Description
Name	varchar(40)	Yes	Name is the name of the broker.
Status	varchar(3)	Yes	Status is the status flag. Cross-reference IBESPITDesc where CodeType = 9.
LicFlag	tinyint	No	LicFlag is the license flag.

IBESPITCode

This table contains code mapping data.

Update Cycle: As needed

Indexes	Index Fields
pkey_IBESPITCode (clustered)	CodeType, Code

Field	Type	Nullable	Description
CodeType	tinyint	No	The type of code (e.g., Measure, Period), full list available under CodeType = 0.
Code	int	No	Code is the security code and is the primary link across I/B/E/S Point-In-Time.
Description	varchar(65)	Yes	Description is the textual description of the Code.

IBESPITDesc

This table contains descriptor data.

Update Cycle: As needed

Indexes	Index Fields
pkey_IBESPITDesc (clustered)	CodeType, Code

Field	Type	Nullable	Description
CodeType	tinyint	No	The type of code (e.g., Measure, Period), full list available under CodeType = 0.
Code	varchar(21)	No	Code is the security code and is the primary link across I/B/E/S Point-In-Time.
Description	varchar(65)	Yes	Description is the textual description of the Code.

IBESPITDetEst

This table contains detail estimates data.

Update Cycle: Weekly

Indexes	Index Fields
pkey_IBESPITDetEst (clustered)	Code, BrokerCode, Measure, PerType, PerEndDate, ForecastPer, ActivationDate, PointDate

Field	Type	Nullable	Description
Code	int	No	Code is the security code and is the primary link across I/B/E/S Point-In-Time.
BrokerCode	int	No	BrokerCode is the code that identifies the broker.
Measure	smallint	No	The attribute or the financial statement item that the value is for. Cross-reference IBESPITCode where CodeType = 2.
PerType	tinyint	No	PerType is the code for the Periodicity. Cross-reference IBESPITCode where CodeType = 1.

Field	Type	Nullable	Description
PerEndDate	date	No	PerEndDate is the day the period ends.
ForecastPer	tinyint	No	ForecastPer is the forecast period of the estimate. Cross-reference IBESPITCode where CodeType = 7.
ActivationDate	datetime	No	ActivationDate is the time the record was added to the I/B/E/S database of record.
PointDate	date	No	PointDate is the point in time date of the record.
AnalystName	varchar(50)	Yes	AnalystName is the name of the covering analyst.
AnalystStartDate	date	Yes	AnalystStartDate is the date the analyst started covering the ticker.
AnalystStartTime	time	Yes	AnalystStartTime is the time the analyst started covering the ticker on the AnalystStartDate.
Value	float	Yes	Value is the amount.
Currency	varchar(3)	Yes	Currency is the currency the broker submitted the value in.
CompanyCurrency	varchar(3)	Yes	CompanyCurrency is the default currency of the ticker.
AnnounceDate	date	Yes	AnnounceDate is the date the record was announced by the source.
AnnounceTime	time	Yes	AnnounceTime is the time the record was announced by the source on the AnnounceDate.
ReviewDate	date	Yes	ReviewDate is the date the estimate was confirmed by the broker.
ReviewTime	time	Yes	ReviewTime is the time the estimate was confirmed by the broker on the ReviewDate.
Excluded	bit	Yes	Excluded identifies if a detail estimate is excluded from the summary calculations.
Consolidated	varchar(1)	Yes	Consolidated identifies if the estimates are on a consolidated basis.
Status	varchar(1)	Yes	Status is the status flag. Cross-reference IBESPITDesc where CodeType = 5.
ActionFlag	tinyint	Yes	ActionFlag identifies records that are a Stop, Deleted or a DeleteStop. Cross-reference IBESPITCode where CodeType = 6.
LicFlag	tinyint	No	LicFlag is the license flag.

IBESPITDetPtg

This table contains detail price target data.

Update Cycle: Weekly

Indexes		Index Fields	
pkey_IBESPITDetPtg (clustered)		Code, BrokerCode, ActivationDate, PointDate	
Field	Type	Nullable	Description
Code	int	No	Code is the security code and is the primary link across I/B/E/S Point-In-Time.
BrokerCode	int	No	BrokerCode is the code that identifies the broker.
ActivationDate	datetime	No	ActivationDate is the time the record was added to the I/B/E/S database of record.
PointDate	date	No	PointDate is the point in time date of the record.
AnalystName	varchar(50)	Yes	AnalystName is the name of the covering analyst.
Value	float	Yes	Value is the amount.
Horizon	tinyint	Yes	Horizon is the length of time the estimate has been made for.
Currency	varchar(3)	Yes	Currency is the currency the broker submitted the value in.
CompanyCurrency	varchar(3)	Yes	CompanyCurrency is the default currency of the ticker.
AnnounceDate	date	Yes	AnnounceDate is the date the record was announced by the source.
AnnounceTime	time	Yes	AnnounceTime is the time the record was announced by the source on the AnnounceDate.

Field	Type	Nullable	Description
Status	varchar(1)	Yes	Status is the status flag. Cross-reference IBESPITDesc where CodeType = 5.
ActionFlag	tinyint	Yes	ActionFlag identifies records that are a Stop, Deleted or a DeleteStop. Cross-reference IBESPITCode where CodeType = 6.
LicFlag	tinyint	No	LicFlag is the license flag.

IBESPITDetRec

This table contains detail broker recommendation data.

Update Cycle: Weekly

Indexes	Index Fields
pkkey_IBESPITDetRec (clustered)	Code, BrokerCode, ActivationDate, PointDate

Field	Type	Nullable	Description
Code	int	No	Code is the security code and is the primary link across I/B/E/S Point-In-Time.
BrokerCode	int	No	BrokerCode is the code that identifies the broker.
ActivationDate	datetime	No	ActivationDate is the time the record was added to the I/B/E/S database of record.
PointDate	date	No	PointDate is the point in time date of the record.
AnalystName	varchar(50)	Yes	AnalystName is the name of the covering analyst.
AnalystStartDate	date	Yes	AnalystStartDate is the date the analyst started covering the ticker.
AnalystStartTime	time	Yes	AnalystStartTime is the time the analyst started covering the ticker on the AnalystStartDate.
BrokerValue	varchar(6)	Yes	BrokerValue is the numeric recommendation from the broker.
BrokerText	varchar(21)	Yes	BrokerText is the textual recommendation from the broker.
IBESCode	tinyint	Yes	IBESCode is the I/B/E/S standardized numeric for the recommendation.
IBESText	varchar(21)	Yes	IBESText is the I/B/E/S textual recommendation.
AnnounceDate	date	Yes	AnnounceDate is the date the record was announced by the source.
AnnounceTime	time	Yes	AnnounceTime is the time the record was announced by the source on the AnnounceDate.
ReviewDate	date	Yes	ReviewDate is the date the estimate was confirmed by the broker.
ReviewTime	time	Yes	ReviewTime is the time the estimate was confirmed by the broker on the ReviewDate.
Status	varchar(1)	Yes	Status is the status flag. Cross-reference IBESPITDesc where CodeType = 5.
ActionFlag	tinyint	Yes	ActionFlag identifies records that are a Stop, Deleted or a DeleteStop. Cross-reference IBESPITCode where CodeType = 6.
LicFlag	tinyint	No	LicFlag is the license flag.

IBESPITExpRptDate

This table contains expected report dates data.

Update Cycle: Weekly

Indexes		Index Fields	
pkey_IBESPITExpRptDate (clustered)		Code, PerType, PerEndDate, PointDate	
Field	Type	Nullable	Description
Code	int	No	Code is the security code and is the primary link across I/B/E/S Point-In-Time.
PerType	tinyint	No	PerType is the code for the Periodicity. Cross-reference IBESPITCode where CodeType = 1.
PerEndDate	date	No	PerEndDate is the day the period ends.
PointDate	date	No	PointDate is the point in time date of the record.
ExpRptDate	date	Yes	ExpRptDate is the date the company is expected to report.
ExpRptTime	time	Yes	ExpRptTime is the time the company is expected to report on the ExpRptDate.
LicFlag	tinyint	No	LicFlag is the license flag.

IBESPITInfo

This table contains company info data.

Update Cycle: Weekly

Indexes		Index Fields	
pkey_IBESPITInfo (clustered)		Code	
Field	Type	Nullable	Description
Code	int	No	Code is the security code and is the primary link across I/B/E/S Point-In-Time.
IBESTicker	varchar(6)	No	IBESTicker is the I/B/E/S ticker.
EstPermID	bigint	No	EstPermID is the PermID of the unique entity being forecasted or reported on.
LicFlag	tinyint	No	LicFlag is the license flag.

IBESPITIssue

This table contains issue data.

Update Cycle: Weekly

Indexes		Index Fields	
pkey_IBESPITIssue (clustered)		Code, PointDate	
Field	Type	Nullable	Description
Code	int	No	Code is the security code and is the primary link across I/B/E/S Point-In-Time.
PointDate	date	No	PointDate is the point in time date of the record.
CompanyName	varchar(16)	Yes	CompanyName is the name of the company.
Ticker	varchar(6)	Yes	Ticker is the official exchange ticker symbol.
HomeMktCode	varchar(8)	Yes	HomeMktCode is the home market code for the instrument.
Cusip_Sedol	varchar(8)	Yes	Cusip_Sedol is the Cusip or Sedol for the instrument. North American instruments have an 8 character Cusip, and International

Field	Type	Nullable	Description
			instruments have a six character Sedol preceded by the two character country_id.
InstrumentType	varchar(1)	Yes	InstrumentType is the instrument type. Cross-reference IBESPITDesc where CodeType = 6.
CountryID	varchar(2)	Yes	CountryID is the I/B/E/S home country id. Cross-reference IBESPITDesc where CodeType = 7.
CountryName	varchar(16)	Yes	CountryName is the name of the home country.
ExchCode	varchar(1)	Yes	ExchCode is the I/B/E/S exchange code. Cross-reference IBESPITDesc where CodeType = 8.
ExchangeName	varchar(32)	Yes	ExchangeName is the name of the exchange the instrument trades on.
TRBC	bigint	Yes	TRBC is The Reference Business Classification code.
SIG_Code	varchar(6)	Yes	SIG_Code in the I/B/E/S Sector/Industry/Group code.
SectNumber	tinyint	Yes	SectNumber is the sector number.
SectName	varchar(24)	Yes	SectName is the sector name.
IndNumber	tinyint	Yes	IndNumber is the industry number.
IndName	varchar(24)	Yes	IndName is the industry name.
GrpNumber	tinyint	Yes	GrpNumber is the group number.
GrpName	varchar(24)	Yes	GrpName is the group name.
Sp500_Flag	bit	Yes	Sp500_Flag identifies companies that are included in the S&P 500 Index.
LicFlag	tinyint	No	LicFlag is the license flag.

IBESPITPrice

This table contains pricing data.

Update Cycle: Weekly

Indexes		Index Fields	
pkey_IBESPITPrice (clustered)		Code, PointDate	

Field	Type	Nullable	Description
Code	int	No	Code is the security code and is the primary link across I/B/E/S Point-In-Time.
PointDate	date	No	PointDate is the point in time date of the record.
Price	float	Yes	Price is the closing price.
PriceDate	date	Yes	PriceDate is the date of the price value.
TotRet1Day	float	Yes	TotRet1Day is the total return for a one day period.
Beta	float	Yes	Beta is a value that measures how the price of the ticker correlates to the market.
LicFlag	tinyint	No	LicFlag is the license flag.

IBESPITSumEst

This table contains summary estimates data.

Update Cycle: Weekly

Indexes		Index Fields	
pkey_IBESPITSumEst (clustered)		Code, Measure, PerType, PerEndDate, PointDate	

Field	Type	Nullable	Description
Code	int	No	Code is the security code and is the primary link across I/B/E/S Point-In-Time.
Measure	smallint	No	The attribute or the financial statement item that the value is for. Cross-reference IBESPITCode where CodeType = 2.
PerType	tinyint	No	PerType is the code for the Periodicity. Cross-reference IBESPITCode where CodeType = 1.
PerEndDate	date	No	PerEndDate is the day the period ends.
PointDate	date	No	PointDate is the point in time date of the record.
Mean	float	Yes	Mean is the average of the values.
EstCount	tinyint	Yes	EstCount is the number of brokers included in the mean calculation.
Median	float	Yes	Median is the median of the values.
StdDev	float	Yes	StdDev is the standard deviation.
High	float	Yes	High is the largest value when the mean was calculated.
Low	float	Yes	Low is the smallest value at the time the mean was calculated.
Up1Wk	tinyint	Yes	Up1Wk is the number of brokers who have raised their estimate in the last week.
Down1Wk	tinyint	Yes	Down1Wk is the number of brokers who have lowered their estimate in the last week.
Up4Wk	tinyint	Yes	Up4Wk is the number of brokers who have raised their estimate in the last 4 weeks.
Down4Wk	tinyint	Yes	Down4Wk is the number of brokers who have lowered their estimate in the last 4 weeks.
Up1Mon	tinyint	Yes	Up1Mon is the number of brokers who have raised their estimate in the last month.
Down1Mon	tinyint	Yes	Down1Mon is the number of brokers who have lowered their estimate in the last month.
FlashMean	float	Yes	FlashMean is the mean of the estimates updated in the last 28 days.
FlashCount	tinyint	Yes	FlashCount is the count of the estimates updated in the last 28 days.
FlashStdDev	float	Yes	FlashStdDev is the standard deviation of the estimates updated in the last 28 days.
ForecastPer	varchar(1)	Yes	ForecastPer is the forecast period of the estimate. Cross-reference IBESPITCode where CodeType = 7.
CompanyCurrency	varchar(3)	Yes	CompanyCurrency is the default currency of the ticker.
LicFlag	tinyint	Yes	LicFlag is the license flag.

IBESPITSumPtg

This table contains summary price target data.

Update Cycle: Weekly

Indexes		Index Fields	
pkey_IBESPITSumPtg (clustered)		Code, PointDate	
Field	Type	Nullable	Description
Code	int	No	Code is the security code and is the primary link across I/B/E/S Point-In-Time.
PointDate	date	No	PointDate is the point in time date of the record.
Mean	float	Yes	Mean is the average of the values.
PtgCount	tinyint	Yes	PtgCount is the number of ptg estimates included in the mean.
Median	float	Yes	Median is the median of the values.
StdDev	float	Yes	StdDev is the standard deviation.
High	float	Yes	High is the largest value when the mean was calculated.
Low	float	Yes	Low is the smallest value at the time the mean was calculated.
Up4Wk	tinyint	Yes	Up4Wk is the number of brokers who have raised their estimate in the last 4 weeks.
Down4Wk	tinyint	Yes	Down4Wk is the number of brokers who have lowered their estimate in the last 4 weeks.
CompanyCurrency	varchar(3)	Yes	CompanyCurrency is the default currency of the ticker.
LicFlag	tinyint	No	LicFlag is the license flag.

IBESPITSumRec

This table contains summary recommendations data.

Update Cycle: Weekly

Indexes		Index Fields	
pkey_IBESPITSumRec (clustered)		Code, PointDate	
Field	Type	Nullable	Description
Code	int	No	Code is the security code and is the primary link across I/B/E/S Point-In-Time.
PointDate	date	No	PointDate is the point in time date of the record.
Mean	float	Yes	Mean is the average of the values.
RecCount	tinyint	Yes	RecCount is the number of rec estimates included in the mean.
Up4Wk	tinyint	Yes	Up4Wk is the number of brokers who have raised their estimate in the last 4 weeks.
Down4Wk	tinyint	Yes	Down4Wk is the number of brokers who have lowered their estimate in the last 4 weeks.
LicFlag	tinyint	No	LicFlag is the license flag.

Copyright © 2025 London Stock Exchange Group plc and its group of companies (LSEG) and/or its affiliates. All rights reserved. The LSEG content received through this service is the intellectual property of LSEG or its third party suppliers. Republication or redistribution of content provided by LSEG is expressly prohibited without the prior written consent of LSEG, except where permitted by the terms of the relevant LSEG service agreement. Neither LSEG nor its third party suppliers shall be liable for any errors, omissions or delays in content, or for any actions taken in reliance thereon. LSEG and its logo are trademarks of LSEG.

For more information visit us at www.lseg.com



LSEG DATA &
ANALYTICS