

LSEG Quantitative Analytics

Database Schema for IDC Equity Pricing (Global)

Version 1.0.7



Contents

1 Introduction.....	4
In This Document.....	4
Intended Readership.....	4
Table Name Conventions	4
Accessing Interactive Data Corporation (IDC) Documentation	4
Pervasive and Oracle.....	5
Zero Values and Nulls.....	5
Service and Support	5
Feedback	6
Your Personal Information	6
2. IDC Global Pricing Schema: Overview.....	7
Specify Database Ownership.....	7
Security Mapping and Issue Information.....	7
3. IDC Global Pricing Schema: Pricing Data.....	8
Gprcadj: Global Pricing Adjustment Factors	8
Gprccap: Global Pricing Capital Changes.....	9
Gprccapa: Global Pricing Capital Changes – Additional Fields (A).....	9
GprcCapB: Global Pricing Capital Changes – Additional Fields (B).....	13
Gprcchg: Global Pricing SEDOL Changes.....	13
GprcCnv: Global Pricing Conversion Data.....	13
Gprccode: Global Pricing Code Descriptions	16
Gprcdiv: Global Pricing Dividends.....	16
GprcDivA: Global Pricing Dividends – Additional Fields	17
Gprcern: Global Pricing Earnings Data	17
Gprcexr: Global Pricing Exchange Rates.....	18
GprcFwr: Global Pricing Currency Forward Rates	19
Gprcinfo: Global Pricing Security Information – Additional Fields	19
Gprcinfo2: Global Pricing Security Information	23
Gprcnom: Global Pricing Nominal Values	24
Gprcpay: Global Pricing Dividend/Interest Payment Data.....	24
GPrCQBM: Global Pricing Quote Basis Marker.....	25
Gprcret: Global Pricing Total Returns	26
GPrCsecChg: Global Pricing Sedol, Name, and Isin Changes	26
GprcShr: Global Pricing Shares Outstanding.....	27
GprcShrA: Global Pricing Shares Outstanding – Additional Fields	27

Gprctom: Global Pricing Takeovers and Mergers 28

Gprcval: Global Pricing Exchange Specific Pricing 29

GprcValA: Global Pricing Exchange Specific Pricing – Additional Fields 30

1 Introduction

In This Document

This document provides schema information about the **Interactive Data Corporation (IDC) Global Pricing** data tables in Quantitative Analytics.

NOTE

For information about the other Quantitative Analytics tables, refer to the other Database Schema documents posted on the [Quantitative Analytics](#) product page on [MyAccount](#).

The documentation for each table includes these main elements:

- **Vendor Database or License Name** – This element provides the vendor database or license name. Vendor databases generally correspond to vendor licensing options.
- **Table Name: Table Title** – This element provides the table name and title, followed by a description of the table contents.
- **Update Cycle** – This element indicates the frequency of updates from the data vendor. (For specific information about when this update is posted for your use, refer to your update logs. The update log schema description is available in the Database Schema for Quantitative Analytics Core Tables document.)
- **Adjusted** – This element indicates whether the data is stored adjusted, unadjusted, or if adjustment is not applicable (N/A).
- **Indexes, Index Fields** – This element lists the table's index(es) (for example, pkey_CSGCAD) and the index fields. The primary index contains a "pkey_" or "PK_" prefix. Clustered indexes are noted.
- **Field, Type, Nullable, Definition** – This element describes the table's fields, including field names, data types, and whether each field is nullable. The data types in Snowflake have equivalents available. For example, an *int* in SQL Server is a *number* in Snowflake.

Intended Readership

This document is intended for Quantitative Analytics clients licensed to use **IDC Global Pricing** data through LSEG. Note that the tables described in this document may be covered by several licenses; your access to the data in these tables is dependent on the licenses you have. Readers should have basic knowledge of Microsoft SQL Server 2016.

Table Name Conventions

In Quantitative Analytics, database tables are grouped by name. Generally, the first few letters of the table name refer to the data vendor or licensing group. For example, all tables that begin with **GPRC*** are **IDC Global Pricing** tables, tables beginning with **PRC*** are **IDC United States Pricing** tables, and tables beginning with **CPRC*** are **IDC Canadian Pricing** tables.

Accessing Interactive Data Corporation (IDC) Documentation

This document describes database organization within LSEG Quantitative Analytics, but it is not intended to replace IDC documentation. You may also want to refer to documentation provided for IDC Pricing by the Interactive Data Corporation. IDC data fields are described in detail in the IDC Interactive Data Pricing and Reference Data Reference Guide.

If you have an IDC data license but do not have access to IDC documentation, contact IDC Customer Support at: <http://www.ftinteractivedata.com>

Pervasive and Oracle

This document is specific to Microsoft SQL Server 2016. If you are accessing the data directly through the Pervasive database, you may encounter slight differences in index names and data types. Please note that references to Pervasive and Actian are synonymous.

If you are accessing the data through Oracle, note that field names that correspond to Oracle reserved words are appended with an underscore. For example, field names “Number”, “Synonym”, and “UID” become “Number_”, “Synonym_”, and “UID_” in Oracle.

Zero Values and Nulls

Null values are usually recorded as “NULL”. Occasionally, a table may contain a value of “-99999” or “-9999”; in these cases, there is no recorded data for that period. (It is null.) If the table contains a “0” value, the data was reported as having a “0” value.

Service and Support

[MyAccount](#) is the LSEG portal that provides a single access point for timesaving support services, along with billing, user management, and information.

Statement of Service

The [Quantitative Analytics Service Description](#) is available on the [Quantitative Analytics](#) product page at MyAccount.

Subscribe to Support Channels

You are encouraged to [subscribe](#) to the following support channels to keep informed of changes to products and data, and to be notified of any service issues or change. Please see the *Alerts and Notifications* section in the *Quantitative Analytics Service Description* available on the [Quantitative Analytics](#) product page at MyAccount for detailed instructions.

- **Change Notifications**
 - **Product Change Notifications (PCNs)** detail new, enhanced, or changed functionality, which may require your action, in products that you use.
 - **Data Notifications (DNs)** alert you to upcoming changes to real-time and historical data across all asset classes that are relevant to you.
 - **RIC Change Events** inform you of planned changes to RICs. RIC is the market level identifier key unique to LSEG used to identify securities.
- **Service Alerts**

Alert you about planned maintenance and unplanned service issues affecting your products and services, and be notified via SMS or email.

Documentation

You can access product documentation on the [Quantitative Analytics](#) product page at MyAccount.

Get Support

For support using Quantitative Analytics, please use one of the following methods:

Online

Access [Get Support](#) either via the blue [Get Support](#) button at the top right of each page or by selecting *Get Support* located under *Help and Support* on the left navigation pane at MyAccount.

From the *Get Support* page, choose *Get Product and Content Support* and then select the appropriate category from the next page. Complete the request making sure to include the following:

- Under Product, select Quantitative Analytics from the dropdown list.
- In the **How can we help you?** text box, include the following information:
 - Content set name (i.e. Worldscope)

- Date applicable to a content inquiry
- Table names and relevant fields
- Security code (i.e. QA-ID, PermID, Sedol, InfoCode, etc.)
- Script used to generate the output
- Any other supporting detail

Telephone

Region	Telephone	Options
AMERS	+01 866 427 8390	Option 1 – Product Support Option 2 – Technical Support
EMEA	+44 203 341 1036	
APAC	+65 6403 7436	

Feedback

We invite your comments, corrections, and suggestions about this document: access the [Feedback](#) option under [Get Support](#) at MyAccount. Your feedback helps us continue to improve our user assistance.

Your Personal Information

LSEG is committed to the responsible handling and protection of personal information. We invite you to review our [Privacy Statement](#), which describes how we collect, use, disclose, transfer, and store personal information when needed to provide our services and for our operational and business purposes.

2. IDC Global Pricing Schema: Overview

Specify Database Ownership

Tables are entered under two separate owner names. Most United States pricing tables (PRC*) are under database owner "prc." All other tables, including Canadian Pricing (CPrc *), and global pricing (Gprc*) are under the default owner "dbo."

To ensure accuracy, structure your queries in this format: *database.owner.tablename*.

For example: `tqa_data.prc.prcadj`.

Security Mapping and Issue Information

Tables enabling security mapping, and containing information on issues and issuers are described in the [Database Schema for LSEG Quantitative Analytics Core Tables](#) document on [MyAccount](#).

3. IDC Global Pricing Schema: Pricing Data

Gprcadj: Global Pricing Adjustment Factors

This table contains adjustment factors used to adjust daily pricing from the [Gprcval](#) table.

[Gprcdv](#) events (including stock dividends - paytypes 87, 88) are not reflected in Gprcadj. Only [Gprccap](#) events are reflected in this table.

Update Cycle: Daily

Adjusted: Yes

Indexes		Index Fields	
pkey_Gprcadj (Clustered)		Code, StartDate	

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all Gprc* tables.
StartDate	smalldatetime	N	StartDate is the first date the adjustment is applied.
EndDate	smalldatetime	Y	EndDate is the last date the adjustment is applied.
Rate	float	Y	Rate is the rate of the capital event.
Factor	float	Y	Factor is the cumulative adjustment factor over time.

Sample Query – adjusted pricing history

The following query takes a given ID and returns the market cap history for the security:

```

DECLARE    @ID VARCHAR(20)
SET @ID =  '@HONDA9' -- Honda Motor

SELECT      S.ID AS ID
            , S.NAME
            , S.SEDOL
            , V.DATE_
            , (V.CLOSE_ * A.FACTOR) AS ADJ_CLOSING_PRICE_LOCAL
            , (V.CLOSE_ * A.FACTOR) / X.RATE AS ADJ_CLOSING_PRICE_USD
FROM        QAI.DBO.GSECMSTRX S
            JOIN QAI.DBO.GSECMAPX M
              ON M.SECCODE = S.SECCODE
              AND M.VENTYPE = 1 -- Global Pricing
            JOIN QAI.DBO.GPRCVAL V
              ON V.CODE = M.VENCODE
            JOIN QAI.DBO.GPRCADJ A
              ON A.CODE = V.CODE
              AND V.DATE_ BETWEEN A.STARTDATE AND A.ENDDATE
  
```



```

JOIN    QAI.DBO.GPRCEXR X
      ON X.CURRENCY_ = V.CURRENCY_
      AND X.DATE_ = V.DATE_
WHERE    S.ID = @ID
ORDER BY V.DATE_ DESC

```

Gprccap: Global Pricing Capital Changes

Use this table to retrieve global capital changes data. This table is supplemented by the data in [Gprccapa](#) and [GprcCapB](#).

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_Gprccap (Clustered)	Code, Number
Gprccap_Code	Code, ExDate, Number

Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
Number	int	N	Number is the method used to identify capital change records that are uniquely from the vendor. Number is used for database updates only.
ExDate	smalldatetime	Y	ExDate is the ex-date.
RecDate	smalldatetime	Y	RecDate is the record date.
PayDate	smalldatetime	Y	PayDate is the date on which payment is made.
EntDate	smalldatetime	Y	EntDate is the entry date.
RevDate	smalldatetime	Y	RevDate is the revision date.
Rate	float	Y	Rate represents the factor applied towards OldShares.
OldShares	float	Y	OldShares is the share count before capital action.
NewShares	float	Y	NewShares is the share count after capital action.
IssuePrice	float	Y	IssuePrice is the price of the shares distributed.
Currency_	smallint	Y	Currency_ is the OldShare currency code. To convert to US dollars, cross-reference Currency_ with Gprcexr where Currency_ = Gprcexr.Currency_ and ExDate = Gprcexr.Date_.
ChangeType	varchar(1)	Y	ChangeType can be cross-referenced with Gprccode where ChangeType = Gprccode.Code and Gprccode.Type_ = 81.

Gprccapa: Global Pricing Capital Changes – Additional Fields (A)

This table contains additional information for the global pricing capital changes data in [Gprccap](#) and [GprcCapB](#).

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Gprccapa (Clustered)	Code, Number

Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
Number	int	N	Number is the method used to identify capital change records uniquely from the vendor. Number is used only for database updates.
RevDate	smalldatetime	Y	RevDate is the revision date.

Field	Type	Nullable	Description
IssueQualA	varchar(1)	Y	IssueQualA represents issue qualification marker A. When more than one marker is needed, this item is the highest priority (see IssueQualB , below). Cross-reference IssueQualA with Gprccode where IssueQualA = Gprccode.Code and Gprccode.Type_ = 90.
LastRenDate	smalldatetime	Y	LastRenDate is the last date on which allotment letters or renounceable certificates can be traded.
CompleteFlag	tinyint	Y	CompleteFlag details the complete indicator.
LastCumPrice	float	Y	LastCumPrice represents the mid price (for UK securities) or the closing/last-traded price (for non-UK securities) quoted immediately prior to the capital change effective date, and the currency code.
LastCumCurr	smallint	Y	LastCumCurr represents the mid price (for UK securities) or the closing/last-traded price (for non-UK securities) quoted immediately prior to the capital change effective date, and the currency code. Cross-reference LastCumCurr with Gprccode where LastCumCurr = Gprccode.Code and Gprccode.Type_ = 6.
FirstExPrice	float	Y	FirstExPrice represents the mid price (for UK securities) or the closing/last-traded price (for non-UK securities) quoted immediately prior to the capital change effective date, and the currency code.
FirstExCurr	smallint	Y	FirstExCurr represents the mid price (for UK securities) or the closing/last-traded price (for non-UK securities) quoted immediately prior to the capital change effective date, and the currency code. Cross-reference FirstExCurr with Gprccode where FirstExCurr = Gprccode.Code and Gprccode.Type_ = 6.
LastCumDate	smalldatetime	Y	LastCumDate is the last trading date prior to the ex-date. This applies to UK securities only.
LastSplitDate	smalldatetime	Y	LastSplitDate is the last date that the security can be split for trading purposes.
NumCalls	tinyint	Y	NumCalls is the number of calls or installments associated with an issue.
CallAmt1	float	Y	CallAmt1 is the first amount payable on application for a partly-paid security.
CallCurr1	smallint	Y	CallCurr1 is the currency code associated with CallAmt1. Cross-reference CallCurr1 with Gprccode .Code where Type_ = 6.
CallDate1	smalldatetime	Y	CallDate1 is the date associated with CallAmt1.
CallAmt2	float	Y	CallAmt2 is the second amount payable on application for a partly-paid security.
CallCurr2	smallint	Y	CallCurr2 is the currency code associated with CallAmt2. Cross-reference CallCurr2 with Gprccode .Code where Type_ = 6.
CallDate2	smalldatetime	Y	CallDate2 is the date associated with CallAmt2.
CallAmt3	float	Y	CallAmt3 is the third amount payable on application for a partly-paid security.
CallCurr3	smallint	Y	CallCurr3 is the currency code associated with CallAmt3. Cross-reference CallCurr3 with Gprccode .Code where Type_ = 6.
CallDate3	smalldatetime	Y	CallDate3 is the date associated with CallAmt3.
CallAmt4	float	Y	CallAmt4 is the fourth amount payable on application for a partly-paid security.
CallCurr4	smallint	Y	CallCurr4 is the currency code associated with CallAmt4. Cross-reference CallCurr4 with Gprccode .Code where Type_ = 6.
CallDate4	smalldatetime	Y	CallDate4 is the date associated with CallAmt4.
XRefMarkA	varchar(1)	Y	XRefMarkA is a capitalization change cross-reference marker. This field identifies different versions/lines of a security arising from a capital change, and the SEDOL or FTEX code of the previous tradable line. Cross-reference XRefMarkA with Gprccode where XRefMarkA = Gprccode.Code and Gprccode.Type_ = 91.
XRefSedolA	varchar(6)	Y	XRefSedolA is a capitalization change cross-reference marker. This field identifies different versions/lines of a security arising from a

Field	Type	Nullable	Description
			capital change, and the SEDOL or FTEX code of the previous tradable line.
XRefMarkB	varchar(1)	Y	XRefMarkB is a capitalization change cross-reference marker. This field identifies different versions/lines of a security arising from a capital change, and the SEDOL or FTEX code of the previous tradable line. Cross-reference XRefMarkA with Gprccode where XRefMarkA = Gprccode.Code and Gprccode.Type_ = 91.
XRefSedolB	varchar(6)	Y	XRefSedolB is a capitalization change cross-reference marker. This field identifies different versions/lines of a security arising from a capital change, and the SEDOL or FTEX code of the previous tradable line.
NumComponents	tinyint	Y	NumComponents represents the number of individual components that make up multiple concurrent capital changes. A value of 0 indicates it is not applicable.
MECalcBasis	varchar(1)	Y	MECalcBasis is the multiple event calculation basis. It describes the rating basis between the individual components shown in second and third issue items. Cross-reference MECalcBasis with Gprccode where MECalcBasis = Gprccode.Code and Gprccode.Type_ = 92.
NewShrRights	varchar(1)	Y	NewShrRights describes the dividend ranking right of new shares for the parent security. Similar information on the new security can be found in Gprccpay.DivGenMarkB and Gprccpay.DivGenMarkBDate . Cross-reference NewShrRights with Gprccode where NewShrRights = Gprccode.Code and Gprccode.Type_ = 93.
NewShrDate	smalldatetime	Y	NewShrDate describe the dividend ranking right of new shares for the parent security. Similar information on the new security can be found in Gprccpay.DivGenMarkB and Gprccpay.DivGenMarkBDate .
NewSecType	varchar(2)	Y	NewSecType identifies the new type of security being issued in a capitalization change.
LastBonusDate	smalldatetime	Y	LastBonusDate is the last trading date for subscription or bonus rights.
SpecMarker	varchar(1)	Y	SpecMarker is the special situation marker. Together with SpecDate, it describes the ranking right of new shares. Cross-reference SpecMarker with Gprccode where SpecMarker = Gprccode.Code and Gprccode.Type_ = 94.
SpecDate	smalldatetime	Y	SpecDate is the special situation date. Together with SpecMarker, it describes the ranking right of new shares.
IssueQualB	varchar(1)	Y	IssueQualB represents issue qualification marker B. When more than one marker is needed, IssueQualA is the highest priority (see IssueQualA , above). Cross-reference IssueQualB with Gprccode where IssueQualB = Gprccode.Code and Gprccode.Type_ = 90.
METype1	varchar(1)	Y	METype1 represents the issue type of the first component of multiple concurrent capital changes.
MENewQuant1	float	Y	MENewQuant1 represents the number of new shares or the amount of the first component involved in the capital change.
MENewCurr1	smallint	Y	MENewCurr1 represents the new currency code of the first component of multiple concurrent capital changes. Cross-reference this field with Gprccode where MENewCurr1 = Gprccode.Code and Gprccode.Type_ = 6.
MEOldQuant1	float	Y	MEOldQuant1 represents the number of old shares or the amount of the first component involved in the capital change.
MEOldCurr1	smallint	Y	MEOldCurr1 represents the old currency codes of the first component of multiple concurrent capital changes. Cross-reference these fields with Gprccode where MEOldCurr1 = Gprccode.Code and Gprccode.Type_ = 6.
MEPrice1	float	Y	MEPrice1 represents the price payable for each unit or amount of the security described above in MENewQuant1.
MEPriceCurr1	smallint	Y	MEPriceCurr1 represents the currency code associated with MEPrice1. Cross-reference this field with Gprccode where MEPriceCurr1 = Gprccode.Code and Gprccode.Type_ = 6.
METype2	varchar(1)	Y	METype2 represents the issue type of the second component of multiple concurrent capital changes.

Field	Type	Nullable	Description
MENewQuant2	float	Y	MENewQuant2 represents the number of new shares or the amount of the second component involved in the capital change.
MENewCurr2	smallint	Y	MENewCurr2 represents the new currency code of the second component of multiple concurrent capital changes. Cross-reference this field with Gprccode where MENewCurr2 = Gprccode.Code and Gprccode.Type_ = 6.
MEOldQuant2	float	Y	MEOldQuant2 represents the number of old shares or the amount of the second component involved in the capital change.
MEOldCurr2	smallint	Y	MEOldCurr2 represents the old currency codes of the second component of multiple concurrent capital changes. Cross-reference these fields with Gprccode where MEOldCurr2 = Gprccode.Code and Gprccode.Type_ = 6.
MEPrice2	float	Y	MEPrice2 represents the price payable for each unit or amount of the security described above in MENewQuant2.
MEPriceCurr2	smallint	Y	MEPriceCurr2 represents the currency code associated with MEPrice2. Cross-reference this field with Gprccode where MEPriceCurr2 = Gprccode.Code and Gprccode.Type_ = 6.
METype3	varchar(1)	Y	METype3 represents the issue type of the third component of multiple concurrent capital changes.
MENewQuant3	float	Y	MENewQuant3 represents the number of new shares or the amount of the third component involved in the capital change.
MENewCurr3	smallint	Y	MENewCurr3 represents the new currency code of the third component of multiple concurrent capital changes. Cross-reference this field with Gprccode where MENewCurr3 = Gprccode.Code and Gprccode.Type_ = 6.
MEOldQuant3	float	Y	MEOldQuant3 represents the number of old shares or the amount of the third component involved in the capital change.
MEOldCurr3	smallint	Y	MEOldCurr3 represents the old currency codes of the third component of multiple concurrent capital changes. Cross-reference these fields with Gprccode where MEOldCurr3 = Gprccode.Code and Gprccode.Type_ = 6.
MEPrice3	float	Y	MEPrice3 represents the price payable for each unit or amount of the security described above in MENewQuant3.
MEPriceCurr3	smallint	Y	MEPriceCurr3 represents the currency code associated with MEPrice3. Cross-reference this field with Gprccode where MEPriceCurr3 = Gprccode.Code and Gprccode.Type_ = 6.
METype4	varchar(1)	Y	METype4 represents the issue type of the fourth component of multiple concurrent capital changes.
MENewQuant4	float	Y	MENewQuant4 represents the number of new shares or the amount of the fourth component involved in the capital change.
MENewCurr4	smallint	Y	MENewCurr4 represents the new currency code of the fourth component of multiple concurrent capital changes. Cross-reference this field with Gprccode where MENewCurr4 = Gprccode.Code and Gprccode.Type_ = 6.
MEOldQuant4	float	Y	MEOldQuant4 represents the number of old shares or the amount of the fourth component involved in the capital change.
MEOldCurr4	smallint	Y	MEOldCurr4 represents the old currency codes of the fourth component of multiple concurrent capital changes. Cross-reference these fields with Gprccode where MEOldCurr4 = Gprccode.Code and Gprccode.Type_ = 6.
MEPrice4	float	Y	MEPrice4 represents the price payable for each unit or amount of the security described above in MENewQuant4.
MEPriceCurr4	smallint	Y	MEPriceCurr4 represents the currency code associated with MEPrice4. Cross-reference this field with Gprccode where MEPriceCurr4 = Gprccode.Code and Gprccode.Type_ = 6.

GprcCapB: Global Pricing Capital Changes – Additional Fields (B)

This table contains additional information for the global pricing capital changes data in [Gprccap](#) and [Gprccapa](#).

Update Cycle: Daily

Adjusted: Yes

Indexes		Index Fields	
pkey_GprcCapB (Clustered)		Code, Number	
Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all Gprc* tables.
Number	int	N	Number is the sequence number.
RateCurr	smallint	Y	RateCurr is the EXTEL currency of split equivalent ratio of the capital change. Cross-reference RateCurr with Gprccode where RateCurr = Gprccode.Code and Gprccode.Type_ = 6.
NewSharesCurr	smallint	Y	NewSharesCurr is the EXTEL currency of post-split shares.
OldSharesCurr	smallint	Y	OldSharesCurr is the EXTEL currency of pre-split shares.

Gprcchg: Global Pricing SEDOL Changes

This table contains the SEDOL history per security.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_Gprcchg (Clustered)		Code, Date_	
Gprcchg_Sedol		Sedol, Date_, Code	
Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
Date_	smalldatetime	N	Date_ is the date associated with Sedol.
Sedol	varchar(6)	Y	Sedol represents the SEDOL change for a particular unique ID.

GprcCnv: Global Pricing Conversion Data

This table provides data of securities that can be converted into other security types.

Update Cycle: Daily

Adjusted: Yes

Indexes		Index Fields	
pkey_GprcCnv (Clustered)		Code, Number	
Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
Number	int	N	Number is the sequence number of the conversion.
SectionMarker	varchar(1)	Y	SectionMarker is described in the SectionMarker section on page 15.
OldCnvUnitAmt	float	Y	OldCnvUnitAmt is the amount/number of shares surrendered upon conversion.
OldCnvUnitAmtCurr	smallint	Y	OldCnvUnitAmtCurr is the EXTEL currency code of surrendered amount/shares. Cross-reference this with Gprccode where OldCnvUnitAmtCurr = Gprccode.code and Gprccode.Type_ = 6.

Field	Type	Nullable	Description
NextAssetSecType	varchar(2)	Y	NextAssetSecType is the type of security obtained from conversion. Cross-reference with Gprccode where NextAssetSecType = Gprccode.code and Gprccode.Type_ = 76.
NextResultAsset	varchar(7)	Y	NextResultAsset is the SEDOL of the security obtained from conversion.
CnvOpMarker	varchar(1)	Y	CnvOpMarker is described in the CnvOpMarker section on page 15.
LastCnvDate	smalldatetime	Y	LastCnvDate is the date of the final onversion/subsription opportunity.
PartCnvPercent	smallint	Y	PartCnvPercent is the partial conversion percentage.
PerStartDate	smalldatetime	Y	PerStartDate is the first date the conversion rights can be exercised.
PerEndDate	smalldatetime	Y	PerEndDate is the last date the conversion rights can be exercised.
FirstCnvDate	smalldatetime	Y	FirstCnvDate is the date of the first/next conversion/subsription opportunity.
FirstCnvType	varchar(1)	Y	FirstCnvType is the section marker of first conversion/subsription opportunity.
FirstOpNewShares	float	Y	FirstOpNewShares is the number of shares obtainable at first conversion opportunity.
FirstOpNewSharesCurr	smallint	Y	FirstOpNewSharesCurr is the EXTEL currency code of shares.
FirstOpAdjMarker	varchar(1)	Y	FirstOpAdjMarker is the first conversion adjustment marker describing whether security has been adjusted/receipts or units share basis changed.
FirstOpPrice	float	Y	FirstOpPrice is the price per share payable at the first conversion.
FirstOpPriceCurr	smallint	Y	FirstOpPriceCurr is the EXTEL currency code of first price per share.
FirstCashSubAmt	float	Y	FirstCashSubAmt is the cash per share payable at first subscription opportunity.
FirstCashSubAmtCurr	smallint	Y	FirstCashSubAmtCurr is the EXTEL currency code of cash per share.
FirstNextResultAsset	varchar(7)	Y	FirstNextResultAsset is the SEDOL of next resultant asset of first conversion.
SecondCnvDate	smalldatetime	Y	SecondCnvDate is the date of the second conversion/subsription opportunity.
SecondCnvType	varchar(1)	Y	SecondCnvType is the section marker of second conversion/subsription opportunity.
SecondOpNewShares	float	Y	SecondOpNewShares is the number of shares obtainable at second conversion opportunity.
SecondOpNewSharesCurr	smallint	Y	SecondOpNewSharesCurr is the EXTEL currency code of shares.
SecondOpAdjMarker	varchar(1)	Y	SecondOpAdjMarker is the second conversion adjustment marker and describes whether security has been adjusted/receipts or units share basis changed.
SecondOpPrice	float	Y	SecondOpPrice is the price per share payable at the second conversion.
SecondOpPriceCurr	smallint	Y	SecondOpPriceCurr is the EXTEL currency code of second price per share.
SecondCashSubAmt	float	Y	SecondCashSubAmt is the cash per share payable at second subscription opportunity.
SecondCashSubAmtCurr	smallint	Y	SecondCashSubAmtCurr is the EXTEL currency code of cash per share.
SecondNextResultAsse	varchar(7)	Y	SecondNextResultAsse is the SEDOL of next resultant asset of second conversion.

Field	Type	Nullable	Description
ModDate	smalldatetime	Y	ModDate is the date on which the security was last modified.

SectionMarker

SectionMarker defines available conversion data and the kind of conversion or subscription rights. SectionMarker can be:

Code	Description
0	No data available
1	Fully convertible into underlying asset
2	Partially convertible into underlying asset
3	Optionally partially convertible into underlying asset
4	Security has subscription rights.
5	Alternative subscription rights: security has choice of conversion or subscription rights
6	Warrant
7	Expiration: conversion, exercise, or subscription rights have expired
8	Multiple assets: multiple conversion or subscription rights
9	American style traded option: exercisable at any time
A	Cash conversion
B	Conditional terms: conversion/subscription terms are subject to variable factors
C	Complex terms: conversion terms are too complex to report adequately
D	Depository receipt: data relates to the underlying security of a depository receipt
E	Unit: data relates the underlying security of a bearer certificate
F	Future
G	Conversion based on the index value in FirstCashSubAmt
H	Scrip conversion with cash option
I	Warrant based on an equity basket
J	Warrant based on currency exchange rates
K	Strike price capped
L	Knock-out warrant
M	Convertible to cash on the basis shown in FirstCashSubAmt
N	European traded option: exercisable on expiration date
P	Structured/hybrid product

CnvOpMarker

CnvOpMarker is the Conversion Opportunities Marker, which describes the number of conversion/subscription opportunities remaining. CnvOpMarker can be:

Code	Description
0	No remaining opportunities
1	One opportunity remaining
2	Two opportunities remaining
3	Perpetual opportunity – no final date
4	Multiple opportunities – no final date
5	Compulsory conversion by issuing company
8	Perpetual opportunity – final date
9	Multiple opportunities – final date

Gprccode: Global Pricing Code Descriptions

Use this table to retrieve code descriptions for global pricing data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Gprccode (Clustered)	Type_, Code

Field	Type	Nullable	Description
Type_	smallint	N	The combination of Type_ and Code provide descriptions (Desc_) to support the Gprc* tables. To see a list of available types, use this query: select * from gprccode where type_ = 1
Code	varchar(4)	N	
Desc_	varchar(127)	Y	

Gprcdiv: Global Pricing Dividends

This table contains information on global pricing dividends. This table is supplemented by the data in [GprcDivA](#).

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_Gprcdiv (Clustered)	Code, DivNumb
Gprcdiv_DivType	Code, DivType, ExDate, DivNumb
Gprcdiv_ExDate	Code, ExDate, DivNumb

Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
DivNumb	int	N	DivNumb is the TRQA unique key for keeping track of transactions per Code.
ExDate	smalldatetime	Y	ExDate is the ex-date.
RecDate	smalldatetime	Y	RecDate is the record date.
PayDate	smalldatetime	Y	PayDate is the date on which payment is made.
EntDate	smalldatetime	Y	EntDate is the entry date.
RevDate	smalldatetime	Y	RevDate is the revision date.
GrossRate	float	Y	GrossRate is the amount of the dividend/interest payment as qualified by TaxMarker. GrossRate is stored in local currency.
NetRate	float	Y	NetRate is stored in local currency.
DivType	smallint	Y	DivType has two classifications: non-cash dividend (0) and cash dividend (1).
Currency_	smallint	Y	Currency_ is based on EXTEL codes. Gprccode provides EXTEL to ISO translation. To translate the EXTEL currency code to the currency description, cross-reference Currency_ with Gprccode where Currency_ = Gprccode.Code and Gprccode.Type_ = 6. To translate the EXTEL currency code to the ISO currency code, cross-reference Currency_ with Gprccode where Currency_ = Gprccode.Code and Gprccode.Type_ = 8.
PayType	varchar(2)	Y	PayType defines the dividend/interest payment data. Cross-reference PayType with Gprccode where PayType = Gprccode.Code and Gprccode.Type_ = 78.
ValMarker	varchar(1)	Y	ValMarker further qualifies the dividend/interest payment data. Cross-reference ValMarker with Gprccode where ValMarker = Gprccode.Code and Gprccode.Type_ = 80.
TaxMarker	varchar(2)	Y	TaxMarker is the dividend tax marker, if any. Cross-reference TaxMarker with Gprccode where TaxMarker = Gprccode.Code and Gprccode.Type_ = 79.

GprcDivA: Global Pricing Dividends – Additional Fields

This table contains global pricing dividend data. The data in this table supplements the data in [Gprcdiv](#).

Update Cycle: Daily

Adjusted: Yes

Indexes		Index Fields	
pkey_GprcDivA (Clustered)		Code, DivNumb	

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all Gprc* tables.
DivNumb	int	N	DivNumb is the TRQA unique key for keeping track of transactions per Code.
AdjValue	float	Y	AdjValue is the adjustment value.
AdjValueCurr	smallint	Y	AdjValueCurr is the EXTEL currency of the adjustment value. Cross-reference AdjValueCurr with Gprccode .Code where Type_ = 6.
CouponNum	smallint	Y	CouponNum is the coupon number.
GrossCurr	smallint	Y	GrossCurr is the EXTEL currency of the gross rate.
IncTaxQualCode	varchar(1)	Y	IncTaxQualCode is the Income Tax Qualification code. Cross-reference IncTaxQualCode with Gprccode .Code where Type_ = 147.
UnAdjTaxCredit	float	Y	UnAdjTaxCredit is the unadjusted tax credit.
UnAdjTaxCreditCurr	smallint	Y	UnAdjTaxCreditCurr is the EXTEL currency of the unadjusted tax credit. Cross-reference UnAdjTaxCreditCurr with Gprccode .Code where Type_ = 6.
PeriodEndDate	smalldatetime	Y	PeriodEndDate is the Period end date.
PeriodEndDateMarker	varchar(1)	Y	PeriodEndDateMarker defines the dividend or interest payment period and data stored for that period. It also provides the end date for the period. Cross-reference PeriodEndDateMarker with Gprccode .Code where Type_ = 148.

Gprcern: Global Pricing Earnings Data

This table contains actual earnings data information.

Update Cycle: Daily

Adjusted: No

Indexes		Index Fields	
pkey_Gprcern (Clustered)		Code	

Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
ModDate	smalldatetime	Y	ModDate is the date on which the security was last modified.
EarnAmt	float	Y	EarnAmt is the most recent annualized earnings per share.
EarnAmtCurr	smallint	Y	EarnAmtCurr is the currency code associated with EarnAmt. Cross-reference EarnAmtCurr with Gprccode where EarnAmtCurr = Gprccode.Code and Gprccode.Type_ = 6.

Field	Type	Nullable	Description
EarnAmtMark	varchar(1)	Y	EarnAmtMark describes the source, calculation basis, and conditions affecting the EarnAmt. Cross-reference EarnAmtMark with Gprccode where EarnAmtMark = Gprccode.Code and Gprccode.Type_ = 137.
EarnQualMark	varchar(1)	Y	EarnQualMark gives information on the security's corporate tax status. Cross-reference EarnQualMark with Gprccode where EarnQualMark = Gprccode.Code and Gprccode.Type_ = 138.
BalSheetDate	smalldatetime	Y	BalSheetDate is the date on which the company reported its balance sheet information.
EarnAmt12M	float	Y	EarnAmt12M is the rolling 12-month earnings per share figure for UK securities, calculated by EXSHARE using the latest available figures.
EarnAmtCurr12M	smallint	Y	EarnAmtCurr12M is the currency code associated with EarnAmt12M. Cross-reference EarnAmtCurr12M with Gprccode where EarnAmtCurr12M = Gprccode.Code and Gprccode.Type_ = 6.
EarnAmtMark12M	varchar(1)	Y	EarnAmtMark12M provides the basis of the earnings calculation for EarnAmt12M. Cross-reference EarnAmtMark12M with Gprccode where EarnAmtMark12M = Gprccode.Code and Gprccode.Type_ = 137.
EarnQualMark12M	varchar(1)	Y	EarnQualMark12M further qualifies EarnAmt12M and EarnAmtMark12M by providing information on the security's corporate tax status. Cross-reference EarnQualMark12M with Gprccode where EarnQualMark12M = Gprccode.Code and Gprccode.Type_ = 138.
EarnDate12M	smalldatetime	Y	EarnDate12M is the period end date used to calculate EarnAmt12M.
BookVal	float	Y	BookVal is the net asset value (book value) of the security.
BookValCurr	smallint	Y	BookValCurr is the currency code associated with BookVal. Cross-reference BookValCurr with Gprccode where BookValCurr = Gprccode.Code and Gprccode.Type_ = 6.
BookValDate	smalldatetime	Y	BookValDate is the date associated with BookVal.
BookValMark	varchar(1)	Y	BookValMark indicates whether BookVal is calculated by EXSHARE (P) or is published by the company (Q).

Gprcexr: Global Pricing Exchange Rates

Use this table to retrieve spot rates data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Gprcexr (Clustered)	Currency_, Date_
Gprcexr_Date_	Date_, Currency_, Rate

Field	Type	Nullable	Description
Currency_	smallint	N	Currency_ is based on EXTEL codes. Gprccode provides EXTEL to ISO translation.
Date_	smalldatetime	N	Date_ is the date associated with the exchange rate change.
Rate	float	Y	Rate is the USD equivalent provided by WM/Refinitiv with the rates fixed at 16:00 UK time. Prices in Gprcval are stored in the local currency, so to get the USD equivalent you must divide the price by the Gprcexr.Rate.

GprcFwr: Global Pricing Currency Forward Rates

Use this table to retrieve forward currency rates data.

Update Cycle: Daily

Adjusted: Yes

Indexes		Index Fields	
pkey_GprcFwr (Clustered)		Currency_, Period, Date_	
Field	Type	Nullable	Description
Currency_	smallint	N	Currency_ is based on EXTEL codes. Gprccode provides EXTEL to ISO translation.
Period	varchar(3)	N	Period is described in the Period section on page 19.
Date_	smalldatetime	N	Date_ is the date of the forward rate.
BidRate	float	Y	BidRate is the bid rate.
AskRate	float	Y	AskRate is the ask rate.
MidRate	float	Y	MidRate is the mid rate.
Periodicity	varchar(1)	Y	Periodicity is the periodicity indicator. Periodicity can be daily (D) or weekly (W).
RptCalcMarker	varchar(1)	Y	RptCalcMarker is the reported/calculated marker. RptCalcMarker can be reported (R) or calculated (C).

Period

Period is the forward period for the rate given in AskRate, BidRate, or MidRate. Period can be:

Code	Description
OVN	Overnight
TNX	Tomorrow next
01W	1 week
01M	1 month
02M	2 months
03M	3 months
06M	6 months
09M	9 months
12M	12 months
02Y	2 years
05Y	5 years

Gprcinfo: Global Pricing Security Information – Additional Fields

This table includes security information supplemental to [Gprcinfo2](#).

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_Gprcinfo (clustered)		Code	
Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
ModDate	smalldatetime	Y	ModDate is the date on which the security was last modified.

Field	Type	Nullable	Description
UnclLiab	float	Y	UnclLiab is the total amount outstanding (issued capital – total amount of calls paid) for nil-paid and temporary, partly-paid securities.
UnclLiabCurr	smallint	Y	UnclLiabCurr is the currency code associated with UnclLiab. Cross-reference UnclLiabCurr with Gprccode where UnclLiabCurr = Gprccode.Code and Gprccode.Type_ = 6.
PrevName	varchar(18)	Y	PrevName is the name of Gprcinfo2.Issuer prior to the last name change, if any.
PrevNameDate	smalldatetime	Y	PrevNameDate is the date of the last name change, if any.
InsertDate	smalldatetime	Y	InsertDate is the date when EXSHARE added the security to its service.
StatusDate	smalldatetime	Y	StatusDate is the date of the last change to the marker or of the specific action.
XRefA	varchar(1)	Y	XRefA provides a forward reference to the next tradable security in an issue (origin, parents, predecessors, successors, etc.). Cross-reference XRefA with Gprccode.Code where Type_ = 169.
XRefADate	smalldatetime	Y	XRefADate is described in the XRefADate section on page 22.
XRefASedol	varchar(6)	Y	XRefASedol is the SEDOL/FTEX code of securities referenced by XRefA. See XRefASedol, XrefBSedol, and XRefCSedol Codes on page 22.
XRefB	varchar(1)	Y	XRefB provides a forward reference to the next tradable security in an issue (origin, parents, predecessors, successors, etc.). XRefB provides information about partly-paid securities. Cross-reference XRefB with Gprccode.Code where Type_ = 169.
XRefBSedol	varchar(6)	Y	XRefBSedol is the SEDOL/FTEX code of securities referenced by XRefB. See XRefASedol, XrefBSedol, and XRefCSedol Codes on page 22.
XRefC	varchar(1)	Y	XRefC provides a forward reference to the next tradable security in an issue (origin, parents, predecessors, successors, etc.). XRefC provides information about fully-paid securities. Cross-reference XRefC with Gprccode.Code where Type_ = 169.
XRefCSedol	varchar(6)	Y	XRefCSedol is the SEDOL/FTEX code of securities referenced by XRefC. See XRefASedol, XrefBSedol, and XRefCSedol Codes on page 22.
QuoteCtryDate	smalldatetime	Y	QuoteCtryDate is the date of the most recent change to the country code.
ExchDate	smalldatetime	Y	ExchDate is the date of the latest change to Gprcinfo2.exchange.
LocBrdInd	varchar(2)	Y	LocBrdInd is a code identifying the primary industry in which the company operates.
ExchSect	varchar(2)	Y	ExchSect identifies the exchange or section of an exchange (if an exchange is multi-tiered) in which a security is quoted, or the type of fund or the type/period of rate for non-security groups (unit funds, interest rates, and exchange rates).
AccrIntBasis	varchar(1)	Y	AccrIntBasis describes how the accrued interest period should be calculated. Cross-reference AccrIntBasis with Gprccode where AccrIntBasis = Gprccode.Code and Gprccode.Type_ = 114.
InstForm	varchar(1)	Y	InstForm identifies the form in which the security is quoted, how it is traded and settled, how title is transferred, and how the rights are conferred to the holder. Cross-reference InstForm with Gprccode where InstForm = Gprccode.Code and Gprccode.Type_ = 115.
FTSEIdxCon	varchar(1)	Y	FTSEIdxCon identifies constituents of the FTSE world index. It can be 0 (not applicable) or 1 (constituent).
LocIdxCon	varchar(1)	Y	LocIdxCon identifies a security as a constituent of one of ten indexes. Cross-reference LocIdxCon with Gprccode where LocIdxCon = Gprccode.Code and Gprccode.Type_ = 116.
FTSEIdxGrp	varchar(3)	Y	FTSEIdxGrp is the FTSE World Index industry group classification code. Cross-reference FTSEIdxGrp with Gprccode where FTSEIdxGrp = Gprccode.Code and Gprccode.Type_ = 117.
AccrIntPrc	varchar(1)	Y	AccrIntPrc indicates whether the accrued interest is included in the quotation price.

Field	Type	Nullable	Description
			Cross-reference AccrIntPrc with Gprccode where AccrIntPrc = Gprccode.Code and Gprccode.Type_ = 118.
VoteRgts	varchar(1)	Y	VoteRgts describes the status of voting rights for a security. Cross-reference VoteRgts with Gprccode where VoteRgts = Gprccode.Code and Gprccode.Type_ = 119.
FTSEIdxEcon	varchar(3)	Y	FTSEIdxEcon is the FTSE World Index economic sector classification code. Cross-reference FTSEIdxEcon with Gprccode where FTSEIdxEcon = Gprccode.Code and Gprccode.Type_ = 120.
FTSEIdxInd	varchar(3)	Y	FTSEIdxInd is the FTSE World Index industry sector classification code. Cross-reference FTSEIdxInd with Gprccode where FTSEIdxInd = Gprccode.Code and Gprccode.Type_ = 121.
LocIdxCon1	varchar(1)	Y	LocIdxCon1 identifies securities as constituents of certain indices. Cross-reference LocIdxCon1 with Gprccode where LocIdxCon1 = Gprccode.Code and Gprccode.Type_ = 122.
LocIdxCon2	varchar(1)	Y	LocIdxCon2 identifies securities as constituents of certain indices. Cross-reference LocIdxCon2 with Gprccode where LocIdxCon2 = Gprccode.Code and Gprccode.Type_ = 123.
LocIdxCon3	varchar(1)	Y	LocIdxCon3 identifies securities as constituents of certain indices. Cross-reference LocIdxCon3 with Gprccode where LocIdxCon3 = Gprccode.Code and Gprccode.Type_ = 124.
LocIdxCon4	varchar(1)	Y	LocIdxCon4 identifies securities as constituents of certain indices. Cross-reference LocIdxCon4 with Gprccode where LocIdxCon4 = Gprccode.Code and Gprccode.Type_ = 125.
LocIdxCon5	varchar(1)	Y	LocIdxCon5 identifies securities as constituents of certain indices. Cross-reference LocIdxCon5 with Gprccode where LocIdxCon5 = Gprccode.Code and Gprccode.Type_ = 126.
ScrTrade	varchar(1)	Y	ScrTrade identifies whether a security is now de-materialized – trading scripless/paperless (1) or is still materialized (0).
ScrDate	smalldatetime	Y	ScrDate is the date a security was first tradable on a scripless basis.
TradReg	varchar(1)	Y	TradReg indicates various general market trading restrictions or regulations imposed on a security where 1 = 144A and 2 = Regulation S.
MktLbl	varchar(2)	Y	MktLbl is description by which a security is most commonly known. Cross-reference MktLbl with Gprccode.Code where Type_ = 129.
Cusip	varchar(8)	Y	Cusip is the current CUSIP/CINS number.
LocalCodeB	varchar(6)	Y	LocalCodeB is the local identification code designated by the exchange quoting the security (up to 6 characters).
LocalCodeA	varchar(12)	Y	LocalCodeA is the local identification code designated by the exchange quoting the security (up to 12 characters).
SettleIsin	varchar(12)	Y	SettleIsin is the ISIN used by the London Stock Exchange for processing. When an ISIN has not yet been adopted, a “dummy” settlement code is used (4 spaces + SEDOL + 1 space).
EuroClear	varchar(9)	Y	EuroClear is the common Euroclear/CEDEL code.
Wertpapier	varchar(6)	Y	Wertpapier is the German identifier for a security.
Belgian	varchar(6)	Y	Belgian is the Belgian SVM number for a security.
IssuerCode	varchar(6)	Y	IssuerCode is the London Stock Exchange code denoting the issuer of a security.
TickerCode	varchar(15)	Y	TickerCode is the ticker ID of the security.

XRefADate

XRefADate is the date associated with the latest change to XRefA. XRefADate can be:

Code	Description
C	Supersession date
D	Succession date
E	Takeover effective date
G	Takeover effective date
H	Takeover effective date
J	Supersession date
K	Supersession date
L	Last tradable date
M	Date temporary line expires
N	Succession date
O	Ex-dividend date
P	First tradable date
Q	Reinstatement date
R	Date temporary line expires
S	Date temporary line expires
T	Last tradable date
U	First tradable date
V	Supersession date
W	Succession date

XRefASedol, XrefBSedol, and XRefCSedol Codes

XRefASedol, XrefBSedol, and XRefCSedol can be:

Code	Description
C	Successor security (XRefA-C marker "D")
D	Superseded security (XRefA-C marker "C")
E	Replacement security
G	Replacement security
H	Not applicable (blank)
J	Successor security (XRefA-C marker "K")
K	Successor security (XRefA-C marker "J")
L	Security of capital change
M	Ranking for dividend line
N	Successor security
O	Different security
P	Temporary line to become tradable security
Q	Line arising from deferred event
R	Temporary line
S	Temporary line

Gprcinfo2: Global Pricing Security Information

This table contains security information and is supplemented by the data in [Gprcinfo1](#).

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Gprcinfo2 (Clustered)	Code
Gprcinfo2_Isin	Isin, Sedol
Gprcinfo2_Issuer	Issuer
Gprcinfo2_QuoteCtry	QuoteCtry, Sedol
Gprcinfo2_Sedol	Sedol
Gprcinfo2_Ticker	Ticker, Sedol

Field	Type	Nullable	Description
Sedol	varchar(6)	Y	Sedol is the SEDOL of the security.
Ticker	varchar(12)	Y	This field is not supported. Instead, refer to the TickerCode, LocalCodeA, or LocalCodeB field in the Gprcinfo1 table.
Isin	varchar(12)	Y	Isin is the ISIN of the security.
Issuer	varchar(18)	Y	Issuer is the name of the Issuer. Note that because the description is limited to 18 characters, abbreviations may be used.
Issue	varchar(35)	Y	Issue is a brief, differentiating description of the issue. Note that because the description is limited to 35 characters, abbreviations may be used.
QuoteCtry	varchar(2)	Y	QuoteCtry returns the two-letter EXTEL country code for the country in which the security price is quoted. Cross-reference QuoteCtry with Gprccode.Code where Type_ = 2.
Exchange	varchar(1)	Y	Exchange returns the one-letter exchange code indicating where a security is traded. Cross-reference Exchange with Gprccode where QuoteCtry + Exchange = Gprccode.Code and Gprccode.Type_ = 75.
IssueCtry	varchar(2)	Y	IssueCtry returns the two-letter EXTEL country code identifying the country of incorporation for the issuer of the security. Cross-reference IssueCtry with Gprccode .Code where Type_ = 2.
SecType	varchar(2)	Y	SecType returns the two-digit security type code. Cross-reference SecType with Gprccode.Code where Type_ = 76.
Industry	varchar(4)	Y	Industry returns the relevant country's industry code for the company underlying the issue. Cross-reference Industry with Gprccode where QuoteCtry code = (%%) of Gprccode.Desc_ and Gprccode.Type_ = 1. For example, if QuoteCtry is FJ, the corresponding Type_ 1 code is 36. To perform the industry description lookup, cross-reference Industry with Gprccode where Industry = Gprccode.Code and Type_ = 36.
Status	varchar(1)	Y	Status returns the Issue Status Code which is a one-character code for a detailed description related to an issue's status. For example, Q = "Reason for extinction is no market maker" can be found by cross-referencing Gprccode where Status = Gprccode.Code and Type_ = 77.
Health	varchar(1)	Y	Health is the live/dead indicator. Cross-reference Health with Gprccode where Health = Gprccode.Code and Type_ = 82.
Code	int	N	Code is the primary reference across all Gprc* tables.
ModDate	smalldatetime	Y	ModDate is the last date on which changes were made within the table.

Gprcnom: Global Pricing Nominal Values

Use this table to retrieve the most recent nominal value of shares.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_Gprcnom (Clustered)		Code	

Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
Value_	float	Y	Value_ is either the face or par value of the security.
Currency_	smallint	Y	Currency_ is the currency code associated with Value_. Cross-reference Currency_ with Gprccode where Currency_ = Gprccode.Code and Gprccode.Type_ = 6.
Marker	varchar(1)	Y	Marker describes Value_. Marker can be cross-referenced with Gprccode where Marker = Gprccode.Code and Gprccode.Type_ = 88.

Gprcpay: Global Pricing Dividend/Interest Payment Data

This table contains global dividends and interest payment data.

Update Cycle: Daily

Adjusted: No

Indexes		Index Fields	
pkey_Gprcpay (Clustered)		Code	

Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
ModDate	smalldatetime	Y	ModDate is the date on which the security was last modified.
TotDiv	float	Y	TotDiv is the estimated/forecast annual dividend for equities, or the annual interest rate for fixed/variable interest securities.
TotDivCurr	smallint	Y	TotDivCurr is the currency code associated with TotDiv. Cross-reference TotDivCurr with Gprccode where TotDivCurr = Gprccode.Code and Gprccode.Type_ = 6.
TotDivMarker	varchar(1)	Y	TotDivMarker provides information on the company's estimated total annual dividend. This marker specifies which dividend amount is used and identifies any limiting conditions surrounding the dividend forecast. Cross-reference TotDivMarker with Gprccode where TotDivMarker = Gprccode.Code and Gprccode.Type_ = 130.
DivRuleNumb	varchar(2)	Y	DivRuleNumb identifies the rule applied in the calculation of TotDiv. Cross-reference DivRuleNumb with Gprccode where DivRuleNumb = Gprccode.Code and Gprccode.Type_ = 131. For most non-UK securities, the value is "00" because the forecast method is unknown.
DivGenMarkA	varchar(1)	Y	DivGenMarkA provides security-level information about the current status of dividend/interest payments in general. Cross-reference DivGenMarkA with Gprccode where DivGenMarkA = Gprccode.Code and Gprccode.Type_ = 132.
DivGenMarkB	varchar(1)	Y	DivGenMarkB provides additional security-level information about the current status of dividend/interest payments in general. Cross-reference DivGenMarkB with Gprccode where DivGenMarkB = Gprccode.Code and Gprccode.Type_ = 133.
DivGenMarkBDate	smalldatetime	Y	DivGenMarkBDate is the date associated with DivGenMarkB. Cross-reference DivGenMarkDate with Gprccode where DivGenMarkDate = Gprccode.Code and Gprccode.Type_ = 134.

Field	Type	Nullable	Description
DivTaxMark	varchar(1)	Y	DivTaxMark identifies the tax implications of the dividend. Cross-reference DivTaxMark with Gprccode where DivTaxMark = Gprccode.Code and Gprccode.Type_ = 135.
PayDate1	smallint	Y	PayDate1 is the first date (ddmm) of the year on which interest/dividends are usually paid. If interest/dividends are paid more frequently, this is the first date.
PayDate2	smallint	Y	PayDate2 is the second date (ddmm) of the year on which interest/dividends are usually paid. If interest/dividends are paid more frequently, this is the second date.
PayDate3	smallint	Y	PayDate3 is the third date (ddmm) of the year on which interest/dividends are usually paid. If interest/dividends are paid more frequently, this is the third date.
PayDate4	smallint	Y	PayDate4 is the fourth date (ddmm) of the year on which interest/dividends are usually paid. If interest/dividends are paid more frequently, this is the fourth date.
PayFreq	varchar(1)	Y	PayFreq indicates the interest/dividend frequency of PayDate1-4. Cross-reference PayFreq with Gprccode where PayFreq = Gprccode.Code and Gprccode.Type_ = 136.

GPrcQBM: Global Pricing Quote Basis Marker

This table returns the quotation basis for a given security. The default is per share.

Use this table to find the per-share value of a security when an exchange quotes on a basis other than per-share. IDC provides a security's price as quoted at the exchange. However, some exchanges do not always quote a security per share. In these cases, QBM is used to find the per-share value of a security.

For example:

Exchange's price quotes are on different scales for different securities

- Brazil quotes either on a per-share or per-thousand share basis.
- Argentina quotes securities per 1 Peso of par value.

Exchange's prices have too many zeroes to fit in the file and have been scaled down

- Zimbabwe quotes according to this standard.

Exchange's quote price is not per one share of security, but is instead quoted in relation to some other basis that does not impact market cap.

GPrcQBM History

Most exchanges started on October 31, 2005 (the date GprcValA was implemented).

Backfilled QBM prior to October 31, 2005 if QBM

- Was the same from October 31, 2005 to present
- Did not impact price
- Was not in a QBM-intensive country (Brazil, Argentina)

Backfill to January 1, 1995 for Brazil and other price-impacting QBMs.

Vendor has no QBM data prior to 1995.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_GPrCQBM (Clustered)	Code, StartDate

Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
StartDate	datetime	N	StartDate is the first date for which the QBM is effective. To avoid overlap or conflicting dates, total return calculations use StartDate only.
EndDate	datetime	Y	EndDate is the last date for which the QBM is effective.
QBM	varchar(2)	Y	QBM cross-references Gprccode where GPrCQBM.QBM = Gprccode.CODE and Gprccode.TYPE_=154. QBM cross-references the divisor where GPrCQBM.QBM = Gprccode.CODE and Gprccode.TYPE_=166.

Gprcret: Global Pricing Total Returns

This table stores composite total returns values.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_Gprcret (Clustered)	Code, Date_
Gprcret_Date_	Code, Date_, TotRet

Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
Date_	smalldatetime	N	Date_ is the date associated with TotRet.
TotRet	float	Y	TotRet is the gross total return as a percent of the first close price. It is an index starting at 100 from the IPO date or, if the company history goes beyond the date the data has been stored, it is 100 from the point at which the data starts in the MQA database. TotalRet takes into account price movement, dividends, spin-offs, and takeovers.

GPrCsecChg: Global Pricing Sedol, Name, and Isin Changes

This table is for LSEG internal use only.

This table returns security change information.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_GPrCsecChg (Clustered)	Code, StartDate
GPrCsecChg_1	Cusip, StartDate, Code
GPrCsecChg_2	Sedol, StartDate, Code
GPrCsecChg_3	Isin, StartDate, Code
GPrCsecChg_4	QuoteCtry, Exchange, Ticker, StartDate, Code
GPrCsecChg_5	IssueCtry, Issuer, StartDate, Code

Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
StartDate	smalldatetime	N	StartDate is the effective date of the change.
EndDate	smalldatetime	Y	EndDate is the last date before the change.
Cusip	varchar(8)	Y	Cusip is the CUSIP of the security.
Sedol	varchar(6)	Y	Sedol is the SEDOL of the security.

Field	Type	Nullable	Description
Isin	varchar(12)	Y	Isin is the ISIN of the security.
Ticker	varchar(12)	Y	Ticker is the ticker ID of the security.
Exchange	varchar(1)	Y	Exchange returns the one-letter exchange code indicating where a security is traded. Cross-reference Exchange with Gprccode where QuoteCtry + Exchange = Gprccode.Code and Gprccode.Type_ = 75.
QuoteCtry	varchar(2)	Y	QuoteCtry returns the two-letter EXTEL country code for the country in which the security price is quoted. Cross-reference QuoteCtry with Gprccode.Code where Type_ = 2.
Issuer	varchar(18)	Y	Issuer is the name of the Issuer. Note that because the description is limited to 18 characters, abbreviations may be used.
IssueCtry	varchar(2)	Y	IssueCtry returns the two-letter EXTEL country code identifying the country of incorporation for the issuer of the security. Cross-reference IssueCtry with Gprccode .Code where Type_ = 2.

GprcShr: Global Pricing Shares Outstanding

Use this table to retrieve the shares outstanding per security. This table is supplemented by [GprcShrA](#).

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_GprcShr (Clustered)	Code, Date_
GprcShr_Date_	Date_, Code, Shares

Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
Date_	smalldatetime	N	Date_ is the date of the change in shares outstanding.
Shares	float	Y	Shares are the number of shares outstanding. When the global history is loaded, the shares outstanding have a monthly entry unless the shares out change. After the history is loaded, it is only updated by IDC if it changes. Brazilian QuoteCtry shares are divided by 1000 when calculating market cap.

GprcShrA: Global Pricing Shares Outstanding – Additional Fields

This table contains shares outstanding information supplemental to [GprcShr](#).

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_GprcShrA (Clustered)	Code, Date_
GprcShrA_Date_	Date_, Code

Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
Date_	smalldatetime	N	Date_ is the date of the change in shares outstanding.
LastChgShares	float	Y	LastChgShares is the last change in shares.
LastChgReason	varchar(1)	Y	LastChgReason is the reason code for the last change in shares.

Gprctom: Global Pricing Takeovers and Mergers

This table contains the global pricing takeovers and mergers data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_Gprctom (Clustered)		Code, Number	
Gprctom_Code		Code, Date_, Number	

Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
Number	smallint	N	Number provides a unique reference to each individual event. The number will increase in increments of one and will remain following the removal of the associated event details.
Date_	smalldatetime	Y	Date_ is the date associated with Marker or the effective date of the situation.
ModDate	smalldatetime	Y	ModDate is the date on which the security was last modified.
Marker	varchar(1)	Y	Marker provides the type and current status of the takeover/merger. Cross-reference Marker with Gprccode where Marker = Gprccode.Code and Gprccode.Type_ = 140.
QualCode	varchar(1)	Y	QualCode further qualifies Marker. Cross-reference QualCode with Gprccode where QualCode = Gprccode.Code and Gprccode.Type_ = 141.
StartDate	smalldatetime	Y	StartDate is the date on which the offer started.
OfferUnit	int	Y	OfferUnit is the minimum number of shares or amount of debt related to the offer terms.
OfferCurr	smallint	Y	OfferCurr is the currency code associated with OfferUnit. Cross-reference OfferCurr with Gprccode where OfferCurr = Gprccode.Code and Gprccode.Type_ = 6.
MultInd	varchar(1)	Y	MultInd indicates if multiple securities or cash amounts are offered in a merger or takeover attempt. When more than one security is offered, details of the equity or main equity are given in OfferedSedol1, OfferedType1, and StockAmt1. Cross-reference MultInd with Gprccode where MultInd = Gprccode.Code and Gprccode.Type_ = 142.
PartMarker	varchar(1)	Y	PartMarker indicates if the takeover is a partial acquisition (A) or a 100% acquisition (blank).
PartPct	float	Y	PartPct is the percentage offered in a proposed partial acquisition.
AcceptPct	float	Y	AcceptPct is the total percentage of shareholders accepting a partial takeover offer.
OfferingSedol1	varchar(6)	Y	OfferingSedol1 is the SEDOL/FTEX of the primary company making the offer.
OfferedSedol1	varchar(6)	Y	OfferedSedol1 is the SEDOL/FTEX of the first or only security offered.
OfferedType1	varchar(2)	Y	OfferedType1 is the type of the first or only security offered. Cross-reference OfferedType1 with Gprccode where OfferedType1 = Gprccode.Code and Gprccode.Type_ = 76.
StockAmt1	float	Y	StockAmt1 is the number of shares or the amount of debt securities being offered.
StockCurr1	smallint	Y	StockCurr1 is the currency code associated with StockAmt1. Cross-reference StockCurr1 with Gprccode where StockCurr1 = Gprccode.Code and Gprccode.Type_ = 6.
CashAmt1	float	Y	CashAmt1 is the amount of cash offered as a direct part of the offer.
CashCurr1	smallint	Y	CashCurr1 is the currency code associated with CashAmt1. CashCurr1 can be cross-referenced with Gprccode where CashCurr1 = Gprccode.Code and Gprccode.Type_ = 6.
OfferingSedol2	varchar(6)	Y	OfferingSedol2 is the SEDOL/FTEX of the second company making the offer.
OfferedSedol2	varchar(6)	Y	OfferedSedol2 is the SEDOL/FTEX of the second security offered.

Field	Type	Nullable	Description
OfferedType2	varchar(2)	Y	OfferedType2 is the type of the second security offered. Cross-reference OfferedType2 with Gprccode where OfferedType2 = Gprccode.Code and Gprccode.Type_ = 76.
StockAmt2	float	Y	StockAmt2 is the number of shares or the amount of a second security offered.
StockCurr2	smallint	Y	StockCurr2 is the currency code associated with StockAmt2. Cross-reference StockCurr2 with Gprccode where StockCurr2 = Gprccode.Code and Gprccode.Type_ = 6.
CashAmt2	float	Y	CashAmt2 is the second amount of cash offered.
CashCurr2	smallint	Y	CashCurr2 is the currency code associated with CashAmt2. Cross-reference CashCurr2 with Gprccode where CashCurr2 = Gprccode.Code and Gprccode.Type_ = 6.
OfferingName1	varchar(18)	Y	OfferingName1 is the name of the primary offering company.
OfferingName2	varchar(18)	Y	OfferingName2 is the name of the secondary offering company.

Gprcval: Global Pricing Exchange Specific Pricing

This table contains exchange-specific global pricing data. This table is supplemented by [GprcValA](#).

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_Gprcval (Clustered)	Code, Date_
Gprcval_Date_	Date_, Code, Open_, High, Low, Close_, Bid, Ask, Volume, Currency_, Exchange

Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
Date_	smalldatetime	N	Date_ is the date associated with the price.
Open_	float	Y	Open_ is the first price at which a security was traded on a given date.
High	float	Y	High is the highest price at which a security was traded.
Low	float	Y	Low is the lowest price at which a security was traded.
Close_	float	Y	Close_ is the price at the close of the market. For stocks that do not trade on any given trading day, Close_ is an average of Bid and Ask.
Bid	float	Y	Bid contains the most recent bid price. For equities in which only a current ask price is available, this field is zero-filled.
Ask	float	Y	Ask contains the most recent ask price. For equities where only a current bid price is available, this field is zero-filled.
Volume	float	Y	Volume is the number of shares traded on a given day.
Currency_	smallint	Y	Currency_ is based on EXTEL codes. Gprccode provides EXTEL to ISO translation.
Flags	smallint	Y	Flags is obsolete and should not be used.
Exchange	varchar(3)	Y	Exchange returns the three-character Exchange Codes. The first two letters are the EXTEL country code for the exchange, and the third letter is the one-letter abbreviation for the exchange. Exchange cross-references with Gprccode where Exchange = Gprccode.Code and Gprccode.Type_ = 75.

GprcValA: Global Pricing Exchange Specific Pricing – Additional Fields

This table contains additional descriptions of the [Gprcval](#) records.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_GprcValA (Clustered)	Code, Date_

Field	Type	Nullable	Description
Code	int	N	Code is the primary reference across all Gprc* tables.
Date_	smalldatetime	N	Date_ indicates the date on which the Bid or Ask price last changed.
QuoteCurr	smallint	Y	QuoteCurr is the EXTEL currency of the Bid or Ask. Cross-reference QuoteCurr with Gprccode where QuoteCurr = Gprccode.code and Gprccode.Type_ = 6.
IncomeMarker	varchar(1)	Y	IncomeMarker indicates entitlement or non-entitlement to a dividend payment or capital change (other than a regular dividend). IncomeMarker can be: Not Applicable; marker set on day after the payment date of dividend (0) Cum-dividend; marker set on date when declared dividend is first input (1) Ex-dividend; marker set on the ex-dividend date (2)
EventMarker	varchar(1)	Y	EventMarker identifies whether a capital change is pending and if the security is trading Cum or Ex rights to change. It cross-references Gprccode where EventMarker = Gprccode.Code and Gprccode.Type_ = 151.
PrcCondMarker	varchar(1)	Y	PrcCondMarker is the price condition marker and indicates if the prices are normally reported. PrcCondMarker cross-references Gprccode where PrcCondMarker = Gprccode.Code and Gprccode.Type_ = 152.
VolMarker	varchar(1)	Y	VolMarker defines the reported volume. It cross-references Gprccode where VolMarker = Gprccode.Code and Gprccode.Type_ = 153.
QuoteBasisMarker	varchar(1)	Y	QuoteBasisMarker describes how bid, ask, and close prices are quoted. It cross-references Gprccode where QuoteBasisMarker = Gprccode.Code and Gprccode.Type_ = 154.
QuoteTypeCode	varchar(1)	Y	QuoteTypeCode describes the bid or ask provided, or why no price is available. QuoteTypeCode cross-references Gprccode where QuoteTypeCode = Gprccode.Code and Gprccode.Type_ = 155.
CloseTypeCode	varchar(1)	Y	CloseTypeCode describes the close price provided, or why no price is available. Cross-reference CloseTypeCode with Gprccode where CloseTypeCode = Gprccode.Code and Gprccode.Type_ = 155.
HighLowTypeCode	varchar(1)	Y	HighLowTypeCode describes the high or low provided, or why no price is available. Cross-reference HighLowTypeCode Gprccode where HighLowTypeCode = Gprccode.Code and Gprccode.Type_ = 155.

Copyright © 2024 London Stock Exchange Group plc and its group of companies (LSEG) and/or its affiliates. All rights reserved. The LSEG content received through this service is the intellectual property of LSEG or its third party suppliers. Republication or redistribution of content provided by LSEG is expressly prohibited without the prior written consent of LSEG, except where permitted by the terms of the relevant LSEG service agreement. Neither LSEG nor its third party suppliers shall be liable for any errors, omissions or delays in content, or for any actions taken in reliance thereon. LSEG and its logo are trademarks of LSEG.

For more information visit us at www.lseg.com



LSEG DATA &
ANALYTICS