

LSEG Quantitative Analytics

Database Schema for Index Data

Version 1.0.5



Contents

1 Introduction.....	4
In This Document.....	4
Intended Readership.....	4
Table Name Conventions	4
Pervasive and Oracle.....	4
Zero Values and Nulls.....	4
Service and Support	5
Feedback	6
Your Personal Information	6
2. Basic Index Compositions	7
IdxDaily: Index Daily Prices.....	7
IdxRDaily: Russell Index Daily Prices	7
IdxInfo: Index Information	8
prc.IdxSec: Index Composition Security Universe	8
3. DJX Index Compositions	10
IdxDjCmp: Dow Index Compositions.....	10
IdxDjCtr: Dow 30 Contributions.....	10
IdxDjMkt: Dow 30 Market Values	11
4. NDX Index Compositions.....	12
IdxNdCmp: Nasdaq Index Compositions	12
IdxNDCtr: NASDAQ Contributions	12
IdxNDMkt: NASDAQ Market Values	13
5. Russell Index Compositions	14
IdxRfCmp: Russell Top 50 Daily Index Compositions.....	14
IdxRfCtr: Russell Top 50 Daily Contributions	14
IdxRfMkt: Russell Top 50 Daily Market Values	15
IdxRIClsCode: Russell Daily Index Classification Codes	15
IdxRICmp: Russell Daily Index Compositions	16
IdxRLCtr: Russell Daily Contributions	17
IdxRIMkt: Russell Daily Market Values	17
IdxRpCmp: Russell MicroCap Daily Index Compositions.....	17
IdxRpCtr: Russell MicroCap Daily Contributions.....	18
IdxRpMkt: Russell MicroCap Daily Market Values	18
Idxrudly: Russell Daily Index Composition Data.....	19
IdxRuReconClsCode: Russell Daily Index Classification Codes (during Reconstitution).....	19

IdxRuReconLegCmp: Russell Old Index Constituents (after Reconstitution).....	20
IdxRuReconLegDly: Russell Daily Index Composition Data (after Reconstitution)	21
IdxRuReconMem: Russell Index Member Constituents (after Reconstitution).....	21
IdxRuReconMvmt: Russell Index Constituent Movements (during Reconstitution).....	22
IdxRuReconPreCmp: Russell New Index Constituents (before Reconstitution).....	22
IdxRuReconPreDly: Russell Daily Index Composition Data (before Reconstitution).....	23
6. S&P Index Compositions.....	24
IdxDiv: S&P Index Dividends	24
IdxSpCmp: S&P Index Compositions.....	24
IdxSpCtr: S&P Contributions.....	25
IdxSpDet: S&P Index Detail	25
IdxSpGic: S&P Industry Group History by GIC	26
IdxSpGrp: S&P Industry Group History by Old Industry Classification	26
IdxSPMkt: S&P Market Values.....	27
IdxSpOth: S&P Index Compositions Additional Constituent Data	27
7. S&P Broad Market Index (BMI) Data.....	29
S&P BMI Index Lookup Tables	29
S&P BMI Index-level Tables	31
S&P BMI Constituent-level Tables	34
8. S&P ASX – Australian Index Data.....	40
S&P ASX Index Lookup Tables	40
S&P ASX Index-level Tables.....	40
S&P ASX Constituent-level Tables	43

1 Introduction

In This Document

This document provides schema information about the **Index** data tables in Quantitative Analytics.

NOTE

For information about the other Quantitative Analytics tables, refer to the other Database Schema documents posted on the [Quantitative Analytics](#) product page on [MyAccount](#).

The documentation for each table includes these main elements:

- **Vendor Database or License Name** – This element provides the vendor database or license name. Vendor databases generally correspond to vendor licensing options.
- **Table Name: Table Title** – This element provides the table name and title, followed by a description of the table contents.
- **Update Cycle** – This element indicates the frequency of updates from the data vendor. (For specific information about when this update is posted for your use, refer to your update logs. The update log schema description is available in the Database Schema for Quantitative Analytics Core Tables document.)
- **Adjusted** – This element indicates whether the data is stored adjusted, unadjusted, or if adjustment is not applicable (N/A).
- **Indexes, Index Fields** – This element lists the table's index(es) (for example, pkey_CSGCAD) and the index fields. The primary index contains a "pkey_" or "PK_" prefix. Clustered indexes are noted.
- **Field, Type, Nullable, Definition** – This element describes the table's fields, including field names, data types, and whether each field is nullable. The data types in Snowflake have equivalents available. For example, an *int* in SQL Server is a *number* in Snowflake.

Intended Readership

This document is intended for Quantitative Analytics clients licensed to use **Index** data through LSEG. Note that the tables described in this document may be covered by several licenses; your access to the data in these tables is dependent on the licenses you have. Readers should have basic knowledge of Microsoft SQL Server 2016.

Table Name Conventions

In Quantitative Analytics, database tables are grouped by name. Generally, the first few letters of the table name refer to the data vendor or licensing group. For example, all tables that begin with **IDX*** are **Index** data tables.

Pervasive and Oracle

This document is specific to Microsoft SQL Server 2016. If you are accessing the data directly through the Pervasive database, you may encounter slight differences in index names and data types. Please note that references to Pervasive and Actian are synonymous.

If you are accessing the data through Oracle, note that field names that correspond to Oracle reserved words are appended with an underscore. For example, field names "Number", "Synonym", and "UID" become "Number_", "Synonym_", and "UID_" in Oracle.

Zero Values and Nulls

Null values are usually recorded as "NULL". Occasionally, a table may contain a value of "-99999" or "-9999"; in these cases, there is no recorded data for that period. (It is null.) If the table contains a "0" value, the data was reported as having a "0" value.

Service and Support

[MyAccount](#) is the LSEG portal that provides a single access point for timesaving support services, along with billing, user management, and information.

Statement of Service

The [Quantitative Analytics Service Description](#) is available on the [Quantitative Analytics](#) product page at MyAccount.

Subscribe to Support Channels

You are encouraged to [subscribe](#) to the following support channels to keep informed of changes to products and data, and to be notified of any service issues or change. Please see the *Alerts and Notifications* section in the *Quantitative Analytics Service Description* available on the [Quantitative Analytics](#) product page at MyAccount for detailed instructions.

- **Change Notifications**
 - **Product Change Notifications (PCNs)** detail new, enhanced, or changed functionality, which may require your action, in products that you use.
 - **Data Notifications (DNs)** alert you to upcoming changes to real-time and historical data across all asset classes that are relevant to you.
 - **RIC Change Events** inform you of planned changes to RICs. RIC is the market level identifier key unique to LSEG used to identify securities.
- **Service Alerts**
Alert you about planned maintenance and unplanned service issues affecting your products and services, and be notified via SMS or email.

Documentation

You can access product documentation on the [Quantitative Analytics](#) product page at MyAccount.

Get Support

For support using Quantitative Analytics, please use one of the following methods:

Online

Access [Get Support](#) either via the blue [Get Support](#) button at the top right of each page or by selecting *Get Support* located under *Help and Support* on the left navigation pane at MyAccount.

From the *Get Support* page, choose *Get Product and Content Support* and then select the appropriate category from the next page. Complete the request making sure to include the following:

- Under Product, select Quantitative Analytics from the dropdown list.
- In the **How can we help you?** text box, include the following information:
 - Content set name (i.e. Worldscope)
 - Date applicable to a content inquiry
 - Table names and relevant fields
 - Security code (i.e. QA-ID, PermID, Sedol, InfoCode, etc.)
 - Script used to generate the output
 - Any other supporting detail

Telephone

Region	Telephone	Options
AMERS	+01 866 427 8390	Option 1 – Product Support Option 2 – Technical Support
EMEA	+44 203 341 1036	
APAC	+65 6403 7436	

Feedback

We invite your comments, corrections, and suggestions about this document: access the [Feedback](#) option under [Get Support](#) at MyAccount. Your feedback helps us continue to improve our user assistance.

Your Personal Information

LSEG is committed to the responsible handling and protection of personal information. We invite you to review our [Privacy Statement](#), which describes how we collect, use, disclose, transfer, and store personal information when needed to provide our services and for our operational and business purposes.

2. Basic Index Compositions

With one exception, the tables described in this section are included in the core LSEG Quantitative Analytics package for Quantitative Analytics and are available to all clients. The exception is IdxDaily, which contains IDC pricing data and, therefore, requires a license for IDC data.

IdxDaily: Index Daily Prices

This table contains daily index prices.

NOTE

IdxDaily requires an IDC license because it contains IDC pricing data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_idxdaily (clustered)	Code, Date_
idxdaily_Date_	Date_, Code, Open_, High, Low, Close_

Field	Type	Nullable	Description
Code	int	N	Code cross-references with IdxInfo where idxdaily.Code = idxinfo.Code.
Date_	datetime	N	Date_ is the date of the daily index pricing data.
Open_	float	Y	Open_ is the opening index daily price.
High	float	Y	High is the high index daily price.
Low	float	Y	Low is the low index daily price.
Close_	float	Y	Close_ is the closing index daily price.

IdxRDaily: Russell Index Daily Prices

This table contains daily index prices for Russell indexes only.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_idxrdaily (clustered)	Code, Date_
idxrdaily_Date_	Date_, Code, Open_, High, Low, Close_

Field	Type	Nullable	Description
Code	int	N	Code cross-references with IdxInfo where idxrdaily.Code = idxinfo.Code.
Date_	smalldatetime	N	Date_ is the date of the daily index pricing data.
Open_	float	Y	Open_ is the opening index daily price.
High	float	Y	High is the high index daily price.
Low	float	Y	Low is the low index daily price.
Close_	float	Y	Close_ is the closing index daily price.

IdxInfo: Index Information

Use this table to retrieve basic index information such as the name of the index, the type of index, and the index CUSIP and ticker.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_idxinfo (clustered)	Code
idxinfo_Cusip	Cusip
idxinfo_Name	Name
idxinfo_Ticker	Ticker

Field	Type	Nullable	Description
Ticker	varchar(30)	Y	Ticker is the ticker identifier of the index.
Cusip	varchar(8)	Y	Cusip is the CUSIP identifier of the index.
Name	varchar(60)	Y	Name is the name of the index.
Code	int	N	Code is the primary link to all IDX* tables.
Type_	smallint	Y	Type_ indicates the index compositions and may be: – 0 (no index compositions) – 1 (S&P compositions) – 2 (Russell compositions, excluding MicroCap and Top 50) – 3 (Nasdaq compositions) – 4 (DOW30 compositions) – 5 (Russell MicroCap) – 6 (Russell Top 50)

prc.IdxSec: Index Composition Security Universe

Use this table to map security codes from the SecMstrX table to security codes in the index tables.

NOTE
The table dbo.IdxSec is a legacy table that should be disregarded.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_IdxSec (clustered)	Vendor, Code
IdxSec_PrcCode	Vendor, PrcCode, FirstDate
IdxSec_Vendor	Vendor, Cusip

Field	Type	Nullable	Description
Vendor	smallint	N	Vendor indicates the supplier of the index composition and may be: – 1 (S&P) – 2 (Russell) – 3 (Nasdaq) – 4 (DOW30)
Cusip	varchar(8)	Y	Cusip is the CUSIP of the security.
Ticker	varchar(8)	Y	Ticker is the ticker of the security.
Name	varchar(60)	Y	Name is the name of the security.
FirstDate	smalldatetime	Y	FirstDate and LastDate provide the coverage of the security in the composition.
LastDate	smalldatetime	Y	

Field	Type	Nullable	Description
Code	int	N	Code, with Vendor, provides the cross-reference to the composition tables (Idx*Cmp).
PrcCode	int	Y	PrcCode provides the link to the security master table SecMstrX where PrcCode = SecMstrX.SecCode.

NOTE

For more information about SecMstrX, refer to the Quantitative Analytics Database Schema for Core Tables posted on the [LSEG Quantitative Analytics](#) product page on MyAccount.

3. DJX Index Compositions

Tables beginning with the prefix IdxDj* contain data on Dow Jones Industrial Average indexes. These tables are included in the core Quantitative Analytics package and are available to all clients.

IdxDjCmp: Dow Index Compositions

This table contains information about Dow index compositions.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxDjCmp (clustered)	IdxCode, Date_, SecCode
IdxDjCmp_Date	Date_, IdxCode, SecCode
IdxDjCmp_IdxCode	IdxCode, SecCode, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references idxinfo .
Date_	smalldatetime	N	Date_ represents the date of index composition data.
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 4.
Industry	smallint	Y	(Not Available)
Sector1	smallint	Y	(Not Available)
Sector2	smallint	Y	(Not Available)
Weight	float	Y	Weight is the weight of the security, expressed in percent.
Shares	float	Y	Shares is the security's shares used to calculate Weight.
AdjWeight	float	Y	(Not Available)
AdjShares	float	Y	(Not Available)

IdxDjCtr: Dow 30 Contributions

This table contains information about Dow 30 Contributions.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxDjCtr (clustered)	IdxCode, SecCode, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references idxinfo .
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 4.
Date_	smalldatetime	N	Date_ is the date of index contribution data.
BegVal	float	Y	BegVal is the market cap of the security in the index, at the beginning of the day.
Contrib	float	Y	Contrib is the change in market cap of the security for that day, from open to close.

IdxDjMkt: Dow 30 Market Values

This table contains information about Dow 30 Market Values.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxDjMkt (clustered)	IdxCode, Date_
IdxDjMkt_Date	Date_, IdxCode

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references idxinfo .
Date_	smalldatetime	N	Date_ is the date of the index market values data.
Mkt	float	Y	Mkt is the index market cap as of the day's close.
AdjMkt	float	Y	AdjMkt is the index market cap as of next day's open.
Divisor	float	Y	Divisor is the index divisor as of the day's close.
AdjDivisor	float	Y	AdjDivisor is the index divisor as of the next day's open.

NOTE

The standard formula to calculate the index is: $\text{index daily price} = (\text{index market value}) / (\text{index divisor})$.

4. NDX Index Compositions

Tables beginning with the prefix IdxNd* contain data on NASDAQ indexes.

IdxNdCmp: Nasdaq Index Compositions

This table contains general information about NASDAQ index compositions.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxNdCmp (clustered)	IdxCode, Date_, SecCode
IdxNdCmp_Date	Date_, IdxCode, SecCode
IdxNdCmp_IdxCode	IdxCode, SecCode, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references idxinfo .
Date_	smalldatetime	N	Date_ is the date of index composition data.
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 3.
Industry	smallint	Y	(Not Available)
Sector1	smallint	Y	(Not Available)
Sector2	smallint	Y	(Not Available)
Weight	float	Y	Weight is the security's weight, expressed in percent.
Shares	float	Y	Shares is the security's shares, used to calculate Weight.
AdjWeight	float	Y	(Not Available)
AdjShares	float	Y	(Not Available)

IdxNDCtr: NASDAQ Contributions

This table contains information about NASDAQ Contributions.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxNDCtr (clustered)	IdxCode, SecCode, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references idxinfo .
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 3.
Date_	smalldatetime	N	Date_ is the date of index contribution data.
BegVal	float	Y	BegVal is the market cap of the security in the index, at the beginning of the day.
Contrib	float	Y	Contrib is the change in market cap of the security for that day, from open to close.

IdxNDMkt: NASDAQ Market Values

This table contains information about NASDAQ Market Values.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxNDMkt (clustered)	IdxCode, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references idxinfo .
Date_	smalldatetime	N	Date_ is the date of the index market values data.
Mkt	float	Y	Mkt is the index market cap as of the day's close.
AdjMkt	float	Y	AdjMkt is the index market cap as of the next day's open.
Divisor	float	Y	Divisor is the index divisor as of the day's close.
AdjDivisor	float	Y	AdjDivisor is the index divisor as of the next day's open.

NOTE

The standard formula to calculate index is: index daily price = (index market value) / (index divisor).

5. Russell Index Compositions

These prefixes indicate these corresponding Russell indexes:

- IdxRF* indicates Russell Top 50 and Russell Top 50 History
- IdxRL* indicates Russell Index and Russell Index History
- IdxRP* indicates Russell Microcap and Russell Microcap History

The tables with these prefixes have been discontinued and should be disregarded:

- IdxRD*

IdxRfCmp: Russell Top 50 Daily Index Compositions

This table contains information about Russell Top 50 Daily Index Compositions.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxRfCmp (clustered)	IdxCode, Date_, SecCode
IdxRfCmp_Date	Date_, IdxCode, SecCode
IdxRfCmp_IdxCode	IdxCode, SecCode, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references idxinfo .
Date_	smalldatetime	N	Date_ is the date of index composition data.
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 2.
Industry	int	Y	Industry provides the ICB Industry code. For more information, see IdxRIClsCode .
Sector1	int	Y	Sector1 is the ICB Sector code. For more information, see IdxRIClsCode .
Sector2	int	Y	Sector2 is the ICB Subsector code. For more information, see IdxRIClsCode .
Weight	float	Y	Weight is the security's weight, expressed in percent.
Shares	float	Y	Shares is the security's float shares used to calculate weight.
AdjWeight	float	Y	AdjWeight and AdjShares represent the next day's compositions. As a result, the data in these columns are the new weights or shares as of the next day for any changed compositions.
AdjShares	float	Y	

IdxRfCtr: Russell Top 50 Daily Contributions

Use this table to retrieve data on the Russell Top 50 Daily Contributions.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxRfCtr (clustered)	IdxCode, SecCode, Date_
IdxRfCtr_Date	Date_, IdxCode, SecCode

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references IdxInfo .

Field	Type	Nullable	Description
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 2.
Date_	smalldatetime	N	Date_ is the date of the index contribution data.
BegVal	float	Y	BegVal is the security's market cap in the index at the beginning of the day.
Contrib	float	Y	Contrib is the security's change in market cap for that day from open to close.

IdxRfMkt: Russell Top 50 Daily Market Values

Use this table to retrieve information on Russell Top 50 Daily Market Values.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxRfMkt (clustered)	IdxCode, Date_
IdxRfMkt_Date	Date_, IdxCode

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references IdxInfo .
Date_	smalldatetime	N	Date_ is the date of the index market values data.
Mkt	float	Y	Mkt is the index market cap as of the day's close.
AdjMkt	float	Y	AdjMkt is the index market cap as of the next day's open.
Divisor	float	Y	Divisor is the index divisor as of the day's close.
AdjDivisor	float	Y	AdjDivisor is the index divisor as of the next day's open.

NOTE

The standard formula to calculate index is: index daily price = (index market value) / (index divisor).

IdxRICsCode: Russell Daily Index Classification Codes

In previous implementations of the Russell index schema, the Industry, Sector1, and Sector2 codes cross-referenced the PrcCode2 table in the IDC Equities Pricing schema. In those implementations it was not possible to track industry or sector changes over time. This table overcomes that obstacle by providing a way to track industry and sector changes over time.

The start date for the data in this table is 29 June 2009.

To retrieve records with dates prior to 29 June 2009, you must cross-reference Industry and Sector1 as described here:

- Industry cross-references with PrcCode2 where PrcCode2.Type_ = 10 and PrcCode2.Code = Industry
- Sector1 cross-references with PrcCode2 where PrcCode2.Type_ = 11 and PrcCode2.Code = Sector1
- Sector2 is not available for Russell Indexes

For more information about PrcCode2, refer to the Quantitative Analytics Database Schema for IDC Pricing posted on the [LSEG Quantitative Analytics](#) product page on MyAccount.

To retrieve records with start dates after 29 June 2009 and before 20 September 2020, cross-reference IdxRICsCode.Code with the values for Industry, Sector1, or Sector2 from any Russell table, as described here:

- Industry cross-references with IdxRICsCode where IdxRICsCode.Code = concatenation of (Sector1, Sector2, Industry)
- Sector1 cross-references with IdxRICsCode where IdxRICsCode.Code = Sector1
- Sector2 cross-references with IdxRICsCode where IdxRICsCode.Code = concatenation of (Sector1, Sector2)

To retrieve records with start dates after 20 September 2020, cross-reference IdxRICIsCode.Code with the values for Industry, Sector1, or Sector2 from any Russell table, as described here:

- Industry cross-references with IdxRICIsCode where IdxRICIsCode.Code = Industry
- Sector1 cross-references with IdxRICIsCode where IdxRICIsCode.Code = Sector1
- Sector2 cross-references with IdxRICIsCode where IdxRICIsCode.Code = Sector2

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_IdxRICIsCode (clustered)	Code, StartDate

Field	Type	Nullable	Description
Code	int	N	Code is cross-referenced from other Russell tables. It is equivalent to Industry, Sector1, or Sector2.
StartDate	datetime	N	If no change in the industry or sector description has taken place, StartDate is the date the of the original classification. If the industry or sector description has changed, this is the date the new classification began. Note: Because Russell reclassified all records for reconstitution in this table, the initial StartDate for all records is 29 June 2009, unless the classification changed after 29 June 2009.
CodeDesc	varchar(256)	Y	For the records with start dates from 29 June 2009 to 20 September 2020, CodeDesc represents the description of the industry or sector (RGS codes). For the records with start dates from 21 September 2020, this field represents the description of industry, sector, subsector or supersector (ICB codes).
EndDate	datetime	Y	EndDate is the date a classification changed. If no EndDate is present, then the shown classification is current. EndDate is given as the StartDate for the new classification, minus one day.

IdxRICmp: Russell Daily Index Compositions

Use this table to retrieve data on Russell Daily Index Compositions.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxRICmp (clustered)	IdxCode, Date_, SecCode
IdxRICmp_Date	Date_, IdxCode, SecCode
IdxRICmp_IdxCode	IdxCode, SecCode, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references idxinfo .
Date_	smalldatetime	N	Date_ is the date of index composition data.
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 2.
Industry	int	Y	Industry provides the ICB Industry code. For more information, see IdxRICIsCode .
Sector1	int	Y	Sector1 is the ICB Sector code. For more information, see IdxRICIsCode .
Sector2	int	Y	Sector2 is the ICB Subsector code. For more information, see IdxRICIsCode .
Weight	float	Y	Weight is the security's weight, expressed in percent.
Shares	float	Y	Shares is the security's float shares used to calculate weight. This value is displayed in thousands.
AdjWeight	float	Y	AdjWeight and AdjShares represent the next day's compositions. As a result, the data in these columns are new weights/shares as of the next day for any changed compositions. The AdjShares value is displayed in thousands.
AdjShares	float	Y	

Note

For more information about PrcCode2, refer to the Quantitative Analytics Database Schema for IDC Pricing posted on the [LSEG Quantitative Analytics](#) product page on MyAccount.

IdxRLCtr: Russell Daily Contributions

This table contains Russell Daily Contributions data.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxRLCtr (clustered)	IdxCode, SecCode, Date_
IdxRLCtr_Date	Date_, IdxCode, SecCode

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references idxinfo .
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 2.
Date_	smalldatetime	N	Date_ is the date of index contribution data.
BegVal	float	Y	BegVal is the security's market cap in the index, at the beginning of the day.
Contrib	float	Y	Contrib is the security's change in market cap for that day, from open to close.

IdxRIMkt: Russell Daily Market Values

This table contains Russell Daily Market Values data.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxRIMkt (clustered)	IdxCode, Date_
IdxRIMkt_Date	Date_, IdxCode

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references idxinfo .
Date_	smalldatetime	N	Date_ is the date of the index market values data.
Mkt	float	Y	Mkt is the index market cap as of the day's close.
AdjMkt	float	Y	AdjMkt is the index market cap as of the next day's open.
Divisor	float	Y	Divisor is the index divisor as of the day's close.
AdjDivisor	float	Y	AdjDivisor is the index divisor as of the next day's open.

NOTE

The standard formula to calculate index is: index daily price = (index market value) / (index divisor).

IdxRpCmp: Russell MicroCap Daily Index Compositions

This table contains Russell Micro Cap Daily Index Compositions data.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxRpCmp (clustered)	IdxCode, Date_, SecCode
IdxRpCmp_Date	Date_, IdxCode, SecCode

Indexes	Index Fields
IdxRpCmp_IdxCode	IdxCode, SecCode, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references idxinfo .
Date_	smalldatetime	N	Date_ is the date of index composition data.
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 2.
Industry	int	Y	Industry provides the ICB Industry code. For more information, see IdxRIClsCode .
Sector1	int	Y	Sector1 is the ICB Sector code. For more information, see IdxRIClsCode .
Sector2	int	Y	Sector2 is the ICB Subsector code. For more information, see IdxRIClsCode .
Weight	float	Y	Weight is the security's weight, expressed in percent.
Shares	float	Y	Shares is the security's float shares used to calculate weight.
AdjWeight	float	Y	AdjWeight and AdjShares represent the next day's compositions. As a result, the data in these columns are new weights/shares as of the next day for any changed compositions.
AdjShares	float	Y	

NOTE

For more information about PrcCode2, refer to the Quantitative Analytics Database Schema for IDC Pricing posted on the [LSEG Quantitative Analytics](#) product page on MyAccount.

IdxRpCtr: Russell MicroCap Daily Contributions

This table contains Russell Micro Cap Daily Index Compositions data.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxRpCtr (clustered)	IdxCode, SecCode, Date_
IdxRpCtr_Date	Date_, IdxCode, SecCode

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references idxinfo .
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 2.
Date_	smalldatetime	N	Date_ is the date of index contribution data.
BegVal	float	Y	BegVal is the security's market cap in the index, at the beginning of the day.
Contrib	float	Y	Contrib is the security's change in market cap for that day, from open to close.

IdxRpMkt: Russell MicroCap Daily Market Values

This table contains Russell Micro Cap Daily Market Values data.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxRpMkt (clustered)	IdxCode, Date_
IdxRpMkt_Date	Date_, IdxCode

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references idxinfo .
Date_	smalldatetime	N	Date_ is the date of the index market values data.

Field	Type	Nullable	Description
Mkt	float	Y	Mkt is the index market cap as of the day's close.
AdjMkt	float	Y	AdjMkt is the index market cap as of the next day's open.
Divisor	float	Y	Divisor is the index divisor as of the day's close.
AdjDivisor	float	Y	AdjDivisor is the index divisor as of the next day's open.

NOTE

The standard formula to calculate index is: index daily price = (index market value) / (index divisor).

Idxrudly: Russell Daily Index Composition Data

This table contains Russell Daily Index Composition data.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_Idxrudly (Clustered)	Date_, SecCode

Field	Type	Nullable	Description
Date_	smalldatetime	N	Date_ is the date of index contribution data.
SecCode	int	N	SecCode is the primary link across all Idx* tables.
Return_	float	Y	Return_ is the daily total return.
MTDReturn	float	Y	MTDReturn is the month-to-date total return.
MktValue	float	Y	MktValue is the market value based on total available shares.
GroShares	float	Y	GroShares is the growth shares.
ValShares	float	Y	ValShares is the value shares.
ShareChg	float	Y	ShareChg is the daily change in total available shares.

NOTE

The following tables are part of the Russell Index reconstitution process. Russell US Indexes reconstitutes its Indexes in June every year. The reconstitution changes impact the current data model schema and will be implemented on the existing legacy implementation.

IdxRuReconClsCode: Russell Daily Index Classification Codes (during Reconstitution)

This table is similar in structure and definition to the [IdxRIClsCode](#) table. The only difference is that IdxRuReconClsCode captures Sector, Sub-Sector, and Industry descriptions only during reconstitution.

Update Cycle: As necessary

Adjusted: No

Indexes	Index Fields
pkey_IdxRuReconClsCode (Clustered)	Code, StartDate

Field	Type	Nullable	Description
Code	int	N	Code is cross-referenced from other Russell tables. It is equivalent to Industry, Sector1, or Sector2.
StartDate	datetime	N	If no change in the industry or sector description has taken place, StartDate is the date the of the original classification. If the industry or sector description has changed, this is the date the new classification began. Note: Because Russell reclassified all records for reconstitution in this table, the initial StartDate for all records is 29 June 2009, unless the classification changed after 29 June 2009.

Field	Type	Nullable	Description
CodeDesc	varchar(256)	Y	For the records with start dates from 29 June 2009 to 20 September 2020, CodeDesc represents the description of the industry or sector (RGS codes). For the records with start dates from 21 September 2020, this field represents the description of industry, sector, subsector or supersector (ICB codes).
EndDate	datetime	Y	EndDate is the date a classification changed. If no EndDate is present, then the shown classification is current. EndDate is given as the StartDate for the new classification, minus one day.

IdxRuReconLegCmp: Russell Old Index Constituents (after Reconstitution)

NOTE

This table is no longer maintained. It is described for your reference, but using this table is not recommended.

This table reflects constituents of the old index after reconstitution, and the corresponding values, assuming no changes are implemented during reconstitution.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxRuReconLegCmp (Clustered)	IdxCode, Date_, SecCode
IdxRuReconLegCmp_1	IdxCode, SecCode , Date_
IdxRuReconLegCmp_2	Date_, SecCode, IdxCode
IdxRuReconLegCmp_3	Date_, IdxCode, SecCode

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references idxinfo .
Date_	datetime	N	Date_ is the date of index composition data.
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 2.
Industry	smallint	Y	Industry describes the index industry. For more information, see IdxRICIsCode .
Sector1	smallint	Y	Sector1 is the index sector. For more information, see IdxRICIsCode .
Sector2	smallint	Y	Sector2 is the index sub-sector. For more information, see IdxRICIsCode .
Weight	float	Y	Weight is the security's weight, expressed in percent.
Shares	float	Y	Shares is the security's float shares used to calculate weight.
AdjWeight	float	Y	AdjWeight and AdjShares represent the next day's compositions. As a result, the data in these columns are new weights/shares as of the next day for any changed compositions.
AdjShares	float	Y	
LicFlag	int	Y	LicFlag is the licensing flag. It can have the following values: – 1 = Russell Top 50 Index codes – 2 = Russell Microcap Index codes – 4 = For remaining all Index codes

IdxRuReconLegDly: Russell Daily Index Composition Data (after Reconstitution)

NOTE

This table is no longer maintained. It is described for your reference, but using this table is not recommended.

This table reflects daily index composition data for securities after reconstitution, assuming no changes are implemented during reconstitution. This information will be helpful for old securities that will be deleted from the Russell universe after reconstitution.

Update Cycle: Daily

Adjusted: No

Indexes		Index Fields	
pkey_IdxRuReconLegDly (Clustered)		SecCode, Date_	
Field	Type	Nullable	Description
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 2.
Date_	datetime	N	Date_ is the date of index composition data.
Return_	float	Y	Return_ is the price return.
MTDReturn	float	Y	MTDReturn is the month to date total return.
MktValue	float	Y	MktValue is the market value based on total available shares.
GroShares	float	Y	GroShares is the growth shares.
ValShares	float	Y	ValShares is the value shares.
ShareChg	float	Y	ShareChg is the daily change in total available shares.

IdxRuReconMem: Russell Index Member Constituents (after Reconstitution)

This table indicates what constituents will be members of the index after reconstitution.

Update Cycle: As necessary

Adjusted: No

Indexes		Index Fields	
pkey_IdxRuReconMem (Clustered)		IdxCode, Date_, SecCode	
IdxRuReconMem_1		IdxCode, SecCode, Date_	
IdxRuReconMem_2		Date_, SecCode, IdxCode	
IdxRuReconMem_3		Date_, IdxCode, SecCode	
Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references IdxInfo .
Date_	datetime	N	Date_ is the date of index composition data.
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 2.
Industry	smallint	Y	Industry describes the index industry. For more information, see IdxRICIsCode .
Sector1	smallint	Y	Sector1 is the index sector. For more information, see IdxRICIsCode .
Sector2	smallint	Y	Sector2 is the index sub-sector. For more information, see IdxRICIsCode .
Shares	float	Y	Shares is the security's float shares used to calculate weight.
ValShares	float	Y	ValShares is the value shares.
GroShares	float	Y	GroShares is the growth shares.

Field	Type	Nullable	Description
ShareChg	float	Y	ShareChg is the daily change in total available shares.
LicFlag	int	Y	LicFlag is the licensing flag. It can have the following values: – 1 = Russell Top 50 Index codes – 2 = Russell Microcap Index codes – 4 = For remaining all Index codes

IdxRuReconMvmt: Russell Index Constituent Movements (during Reconstitution)

This table reflects constituent movements within indexes during reconstitution.

Update Cycle: As necessary

Adjusted: No

Indexes	Index Fields
pkey_IdxRuReconMvmt (Clustered)	IdxCode, Date_, SecCode
IdxRuReconMvmt_1	IdxCode, SecCode , Date_
IdxRuReconMvmt_2	Date_, SecCode, IdxCode
IdxRuReconMvmt_3	Date_, IdxCode, SecCode

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references idxinfo .
Date_	datetime	N	Date_ is the date of index composition data.
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 2.
AddDelFlag	char(1)	Y	AddDelFlag indicates whether the particular security is newly added or deleted from the Index as part of the reconstitution process.
SrcDestIdxName	varchar(15)	Y	For AddDelFlag value "A", SrcDestIdxName indicates the security's index origin before being added to this Index. For AddDelFlag value "D", SrcDestIdxName indicates the security's index destination afetr being deleted from this Index.
LicFlag	int	Y	LicFlag is the licensing flag. It can have the following values: – 1 = Russell Top 50 Index codes – 2 = Russell Microcap Index codes – 4 = For remaining all Index codes

IdxRuReconPreCmp: Russell New Index Constituents (before Reconstitution)

This table reflects constituents of the new index prior to reconstitution, and the corresponding values, assuming reconstitution is complete.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxRuReconPreCmp (Clustered)	IdxCode, Date_, SecCode
IdxRuReconPreCmp_1	IdxCode, SecCode , Date_
IdxRuReconPreCmp_2	Date_, SecCode, IdxCode
IdxRuReconPreCmp_3	Date_, IdxCode, SecCode

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references IdxInfo .
Date_	datetime	N	Date_ is the date of index composition data.
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 2.
Industry	smallint	Y	Industry describes the index industry. For more information, see IdxRICIsCode .
Sector1	smallint	Y	Sector1 is the index sector. For more information, see IdxRICIsCode .
Sector2	smallint	Y	Sector2 is the index sub-sector. For more information, see IdxRICIsCode .
Weight	float	Y	Weight is the security's weight, expressed in percent.
Shares	float	Y	Shares is the security's float shares used to calculate weight.
AdjWeight	float	Y	AdjWeight and AdjShares represent the next day's compositions. As a result, the data in these columns are new weights/shares as of the next day for any changed compositions.
AdjShares	float	Y	
LicFlag	int	Y	LicFlag is the licensing flag. It can have the following values: – 1 = Russell Top 50 Index codes – 2 = Russell Microcap Index codes – 4 = For remaining all Index codes

IdxRuReconPreDly: Russell Daily Index Composition Data (before Reconstitution)

This table reflects daily index composition data for securities prior to reconstitution, assuming reconstitution is complete. This information will be helpful for new securities that will be added in the Russell universe after reconstitution.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxRuReconPreDly (Clustered)	SecCode, Date_

Field	Type	Nullable	Description
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 2.
Date_	datetime	N	Date_ is the date of index composition data.
Return_	float	Y	Return_ is the price return.
MTDReturn	float	Y	MTDReturn is the month to date total return.
MktValue	float	Y	MktValue is the market value based on total available shares.
GroShares	float	Y	GroShares is the growth shares.
ValShares	float	Y	ValShares is the value shares.
ShareChg	float	Y	ShareChg is the daily change in total available shares.

6. S&P Index Compositions

Tables beginning with the prefix IdxSp* contain data on S&P indexes.

NOTE

See also [S&P BMI Index Data](#).

NOTE

The table IdxSpGrp has been discontinued and should be disregarded.

IdxDiv: S&P Index Dividends

This table contains index dividend pricing.

Update Cycle: Daily

Adjusted: No

Indexes		Index Fields	
pkey_Idxdiv (clustered)		Code, Item, Date_	
Field	Type	Nullable	Description
Code	int	N	Code cross-references with IdxInfo where idxdiv.Code = idxinfo.Code.
Item	smallint	N	Item represents the dividend item and may be 1 (Index Dividend Impact) or 2 (Index Total Return).
Date_	smalldatetime	N	Date is the date of index dividend data.
Value_	float	Y	Value_ is the daily value of the corresponding item.

IdxSpCmp: S&P Index Compositions

This table contains S&P Index Compositions data.

Update Cycle: Daily

Adjusted: No

Indexes		Index Fields	
pkey_IdxSpCmp (clustered)		IdxCode, Date_, SecCode	
IdxSpCmp_Date		Date_, IdxCode, SecCode	
IdxSpCmp_IdxCode		IdxCode, SecCode, Date_	
Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references IdxInfo .
Date_	smalldatetime	N	Date_ is the date of index composition data
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 1.
Industry	smallint	Y	Industry cross-references with PrcCode2 where PrcCode2.Type_ = 8 and PrcCode2.Code = Industry.
Sector1	smallint	Y	Sector1 is the index sector. Sector1 cross-references with PrcCode2 where PrcCode2.Type_ in (9,12) and PrcCode2.Code = Sector1. Type 12 is used currently and Type 9 historically.

Field	Type	Nullable	Description
Sector2	smallint	Y	Sector2 is the index sub-sector. Sector2 cross-references with PrcCode2 where PrcCode2.Type_ = 9 and PrcCode2.Code = Sector2.
Weight	float	Y	Weight is the security's weight, expressed in percent as of the day's close.
Shares	float	Y	Shares is the security's shares used to calculate weight as of the day's close. This value is displayed in millions. Shares are stored float adjusted. To get shares outstanding, use the iwtf factor from the table IdxSpDet to adjust the shares data.
AdjWeight	float	Y	AdjWeight is the security's weight, expressed in percent as of the next day's open.
AdjShares	float	Y	AdjShares is the security's shares used to calculate weight as of next day's open. This value is displayed in millions.

NOTE

For more information about PrcCode2, refer to the Quantitative Analytics Database Schema for IDC Pricing posted on the [LSEG Quantitative Analytics](#) product page on MyAccount.

IdxSpCtr: S&P Contributions

This table contains S&P Contributions data.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxSpCtr (clustered)	IdxCode, SecCode, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references IdxInfo .
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 1.
Date_	smalldatetime	N	Date_ is the date of index contribution data.
BegVal	float	Y	BegVal is the security's market cap in the index, at the beginning of the day.
Contrib	float	Y	Contrib is the security's change in market cap for that day, from open to close.

IdxSpDet: S&P Index Detail

This table contains S&P Index Detail data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_IdxSpDet (clustered)	IdxCode, Date_, SecCode
IdxSpDet_IdxCode	IdxCode, SecCode, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references IdxInfo .
Date_	smalldatetime	N	Date_ is the date of the index detail data.
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 1.
Ric	varchar (7)	Y	RIC is the LSEG Identification Code.
BloomTkr	varchar (7)	Y	BloomTkr is the Bloomberg ticker.
Isin	varchar (12)	Y	Isin is the ISIN number.
Sedol	varchar (12)	Y	Sedol is the SEDOL.

Field	Type	Nullable	Description
PriceLot	float	Y	PriceLot is the lot size for price quotes.
LocalPrice	float	Y	LocalPrice is the local closing price.
CurrCode	varchar (5)	Y	CurrCode is the ISO Currency code of the currency in which the closing price is stated.
FxRate	float	Y	FxRate is the foreign exchange rate (local currency to index currency).
Iwf	float	Y	Iwf is the investible weight factor. This is the float adjustment factor. To unadjust weight to not float adjusted, divide weight by the Iwf.

IdxSpGic: S&P Industry Group History by GIC

This table contains S&P Industry Group History by GIC.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_IdxSpGic (clustered)	IdxCode, Date_, GicCode
IdxSpGic_IdxCode	IdxCode, GicCode, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references IdxInfo .
Date_	smalldatetime	N	Date_ is the date of the S&P industry data.
GicCode	int	N	GicCode cross-references with PrcCode2 where GicCode = PrcCode2.Code and PrcCode2.Type_ = 12.
Value_	float	Y	Value_ is the closing index value.
OldMkt	float	Y	OldMkt is the index market cap at close.
OldDiv	float	Y	OldDiv is the index divisor at close.
OldNum	smallint	Y	OldNum is the number of constituents at close.
NewMkt	float	Y	NewMkt is the index market cap following changes.
NewDiv	float	Y	New Div is the index divisor following changes.
NewNum	smallint	Y	NewNum is the number of constituents following changes.
ChgFlag	tinyint	Y	ChgFlag indicates change in the group/industry components.
TotRet	float	Y	TotRet is the index total return value.

NOTE

For more information about PrcCode2, refer to the Quantitative Analytics Database Schema for IDC Pricing posted on the [LSEG Quantitative Analytics](#) product page on MyAccount.

IdxSpGrp: S&P Industry Group History by Old Industry Classification

This is a legacy table containing old industry classifications. It has a cut-off date of 2/7/2002. Refer to [IdxSpGic](#) (page 26) for current and historical GIC data.

Update Cycle: Does not update

Adjusted: N/A

Indexes	Index Fields
pkey_IdxSpGrp (clustered)	IdxCode, Date_, Group
IdxSpGrp_IdxCode	IdxCode, Group_, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references IdxInfo .

Field	Type	Nullable	Description
Date_	smalldatetime	N	Date_ is the date of the S&P industry data.
Group_	smallint	N	Group_ cross-references with PrcCode2 where PrcCode2.Type_ = 8 and PrcCode.Code = Group_.
Value_	float	Y	Value_ is the item value.
OldMkt	float	Y	OldMkt is the old industry group market value.
OldDiv	float	Y	OldDiv is the old industry group divisor.
OldNum	smallint	Y	OldNum is the old industry group number of components.
NewMkt	float	Y	NewMkt is the new industry group market value.
NewDiv	float	Y	NewDiv is the new industry group divisor.
NewNum	smallint	Y	NewNum is the new industry group number of components.
ChgFlag	tinyint	Y	ChgFlag indicates a change in the industry group components.

NOTE

For more information about PrcCode2, refer to the Quantitative Analytics Database Schema for IDC Pricing posted on the [LSEG Quantitative Analytics](#) product page on MyAccount.

IdxSPMkt: S&P Market Values

This table contains S&P Market Values data.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxSPMkt (clustered)	IdxCode, Date_
IdxSPMkt_Date	Date_, IdxCode

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references IdxInfo .
Date_	smalldatetime	N	Date_ is the date of the S&P market values data.
Mkt	float	Y	Mkt is the index market cap as of the day's close.
AdjMkt	float	Y	AdjMkt is the index market cap as of the next day's open.
Divisor	float	Y	Divisor is the index divisor as of the day's close.
AdjDivisor	float	Y	AdjDivisor is the index divisor as of the next day's open.

NOTE

The standard formula to calculate index is: index daily price = (index market value) / (index divisor).

IdxSpOth: S&P Index Compositions Additional Constituent Data

This table contains S&P Index Compositions Additional Constituent data.

Update Cycle: Daily

Adjusted: No

Indexes	Index Fields
pkey_IdxSpOth (clustered)	IdxCode, Date_, SecCode
IdxSpOth_IdxCode	IdxCode, SecCode, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode cross-references IdxInfo .
Date_	smalldatetime	N	Date_ is the date of index composition data.

Field	Type	Nullable	Description
SecCode	int	N	SecCode is the security code. Cross-reference SecCode with prc.IdxSec where SecCode = prc.IdxSec.Code and prc.IdxSec.Vendor = 1.
Price	float	Y	Price is the security's closing price (end of day).
MktCap	float	Y	MktCap is the security's market capitalization (end of day).
AdjPrice	float	Y	AdjPrice is the security's closing price (next day).
AdjMktCap	float	Y	AdjMktCap is the security's market capitalization (next day).
Beta	float	Y	Beta is the security's beta.
GicCode	int	Y	GicCode cross-references with PrcCode2 where GicCode = PrcCode2.Code and PrcCode2.Type_ = 12.
Exchange	varchar(2)	Y	Exchange is the exchange of the stock.
GroVal	varchar(1)	Y	GroVal is the growth/value indicator where G is Growth and V is Value.
SP100	tinyint	Y	SP100 is the SP100 index membership flag. SP100 can be 0 (Part of SP500 only) or 1 (Part of SP100 also).
Fitu	varchar(1)	Y	Fitu classifies the security as Financial/Industrial/Transportation/Utilities

NOTE

For more information about PrcCode2, refer to the Quantitative Analytics Database Schema for IDC Pricing posted on the [LSEG Quantitative Analytics](#) product page on MyAccount.

7. S&P Broad Market Index (BMI) Data

All S&P Broad Market Index (BMI) tables have the prefix IdxBMI*. This data is comprised of the S&P Developed BMI and S&P Emerging BMI indexes with history back to 1989.

Update Cycle: Daily

Adjusted: Field names prefixed with “adj” indicate that the data has been adjusted. Otherwise, data is as reported.

S&P BMI Index Lookup Tables

The S&P BMI Index lookup tables provide reference information for the index-level and constituent-level BMI Index data tables.

IdxBMICode			IdxBMIDesc		
PK	<u>Type</u>	int	PK	<u>Type</u>	int
PK	<u>Code</u>	int	PK	<u>Code</u>	varchar(10)
	Desc_	varchar(75)		Desc_	varchar(75)

IdxBMICtyRegMap			IdxBMIFxRate		
PK	<u>RegCode</u>	char(3)	PK	<u>CurrCode</u>	int
PK	<u>CtryCode</u>	char(2)	PK	<u>Date_</u>	datetime
PK	<u>StartDate</u>	datetime		Rate	float
	EndDate	datetime		Rate1MthFwd	float

IdxBMICode: S&P BMI Index Integer Code Lookup

This table contains S&P BMI Index integer code descriptions.

Indexes		Index Fields	
pkey_ IdxBMICode (clustered)		Type_, Code	

Field	Type	Nullable	Description
Type_	int	N	Type_ is a numeric code for a type of data.
Code	int	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(75)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

IdxBMICtyRegMap: S&P BMI Index Country Region Mapping

This table contains data for mapping country regions.

Indexes		Index Fields	
pkey_ IdxBMICtyRegMap (clustered)		RegCode, CtryCode, StartDate	

Field	Type	Nullable	Description
RegCode	char(3)	N	RegCode is the region code. RegCode cross-references with IdxBMIDesc .Code where IdxBMIDesc.Type_ = 14.

Field	Type	Nullable	Description
CtryCode	char(2)	N	CtryCode is the ISO country code. CtryCode cross-references with IdxBMIDesc .Code where IdxBMIDesc.Type_ = 4.
StartDate	datetime	N	If no change in the industry or sector description has taken place, StartDate is the date the of the original classification. If the industry or sector description has changed, this is the date the new classification began.
EndDate	datetime	Y	EndDate is the date a classification changed. If no EndDate is present, then the shown classification is current. EndDate is given as the StartDate for the new classification, minus one day.

IdxBMIDesc: S&P BMI Index Character Code Lookup

This table contains S&P BMI Index character code descriptions.

Indexes	Index Fields
pkey_IdxBMIDesc (clustered)	Type_, Code

Field	Type	Nullable	Description
Type_	int	N	Type_ is a numeric code for a type of data.
Code	varchar(10)	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(75)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

IdxBMIFxRate: S&P BMI Index Exchange Rates


This table contains information about exchange rates.

Indexes	Index Fields
pkey_IdxBMIFxRate (clustered)	CurrCode, Date_

Field	Type	Nullable	Description
CurrCode	int	N	CurrCode is the ISO currency code. CurrCode cross-references with IdxBMICode .Code where IdxBMICode.Type_ = 2. Cross-reference IdxBMICode.Desc with IdxBMIDesc .Code where IdxBMIDesc.Type_ = 3.
Date_	datetime	N	Date_ is the effective date of data.
Rate	float	Y	Rate is the WM spot rate.
Rate1MthFwd	float	Y	Rate1MthFwd is the one-month forward rate.

S&P BMI Index-level Tables

This diagram shows the relationship between the index-level tables. Note that the table IdxBMIConst is shared between the index-level tables and the [constituent-level tables](#) described beginning on page 34.



IdxBMIConst: S&P BMI Index Constituents

This table contains constituent information for S&P BMI Indexes.

NOTE

This table is shared with S&P BMI constituent-level tables.

Indexes	Index Fields
pkey_IdxBMIConst (clustered)	IdxCode, SecCode, StartDate

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode is the unique index identifier.
SecCode	int	N	SecCode is the unique security identifier.
StartDate	datetime	N	If no change in the industry or sector description has taken place, StartDate is the date the of the original classification. If the industry or sector description has changed, this is the date the new classification began.
EndDate	datetime	Y	EndDate is the date a classification changed. If no EndDate is present, then the shown classification is current. EndDate is given as the StartDate for the new classification, minus one day.
LicFlag	int	Y	LicFlag is the licensing flag.

IdxBMIDaily: S&P BMI Index Daily Information

This table contains daily S&P BMI Index data.

Indexes		Index Fields	
pkey_IdxBMIDaily (clustered)		IdxCode, Date_	
Field	Type	Nullable	Description
IdxCode	int	N	IdxCode is the unique index identifier.
Date_	datetime	N	Date_ is the effective date of data.
Close_	float	Y	Close_ is the closing price of index.
MarketCap	float	Y	MarketCap is the closing market cap of index.
AdjMktCap	float	Y	AdjMktCap is the adjusted market cap of index.
Return_	float	Y	Return_ is the day/day percent change.

IdxBMIData: S&P BMI Index Level Data

This table contains S&P BMI Index data.

Indexes		Index Fields	
pkey_IdxBMIData (clustered)		IdxCode, StartDate	
Field	Type	Nullable	Description
IdxCode	int	N	IdxCode is the unique index identifier.
StartDate	datetime	N	If no change in the industry or sector description has taken place, StartDate is the date the of the original classification. If the industry or sector description has changed, this is the date the new classification began.
EndDate	datetime	Y	EndDate is the date a classification changed. If no EndDate is present, then the shown classification is current. EndDate is given as the StartDate for the new classification, minus one day.
Divisor	float	Y	Divisor is the index divisor at close.
AdjDivisor	float	Y	AdjDivisor is the index divisor following changes.
SecCount	int	Y	SecCount is the number of constituents at close.
AdjSecCount	int	Y	AdjSecCount is the number of constituents following changes.

IdxBMIDiv: S&P BMI Index Dividend Data

This table contains dividend data for S&P BMI Indexes.

Indexes		Index Fields	
pkey_IdxBMIDiv (clustered)		IdxCode, Date_	
Field	Type	Nullable	Description
IdxCode	int	N	IdxCode is the unique index identifier.
Date_	datetime	N	Date_ is the effective date of data.
Div	float	Y	Div is the index dividend.

IdxBMInfo: S&P BMI Index Information

This table contains S&P BMI Index data, and links to [idxinfo](#) described on page 7.

Indexes		Index Fields	
pkey_IdxBMInfo (clustered)		IdxCode	
Field	Type	Nullable	Description
IdxCode	int	N	IdxCode is the unique index identifier.
Name_	varchar(200)	Y	Name_ is the index name.
IndexMnem	varchar(200)	Y	IndexMnem is the detailed index mnemonic.
IndexKey	varchar(40)	Y	IndexKey is the S&P legacy index key.

Field	Type	Nullable	Description
GICCode	int	Y	Reserved for future development.
CurrCode	int	Y	CurrCode is the ISO currency code. This field cross-references with IdxBMICode .Code where Type_ = 2. Cross-reference IdxBMICode.Desc with IdxBMIDesc .Code where IdxBMIDesc.Type_ = 3.
ReturnCode	tinyint	Y	ReturnCode is the code for the return. ReturnCode may be: – 1 = P- = Primary Index (Price Return Index) – 2 = N- = Net Total Return – 3 = T- = Gross Total Return – 4 = PH = Hedged Index (Price Return Hedged) – 5 = NH = Hedged Net Total Return – 6 = TH = Hedged Gross Total Return – 7 = D- = Dividend Return This field cross-references with IdxBMICode .Code where Type_ = 5. The character codes are extracted from position 18-19 in the IndexKey field. For example, if IndexKey = "SPGBBMBMI-USDFF--P-AR----", the character ReturnCode is "P-". To see the character code descriptions, refer to IdxBMIDesc where Type_ = 11.
ModDate	datetime	Y	ModDate is the last modified date.

IdxBMIMap: S&P BMI Index Variant Mapping

This table contains data for mapping S&P BMI Index variants.

Indexes	Index Fields
pkey_IdxBMIMap (clustered)	IdxCode

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode is the unique index identifier.
ReturnCode	tinyint	Y	ReturnCode is the code for the return. ReturnCode may be: – 1 = P- = Primary Index (Price Return Index) – 2 = N- = Net Total Return – 3 = T- = Gross Total Return – 4 = PH = Hedged Index (Price Return Hedged) – 5 = NH = Hedged Net Total Return – 6 = TH = Hedged Gross Total Return – 7 = D- = Dividend Return This field cross-references with IdxBMICode .Code where Type_ = 5. The character codes are extracted from position 18-19 in the IndexKey field. For example, if IndexKey = "SPGBBMBMI-USDFF--P-AR----", the character ReturnCode is "P-". To see the character code descriptions, refer to IdxBMIDesc where Type_ = 11.
ParentCode	int	Y	ParentCode is the index of the parent (price return) index.

IdxBMIMth: S&P BMI Index Level Monthly Data

This table contains monthly S&P Index data.


Indexes	Index Fields
pkey_IdxBMIMth (clustered)	IdxCode, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode is the security code.
Date_	datetime	N	Date_ is the effective date of data.
PE	float	Y	PE is the price to earnings ratio (P/E).
PriceToBook	float	Y	PriceToBook is the price to book value ratio.

Field	Type	Nullable	Description
DivYld	float	Y	DivYld is the dividend yield.
PriceToCF	float	Y	PriceToCF is the price to cash flow ratio.
PriceToSales	float	Y	PriceToSales is the price to sales ratio.
ROE	float	Y	ROE is the return on equity.
PE1YrFwd	float	Y	PE1YrFwd is the 1-Year Forward P/E.
PE2YrFwd	float	Y	PE2YrFwd is the 2-Year Forward P/E.
PE12MTrail	float	Y	PE12MTrail is the 12-Month Trailing P/E.
ValueTraded	float	Y	ValueTraded is the value at which it traded.

S&P BMI Constituent-level Tables

The following diagram shows the relationship between the S&P BMI constituent-level tables. Note that the table [IdxBMIConst](#) is shared between the constituent-level tables and the index-level tables described beginning on page 31.



IdxBMICorAx: S&P BMI Constituent Corporate Actions (Future and Historical)

This table contains information on S&P BMI constituent corporate actions, future (proposed) and historical.

Indexes		Index Fields	
pkey_IdxBMICorAx (clustered)		SecCode, EstEffDate, Item, Seq	

Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
EstEffDate	int	N	EstEffDate is the Ex-Date for this action; it can be historical or future.
Item	smallint	N	Item is the item code.
Seq	int	N	Seq is the sequence ID.
EventId	int	Y	EventId is the S&P event ID.
Event_	varchar(20)	Y	Event_ is the text describing change type.
Value_	varchar(250)	Y	Value_ is the value as of EstEffDate.
LastModDate	int	Y	LastModDate is the date of the last update.
LicFlag	int	Y	LicFlag is the licensing flag.

The table below provides the Item Codes and corresponding Item Names.

Item	ItemName
1	Name
2	RIC
3	BloomTkr
4	Exchange
5	Ticker
6	CtryCode
7	GICCode
8	SecID
9	AdjFactor
10	Close_
11	ISOCurrCode
12	SharesChg
13	Shares
14	IWF
15	IdxShares
16	Distribution
17	RegionCode
18	Growth
19	Value_
20	PropertyCode
21	CapRngCode
22	Size
23	Comments
24	Add
25	Drop
26	ACQUIRERNAME
27	CASHAMOUNT
28	SPINTARGETNAME
29	SPINTARGETTICKER
30	SPINTARGETSTOCKKEY
31	SPINTARGETMIC
32	SPINTARGETISINDEXCO

IdxBMISecAdj: S&P BMI Index Security Adjustments

This table contains information about security adjustments for S&P BMI Indexes.

Indexes		Index Fields	
pkey_IdxBMISecAdj (clustered)		SecCode, Date_, Seq	
Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
Date_	datetime	N	Date_ is the effective date of data.
Seq	int	N	Seq is the item sequence number.
EventID	int	Y	EventID is the adjustment ID provided by S&P.
AdjFactor	float	Y	AdjFactor is the split adjustment factor for per-share data.
SharesChg	bigint	Y	SharesChg is the adjustment for shares.
CumAdjFactor	float	Y	CumAdjFactor is the cumulative adjustment factor.
CumShareChg	bigint	Y	CumShareChg is the cumulative share change.
LicFlag	int	Y	LicFlag is the licensing flag.

IdxBMISecDaily: S&P BMI Index Security Level Daily Data

This table contains daily security-level S&P BMI Index data.

Indexes		Index Fields	
pkey_IdxBMISecDaily (clustered)		SecCode, Date_	
Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
Date_	datetime	N	Date_ is the effective date of data.
CurrCode	int	Y	CurrCode is the ISO currency code. CurrCode cross-references with IdxBMICode .Code where IdxBMICode.Type_ = 2. Cross-reference IdxBMICode.Desc with IdxBMIDesc .Code where IdxBMIDesc.Type_ = 3.
PriceLot	int	Y	PriceLot is the lot size for price quotes.
Close_	float	Y	Close_ is the closing price of the security in the local currency.
AdjClose_	float	Y	AdjClose_ is the adjusted closing price of the security in the local currency.
MarketCap	float	Y	MarketCap is the unadjusted constituent market cap in USD.
AdjMarketCap	float	Y	AdjMarketCap is the adjusted constituent market cap in USD.
PriceReturn	float	Y	PriceReturn is the price return.
TotalReturn	float	Y	TotalReturn is the total return.
LicFlag	int	Y	LicFlag is the licensing flag.

IdxBMISecDiv: S&P BMI Index Security Dividend

This table contains security dividend data for S&P Indexes.

Indexes		Index Fields	
pkey_IdxBMISecDiv (clustered)		SecCode, Date_	
Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
Date_	datetime	N	Date_ is the effective date of data.
Div	float	Y	Div is the index dividend.
LicFlag	int	Y	LicFlag is the licensing flag.

IdxBMISecFlags: S&P BMI Index Security Level Inclusion Flags

This table contains security-level inclusion flag data for S&P Indexes.

Indexes		Index Fields	
pkey_IdxBMISecFlags (clustered)		SecCode, StartDate	
Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
StartDate	datetime	N	If no change in the industry or sector description has taken place, StartDate is the date the of the original classification. If the industry or sector description has changed, this is the date the new classification began.
EndDate	datetime	Y	EndDate is the date a classification changed. If no EndDate is present, then the shown classification is current. EndDate is given as the StartDate for the new classification, minus one day.
RegionCode	tinyint	Y	RegionCode indicates the region is classified as developed (1) or emerging (2).
Growth	float	Y	Growth is the growth factor.
Value_	float	Y	Value_ is the value factor.
PropertyCode	varchar(4)	Y	PropertyCode is the property type. PropertyCode cross-references with IdxBMIDesc .Code where IdxBMIDesc.Type_ = 1.
CapRngCode	varchar(10)	Y	CapRngCode is the cap range identifier. Cross-reference CapRngCode with IdxBMIDesc .Code where IdxBMIDesc.Type_ = 15.
Size_	char(1)	Y	Size_ indicates the market size as S (small), M (medium), L (large), or X (extra-large).
LicFlag	int	Y	LicFlag is the licensing flag.

IdxBMISecInfo: S&P BMI Index Security Level Information

This table contains information on S&P Index securities.

Indexes		Index Fields	
pkey_IdxBMISecInfo (clustered)		SecCode	
Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
Name	varchar(200)	Y	Name is the company name.
RIC	varchar(20)	Y	RIC is the LSEG Identification Code.
BloomTkr	varchar(20)	Y	BloomTkr is the Bloomberg ticker.
Cusip	char(8)	Y	Cusip is the CUSIP identifier of the index.
ISIN	char(12)	Y	ISIN is the ISIN of the index.
Sedol	char(6)	Y	Sedol is the SEDOL of the index.
Exchange	char(4)	Y	Exchange is the SEDOL market identifier.
Ticker	varchar(20)	Y	Ticker is the ticker on the exchange where constituent is traded.
CntyCode	char(2)	Y	CntyCode is the ISO Country Code of domicile country. CtryCode is the ISO country code. CtryCode cross-references with IdxBMIDesc .Code where IdxBMIDesc.Type_ = 4.
GICCode	int	Y	GICCode is the GIC industry classification. Cross-reference GICCode with IdxBMIDesc .Code where IdxBMIDesc.Type_ = 2.
GVKey	int	Y	GVKey is the GV Key.
IID	varchar(4)	Y	IID is the instrument identifier.
SecID	char(10)	Y	SecID is the security identifier.
LegacyKey	varchar(25)	Y	LegacyKey is the legacy stock identifier. As of April 5, 2011, the LegacyKey field has been discontinued.

Field	Type	Nullable	Description
StockKey	int	Y	StockKey is the unique stock identifier.
ModDate	datetime	Y	ModDate is the last modified date.

IdxBMISecInfoChg: S&P BMI Index Security Level Information Changes

This table contains security information change data for S&P BMI Indexes.

Indexes	Index Fields
pkey_IdxBMISecInfoChg (clustered)	SecCode, StartDate

Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
StartDate	datetime	N	If no change in the industry or sector description has taken place, StartDate is the date the of the original classification. If the industry or sector description has changed, this is the date the new classification began.
EndDate	datetime	Y	EndDate is the date a classification changed. If no EndDate is present, then the shown classification is current. EndDate is given as the StartDate for the new classification, minus one day.
Name	varchar(200)	Y	Name is the company name.
RIC	varchar(20)	Y	RIC is the LSEG Identification Code.
BloomTkr	varchar(20)	Y	BloomTkr is the Bloomberg ticker.
Cusip	char(8)	Y	Cusip is the CUSIP identifier of the index.
ISIN	char(12)	Y	ISIN is the ISIN of the index
Sedol	char(6)	Y	Sedol is the SEDOL of the index.
Exchange	char(4)	Y	Exchange is the SEDOL market identifier.
Ticker	varchar(20)	Y	Ticker is the ticker on exchange where constituent is traded.
CntyCode	char(2)	Y	CntyCode is the ISO Country Code of domicile country. CtryCode is the ISO country code. CtryCode cross-references with IdxBMIDesc .Code where IdxBMIDesc.Type_ = 4.
GICCode	int	Y	GICCode is the GIC industry classification. Cross-reference GICCode with IdxBMIDesc .Code where IdxBMIDesc.Type_ = 2.
GVKey	int	Y	GVKey is the GV Key.
IID	varchar(4)	Y	IID is the instrument identifier.
SecID	char(10)	Y	SecID is the security identifier.
LegacyKey	varchar(25)	Y	LegacyKey is the legacy stock identifier. As of April 5, 2011, the LegacyKey field has been discontinued.
StockKey	int	Y	StockKey is the unique stock identifier.
LicFlag	Int	Y	LicFlag is the licensing flag.

IdxBMISecMth: S&P BMI Index Security Level Monthly Data

This table contains monthly data at the security level on S&P BMI Indexes. Historical monthly data is available from April 2009 onward.

Indexes	Index Fields
pkey_IdxBMISecMth (clustered)	SecCode, Date_

Field	Type	Nullable	Description
SecCode	int	N	SecCode is the security code.
Date_	datetime	N	Date_ is the effective date of data.
PE	float	Y	PE is the price-earnings ratio (P/E).
PriceToBook	float	Y	PriceToBook is the price-book value ratio (P/BV).
PriceToCF	float	Y	PriceToCF is the Cash Flow for the current fiscal year.
PriceToSales	float	Y	PriceToSales is the price to sales ratio for the current fiscal year.
DivYield	float	Y	DivYield is the dividend/yield for the last 12 months.

Field	Type	Nullable	Description
High	float	Y	High is the high price.
Low	float	Y	Low is the low price.
ValueTraded	float	Y	ValueTraded is the total value traded in millions.
SharesTraded	float	Y	SharesTraded is the number of shares traded.
DaysTraded	int	Y	DaysTraded is the number of days traded.
LicFlag	int	Y	LicFlag is the licensing flag.

IdxBMISecShares: S&P BMI Index Security Shares

This table contains security shares data for S&P BMI Indexes.

Indexes	Index Fields
pkey_IdxBMISecShares (clustered)	SecCode, StartDate

Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
StartDate	datetime	N	If no change in the industry or sector description has taken place, StartDate is the date the of the original classification. If the industry or sector description has changed, this is the date the new classification began.
EndDate	datetime	Y	EndDate is the date a classification changed. If no EndDate is present, then the shown classification is current. EndDate is given as the StartDate for the new classification, minus one day.
Shares	bigint	Y	Shares is the number of shares outstanding.
AdjShares	bigint	Y	AdjShares is the number of adjusted shares outstanding.
IWF	float	Y	IWF is the investible weight factor.
AdjIWF	float	Y	AdjIWF is the adjusted investible weight factor.
LicFlag	int	Y	LicFlag is the licensing flag.

IdxBMISecWeights: S&P BMI Index Security Weights (Index-Dependent)

This table contains security weights data for S&P BMI Indexes. Note that this information is index-dependent.

Indexes	Index Fields
pkey_IdxBMISecWeights (clustered)	SecCode, IndexFamCode, Date_

Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
IndexFamCode	tinyint	N	IndexFamCode is the Index Family identifier. IndexFamCode cross-references with IdxBMICode .Code where IdxBMICode.Type_ = 4.
Date_	datetime	N	Date_ is the effective date of data.
IndexNumShares	float	Y	IndexNumShares is the total adjusted shares (except Growth and Value Indices) for the Index Family.
IndexWeight	float	Y	IndexWeight is the total security weight in Index Family.
LicFlag	int	Y	LicFlag is the licensing flag.

8. S&P ASX – Australian Index Data

S&P ASX index tables have the prefix IdxSPG*. Security-level ASX tables have the prefix IdxSPGSec*. SPG represents S&P Global.

Update Cycle: Daily

Adjusted: Field names prefixed with “adj” indicate that the data has been adjusted. Otherwise, data is as reported.

S&P ASX Index Lookup Tables

IdxSPGCode: S&P ASX Index Code Lookups

This table contains information on S&P ASX index codes.

Indexes		Index Fields	
pkey_IdxSPGCode (clustered)		Type_, Code	
Field	Type	Nullable	Description
Type_	int	N	Type_ is a numeric code for a type of data.
Code	int	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(75)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

IdxSPGDesc: S&P Index Code Lookups

This table contains information on S&P index code lookups.

Indexes		Index Fields	
pkey_IdxSPGDesc (clustered)		Type_, Code	
Field	Type	Nullable	Description
Type_	int	N	Type_ is a numeric code for a type of data.
Code	varchar(10)	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(75)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

S&P ASX Index-level Tables

IdxSPGConst: S&P ASX Index Constituents

This table contains information on S&P ASX index constituents.

Indexes		Index Fields	
pkey_IdxSPGConst (clustered)		IdxCode, StartDate, SecCode	
Field	Type	Nullable	Description
IdxCode	int	N	IdxCode is the index identifier.
SecCode	int	N	SecCode s the unique stock identifier.

Field	Type	Nullable	Description
StartDate	int	N	If no change in the industry or sector description has taken place, StartDate is the date the of the original classification. If the industry or sector description has changed, this is the date the new classification began.
EndDate	int	Y	EndDate is the date a classification changed. If no EndDate is present, then the shown classification is current. EndDate is given as the StartDate for the new classification, minus one day.
LicFlagI	int	Y	LicFlagI is the index licensing flag.
LicFlagC	int	Y	LicFlagC is the security licensing flag.

IdxSPGCorAx: S&P ASX Constituent Corporate Actions (Future and Historical)

This table contains information on S&P ASX constituent corporate actions, future (proposed) and historical.

Indexes	Index Fields
pkey_IdxSPGCorAx (clustered)	SecCode, IdxFamCode, EstEffDate, Item, Seq

Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
IdxFamCode	int	N	IdxFamCode indicates the index family. Cross-reference IdxFamCode with IdxSPGCode .Code where Type_ = 3.
EstEffDate	int	N	EstEffDate is the Ex-Date for this action; it can be historical or future.
Item	smallint	N	Item is the item code.
Seq	int	N	Seq is the sequence ID.
EventId	int	Y	EventId is the S&P event ID.
Event_	varchar(20)	Y	Event_ is the text describing change type.
Value_	varchar(250)	Y	Value_ is the value as of EstEffDate.
LastModDate	int	Y	LastModDate is the date of the last update.
LicFlag	int	Y	LicFlag is the licensing flag.

IdxSPGDaily: S&P ASX Index Daily Information

This table contains S&P ASX index daily information.

Indexes	Index Fields
pkey_IdxSPGDaily (clustered)	IdxCode, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode is the index identifier.
Date_	int	N	Date_ is the effective date of data.
Close_	float	Y	Close_ is the closing price of index.
MarketCap	float	Y	MarketCap is the closing market cap of index.
AdjMktCap	float	Y	AdjMktCap is the adjusted market cap of index.
LicFlag	int	Y	LicFlag is the index-level license flag.

IdxSPGData: S&P ASX Index Level Data

This table contains S&P ASX index-level data.

Indexes	Index Fields
pkey_IdxSPGData (clustered)	IdxCode, StartDate

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode is the unique index identifier.
StartDate	int	N	If no change in the industry or sector description has taken place, StartDate is the date the of the original classification. If the industry or sector description has changed, this is the date the new classification began.

Field	Type	Nullable	Description
EndDate	int	Y	EndDate is the date a classification changed. If no EndDate is present, then the shown classification is current. EndDate is given as the StartDate for the new classification, minus one day.
Divisor	float	Y	Divisor is the index divisor at close.
AdjDivisor	float	Y	AdjDivisor is the index divisor following changes.
SecCount	int	Y	SecCount is the number of constituents at close.
AdjSecCount	int	Y	AdjSecCount number of constituents following changes.
LicFlag	int	Y	LicFlag is the index-level license flag.

IdxSPGDiv: S&P ASX Index Dividend Data

This table contains S&P ASX index dividend data.

Indexes	Index Fields
pkey_IdxSPGDiv (clustered)	IdxCode, Date_

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode is the index identifier.
Date_	int	N	Date_ is the effective date of data.
Div	float	Y	Div is the index dividend.
LicFlag	int	Y	LicFlag is the index-level license flag.

IdxSPGFamRtn: S&P ASX Supported Return Types

This table indicates what return types are supported by each index family.

Indexes	Index Fields
pkey_IdxSPGFamRtn (clustered)	IdxFamCode, ReturnCode

Field	Type	Nullable	Description
IdxFamCode	int	N	IdxFamCode indicates the index family. Cross-reference IdxFamCode with IdxSPGCode .Code where Type_ = 3.
ReturnCode	tinyint	N	ReturnCode is the code for the return. ReturnCode cross-references with IdxSPGCode .Code where Type_ = 4.

IdxSPGInfo: S&P ASX Index Information

This table contains S&P index information.

Indexes	Index Fields
pkey_IdxSPGInfo (clustered)	IdxCode

Field	Type	Nullable	Description
IdxCode	int	N	IdxCode is the unique index identifier.
Name_	varchar(200)	Y	Name_ is the index name.
IndexMnem	varchar(100)	Y	IndexMnem is the legacy S&P index code.
IndexKey	varchar(40)	Y	IndexKey is the S&P index key*.
GICCode	varchar(8)	Y	GICCode is the GICS classification. Cross-reference GICCode with IdxSPGDesc .Code where Type_ = 2.
ISOCurrCode	char(3)	Y	ISOCurrCode is the ISO currency code. Cross-reference ISOCurrCode with IdxSPGDesc .Code where Type_ = 3.
ReturnCode	tinyint	Y	ReturnCode is the code for the return. ReturnCode cross-references with IdxSPGCode .Code where Type_ = 4.
IdxFamCode	int	Y	IdxFamCode indicates the index family. Cross-reference IdxFamCode with IdxSPGCode .Code where Type_ = 3.
ParentCode	int	Y	ParentCode indicates the parent index. Cross-reference ParentCode with IdxCde, above.

Field	Type	Nullable	Description
IdxPkgCode	smallint	Y	IdxPkgCode indicates the index package, for example ASX or ASX Plus. Cross-reference IdxPkgCode with IdxSPGCode .Code where Type_ = 5.
HdlnCode	int	Y	HdlnCode is the headline index code. HdlnCode cross-references IdxCode, above, for the headline index.
ModDate	int	Y	ModDate is the last modified date.
LicFlag	int	Y	LicFlag is the index-level license flag.

IdxSPGISINChg: S&P ISIN Changes

This table contains information on S&P ISIN changes.

Indexes			Index Fields
pkey_IdxSPGISINChg (clustered)			SecCode, StartDate
Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
StartDate	int	N	If no change in the industry or sector description has taken place, StartDate is the date the of the original classification. If the industry or sector description has changed, this is the date the new classification began.
EndDate	int	Y	EndDate is the date a classification changed. If no EndDate is present, then the shown classification is current. EndDate is given as the StartDate for the new classification, minus one day.
ISIN	char(12)	Y	ISIN is the ISIN of the index.
LicFlag	int	Y	LicFlag is the security licensing flag.

IdxSPGRtn: S&P ASX Index Return Daily Information

This table contains S&P ASX index return daily information.

Indexes			Index Fields
pkey_IdxSPGRtn (clustered)			IdxCode, Date_
Field	Type	Nullable	Description
IdxCode	int	N	IdxCode is the index identifier.
Date_	int	N	Date_ is the effective date of data.
ReturnCode	tinyint	Y	ReturnCode is the code for the return. ReturnCode cross-references with IdxSPGCode .Code where Type_ = 4.
Return_	float	Y	Return_ is the price return.
LicFlag	int	Y	LicFlag is the index-level license flag.

S&P ASX Constituent-level Tables

IdxSPGSecAdj: S&P ASX Security Adjustments

This table contains information on S&P ASX security adjustments.

Indexes			Index Fields
pkey_IdxSPGSecAdj (clustered)			SecCode, IdxFamCode, Date_, Seq
Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
IdxFamCode	int	N	IdxFamCode indicates the index family. Cross-reference IdxFamCode with IdxSPGCode .Code where Type_ = 3.
Date_	int	N	Date_ is the effective date.
Seq	int	N	Seq is the item sequence number.
EventId	int	Y	EventId is the adjustment ID provided by the vendor.
AdjFactor	float	Y	AdjFactor is the split adjustment factor for per-share data.

Field	Type	Nullable	Description
SharesChg	float	Y	SharesChg is the adjustment for shares.
CumAdjFactor	float	Y	CumAdjFactor is the cumulative adjustment factor.
CumShareChg	float	Y	CumShareChg is the cumulative share change.
LicFlag	int	Y	LicFlag is the security licensing flag.

IdxSPGSecChg: S&P Index Security Level Information Changes

This table contains changes in S&P index security-level information.

Indexes	Index Fields
pkey_IdxSPGSecChg (clustered)	SecCode, StartDate

Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
StartDate	int	N	If no change in the industry or sector description has taken place, StartDate is the date the of the original classification. If the industry or sector description has changed, this is the date the new classification began.
EndDate	int	Y	EndDate is the date a classification changed. If no EndDate is present, then the shown classification is current. EndDate is given as the StartDate for the new classification, minus one day.
Name_	varchar(200)	Y	Name is the company name.
RIC	varchar(20)	Y	RIC is the LSEG Identification Code.
BloomTkr	varchar(20)	Y	BloomTkr is the Bloomberg Ticker.
Exchange	char(4)	Y	Exchange is the SEDOL market identifier.
Ticker	varchar(20)	Y	Ticker is the ticker on exchange where constituent is traded.
CtryCode	char(2)	Y	CtryCode is the ISO country code of domicile country.
GICCode	int	Y	GICCode is the GICS classification. Cross-reference GICCode with IdxSPGDesc . Code where Type_ = 2.
GVKey	int	Y	GVKey is the GV Key.
IID	varchar(4)	Y	IID is the instrument identifier.
SecID	varchar(10)	Y	SecID is the security identifier.
LegacyKey	varchar(25)	Y	LegacyKey is the legacy stock identifier. As of April 5, 2011, the LegacyKey field has been discontinued.
StockKey	int	Y	StockKey is the unique stock identifier.
LicFlag	int	Y	LicFlag is the security-level licensing flag.

IdxSPGSecDaily: S&P Security Level Daily Data

This table contains S&P security-level daily data.

Indexes	Index Fields
pkey_IdxSPGSecDaily (clustered)	SecCode, IdxFamCode, Date_

Field	Type	Nullable	Description
SecCode	int	N	SecCode s the unique stock identifier.
IdxFamCode	int	N	IdxFamCode indicates the index family. Cross-reference IdxFamCode with IdxSPGCode . Code where Type_ = 3.
Date_	int	N	Date_ is the effective date.
ISOCurrCode	char(3)	Y	ISOCurrCode is the ISO currency code. Cross-reference ISOCurrCode with IdxSPGDesc . Code where Type_ = 3.
MarketCap	float	Y	MarketCap is the constituent market cap – unadjusted.
AdjMarketCap	float	Y	AdjMarketCap is the unadjusted Adjusted Constituent Market Cap.
Return_	float	Y	Return_ is the price return.

Field	Type	Nullable	Description
TotReturn	float	Y	TotReturn total return.
LicFlag	int	Y	LicFlag is the security licensing flag.

IdxSPGSecDiv: S&P Index Security Dividend

This table contains S&P Index security dividend information.

Indexes	Index Fields
pkey_IdxSPGSecDiv (clustered)	SecCode, Date_

Field	Type	Nullable	Description
SecCode	int	N	SecCode s the unique stock identifier.
Date_	int	N	Date_ is the effective date.
ISOCurrCode	char(3)	Y	ISOCurrCode is the ISO currency code. Cross-reference ISOCurrCode with IdxSPGDesc .Code where Type_ = 3.
Div	float	Y	Div is the index dividend.
LicFlag	int	Y	LicFlag is the security licensing flag.

IdxSPGSecFlags: S&P Index Security Level Inclusion Flags

This table contains information on S&P index security-level inclusion flags.

Indexes	Index Fields
pkey_IdxSPGSecFlags (clustered)	SecCode, IdxFamCode, StartDate

Field	Type	Nullable	Description
SecCode	int	N	SecCode s the unique stock identifier.
IdxFamCode	int	N	IdxFamCode indicates the index family. Cross-reference IdxFamCode with IdxSPGCode .Code where Type_ = 3.
StartDate	int	N	If no change in the industry or sector description has taken place, StartDate is the date the of the original classification. If the industry or sector description has changed, this is the date the new classification began.
EndDate	int	Y	EndDate is the date a classification changed. If no EndDate is present, then the shown classification is current. EndDate is given as the StartDate for the new classification, minus one day.
RegionCode	tinyint	Y	RegionCode is the developed world or emerging market.
Growth	float	Y	Growth is the growth factor.
Value_	float	Y	Value_ is the value factor.
PropertyCode	varchar(4)	Y	PropertyCode is the property type.
CapRngCode	varchar(10)	Y	CapRngCode is the cap range identifier.
Size_	char(1)	Y	Size_ is the market or size flag (S, M, L, or X).
LicFlag	int	Y	LicFlag is the security licensing flag.

IdxSPGSecInfo: S&P Index Security Level Information

This table contains S&P index security-level information.

Indexes	Index Fields
pkey_IdxSPGSecInfo (clustered)	SecCode

Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
Name_	varchar(200)	Y	Name is the company name
RIC	varchar(20)	Y	RIC is the LSEG Identification Code.
BloomTkr	varchar(20)	Y	BloomTkr is the Bloomberg Ticker.
Exchange	char(4)	Y	Exchange is the SEDOL market identifier.

Field	Type	Nullable	Description
Ticker	varchar(20)	Y	Ticker is the ticker on exchange where constituent is traded.
CtryCode	char(2)	Y	CtryCode is the ISO country code of domicile country.
GICCode	int	Y	GICCode is the GICS classification. Cross-reference GICCode with IdxSPGDesc . Code where Type_ = 2.
GVKey	int	Y	GVKey is the GV Key.
IID	varchar(4)	Y	IID is the instrument identifier.
SecID	varchar(10)	Y	SecID is the security identifier.
LegacyKey	varchar(25)	Y	LegacyKey is the legacy stock identifier. As of April 5, 2011, the LegacyKey field has been discontinued.
StockKey	int	Y	StockKey is the unique stock identifier.
ModDate	int	Y	ModDate is the last modified date.
LicFlag	int	Y	LicFlag is the security-level licensing flag.

IdxSPGSecPrice: S&P Security Level Daily Price

This table contains S&P security-level daily price information.

Indexes	Index Fields
pkey_IdxSPGSecPrice (clustered)	SecCode, Date_

Field	Type	Nullable	Description
SecCode	int	N	SecCode s the unique stock identifier.
Date_	int	N	Date_ is the effective date.
ISOCurrCode	char(3)	Y	ISOCurrCode is the ISO currency code. Cross-reference ISOCurrCode with IdxSPGDesc . Code where Type_ = 3.
PriceLot	int	Y	PriceLot is the lot size for price quotes.
Close_	float	Y	Close_ is the closing price in local currency.
AdjClose	float	Y	AdjClose is the adjusted closing price in local currency.
LicFlag	int	Y	LicFlag is the security licensing flag.

IdxSPGSecShares: S&P Index Security Shares

This table contains information on S&P index security shares.

Indexes	Index Fields
pkey_IdxSPGSecShares (clustered)	SecCode, IdxFamCode, StartDate

Field	Type	Nullable	Description
SecCode	int	N	SecCode s the unique stock identifier.
IdxFamCode	int	N	IdxFamCode indicates the index family. Cross-reference IdxFamCode with IdxSPGCode . Code where Type_ = 3.
StartDate	int	N	If no change in the industry or sector description has taken place, StartDate is the date the of the original classification. If the industry or sector description has changed, this is the date the new classification began.
EndDate	int	Y	EndDate is the date a classification changed. If no EndDate is present, then the shown classification is current. EndDate is given as the StartDate for the new classification, minus one day.
Shares	float	Y	Shares is the shares outstanding.
AdjShares	float	Y	AdjShares is the adjusted shares outstanding.
IWF	float	Y	IWF is the investible weight factor.
AdjIWF	float	Y	AdjIWF is the adjusted investible weight factor.
AWF	float	Y	AWF is the adjustable weight factor.
AdjAWF	float	Y	AdjAWF is the adjusted adjustable weight factor.
LicFlag	int	Y	LicFlag is the security licensing flag.

IdxSPGSecWeights: S&P Index Security Shares, Weights, Factors, and Dividend (Index Dependent)

This table contains information on S&P index security shares, weights, factors, and dividend (index dependent).

Indexes		Index Fields	
pkey_IdxSPGSecWeights (clustered)		SecCode, Date_, HdlnCode	
Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
HdlnCode	int	N	HdlnCode is the numeric code for Headline Code.
Date_	int	N	Date_ is the effective date.
IdxNumShares	float	Y	IdxNumShares is the total adjusted shares (except growth and value indices) for Index Family.
IdxWeight	float	Y	IdxWeight is the total security weight in Index Family.
LicFlag	int	Y	LicFlag is the security licensing flag.

IdxSPGSedChg: S&P SEDOL Changes

This table contains information on S&P SEDOL changes.

Indexes		Index Fields	
pkey_IdxSPGSedChg (clustered)		SecCode, StartDate	
Field	Type	Nullable	Description
SecCode	int	N	SecCode is the unique stock identifier.
StartDate	int	N	If no change in the industry or sector description has taken place, StartDate is the date the of the original classification. If the industry or sector description has changed, this is the date the new classification began.
EndDate	int	Y	EndDate is the date a classification changed. If no EndDate is present, then the shown classification is current. EndDate is given as the StartDate for the new classification, minus one day.
SEDOL	char(6)	Y	SEDOL is the SEDOL of the index.
LicFlag	int	Y	LicFlag is the security licensing flag.

TQACtryExch: Generic Lookup Table for Countries

This table is a generic lookup table for countries.

Indexes		Index Fields	
pkey_TQACtryExch (clustered)		ISOCtryCode, MIC	
Field	Type	Nullable	Description
ISOCtryCode	char(2)	N	ISOCurrCode is the ISO currency code. Cross-reference ISOCurrCode with IdxSPGDesc .Code where Type_ = 3.
MIC	char(4)	N	MIC is the market identifier code.
CtryName	varchar(150)	Y	CtryName is the country name.
ExchName	varchar(150)	Y	ExchName is the exchange name.
Acr	varchar(20)	Y	Acr is the exchange acronym.
City	varchar(50)	Y	City is the city name.
Website	varchar(150)	Y	Website is the exchange website.

Copyright © 2024 London Stock Exchange Group plc and its group of companies (LSEG) and/or its affiliates. All rights reserved. The LSEG content received through this service is the intellectual property of LSEG or its third party suppliers. Republication or redistribution of content provided by LSEG is expressly prohibited without the prior written consent of LSEG, except where permitted by the terms of the relevant LSEG service agreement. Neither LSEG nor its third party suppliers shall be liable for any errors, omissions or delays in content, or for any actions taken in reliance thereon. LSEG and its logo are trademarks of LSEG.

For more information visit us at www.lseg.com



LSEG DATA &
ANALYTICS