

LSEG Quantitative Analytics

Database Schema for LSEG Climate Data

Version 1.1



LSEG DATA &
ANALYTICS

Contents

1. Introduction.....	4
In This Document.....	4
Intended Readership.....	4
Table Name Conventions	4
Pervasive and Oracle.....	4
Zero Values and Nulls.....	4
Service and Support	5
Feedback	6
Your Personal Information	6
2. LSEG & CDP Data.....	7
CLMStmtDet: Financial Period Details.....	7
CLMItem: Climate Metrics.....	7
CLMDataPoint: LSEG Climate Data Points.....	8
CLMIndicator: LSEG Climate Indicators Data.....	9
CLMCDPDataPoint: CDP Data Points Data.....	9
CLMASRepMap: As Reported Data Links.....	10
CLMASRepData: As Reported Data Measures.....	10
CLMSourceMap: Source Data Links.....	11
CLMSourceData: Source Data.....	11
CLMCode: Integer Code Descriptions	12
CLMDesc: Character Code Descriptions	12
CLMOrgPerMap: Organization and Period Mapping.....	12
3. Carbon Reserve Data	13
CLMCROPMSeg: Financial Operating Metric Segments.....	13
CLMCRStmItem: Individual Line Items Reported	14
CLMCRStmDet: Reported Instance Values Reported by Organization	14
CLMCRAsRepStmDet: Reported Instance Values Reported by Organization.....	17
CLMCRAsRepStmSeg: Reported Instance Values Reported by Organization	21
CLMCRFinPer: Reported Instance Values Reported by Organization	22
CLMCRFinSrc: Reported Instance Values Reported by Organization	23
CLMCROrgRef: Fundamental Identifiers Mapping.....	25
CLMCRFndSeriesDet: Fundamental Identifiers Mapping	26
CLMCRFndDet: Fundamental Identifiers Mapping	27
CLMCRFndDetInd: Fundamental Identifiers Mapping	28
CLMCRFndDetTxn: Fundamental Identifiers Mapping	29

CLMCRQuoteCtry: Fundamental Identifiers Mapping 30

CLMCRQuoteRel: Fundamental Identifiers Mapping 30

1. Introduction

In This Document

This document provides schema information about the **LSEG Climate** tables in Quantitative Analytics.

NOTE

For information about the other Quantitative Analytics tables, refer to the other Database Schema documents posted on the [Quantitative Analytics](#) product page on [MyAccount](#).

The documentation for each table includes these main elements:

- **Vendor Database or License Name** – This element provides the vendor database or license name. Vendor databases generally correspond to vendor licensing options.
- **Table Name: Table Title** – This element provides the table name and title, followed by a description of the table contents.
- **Update Cycle** – This element indicates the frequency of updates from the data vendor. (For specific information about when this update is posted for your use, refer to your update logs. The update log schema description is available in the Database Schema for Quantitative Analytics Core Tables document.)
- **Adjusted** – This element indicates whether the data is stored adjusted, unadjusted, or if adjustment is not applicable (N/A).
- **Indexes, Index Fields** – This element lists the table's index(es) (for example, pkey_CSGCAD) and the index fields. The primary index contains a "pkey_" or "PK_" prefix. Clustered indexes are noted.
Note: Indexes are not applicable for Snowflake.
- **Field, Type, Nullable, Definition** – This element describes the table's fields, including field names, data types, and whether each field is nullable. The data types in Snowflake have equivalents available. For example, an *int* in SQL Server is a *number* in Snowflake.

Intended Readership

This document is intended for Quantitative Analytics clients licensed to use **LSEG Climate** data through LSEG. Note that the tables described in this document may be covered by several licenses; your access to the data in these tables is dependent on the licenses you have. Readers should have basic knowledge of Microsoft SQL Server 2016.

Table Name Conventions

In Quantitative Analytics, database tables are grouped by name. Generally, the first few letters of the table name refer to the data vendor or licensing group. For example, all tables beginning with **CLM*** are the LSEG Climate data tables.

Pervasive and Oracle

This document is specific to Microsoft SQL Server 2016. If you are accessing the data directly through the Pervasive database, you may encounter slight differences in index names and data types. Please note that references to Pervasive and Actian are synonymous.

If you are accessing the data through Oracle, note that field names that correspond to Oracle reserved words are appended with an underscore. For example, field names "Number", "Synonym", and "UID" become "Number_", "Synonym_", and "UID_" in Oracle.

Zero Values and Nulls

Null values are usually recorded as "NULL". Occasionally, a table may contain a value of "-99999" or "-9999"; in these cases, there is no recorded data for that period. (It is null.) If the table contains a "0" value, the data was reported as having a "0" value.

Service and Support

[MyAccount](#) is the LSEG portal that provides a single access point for timesaving support services, along with billing, user management, and information.

Statement of Service

The [Quantitative Analytics Service Description](#) is available on the [Quantitative Analytics](#) product page at MyAccount.

Subscribe to Support Channels

You are encouraged to [subscribe](#) to the following support channels to keep informed of changes to products and data, and to be notified of any service issues or change. Please see the *Alerts and Notifications* section in the *Quantitative Analytics Service Description* available on the [Quantitative Analytics](#) product page at MyAccount for detailed instructions.

- **Change Notifications**
 - **Product Change Notifications (PCNs)** detail new, enhanced, or changed functionality, which may require your action, in products that you use.
 - **Data Notifications (DNs)** alert you to upcoming changes to real-time and historical data across all asset classes that are relevant to you.
 - **RIC Change Events** inform you of planned changes to RICs. RIC is the market level identifier key unique to LSEG used to identify securities.
- **Service Alerts**
Alert you about planned maintenance and unplanned service issues affecting your products and services, and be notified via SMS or email.

Documentation

You can access product documentation on the [Quantitative Analytics](#) product page at MyAccount.

Get Support

For support using Quantitative Analytics, please use one of the following methods:

Online

Access [Get Support](#) either via the blue [Get Support](#) button at the top right of each page or by selecting *Get Support* located under *Help and Support* on the left navigation pane at MyAccount.

From the *Get Support* page, choose *Get Product and Content Support* and then select the appropriate category from the next page. Complete the request making sure to include the following:

- Under Product, select Quantitative Analytics from the dropdown list.
- In the **How can we help you?** text box, include the following information:
 - Content set name (i.e. Worldscope)
 - Date applicable to a content inquiry
 - Table names and relevant fields
 - Security code (i.e. QA-ID, PermID, Sedol, InfoCode, etc.)
 - Script used to generate the output
 - Any other supporting detail

Telephone

Region	Telephone	Options
AMERS	+01 866 427 8390	Option 1 – Product Support Option 2 – Technical Support
EMEA	+44 203 341 1036	
APAC	+65 6403 7436	

Feedback

We invite your comments, corrections, and suggestions about this document: access the [Feedback](#) option under Get Support at MyAccount. Your feedback helps us continue to improve our user assistance.

Your Personal Information

LSEG is committed to the responsible handling and protection of personal information. We invite you to review our [Privacy Statement](#), which describes how we collect, use, disclose, transfer, and store personal information when needed to provide our services and for our operational and business purposes.

2. LSEG & CDP Data

CLMStmtDet: Financial Period Details

This table contains financial period details.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMStmtDet (Clustered)		OrgPermID, FY	

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
FY	int	No	The particular fiscal year for which the data is defined.
PerEndDt	datetime2	Yes	The period end date of the CLM report.
PerIsIncomplete	char(1)	Yes	PerIsIncomplete can take one of the following values: "Y" or "N". If "Y", not all information has been collected for the whole financial period.
PerTypeCode	tinyint	Yes	This is the type of the financial period of the CLM value. LSEG climate data is collected annually. Corresponding code description in the CLMCode table. Cross-reference OrgCovCode with CLMCode.Code where Type_ = 9.
OrgCovCode	tinyint	Yes	"Limited" indicates a privately owned organization. Scores and indicators will not be calculated for private organizations. Corresponding code description in the CLMCode table. Cross-reference OrgCovCode with CLMCode.Code where Type_ = 10."
OrgCImCode	tinyint	Yes	An organization may have one or more of below values. – CD – indicates if the organization has climate data. – CDP – indicates if the organization has CDP (third-party) data. – EstScope – indicates if the organization has scope estimations data like scope 1 estimations, scope 2 estimations or scope 3 estimations. Corresponding code description in the CLMCode table. Cross-reference CLMCode with CLMCode.Code where Type_ = 11."

CLMItem: Climate Metrics

An itemized table for all the climate metrics. This table stores the meta data of all climate metrics.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMItem (Clustered)		Item	

Field	Type	Nullable	Description
Item	smallint	No	An item code to uniquely identify each climate metric that is a part of the feed.
FeedFieldName	varchar(100)	Yes	Internal LSEG source feed field name.
Title	varchar(200)	Yes	Description pertaining to the item.
Description	varchar(1000)	Yes	Detailed description pertaining to the item.

Field	Type	Nullable	Description
DataTypeCode	tinyint	Yes	Indicates the data type of the climate metric. Corresponding type code in the CLMCode table. Cross-reference DataTypeCode with CLMCode.Code where Type_ = 2.
TableCode	tinyint	Yes	The data table in which the value pertaining to the item resides. Corresponding type code in the CLMCode table. Cross-reference TableCode with CLMCode.Code where Type_ = 3.
HierarchyCode	tinyint	Yes	This code identifies the hierarchy of the climate data metric. Corresponding type code in the CLMCode table. HierarchyCode can take one of the following values: 1: Data Point 2: Indicator 3: Category Score 4: Score. Cross-reference HeirarchyCode with CLMCode.Code where Type_ = 4.
Units	varchar(300)	Yes	This indicates the unit of the data metric value.
Polarity	varchar(30)	Yes	This indicates whether a higher data measure value is positive or negative.
IncludedInScores	varchar(50)	Yes	This indicates whether the data metric is part of the score calculation.
PillarItem	smallint	Yes	The code here defines the specific pillar which the datapoint is associated with.
CatItem	smallint	Yes	The code here defines the specific category which the datapoint is associated with.

CLMDataPoint: LSEG Climate Data Points

This table contains company data for Climate data points.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_CLMDataPoint (Clustered)	OrgPermID, Item, FY

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed.
FY	int	No	The particular fiscal year for which the data is defined.
ValueRecDt	datetime2	Yes	The date when the climate value was entered into the climate data management system.
UnitPct	float	Yes	Percentage of the organization coverage relevant to the climate measure.
UnitPermID	bigint	Yes	Permanent identifier of the unit of the physical data measure.
ISOCurrCode	char(3)	Yes	3 character ISO currency code for the climate value, where applicable.
Value_	float	Yes	Number value of the climate measure being tracked.
ValueDate	datetime2	Yes	Date value of the climate measure being tracked.
ValueFlg	char(1)	Yes	Boolean value of the climate measure being tracked. T- TRUE, F-FALSE
ValueText	nvarchar(300)	Yes	String value of the climate measure being tracked.
ValuePrnt	float	Yes	Percent value of the climate measure being tracked.

CLMIndicator: LSEG Climate Indicators Data

This table contains company data for climate indicators.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMIndicator (Clustered)		OrgPermID, Item, FY	

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed.
FY	int	No	The particular fiscal year for which the data is defined.
ValueCalcDt	datetime2	Yes	The date when the climate analytics was calculated and entered into the source data management system.
ISOCurrCode	char(3)	Yes	3-character ISO currency code for climate value, where applicable.
Value_	float	Yes	Number value of the climate measure being tracked.
ValueFlg	char(1)	Yes	Boolean value of the climate measure being tracked. T-TRUE, F-FALSE
ValuePrcnt	float	Yes	Percentage value of the climate measure being tracked.

CLMCDPDataPoint: CDP Data Points Data

This table contains company data for CDP data points.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMCDPDataPoint (Clustered)		OrgPermID, Item, FY	

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed.
FY	int	No	The particular fiscal year for which the data is defined.
ValueRecDt	datetime2	Yes	The date when the climate value was entered into the source data management system.
UnitPct	float	Yes	Percentage of the organization coverage relevant to the climate measure.
UnitPermID	bigint	Yes	Permanent identifier of the unit of the physical data measure.
ISOCurrCode	char(3)	Yes	3-character ISO currency code for climate value, where applicable.
Value_	float	Yes	Number value of the climate measure being tracked.
ValueDate	datetime2	Yes	Date value of the climate measure being tracked.
ValueFlg	char(1)	Yes	Boolean value of the Climate measure being tracked. T- TRUE, F-FALSE
ValueText	nvarchar(300)	Yes	String value of the climate measure being tracked.
ValuePrcnt	float	Yes	Percent value of the climate measure being tracked.

CLMAsRepMap: As Reported Data Links

This table contains the as reported data links to the data measures.

Note: This table is currently not available, to be released soon.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMAsRepMap (Clustered)		OrgPermID, Item, FY, ValueID	
Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed.
FY	int	No	The particular fiscal year for which the data is defined.
ValueID	Bigint	No	A unique Value ID enables identification of each as reported measure. One data measure can map to many as reported measures. This Value ID maps to the As Reported data in the CLMAsRepData table

CLMAsRepData: As Reported Data Measures

This table contains the as reported data for the data measures.

Note: This table is currently not available, to be released soon.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMAsRepData (Clustered)		ValueID, Item	
Field	Type	Nullable	Description
ValueID	bigint	No	Value ID is a machine-generated number that uniquely identifies each As Reported Value instance associated with the climate value.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed.
ValueRecDt	datetime2	Yes	The date when the As Reported value was entered into the source data management system.
ISOCurrCode	char(3)	Yes	The 3-character ISO code for currency measures.
ScalePermID	bigint	Yes	The scale of the as reported data. Corresponding type code is in the CLMCode table. Cross-reference ScaleCode with CLMCode.Code where Type_ = 7.
UnitPermID	bigint	Yes	The units of the as reported data. Corresponding type code is in the CLMCode table. Cross-reference UnitCode with CLMCode.Code where Type_ = 8.
Value_	float	Yes	The value of the as reported data.

CLMSourceMap: Source Data Links

This table contains the source data links to the data measures.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMSourceMap (Clustered)		OrgPermID, Item, FY, SourceId	

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed.
FY	int	No	The particular fiscal year for which the data is defined.
SourceId	bigint	No	This is the unique Source ID where the climate value was detected. Source ID links to the sources data. There may be many Source IDs populated for a data measure.

CLMSourceData: Source Data

This table contains the source data used to build the ESG values.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMSourceData (Clustered)		SourceId	

Field	Type	Nullable	Description
SourceId	bigint	No	The unique source identifier.
Author	nvarchar(300)	Yes	The author of the news article where the climate value was detected.
Date_	datetime2	Yes	The date of the source where the climate value was detected.
Page	nvarchar(25)	Yes	The page number or a range of pages in the source where the climate value was detected.
Publisher	nvarchar(300)	Yes	The publisher of the source where the climate value was detected.
Scope	varchar(30)	Yes	The coverage scope in the source where the climate value was detected.
URL	nvarchar(3000)	Yes	The external URL of the source used to collect the climate value.
TitleLangCode	varchar(35)	Yes	BCP-47 language code used for the climate source title. Corresponding code description is in the CLMDesc table. Cross-reference Lang Code with CLMDesc.Code where Type_ = 4
CommentLangCode	varchar(35)	Yes	BCP-47 language code used for the climate source comment. Corresponding code description is in the CLMDesc table. Cross-reference Lang Code with CLMDesc.Code where Type_ = 4
AbstractLangCode	varchar(35)	Yes	BCP-47 language code used for the climate source abstract. Corresponding code description is in the CLMDesc table. Cross-reference Lang Code with CLMDesc.Code where Type_ = 4
Title	nvarchar(500)	Yes	The source title from which the climate value was collected.
Comment	nvarchar(max)	Yes	The comment written by the analyst who collected the climate value.
Abstract	nvarchar(max)	Yes	The abstract from the source where the climate value was detected.

CLMCode: Integer Code Descriptions

This table contains descriptions for the integer codes.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_CLMCode (Clustered)	Type_, Code

Field	Type	Nullable	Description
Type_	int	No	Enlists types of codified data items.
Code	bigint	No	Represents the Value_ data item from any climate data.
Desc_	varchar(500)	Yes	Description of the coded data item.

CLMDesc: Character Code Descriptions

This table contains descriptions for the character codes.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_CLMDesc (Clustered)	Type_, Code

Field	Type	Nullable	Description
Type_	int	No	Enlists types of codified data items.
Code	varchar(50)	No	Represents the Value_ data item from any climate data.
Desc_	varchar(500)	Yes	Description of the coded data item.

CLMOrgPerMap: Organization and Period Mapping

This table contains the organization and period ID mapping.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_CLMOrgPerMap (Clustered)	OrgPermID, PerId

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
PerId	int	No	Period identifier is required for any data queries submitted to the RDP ESG Bulk feed team. Period identifier will also help with cross content navigation.
PerEndDt	datetime2	Yes	The period end date of the climate report.

3. Carbon Reserve Data

CLMCROPMSeg: Financial Operating Metric Segments

This table contains information about financial operating metric segments for an organization.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMCROPMSeg (Clustered)		OrgPermID, OPMSegID	

Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Organisation, aka Organisation Perm ID. The broad grouping of entities including Companies, Governments and municipalities, Government agencies, Charities etc. Organizations are mastered in Organization Authority.
OPMSegID	int	No	Operating Metrics Segment ID provides the list of operating segment IDs linked to a particular line item values of a given organization. There can be single or multiple segments attached to a line item.
ActFlg	char(1)	Yes	Active Flag is associated to the various segments created under the column Segment Type for the collection of Carbon Reserves Data. Is Active is used to indicate whether the segments are active or inactive: '1' indicates that the segment is active and '0' indicates it is inactive.
InActReasDesc	varchar(2000)	Yes	Inactive Reason Other Description is a free text column where elaborate details are added when a segment division becomes inactive. When a segment is inactive an appropriate reason is added.
IndName	varchar(500)	Yes	Indicates to which industry or sector the particular financial concept code relates to. Industry here means either Oil & Gas (OG) or Mining (MN).
SegName	varchar(500)	Yes	Operating Metrics Segment Name refers to the names created under the various Segment Type for the collection of Carbon Reserves. These Segment Names may be created under Segment Type - operating segment, segment resource type, oil or gas subset, resource type, coal segment, coal subsegment, coal mine and conversion factor.
SegTypeCode	char(2)	Yes	Operating Metrics Segment Type Code is associated to the various Segment Type added to Oil & Gas and Coal sectors for the collection of Carbon Reserves Data. Various Segment Type Code include: – OS (Operating Segment) – OR (Segment Resource Type) – OG (Oil/Gas Subset) – OT (Resource Type) – OC (Conversion Factor) – MS (Coal Segment) – MB (Coal Subsegment) – MM (Coal Mine).

CLMCRStmtLineItem: Individual Line Items Reported

This table contains individual line items reported by an organization.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMCRStmtLineItem (Clustered)		OrgPermID, Item	

Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Organisation, aka Organisation Perm ID. The broad grouping of entities including Companies, Governments and municipalities, Government agencies, Charities etc. Organizations are mastered in Organization Authority.
Item	int	No	Line Item ID is associated with the financial data items collected for each company, where each data item is assigned with a numerical value in chronological order based on the sequence of the as-reported items. The Line Item ID helps to display the items in the as-reported sequence disclosed by the company.
CreditFlg	char(1)	Yes	Credit Flag is associated with the sign or polarity of the amount or value collected for the financial information. Credit Flag is '1' if the default polarity of the data item is positive and '0' means it is negative.
FinCptCode	varchar(10)	Yes	Global As Reported Financial Concept Code is associated with the collection of each financial data item on the product and each code is unique assigned to each accounting concept. Financial Concept codes are charts of accounts with the list of common accounting concepts available in the taxonomy.
ItemName	varchar(500)	Yes	Line Item Name is associated with the financial data items collected for each company, where each data item is collected with the descriptions as disclosed in the document. Each data item is collected in the sequence presented by the company in the Line Item Name column to display the as-reported pattern
ItemNameLangID	int	Yes	Name Language ID is a numerical identifier assigned to each language available globally.
StmtTypeCode	smallint	Yes	Statement Type Code is associated with the collection of financial information. Financial data is categorized into multiple statements based on the common accounting disclosures.
UnitID	int	Yes	Physical Measure ID or Unit ID is associated with the measurement of the data items which are generally part of Key Performance Indicators (KPI) and are expressed in physical measures based on the nature of the items.

CLMCRStmtDet: Reported Instance Values Reported by Organization

This table provides all the values reported by the organization for a reporting instance. Package also provides the period and source level attributes of the reporting instance.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMCRStmtDet (Clustered)		FndID, Period, SrcID, StmtCurID, StmtTypeCode	

Field	Type	Nullable	Description
FndID	bigint	No	Fundamental ID is a permanent identifier (Perm ID) assigned to the sub-group of an organization which is grouped based on the consolidation, parent, and GAAP basis. An organization is further

Field	Type	Nullable	Description
			grouped based on the set of comparable financial data under an umbrella known as the Fundamental ID.
PerID	bigint	No	Period ID is associated with the period end date used to report the financial data of the business at the end of the financial period for annual and interims. Period end date differs for each company, however most of the financial period is based on the tax period of the country in order easily track corporate tax filing. Interim periods have their statement date with the end date of each quarter and semi-annual with end date half yearly. As Reported Statement Period ID is a unique identifier assigned to each period end date for a particular company.
SrcID	bigint	No	Source ID is associated with the source or filing document used to collect financial data for a particular period end. Data is collected from multiple source documents such as press, final, amendments for a particular period. Each document is assigned with a Source ID which is a unique chronological numerical value for each company.
StmntCurriD	int	No	Standard Currency ID is the unique permanent identifier assigned to each currency name of a country. It is a 6-digit numerical value assigned to each currency.
StmntTypeCode	smallint	No	Statement Type Code is associated with the collection of financial information. Financial data is categorized into multiple statements based on the common accounting disclosures. Data is collected under the main statements such as: – Income statement (INC) – Balance sheet (BAL) – Cash flow (CAS) and additional statements such as: – Business Segment (BUS) – Geographic Segment (GEO)
AutoUpdFlg	char(1)	Yes	Automated Update Flag is associated with the financial data items collected, each data item is '1' if the data is ingested through automation process and manual update is shown as '0'.
ConFlg	char(1)	Yes	Condensed Flag is associated with the level of details disclosed by the company in its financial document and the flag is '1' if the company has limited or condensed data reported.
DerFlg	char(1)	Yes	Derived Flag is associated with the financial data item collected and reflects '1' if the item is derived by the system.
DetFlg	char(1)	Yes	Detailed Flag is associated with the level of details disclosed by the company in its financial document and the flag reflects '1' if the company discloses all the information required to reconcile the statements.
LastModDate	datetime2	Yes	Last Modified Date is associated with the collection methodology followed to collect financial data to help in timeliness management.
LatOrigUpdFlg	char(1)	Yes	Latest Original Update Flag represents a particular statement is latest original update or not.
LatRcntUpdFlg	char(1)	Yes	Latest Recent Update Flag represents a particular statement is latest recent update or not.
NotCompToPrPerFlg	char(1)	Yes	Not Comparable To Prior Period Flag is used to indicate the lack of comparability of data for interims within the fiscal period of a company.
PrefSrcFlg	char(1)	Yes	Preferred Source Flag indicates that the data has been self-sourced or sourced from third party vendors. It is marked '1' if it has been self-sourced and marked '0' if data is obtained from third party sources.
PrelimFlg	char(1)	Yes	Preliminary Flag is associated with the collection of the financial data from the press or preliminary document, where each data item

Field	Type	Nullable	Description
			is marked as '1' if the information is collected from the preliminary document.
PresFmtCode	char(3)	Yes	Presentation Format Code is associated with the presentation of the financial statement of a company in its financial reports. Each company may display the financial statements in different patterns and formats, where the same is broadly classified.
ProFormaFlg	char(1)	Yes	Pro Forma Flag is associated with the financial information collected from prospectus document. If the financial information is pro forma, then the Pro Forma Flag will be marked '1'.
ScalFctNum	varchar(100)	Yes	Scaling Factor Number is associated with the scaling factor of the currency used to collect the financial data values.
SysDateTime	datetime2	Yes	System Date Time reflects the timestamp when a particular statement instance was created. This date is helpful for customers in point in time analysis of financial statements with price movements of respective company's stock.
SysDerTypeCode	datetime2	Yes	System Derived Type Code is associated with the financial data items derived by the system. Derived items are indicated with System Derived Type Code. The code types available are provided below: – MR - Missing as-reported, few of the sub-total or totals are derived if not reported by the company. – XB- XBRL, few markets such as US are automated through XBRL ingest. – BI - Balancing item, few cases there are rounding off differences and these are derived as balancing item. – MP - Missing Period, few periods are derived, example: Quarter 4 is derived by Annual 12 months minus 9 months Cumulative period. – NA - Not applicable.
UpdMetCode	char(2)	Yes	Update Method Code is associated with the collection of financial information and a code is assigned to each statement to indicate if it is normal, calculated, or special statement. Update Method Code is tagged as follows: – NRM- Normal if the statement is collected from the source document and data is reported in the document. – CLC- Calculated indicates that the statement is derived or calculated based on availability of as-reported data, 6 months interim can be derived by summing up the first 2 quarterly data. – SPC- Special is assigned to the statement where the flow item is not-comparable and preceding quarters do not sum up to the latest cumulative period, Q1 and Q2 revenues do not sum up to the Q2 cumulative revenue.
UpdTypeCode	char(3)	Yes	Update Type Code is associated with the financial data collection from the source document and the various types of classification of data collection on the product. The examples below provide the various types of Update Type Code classified based the financial information disclosure. Data is collected as Original (ORG) from the initial source document, Reclassification (CLA) and Restatement (RES) are collected from the subsequent filings for the original period; Amendment (AMD) are filed when there is an error or fault in the original disclosure and Unclassified (UNC) is used for internal purpose for automated data.
UpdReasCode	char(3)	Yes	Code assigned to each of the update reasons.
UpdReasCommLangID	int	Yes	Comment Language ID represents the language code in which the update reasons comments are captured.
PFReasCode	smallint	Yes	Code assigned to each of the Proforma reasons.

Field	Type	Nullable	Description
PfReasCommLangID	int	Yes	Comment Language ID represents the language code in which the Proforma reasons comments are captured.
UpdReasComm	nvarchar(max)	Yes	Comment is associated with the collection of restatements and the reason that is required when the key total value changes for the prior period in the current year report when compared to the prior year document.
PfReasComm	nvarchar(max)	Yes	Comment is associated with the collection of Proforma numbers.

CLMCRARepStmtDet: Reported Instance Values Reported by Organization

This table provides all the values reported by the organization for a reporting instance. Package also provides the period and source level attributes of the reporting instance.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_CLMCRARepStmtDet (Clustered)	Field , FndID, Period, SrcID, StmtCurID, StmtTypeCode, Item, Value_

Field	Type	Nullable	Description
FndID	bigint	No	Fundamental ID is a permanent identifier (Perm ID) assigned to the sub-group of an organization which is grouped based on the consolidation, parent, and GAAP basis. An organization is further grouped based on the set of comparable financial data under an umbrella known as the Fundamental ID.
PerID	bigint	No	Period ID is associated with the period end date used to report the financial data of the business at the end of the financial period for annual and interims. Period end date differs for each company, however usually a financial period is based on the tax period of the country in order to easily track corporate tax filing. Interim periods have their statement date with the end date of each quarter and semi-annual with end date half yearly. As Reported Statement Period ID is a unique identifier assigned to each period end date for a particular company.
SrcID	bigint	No	Source ID is associated with the source or filing document used to collect financial data for a particular period end. Data is collected from multiple source documents such as press, final, amendments for a particular period. Each document is assigned with a Source ID which is a unique chronological numerical value for each company.
StmtCurID	int	No	Standard Currency ID is the unique permanent identifier assigned to each currency name of a country. It is a 6-digit numerical value assigned to each currency.
			—
Item	int	No	Line Item ID is associated with the financial data items collected for each company, where each data item is assigned with a numerical value in chronological order based on the sequence of the as-reported items. The Line Item ID helps to display the items in the as-reported sequence disclosed by the company.
Value_	float	No	Line Item Value is associated with the amount of each financial data item disclosed by the company. Example: Inventories - 150,000, Cash - 250,000.

Field	Type	Nullable	Description
AnnFlg	char(1)	Yes	Annual Flag is associated with the financial periods collected. The flag is marked '1' if the corresponding period is an annual data and is '0' for an interim period. Example: a company with December as its annual period end dated 12/31/2000 will be tagged Annual Flag- '1', while its quarter with the period end dated 03/31/2021 is tagged Annual Flag- '0'.
AuditID	varchar(500)	Yes	Audit ID is associated with the auditability trail of the ratios derived on the products. It helps to arrive at the details of the calculated ratio on the product. The below example illustrates the Audit ID formula stored to help derive the ratio. FundamentalSeriesId- 48433138368, AuditID- 200085_62465_ASR_B8DCA292-E440-4538-9098-444789A2E8FE, FinancialPeriodEndDate-2/31/1997 0:00.
CarbonDataID	int	Yes	Carbon Data ID contains the information on fuel type, mine ownership, equity affiliates, revenue data source, conversion type, coal production and total P&P reserves.
CoalProdName	varchar(500)	Yes	Coal Production contains information around the ore used for production. It indicates Run of mine coal production, saleable coal production, 'Various' is used when the company is silent on the coal production type, 'Other' indicates coal production other than run of mine and saleable and 'Not Specified' indicates no production details.
CombItemFlg	char(1)	Yes	Combined Item Flag is associated with the financial data items collected and flag is tagged as '1' when the data item is a combination of two or more items and cannot be separated. Example: if the description of the item is Depreciation, Amortization and impairment expense which indicates a combination of items and does not have further breakdown of the same, then Combined Item Flag is '1'. Combined Item Flag is tagged to the financial concept code of the data item collected.
Comments	varchar(1000)	Yes	Comments provides information around the source document used and the exact page where the information is collected from. This is captured when data is not linked to source bookmarks, this helps clients to know from where the data is picked from the source document.
ConvTypeName	varchar(100)	Yes	Conversion Type Name contains information whether the conversion type is reported in the source document (Disclosed) or 'Estimated' which indicates that the conversion type is not available in the company reports and the factor has been estimated.
DerSysTypeCode	char(2)	Yes	Derivation System Type Code is associated with the financial data item collected and indicates if the item is derived by the system and the reason for derivation. Derivation System Type Code is a two-letter code indicating the following reasons for derivation: – BI - Balancing Item, implies the system derived balance value in case of incomplete Parent-Child Relationship or breakdown or rounding off difference. – MP - Missing Period, implies that the derived value is a result of missing period calculation. – MR - Missing As Reported, implies that the derived values is a result of missing as-reported calculation – XB- XBRL - implies data from automation. – NA - Not Applicable.
DerFlg	char(1)	Yes	Derived Flag is associated with the financial data item collected and reflects '1' if the item is derived by the system. Data can be derived by the system due to various reasons such as, balancing item derived due to incomplete Parent-Child Relationship or breakdown or rounding off difference or value derived because of missing as-reported calculation.

Field	Type	Nullable	Description
EqAfflFlg	char(1)	Yes	Equity Affiliates Flag indicates whether the values collected for revenues, production or reserves are for equity affiliates or not.
ExclFromStdFlg	char(1)	Yes	Excluded From Standardization Flag is associated with the as-reported data items collected and marked as '1' if a data item needs to be ignored for calculation to avoid doubt counting of the value. Generally, company reports subtotals in its presentation, these data items are collected in the reported format and Excluded From Standardization Flag is marked '1' to ignore them in the reconciliation of the statements.
FinalFlg	char(1)	Yes	Final Flag is associated with the collection of the financial data from the final source document, where each data item is marked as '1' if the information is collected from the final document. Companies file both press and final reports for a financial period and Final Flag helps to identify if the value is collected from press or final. Final Flag reflects '0' if the information is collected from a preliminary/press report. When the Final Flag value is '1', it indicates that the value is from a final report.
FinLineItemSrc	int	Yes	Financial Line Item Source is associated with the source or filing document used to collect financial data for a particular period end. Data is collected from multiple source documents such as press, final, amendments for a particular period. In the below example, each document is assigned with a source identifier which is a unique chronological numerical value for each company. Each document is assigned a Document Control Number (DCN) and records the filing date and time when the document is filed. ContainsPreliminaryData is marked 1 for press or preliminary and is marked 0 if it is final document. Statement date is the period end date of the quarters or annual reports. FinancialLineItemSourceID-88, FilingDateTime- 4/29/2020 20:28, DCN-20830709, StatementDate-3/31/2020, ContainsPreliminaryData-0; SourceID-89, FilingDateTime-4/29/2020 20:05, DCN-br00448955, StatementDate-3/31/2020, ContainsPreliminaryData-1.
FuelTypeName	varchar(100)	Yes	Fuel type will contain the information about thermal coal, metallurgical coal, pulverized coal, anthracite coal, combination of metallurgical or pulverized coal, combination of thermal or pulverized coal, combination of thermal or metallurgical coal, combination of thermal or metallurgical or pulverized coal of the organization. The value 'Not Disclosed' indicates that the company is silent on the type of coal in the company reports and 'Not Applicable' is used when there are no mine details reported by the company.
InstNum	varchar(100)	Yes	Instance Number is associated with the financial data values derived or calculated by the system using the as-reported content. . Analytical data value may be derived either through summation, deduction, multiplication, or division using the as-reported value to provide meaningful ratios, and each value is assigned an Instance Number. Each analytical value is assigned with a unique identifier known as Instance Number.
MineOwnCode	varchar(50)	Yes	Mine Ownership Code contains information about the ownership of mine. Mines with ownership greater than or equal to 50% or Mines with ownership less than 50% are captured under this data element.
ParentLineItem	int	Yes	Parent Line Item ID is associated with the collection of financial data items and the capability to display the total value and its corresponding components as an indent. Generally, companies disclose the key totals on the face of the statements and its components or breakdowns in the footnotes. The total value is the parent line, and the components are child line items. Parent Line Item ID is a numerical value assigned to each component to which it is the parent line in the Parent-Child Relationship (PCR) to avoid double accounting.

Field	Type	Nullable	Description
RepCurrID	int	Yes	Reported Currency ID is the unique permanent identifier assigned to each currency name of a country. It is a 6-digit numerical value assigned to each currency.
RepISOCurrCode	char(3)	Yes	The ISO code for Reported Currency ID.
RepScalFct	int	Yes	Reporting Scaling Factor is associated with the scaling factor of the currency used to collect the financial data values.
RevDataSrcCode	char(3)	Yes	Revenue Data Source contains information about the source of revenue. Revenue may be As Reported (REP), calculated as per FTSE Methodology (FST), Estimated (EST), Not Disclosed (ND) or CST which indicates that revenue data is estimated based on the percentage of revenue.
SeqNum	int	Yes	Sequence Number is associated with the financial data items collected for each company, where each data item is assigned with a numerical value in chronological order based on the sequence of the as-reported items. The Sequence Number helps to display the items in the as-reported sequence disclosed by the company on the product.
StmntSecCode	char(2)	Yes	Statement Section Code is associated with the collection of Financial information. Statement Section Name is the name assigned to each Statement Section Code. It is limited to 5 alphabets. Examples: – Statement Section Code- CRA – Statement Type Code- BAL – Statement Section Name- Current Assets – Statement Section Code- REV – Statement Type Code- INC – Statement Section Name- Revenue
StmntSecCrFlg	char(1)	Yes	Statement Section Credit Flag is associated with the sign or polarity of the amount or value collected for the financial information. Each statement section has default polarity based on the nature of the data items, generally sections related to income/gain are assigned positive, and expense/loss are assigned negative. Statement Section Credit Flag reflects '1' if the default polarity of the statement section is positive and '0' if it's negative.
StmntTypeCode	smallint	Yes	Statement Type Code is associated with the collection of financial information. Financial data is categorized into multiple statements based on the common accounting disclosures. Data is collected under the main statements such as Income statement (INC), Balance sheet (BAL), Cash flow (CAS) and additional statements such as Business Segment (BUS), Geographic Segment (GEO).
ThPartySrcCode	varchar(50)	Yes	Third Party Source Code indicates that the data has been sourced from third party vendors or if it's self-sourced. For example: SS - Self Sourced.
TotProvProbResrName	varchar(200)	Yes	Total Proved and Probable Reserves contains information about the reportable coal reserves, marketable coal reserves. The value 'Other' indicates the reserves other than reportable or marketable, and the value 'Not Specified' indicates that no reserves data has been reported.
UnitID	int	Yes	Physical Measure ID or Unit ID is associated with the measurement of the data items which are generally part of Key Performance Indicators (KPI) and are expressed in physical measures based on the nature of the items.
ValEstMetCode	char(3)	Yes	Value Estimation Method Code is associated with the data sourced from third party vendors and provides additional details about the value sourced. Value Estimation Method Code is the code assigned to the type of data sourced from third party.

Field	Type	Nullable	Description
			Examples: – Estimate Method ID- 0 – Value Estimate Method Code- ARV – Estimate Method Description- Actual reported value (no estimation) – Estimate Method ID- 1 – Value Estimate Method Code- CMV – Estimate Method Description- Calculated Missing Value

CLMCRAAsRepStmtSeg: Reported Instance Values Reported by Organization

This table provides all the values reported by the organization for a reporting instance. Package also provides the period and source level attributes of the reporting instance.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_CLMCRAAsRepStmtSeg (Clustered)	

Field	Type	Nullable	Description
FndID	bigint	No	Fundamental ID is a permanent identifier (Perm ID) assigned to the sub-group of an organization which is grouped based on the consolidation, parent, and GAAP basis. An organization is further grouped based on the set of comparable financial data under an umbrella known as the Fundamental ID.
PerID	bigint	No	Period ID is associated with the period end date used to report the financial data of the business at the end of the financial period for annual and interims. Period end date differs for each company, however usually the financial period is based on the tax period of the country in order to easily track corporate tax filing. Interim periods have their statement date with the end date of each quarter and semi-annual with end date half yearly. As Reported Statement Period ID is a unique identifier assigned to each period end date for a particular company.
SrcID	bigint	No	Source ID is associated with the source or filing document used to collect financial data for a particular period end. Data is collected from multiple source documents such as press, final, amendments for a particular period. Each document is assigned with a Source ID which is a unique chronological numerical value for each company.
StmtCurrID	int	No	Standard Currency ID is the unique permanent identifier assigned to each currency name of a country. It is a 6-digit numerical value assigned to each currency.
Item	int	No	Line Item ID is associated with the financial data items collected for each company, where each data item is assigned with a numerical value in chronological order based on the sequence of the as-reported items. Line Item ID helps to display the items in the as-reported sequence disclosed by the company.
OrgPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Organisation, aka Organisation Perm ID. The broad grouping of entities including Companies, Governments and municipalities, Government agencies, Charities etc. Organizations are mastered in Organization Authority.
OPMSegID	int	No	Operating Metrics Segment ID provides the list of operating segment ids linked to a particular line item values of a given organization. There can be single or multiple segments attached to a line item.

CLMCRFinPer: Reported Instance Values Reported by Organization

This table provides all the values reported by the organization for a reporting instance. Package also provides the period and source level attributes of the reporting instance.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMCRFinPer (Clustered)		OrgPermID, FndID, Period, SrcID, StmtCurrID, StmtTypeCode, PerID	

Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Organisation, aka Organisation Perm ID. The broad grouping of entities including Companies, Governments and municipalities, Government agencies, Charities etc. Organizations are mastered in Organization Authority.
FndID	bigint	No	Fundamental ID is a permanent identifier (Perm ID) assigned to the sub-group of an organization which is grouped based on the consolidation, parent, and GAAP basis. An organization is further grouped based on the set of comparable financial data under an umbrella known as the Fundamental ID.
PerID	bigint	No	Period ID is associated with the period end date used to report the financial data of the business at the end of the financial period for annual and interims. Period end date differs for each company, however usually the financial period is based on the tax period of the country in order easily track corporate tax filing. Interim periods have their statement date with the end date of each quarter and semi-annual with end date half yearly. As Reported Statement Period ID is a unique identifier assigned to each period end date for a particular company.
SrcID	bigint	No	Source ID is associated with the source or filing document used to collect financial data for a particular period end. Data is collected from multiple source documents such as press, final, amendments for a particular period. Each document is assigned with a Source ID which is a unique chronological numerical value for each company.
StmtCurrID	int	No	Standard Currency ID is the unique permanent identifier assigned to each currency name of a country. It is a 6-digit numerical value assigned to each currency
StmtTypeCode	smallint	No	Statement Type Code is associated with the collection of financial information. Financial data is categorized into multiple statements based on the common accounting disclosures. Data is collected under the main statements such as Income statement (INC), Balance sheet (BAL), Cash flow (CAS) and additional statements such as Business Segment (BUS), Geographic Segment (GEO).
AnnRepFlg	char(1)	Yes	Annual Reported Flag is associated with the financial periods collected and reflects '1' if the annual period for the corresponding fiscal year is collected. All the interim and annual period where the financial cycle is completed will reflect Annual Reported Flag as '1'.
FiscalEndMnth	int	Yes	Fiscal End Month is associated with the period end date used to report the financial data of the business at the end of the financial period for annual. Period end date differs for each company, however usually the financial period is based on the tax period of the country in order easily track corporate tax filing. Fiscal End Month is denoted with the number assigned to each calendar month in a series 1 for January; 2 for February; 12 for December.
FY	int	Yes	Fiscal Year is associated with the financial year based on the annual period end of the company.

Field	Type	Nullable	Description
PerDuration	varchar(10)	Yes	Period Duration is associated with the financial data collected for a particular period and indicates if the period length is in months or weeks. The common frequency of interim data disclosure is quarterly or semi-annually, and the unit is Month. For a quarterly report 3 months data and for semi-annual 6 months data is marked as D- Discrete type. Discrete type is applicable for income statement and cash flow statements. Interim reports also disclose both quarterly and year-to-date (YTD) information. For a quarterly report 3, 6, 9 and 12 months, year-to-date or cumulative data is marked as Y-Year-to-date.
PerEndDate	datetime2	Yes	Period End Date is the end date of the financial period that a company selects to close the financial accounts of its business. The statement date differs for each company, however usually the financial period is based on the tax period of the country in order to easily track corporate tax filing. Period End Date is applicable to both annual and interim reports.
PerStartDate	datetime2	Yes	Period Start Date is associated with the financial period for annual and interims and is the start date of the associated financial period. Period Start Date is associated with the period end date and the duration is the fiscal length of the period. The Start Date and the End Date of the period is equal to the period duration.
PerTypeCode	varchar(20)	Yes	Period Type is associated with the financial data collected for a particular period and is assigned based on the frequency of data collected. Period Type -A, Periodicity Description - Annual, similarly, M - Monthly, Q- Quarterly, S- Semi-Annual and T- Triannual.
TransFlg	char(1)	Yes	Transitional Flag reflects '1' for the fiscal periods affected when the company decides to change the ending date of its fiscal year. In between two regular fiscal years (e.g. lasting 12 months or 52/53 weeks) it reports a transitional fiscal year of special length, which is either exceptionally short or exceptionally extended.

CLMCRFinSrc: Reported Instance Values Reported by Organization

This table provides all the values reported by the organization for a reporting instance. Package also provides the period and source level attributes of the reporting instance.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_CLMCRFinSrc (Clustered)	OrgPermID, FndID, Period, SrcID, StmtCurrID, StmtTypeCode, SrcID

Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Organisation, aka Organisation Perm ID. The broad grouping of entities including Companies, Governments and municipalities, Government agencies, Charities etc. Organizations are mastered in Organization Authority.
FndID	bigint	No	Fundamental ID is a permanent identifier (Perm ID) assigned to the sub-group of an organization which is grouped based on the consolidation, parent, and GAAP basis. An organization is further grouped based on the set of comparable financial data under an umbrella known as the Fundamental ID.
PerID	bigint	No	Period ID is associated with the period end date used to report the financial data of the business at the end of the financial period for annual and interims. Period end date differs for each company, however usually the financial period is based on the tax period of the country in order to easily track

Field	Type	Nullable	Description
			corporate tax filing. Interim periods have their statement date with the end date of each quarter and semi-annual with end date half yearly. As Reported Statement Period ID is a unique identifier assigned to each period end date for a particular company.
SrcID	bigint	No	Source ID is associated with the source or filing document used to collect financial data for a particular period end. Data is collected from multiple source documents such as press, final, amendments for a particular period. Each document is assigned with a Source ID which is a unique chronological numerical value for each company.
StmntCurID	int	No	Standard Currency ID is the unique permanent identifier assigned to each currency name of a country. It is a 6-digit numerical value assigned to each currency
StmntTypeCode	smallint	No	Statement Type Code is associated with the collection of financial information. Financial data is categorized into multiple statements based on the common accounting disclosures. Data is collected under the main statements such as Income statement (INC), Balance sheet (BAL), Cash flow (CAS) and additional statements such as Business Segment (BUS), Geographic Segment (GEO).
ConResFlg	char(1)	Yes	Contains Restatement Flag is associated with the financial data collection for the current and the prior period, where the flag reflects as '1' if the current source document is used to restate the prior period data.
DocFormat	varchar(50)	Yes	Document Format is associated with the source document used to collect the financial information and indicates the type of document used for a particular period. There are various document format types filed by the company such as HTML, XBRL or PDF. Document Format indicates the format of the source document such as: ASFILED - implies HTML or XBRL document type.
DocID	int	Yes	Document ID is associated with the source document used to collect the financial information and is a unique identifier assigned to the document used for a particular period. Each source document for a particular period is assigned a unique identifier known as the Document ID, it also has a Document Control Number (DCN) assigned.
DocNum	varchar(50)	Yes	Document Number or Document Control Number (DCN) is associated with the source document used to collect the financial information and is a unique identifier assigned to the document used for a particular period. Each source document for a particular period is assigned a unique identifier known as the Document Control Number (DCN), it also has a Document ID assigned.
DocPermID	bigint	Yes	Document Perm ID is the permanent identifier (PermID) for filing content set. Each document is assigned a unique Document Perm ID.
EstFilingDateFlg	char(1)	Yes	Estimated Filing Date Flag is associated with the announcement or filing date of the source documents and generally is the date of the press announcement with the initial financial details published by the company for a particular period.
FilingDate	datetime2	Yes	Filing Date is the announcement date and time of the source documents and generally is the press document announcement date with the initial financial details published by the company for a particular period. Filing Date is mandatory and if the company does not provide clear details, efforts should be made to collect the date when the document was made public. Filing Date is updated in MM/DD/YYYY format. Time is updated in HH:MM: SS, if the exact time is not available it is defaulted to 00:00:00 that is 12:00:00 AM.
FilingDateTimeOFS	int	Yes	Filing Date Time Utc Offset is associated with the filing date and time of the source documents and provides the Coordinated Universal Time (UTC) offset value of time from the local filing time.

Field	Type	Nullable	Description
			Coordinated Universal Time, or UTC, is the primary time standard by which the world regulates clocks and time. It is within about 1 second of mean solar time at 0 longitude and is not adjusted for daylight saving time.
PrelimFlg	char(1)	Yes	Preliminary Flag is associated with the collection of the financial data from the press or preliminary document, where each data item is marked as '1' if information is collected from a preliminary document. Companies file both press and final reports for financial period and Preliminary Flag helps to identify if the value is collected from press or final. Preliminary Flag is marked '1' if collected from press and reflects '0' is collected from the final reports.
SrcTypeCode	varchar(20)	Yes	Source Type Code is associated with the source or filing document used to collect financial data for a particular period end. Data is collected from multiple source documents such as press, final, amendments for a particular period. Companies listed on the stock exchange file their reports as per the regulatory guidelines of the Government. These source documents are assigned with specific Source Type Code with a maximum limit of 10 characters to indicate the country and the filing type. Example: Source Type Code- AUSARS, Source Type Description - AUS ARS (Australia annual report).
StmtDate	datetime2	Yes	Statement Date is the period end date used to report the financial data of the business at the end of the financial period for annuals and interims. The statement date differs for each company, however usually the financial period is based on the tax period of the country in order to easily track corporate tax filing. Interim periods have their statement date with the end date of each quarter and semi-annual with end date half yearly. Each statement date is recorded with the respective source document which has a Document Control Number (DCN) assigned and filing date and time when the document is filed.
ThPartySrcCode	varchar(10)	Yes	Third Party Source Code indicates that the data has been sourced from third party vendors or if it's self-sourced. For example: SS - Self Sourced.
ThPartySrcPr	tinyint	Yes	Third Party Source Priority is the priority list or ranking assigned to the third-party source information to be mapped to the products on preference.

CLMCROrgRef: Fundamental Identifiers Mapping

This table contains mapping between the Fundamental specific identifiers i.e., Fundamentals Series ID and Fundamental ID mapped to respective Organization/Instrument/Quote Perm IDs. Users must process all these identifiers to get a meaningful content on their end.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMCROrgRef (Clustered)		OrgPermID, InstrPermID	
Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Organisation, aka Organisation Perm ID. The broad grouping of entities including Companies, Governments and municipalities, Government agencies, Charities etc. Organizations are mastered in Organization Authority.
InstrPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Instrument/asset, aka Instrument Perm ID.

Field	Type	Nullable	Description
ListStatusCode	char(3)	Yes	Code indicating the instrument's listing status: – UNL - Unlisted – IPO - Unlisted pre-initial public offering – SPO - unlisted pre-secondary public offering and – LIS - Listed – DEL- Public Delisted (Stop Trading on exchange – Retire Date) – WDN- Offering Withdrawn – UNC- Cancelled-Unlisted

CLMCRFndSeriesDet: Fundamental Identifiers Mapping

This table contains mapping between the Fundamental specific identifiers i.e., Fundamentals Series ID and Fundamental ID mapped to respective Organization/Instrument/Quote Perm IDs. Users must process all these identifiers to get a meaningful content on their end.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_CLMCRFndSeriesDet (Clustered)	OrgPermID, InstrPermID, FndSeriesPermID

Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Organisation, aka Organisation Perm ID. The broad grouping of entities including Companies, Governments and municipalities, Government agencies, Charities etc. Organizations are mastered in Organization Authority.
InstrPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Instrument/asset, aka Instrument Perm ID.
FndSeriesPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for Fundamental records called Fundamental Series Perm ID. Fundamental Series ID (FSID) = this ID is allotted at the value-add layer where it combines the history of a company when their GAAP change data is collected in multiple different Fundamentals ID.
ConsBasisName	varchar(50)	Yes	Consolidation Basis Name is associated with the financial statements disclosed by the company if the data is on consolidated or standalone/parent basis. According to the GAAP requirement, a company must disclose consolidated financial statements which combines the holding and its subsidiary data and can also disclose the parent or holding company data. Few companies disclose both.
StdCurrID	int	Yes	Standardized Currency ID is the currency used for standardization of financials on product views. In most cases the standardized replicates the as-reported currency disclosed by the company, but there are few rare cases where they differ as described in the scenarios below: where the local currency relates to a country with a hyperinflationary economy and historical values rapidly become meaningless. In this case the standardized currency would be set as the global substitute currency used within that country
StdISOCurrCode	char(3)	Yes	ISO currency code for Standardized Currency ID.
ViewType	varchar(50)	Yes	View Type is associated with the display of comparative ratios based on different flavours of financial data collected. There are two flavours of comparative ratios calculations, original-to-original data is compared between the original disclosed information, whereas recent-to-recent compares data with the latest information i.e., recent original data compared to the restated or reclassified data.

CLMCRFndDet: Fundamental Identifiers Mapping

This table contains mapping between the Fundamental specific identifiers i.e., Fundamentals Series ID and Fundamental ID mapped to respective Organization/Instrument/Quote Perm IDs. Users must process all these identifiers to get a meaningful content on their end.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMCRFndDet (Clustered)		OrgPermID, InstrPermID, FndSeriesPermID, FndSeriesFndID	

Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Organisation, aka Organisation Perm ID. The broad grouping of entities including Companies, Governments and municipalities, Government agencies, Charities etc. Organizations are mastered in Organization Authority.
InstrPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Instrument/asset, aka Instrument Perm ID.
FndSeriesPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for Fundamental records called Fundamental Series Perm ID. Fundamental Series ID (FSID) = This ID is allotted at the value-add layer where it combines the history of a company when their GAAP change data is collected in multiple different Fundamentals ID.
FndSeriesFndID	bigint	No	Fundamental Series Perm ID maps the different Fundamental ID associated to an organisation, hence resulting in associated relevant FID is tagged to FSIDs resulting in FSID is the parent to a FID.
ConsBasisName	varchar(50)	Yes	Consolidation Basis Name is associated with the financial statements disclosed by the company if the data is on consolidated or standalone/parent basis. According to the GAAP requirement, a company must disclose consolidated financial statements which combines the holding and its subsidiary data and can also disclose the parent or holding company data. Few companies disclose both.
FilingFlg	char(1)	Yes	Filing Flag is associated with the financial information collected and has provision to group comparable data under an umbrella known as the Fundamental ID. Filing Flag is marked as '0' if the company stops filing documents for the specific Fundamental ID.
GAAPCode	char(3)	Yes	Gaap Code is associated with the accounting standards adopted by a company based on the government regulatory requirements. A company can adopt multiple GAAP based on the country of listing, and they can switch from one GAAP to another.
LocLangID	int	Yes	Local Language ID is a numerical identifier assigned to each language available globally. Local Language ID helps to identify the language used in the collection of as-reported descriptions or any free text. The list includes English and local languages.
NonFilingDate	datetime2	Yes	Non Filing Date is associated with the financial information collected and provisioned to a group of comparable data under an umbrella known as the Fundamental ID.

CLMCRFndDetInd: Fundamental Identifiers Mapping

This table contains mapping between the Fundamental specific identifiers i.e., Fundamentals Series ID and Fundamental ID mapped to respective Organization/Instrument/Quote Perm IDs. Users must process all these identifiers to get a meaningful content on their end.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMCRFndDetInd (Clustered)		OrgPermID, InstrPermID, FndSeriesPermID, FndSeriesFndID, IndGrpTaxCode, TemplCode, ValidFromDt	

Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Organisation, aka Organisation Perm ID. The broad grouping of entities including Companies, Governments and municipalities, Government agencies, Charities etc. Organizations are mastered in Organization Authority.
InstrPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Instrument/asset, aka Instrument Perm ID.
FndSeriesPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for Fundamental records called Fundamental Series Perm ID. Fundamental Series ID (FSID) = This ID is allotted at the value-add layer where it combines the history of a company when their GAAP change data is collected in multiple different Fundamentals ID.
FndSeriesFndID	bigint	No	Fundamental Series Perm ID maps the different Fundamental ID associated to an organisation, hence resulting in associated relevant FID is tagged to FSIDs resulting in FSID is the parent to a FID.
IndGrpTaxCode	smallint	No	Industry Group Taxonomy Code is associated with the industrial classification assigned to each company based on their primary operations. There are six industrial classifications for the global markets: – Industrial – Insurance – Bank – Property – Investment Trust – Other financials
TemplCode	smallint	No	Template Code is associated with the industrial classification assigned to each company based on their primary operations. There are six industrial classifications for the global markets: – Industrial – Insurance – Bank – Property – Investment Trust – Other financials
ValidFromDt	datetime2	No	Valid From Date is associated to industry group assigned to an Organization ID. Each industry group is recorded with a create date and an end date. Valid From Date represents the create date or the date when the industry group is activated.
IndGrpName	varchar(100)	Yes	Industry Group Name is associated with the industrial classification assigned to each company based on their primary operations. There are six industrial classifications for the global markets: – Industrial – Insurance

Field	Type	Nullable	Description
			– Bank – Property – Investment Trust – Other financials
NameLangID	int	Yes	Name Language ID is a numerical value assigned to each language available globally. Name Language ID helps to identify the language used in the collection of as-reported descriptions or any free text. The list includes English and local languages.
ValidToDt	datetime2	Yes	Valid To Date is associated to industry group assigned to an Organization ID. Each industry group is recorded with a create date and an end date. Valid To Date represents the end date or the date when the industry group is deactivated.

CLMCRFndDetTxn: Fundamental Identifiers Mapping

This table contains mapping between the Fundamental specific identifiers i.e., Fundamentals Series ID and Fundamental ID mapped to respective Organization/Instrument/Quote Perm IDs. Users must process all these identifiers to get a meaningful content on their end.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_CLMCRFndDetTxn (Clustered)	OrgPermID, InstrPermID, FndSeriesPermID, FndSeriesFndID, TaxCode

Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Organisation, aka Organisation Perm ID. The broad grouping of entities including Companies, Governments and municipalities, Government agencies, Charities etc. Organizations are mastered in Organization Authority.
InstrPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Instrument/asset, aka Instrument Perm ID.
FndSeriesPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for Fundamental records called Fundamental Series Perm ID. Fundamental Series ID (FSID) = This ID is allotted at the value-add layer where it combines the history of a company when their GAAP change data is collected in multiple different Fundamentals ID.
FndSeriesFndID	bigint	No	Fundamental Series Perm ID maps the different Fundamental ID associated to an organisation, hence resulting in associated relevant FID is tagged to FSIDs resulting in FSID is the parent to a FID.
TaxCode	smallint	No	Taxonomy Code is associated with the taxonomy categories classified in fundamentals. Taxonomy is classified into two categories; one is Global and another Japanese Local. The Taxonomy Code is '1' for Global and '2' for Japan.

CLMCRQuoteCtry: Fundamental Identifiers Mapping

This table contains mapping between the Fundamental specific identifiers i.e., Fundamentals Series ID and Fundamental ID mapped to respective Organization/Instrument/Quote Perm IDs. Users must process all these identifiers to get a meaningful content on their end.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMCRQuoteCtry (Clustered)		OrgPermID, InstrPermID, QuotePermID	
Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Organisation, aka Organisation Perm ID. The broad grouping of entities including Companies, Governments and municipalities, Government agencies, Charities etc. Organizations are mastered in Organization Authority.
InstrPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Instrument/asset, aka Instrument Perm ID.
QuotePermID	bigint	No	Unique LSEG system generated Permanent Identifier (PermID) for the quote-level instrument, aka Quote Perm ID.
QuoteCtryID	int	Yes	Country ID where the quote is trading; based on the market identifier code (MIC) which is used to identify stock markets and other trading exchanges.

CLMCRQuoteRel: Fundamental Identifiers Mapping

This table contains mapping between the Fundamental specific identifiers i.e., Fundamentals Series ID and Fundamental ID mapped to respective Organization/Instrument/Quote Perm IDs. Users must process all these identifiers to get a meaningful content on their end.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_CLMCRQuoteRel (Clustered)		OrgPermID, InstrPermID, QuotePermID, FndSeriesPermID	
Field	Type	Nullable	Description
OrgPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Organisation, aka Organisation Perm ID. The broad grouping of entities including Companies, Governments and municipalities, Government agencies, Charities etc. Organizations are mastered in Organization Authority.
InstrPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for an Instrument/asset, aka Instrument Perm ID.
QuotePermID	bigint	No	Unique LSEG system generated Permanent Identifier (PermID) for the quote-level instrument, aka Quote Perm ID.
FndSeriesPermID	bigint	No	Unique system generated Permanent Identifier (PermID) for Fundamental records called Fundamental Series Perm ID. Fundamental Series ID (FSID) = This ID is allotted at the value-add layer where it combines the history of a company when their GAAP change data is collected in multiple different Fundamentals ID.

Copyright © 2025 London Stock Exchange Group plc and its group of companies (LSEG) and/or its affiliates. All rights reserved. The LSEG content received through this service is the intellectual property of LSEG or its third party suppliers. Republication or redistribution of content provided by LSEG is expressly prohibited without the prior written consent of LSEG, except where permitted by the terms of the relevant LSEG service agreement. Neither LSEG nor its third party suppliers shall be liable for any errors, omissions or delays in content, or for any actions taken in reliance thereon. LSEG and its logo are trademarks of LSEG.

For more information visit us at www.lseg.com



LSEG DATA &
ANALYTICS